


13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

X Roy L. Shyler
(Applicant)

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 67-07801

Proposed Priority: October 10, 1989 Maximum Diversion Rate: 0.50 CFS

This is to certify, that CHET L. SLYTER
ROY L. SLYTER
797 SLYTER LANE
WEISER, ID 83672

has applied for a permit to appropriate water from:

MONROE CREEK tributary of WEISER RIVER

and a permit is APPROVED for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	03/15 to 11/15	0.50 CFS

LOCATION OF POINT(S) OF DIVERSION: NWNENW Sec. 28, Township 11N, Range 05W
WASHINGTON County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
11N	05W	28	NWNE	25		25

Total number of acres irrigated: 25

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before February 1, 1992.
2. Subject to all prior water rights.
3. Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.
4. A lockable device, subject to the approval of the Department, shall be installed on the diverting works in a manner that will provide the watermaster suitable control of the diversion prior to diversion of water under this permit.
5. Use of water under this permit is subject to control by the watermaster of State Water District No. 67.
6. The rate of diversion of water for irrigation under this permit and all other water rights on the same land shall not exceed 0.02 cubic feet per second for each acre of land.
7. No water shall be diverted under this permit after June 15 of each year without prior approval of the watermaster.

RECORDED

MAR 14 1990

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 67-07801

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

17th day of January, 19 90.


R. Keith Higginson
for R. Keith Higginson, Director

MICROFILMED

MAR 14 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

Ident. No. 67-07801



To appropriate the public waters of the State of Idaho
Department of Water Resources

1. Name of applicant Ray L. or Chet L. Slyter Phone 208-549-1848
Post office address 797 Slyter Ln WEISER ID 83672
2. Source of water supply Monroe Creek which is a tributary of Weiser River
3. Location of point of diversion is NW $\frac{1}{4}$ of NE $\frac{1}{4}$ of NW $\frac{1}{4}$, Govt. Lot _____
Sec. 28 Township 11N Range 5W B.M. Washington County; additional
points of diversion if any: _____
4. Water will be used for the following purposes:
Amount 0.5 for irrigation purposes from 3/15 to 11/15 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) 0.5 and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works:
 - a. Description of ditches, flumes, pumps, headgates, etc. pump in creek - using
existing buried 10" mainline to flood irrig. and/or sprinklers
 - b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.
 - c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.
 - d. Is ground water with a temperature of greater than 90°F being sought? _____
7. Time required for the completion of the works and application of the water to the proposed use is
2 years (minimum 1 year).

MICROFILMED

MAR 14 1990

8. Description of proposed uses (if irrigation only, go to item 9):

- Hydropower; show total feet of head and proposed capacity in KW. _____
- Stockwatering; list number and kind of livestock. _____
- Municipal; show name of municipality. _____
- Domestic; show number of households. _____
- Other; describe fully. _____

9. Description of place of use:

- If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- If water is used for other purposes, place a symbol of the use (example: *D* for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
11N	5W	28		25															25

Total number of acres to be irrigated 25

* 10. Describe any other water rights used for the same purposes as described above. NONE

- Who owns the property at the point of diversion? applicant
- Who owns the land to be irrigated or place of use? applicant
- If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____


12. Remarks: _____

INDEXED

* Per phone call 10/20/89

MAR 14 1990

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

X *Roy L. Syster*
(Applicant)

Received by AB Date 10/10/89 Time 9:17:24 Preliminary check by GP
Fee \$ 45⁰⁰ Received by AB # MO04856 Date 10/10/89
Publication prepared by GG Date 10-25-89 Published in Weiser Signal
11/2 & 11/9/89
Publication approved it Date 12-18-89

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.
- e. Other:

MICROFILMED

MAR 14 1990

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO, } ss.
County of Washington }

Sarah Boles

being duly sworn,

poses and says:

That he is the Clerk of
THE WEISER SIGNAL, a weekly newspaper published at
Weiser, in the County of Washington and State of Idaho; that
said paper has been and is in general circulation in the
County aforesaid, and in the vicinity of Weiser; that the ad-
vertisement, a copy of which is attached hereto, was pub-

lished in said newspaper once a week for two consecu-
tive weeks in the regular and entire issue of said paper dur-
ing the period and time of publication, and was published in
the newspaper proper and not in a supplement; that said
paper has been established and regularly published for more
than seventy-eight consecutive weeks prior to the date of
first publication of said advertisement.

Such notice was published in the issue beginning with

November 2

1989, and endingwith the issue of November 9, 1989.

Sarah Boles

for fees, \$ 209.12Subscribed and sworn to before me this 9day of November, 1989.

Notary Public, Residing at Weiser, Idaho.

My Commission Expires 1-1, 1993.

-07777

RADCLIFFE, DAN
RADCLIFFE, KRYSTINA
1342 HOOVER RD.
WEISER, ID 83672
Source: GROUNDWATER
Diversion Pt: NESW Sec 25 T 12N R 05W
Use: IRRIGATION (.030 CFS)
DOMESTIC (.040 CFS)
Date Filed: 10/18/1989
In: T12N R05W S25 NESW
1.0 ACRES TOTAL

67-07781

GOMEZ, STEVE
GOMEZ, LINDA J.
1506 THOUSAND SPRINGS RD.
WEISER, ID 83672
Source: SPRING
Tributary: SINKS
Diversion Pt: SWNENW Sec 19 T 12N R 04W
Use: DOMESTIC (.020 CFS)
STOCKWATER (.020 CFS)
Date Filed: 10/02/1989
In: T12N R04W S19 NENW

67-07788

SEMERAD, CHARLES
SEMERAD, CATHY
1281 MANN CREEK RD.
WEISER, ID 83672
Source: SPRINGS
Tributary: MANN CREEK
Diversion Pt: SWNENW Sec 31 T 12N R 04W
NWSNW Sec 31 T 12N R 04W
Use: STOCKWATER (.020 CFS)
Date Filed: 10/11/1989
In: T12N R04W S31 NENW SENW

67-07795

ROBERTS FARM INC.
1449 LARSEN RD.
WEISER, ID 83672
Source: GROUNDWATER
Diversion Pt: NESE Sec 5 T 10N R 05W
Use: IRRIGATION (.800 CFS)
Date Filed: 10/10/1989
In: T10N R05W S05 NESE NWSE
40.0 ACRES TOTAL

67-07797

RANEY, R. H.
RANEY, BETTY
363 W. INDIANHEAD RD.
WEISER, ID 83672
Source: GROUNDWATER
Diversion Pt: NENESE Sec 30 T 11N R 05W
Use: IRRIGATION (.140 CFS)
STOCKWATER (.020 CFS)
Date Filed: 10/06/1989
In: T11N R05W S30 NESE
7.0 ACRES TOTAL

(67-07801)

SLYTER, ROY L.
SLYTER CHET L.
797 SLYTER LN.
WEISER, ID 83672
Source: MONROE CREEK
Tributary: WEISER RIVER
Diversion Pt: NWNENW Sec 28 T 11N R 05W
Use: IRRIGATION (.500 CFS)
Date Filed: 10/10/1989
In: T11N R05W S28 NWNE
25.0 ACRES TOTAL

69-07099

GUEST, AARON M.
BOX 877
CASCADE, ID 83611
Source: SPRING
Tributary: ROCK CREEK
Diversion Pt: NWNENE Sec 2 T 13N R 06W
Use: WILDLIFE STORAGE (15.00 AF)
FIRE PROTECTION STORAGE (15.00 AF)
DIVERSION TO STORAGE (.200 CFS)
Date Filed: 9/05/1989
In: T14N R06W S02 NESE

69-07100

NELSON, ROBERT G.
NELSON, MARY E.
1748 WOODBRIDGE LN.
BOISE, ID 83706
Source: UNNAMED STREAM
Tributary: SNAKE RIVER
Diversion Pt: SESENW Sec 32 T 13N R 07W
Use: DOMESTIC (.020 CFS)
Date Filed: 10/12/1989
In: T13N R07W S32 Lot 2 (SWNW)

The permit(s) will be subject to all prior water rights. Protests
must be filed with the Director, Dept. of Water Resources,
Western Region, 2735 Airport Way, Boise, Idaho 83705 on or
before NOVEMBER 20, 1989.

R. KEITH HIGGINSON, Director
Published 11/02/1989 & 11/09/1989

MICROFILMED

MAR 14 1990

May 19, 1992

CHET L. SLYTER
ROY L. SLYTER
797 SLYTER LANE
WEISER ID 83672

RE: Water Right No. 67-07801

Dear Water Right Holder(s):

Department water right records show that you divert water from the Snake River or its tributaries under a water right that has a priority date later than December 29, 1976. This is the priority of the established minimum stream flow of the Snake River at the Weiser Gage (Weiser) in the amount of 4,750 cubic feet per second.

Because of the continuing drought conditions in the Snake River Basin, department hydrologists project that during 1992, there could be periods when the required minimum flow will not be satisfied due to low flows of the Snake River. The department urges you to not divert at a higher rate than authorized by your water right and to not use your right in any manner different than authorized. In addition, when the minimum flow will not be satisfied or is not being satisfied, you are required to cease diverting water under your water right, because your right is of later priority than the minimum stream flow at Weiser.

If the department determines the minimum flow will not be satisfied, the department will advise you and will provide as much lead time as possible in requiring that you temporarily cease your diversion of water. The greatest likelihood for this to occur is during a period from mid-June to late June.

While the department expects good cooperation from junior water right holders, water users should be aware that Section 42-352, Idaho Code, provides for penalties of up to \$100 per day for unauthorized diversions of water.

The department has contacted both the Idaho Power Company and the U.S. Bureau of Reclamation with respect to the timing of storage releases from upstream reservoirs for flow enhancement

purposes. This type of coordination could minimize the impact on existing water users and reduce the need to curtail diversions.

The department has scheduled public information meetings relative to this potential regulation as follows:

Mountain Home - June 4, 1992 - 10:00 a.m. - gymnasium at
North Elementary School, 290 E. 12th N.

Caldwell - June 4, 1992 - 7:00 p.m. - Ballroom in the
Student Union Building, Albertson College of Idaho,
2112 Cleveland

If you have questions concerning this letter or wish to provide the name of a different contact person or address to receive department correspondence, please contact the department.

Sincerely,

L. GLEN SAXTON
Chief, Water Allocation Bureau

LGS:klg

January 24, 1992

CHET L. SLYTER
ROY L. SLYTER
797 SLYTER LANE
WEISER ID 83672

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 67-07801

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

I note that the permit issued to you by the department requires the installation of a lockable device to allow the department to determine the rate of diversion. The proof which you submitted does not show that you have installed this equipment.

The installation of the lockable device must be complete by the time the department representative conducts the examination of your system unless the department has rescinded the requirement prior to the field examination. In some cases, the equipment requirement can be rescinded because the equipment cannot be physically installed, is not appropriate or can be accommodated with other measuring methods.

If you have questions concerning this matter, please feel free to contact the WESTERN Regional Office in Boise at (208)334-2190.

Sincerely,

Karen L. Gustafson
Secretary/Records Manager

c: IDWR - Region

RECEIVED

FEB 11 1992

RECEIVED

DEC 31 1991

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

Department of Water Resources

PROOF OF BENEFICIAL USE**RECEIVED**
JAN 22 1992

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 67-07801 Telephone No. 549-1848
2. Name(s) of Permit Holder(s): Roy L. Shyster Chet L. Shyster
3. Post Office Address: 797 Shyster Lane Weiser, Id. 83672
4. Source of Water: Moose Creek

a. If ground water, well driller's name: _____ Date drilled: _____

b. Pump horsepower: 30 Pressure (psi): 47 psi Dynamic pumping level (ft.): 123'

5. Extent of Use:

Domestic _____ (No. of households)

Irrigation 25 (No. of acres)

Stockwater _____ (No. and type of stock)

Other _____

6. Total rate and/or volume for which proof is submitted 1.50 12/31/91 1.5 cfs acre/feet

7. Refer to the approval conditions on your permit and respond accordingly:

~~Measuring device~~ Required? ☒ Yes ☐ No Installed? ☒ Yes ☐ No

OR

Flow Measurement Port: Required? ☐ Yes ☒ No Installed? ☐ Yes ☐ No

8. Fee Enclosed: \$ 100.00 (See License Examination Fee Schedule)

9. Person to contact to accompany the Department representative during the field examination:

Roy Shyster 208-549-1848
Name Telephone No.
797 Shyster Lane Weiser, Id. 83672
Address

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

12/15/91
Date

Roy L. Shyster
Signature (and title if on behalf of a company or organization)

FEB 11 1992

**ANALYSIS SHEET
FOR
PROOF OF BENEFICIAL USE**

Permit No. 67-07801

Reviewed by Klg

Date 12/31/91

GENERAL CONSIDERATIONS

yes Name same as permit?
yes Address same as permit?
yes Proof timely received? If not, complete calculation below.

SOURCE OF WATER

☒ Surface water source
☐ Ground water source
NA Drilling permit required?
☐ Copy in the file? Drilling Permit No. _____
☐ Amount paid for permit _____ Correct?
☐ Well log in the file?

LICENSE EXAMINATION FEE

yes Required?
100 Amount Submitted
yes Correct?

MEASURING DEVICE

yes Required?
no Installed?
no Waiver requested?

PRIORITY CALCULATION

Date proof received	<u>NA</u>	_____
Date proof due	<u>/</u>	- _____
No. of days late	<u>/</u>	= _____
Priority Date	<u>/</u>	+ _____
New Priority Date	<u>/</u>	_____

DEFICIENCIES OR ACTION ITEMS

can only ~~apply for~~ 50 applicable fee is \$100

proof acceptable

needs a lockable

DATA ENTRY

New Address _____

Proof Made 1/22/92
1/24/92 Klg



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000
Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

December 31, 1991

Roy and Chet Slyter
797 Slyter Lane
Weiser, ID 83672

Re: Permit No. 67-07801

Dear Permit Holder:

Returned is the Proof of Beneficial Use form submitted to this office on December 31, 1991. It indicates the total rate of diversion to be 1.5 cfs. However, your permit was issued for .50 cfs. A license cannot be issued for more than the permit. Therefore, I have amended the total rate of diversion to read .50 cfs.

Also, when the total maximum rate of diversion is greater than 0.04 cfs, a license examination fee is required to be submitted with the proof. A license examination fee based on a rate of flow of .50 cfs. is \$100. Note the back of the enclosed instruction sheet/fee schedule.

Also, one of the conditions of your permit states that a lockable device installed prior to diversion of water. Please indicate on the form whether or not you have complied with this condition.

Please return the proof and fee to me within 20 days of the date of this mailing. Upon receipt of the proof form and fee, we will continue processing your proof by notifying the region that a field exam is needed.

If you have any questions or if I can be of any further assistance, please feel free to contact me.

Sincerely,

Karen L. Gustafson
Karen L. Gustafson
Secretary/Records Manager

Enclosures

RECORDED

FEB 11 1992

138291
November 30, 1991

CHET L. SLYTER
ROY L. SLYTER
797 SLYTER LANE
WEISER ID 83672

PROOF DUE NOTICE

RE: PERMIT NO. 67-07801

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before February 1, 1992. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Karen L. Gustafson
Secretary/Records Manager

Enclosures

RECEIVED

FEB 1 1992

S T A T E O F I D A H O
D E P A R T M E N T O F W A T E R R E S O U R C E S

Statehouse
Boise, Idaho 83720
(208) 327-7900
January 18, 1990

CHET L. SLYTER
ROY L. SLYTER
797 SLYTER LANE
WEISER, ID 83672

P E R M I T A P P R O V A L N O T I C E

RE: PERMIT NO. P67-07801

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

Be sure to note the special condition requiring you to install a lockable device that will provide the watermaster control on your diversion.

Please note the requirement that as a permit holder you must commence the excavation or construction of diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The enclosed blue card must be completed and returned to this office as soon as you commence construction, no later than one year from the date the permit was approved.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit into a license.

Sincerely,

GARY SPACKMAN, Supervisor
Water Right Permits Section

GS: SC
Enclosures

RECORDED

MAR 14 1990

Form No. 202a.
3/89

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEET

INITIAL REVIEW BY: [Signature] DATE: 10-19-89 APPLICATION: 67-07801

REQUIRED INFORMATION

- ☒ Name: (If applicant is a corporation or partnership, names and addresses for the director, officers, and other partners must be included.)
☒ Address:
☒ Source: (See USGS Quad for names of water sources)
☒ Point of Diversion: (10 acres for spring, lot & block descriptions for Subdivisions, local name)
☒ County:
☒ Quantity: (flow and/or volume)
☒ Period of use: Gov't. Lots: n/a P/D
☒ Nature of proposed use: (Include description of use) n/a P/U
☒ Description of diverting works:
☒ Time required for beneficial use of water:
☒ Place of use or acres irrigated:
☒ Map:
☒ Signature: (If applicant is corp., partnership, or municipality, title of signatory is required)
☒ Fee:
☒ Yes ☐ No* In form to receipt:

ADDITIONAL INFORMATION

- YES NO
☒ ☐ Overlapping place of use: (Describe source & relationship to present application on the back.)
☐ ☒ Overlapping point of diversion:
☐ ☒ Field check required: Field check by: _____
☐ ☒ Field report attached:
☐ ☒ Critical groundwater area:
☐ ☒ Groundwater management area:
☐ ☒ Diversion within interim protected river area
☐ ☒ Send dam safety information:
☐ ☒ Send power requirement letter:
☐ ☒ Send fish farm requirement letter:
☐ ☒ Power residency affidavit:
☐ ☒ Power efficiency form:
☐ ☒ Within trust water boundary: (If yes, attach Trust Water Supplementary Analysis Sheet.)
☐ ☒ Diversion greater than 5 cfs or 500 af: (If yes, attach Large Diversion supplementary analysis sheet.)
☐ ☒ *REQUEST ADDITIONAL INFORMATION FROM THE APPLICANT

DATE REQUESTED: _____
Additional information on reverse side: _____

RECEIVED
DEC 22 1989
Department of Water Resources

PROCESSING

APPLICATION NO. _____

67-07801

YES NO

☒ ☒

In form for advertising:

Statewide advertising:

☒ ☒

Fee amount, receipt number and date recorded on application:

SEND COPIES TO

YES NO

☒ ☒

I.D. Health and Welfare

☒ ☒

I.D. Fish and Game

☒ ☒

I.D. Lands

☒ ☒

Adjudication Bureau

YES NO

☒ ☒

U.S. BLM

☒ ☒

U.S. Forest Svc.

☒ ☒

Water Dist. # _____

☒ ☒

Other _____

FINAL REGIONAL PROCESSING REVIEW

YES NO

☒ ☒

Affidavit of publication received:

Application published correctly: If not, record action taken.

☒ ☒

Publication dates and paper recorded on application:

☒ ☒

Protests received. Final date for protest

November 20, 1989

☒ ☒

Protest dates, resolution of protest recorded on application:

☒ ☒

Recommendations attached: Approve, OK

☒ ☒

Measuring device required:

☒ ☒

Measuring port required:

☒ ☒

Water delivered by water master? District #

67 (Weiser R. & Tribs)

☒ ☒

Special conditions of approval or cover letter:

05 (Weiser R. & Tribs), OIH, Z6A (allow 2 years for completion)

See below for additional information

Recommended Date or Priority

10/10/89

Recommended by:

DOR

Date

12/21/89

STATE OFFICE REVIEW

P01, P17

05 (67)

36 OIH

** (below)

See below for additional information. By

KW

Date

1-3-90

ADDITIONAL INFORMATION

WRS 67-00724 & 67-02032 are from same source, for same purpose, different POU, but same legal land description for POU. Belongs to Monroe Creek Irrigation Co.

Called 10-20-89 talked to Roy he said this was not covered by any other WR

**** No water shall be diverted under this permit after June 15 of each year without prior approval of the water master.**

67-07801

SLYTER, ROY L.
SLYTER, CHET L.
797 SLYTER LN.
WEISER, ID 83672

Source: MONROE CREEK

Tributary: WEISER RIVER

Diversion Pt: NWNENW Sec 28 T 11N R 05W

Use: IRRIGATION (.500 CFS)

Date Filed: 10/10/1989

In: T11N R05W S28 NWNE

25.0 ACRES TOTAL

MONOTILED

MAR 14 1990