

8A
10/18/89

No 7 1/2' topo map is available.

PER Telecon with R. Roney
10/18/89:

- 1) tax notices NENESE
- * 2) pld, pln south of Indianhead Rd. and west of W. 3 Rd.
- 3) OK to change domestic to irrig., total irrig is 7 acres.
- 4) Another well used for internal domestic

* this appears section lines on applicants map incorrect.

lots where only
11N 5W 5.30

30"

4903

4902

4901

4900

17°00'

501

502


180000 FEET

503


57°30"

504

(WEISER



13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

R. Raney 10/18/89 SL.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

MAR 14 1990

X R.H. Raney
(Applicant)

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
DEC 18 1992

Department of Water Resources

A. GENERAL INFORMATION


1. Owner: R. H. & Betty Raney Permit No. 67-07799
Current Address: 303 W. Indianhead Rd., Weiser, Idaho 83672 Phone No. 549-1545
2. Accompanied by: R. H. Raney EXAM. DATE: 7-16-91
Address: same Phone No. same
Relationship to Permit Holder: owner
3. Source: groundwater tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: None 67-2384A, 67-4067, 67-4250 ☐ Copies Attached
2. Other water rights with same point of diversion: None ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = 200'

RECEIVED

FEB 05 1993

2. ☒ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required). ☐ Aerial Photo Attached (required for irrigation of 10 acres or more).
☒ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater).

67-7797



#1

Well located
South of home



#2

Place of use
South of well.
Sprinklers are
shown in background.

RECORDED

FEB 05 1993

67-7797



#3

Place of use
looking southwest
from well



#4

Place of use
located West of
home.

MISSOURI

FEB 05 1993

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE
WATER RIGHT NO. 67-07797

Priority: October 6, 1989

Maximum Diversion Rate: 0.11 CFS
Maximum Diversion Volume: 29.0 AF

This is to certify, that R H RANEY
BETTY RANEY

363 W INDIANHEAD RD
WEISER ID 83672

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated October 6, 1989; and has submitted Proof of Beneficial Use on December 10, 1990. An examination indicates that the works have a diversion capacity of .110 cfs of water from a **GROUNDWATER** source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.11 CFS	28.8 AF
STOCKWATER	01/01 to 12/31	0.01 CFS	0.2 AF
	Totals	0.11 CFS	29.0 AF

LOCATION OF POINT(S) OF DIVERSION:

NESE , Sec. 30, Township 11N, Range 05W
WASHINGTON County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
11N	05W	30	NESE	6.4		6.4

Total number of acres irrigated: 6.4

PLACE OF USE: STOCKWATER, same as IRRIGATION use

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right limited to the amount that can actually be beneficially use used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.

NOTED

FEB 05 1993

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 67-07797

CONDITIONS/REMARKS:

5. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 4.5 afa per acre for the lands above.
6. Stockwater use is for 15 range cattle.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code, Witness the seal and signature of the Director, affixed at Boise, this 14TH day of JANUARY, 1993.

Acting for R. Keith Higginson, Director

FILED 05 1993

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 67-07797

Proposed Priority: October 6, 1989

Maximum Diversion Rate:

0.14 CFS

This is to certify, that **BETTY RANEY**
R. H. RANEY
363 W. INDIANHEAD RD.
WEISER, ID 83672

has applied for a permit to appropriate water from: **GROUNDWATER**
and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	03/15 to 11/15	0.14 CFS
STOCKWATER	01/01 to 12/31	0.02 CFS
	Totals	0.14 CFS

LOCATION OF POINT(S) OF DIVERSION:

NENESE Sec. 30, Township 11N, Range 05W
WASHINGTON County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
11N	05W	30	NESE	7		7

Total number of acres irrigated: 7

PLACE OF USE: STOCKWATER, same as IRRIGATION use

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before **February 1, 1991**.
2. Subject to all prior water rights.
3. Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
4. The rate of diversion of water for irrigation under this permit and all other water rights on the same land shall not exceed 0.02 cubic feet per second for each acre of land.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

17th day of January, 1990.

[Signature]
for R. Keith Higginson, Director

MICROFILMED

MAR 14 1990

Ident. No. 67-07797STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

Department of Water Resources

APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of applicant R. Horz Betty Raney Phone 549-1545
Post office address 363 W. Indianhead Rd. Waiser ID 83672
2. Source of water supply Groundwater which is a tributary of _____
3. Location of point of diversion is NE $\frac{1}{4}$ of NE $\frac{1}{4}$ of SE $\frac{1}{4}$, Govt. Lot _____
Sec. 30 Township 11 N Range 5 W B.M. WASHINGTON County; additional
points of diversion if any: _____
4. Water will be used for the following purposes:
Amount 0.13 for IRRIGATION * purposes from 3/15 to 11/15 (both dates inclusive)
(cfs or acre-feet per annum)
Amount 0.02 for STOCK purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount 0.03 for DOMESTIC purposes from 12/15 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) 0.13 0.14 * and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. 5 hp. pump. handline
15 segments.
b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.
c. Proposed well diameter is 12 inches; proposed depth of well is 80' feet.
d. Is ground water with a temperature of greater than 90°F being sought? NO
7. Time required for the completion of the works and application of the water to proposed beneficial use is
1 years (minimum 1 year).

* Applicant changed domestic (law) use at .03 cfs to irrigation & indicated 7 acres of irrigation; Thus, 0.14 cfs total for 7 acres and stockwater use.

MICROFILMED

MAR 14 1990

8C 10/15/89 telecon

8. Description of proposed uses (if irrigation only, go to item 9):

- a. Hydropower; show total feet of head and proposed capacity in KW. _____
- b. Stockwatering; list number and kind of livestock. 15 CATTLE OR SHEEP OR HORSES
- c. Municipal; show name of municipality. _____
- d. Domestic; show number of households. 1000 FOR HOUSE *
- e. Other; describe fully. _____

9. Description of place of use:

- a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
11N	5W	30													7.0				~~6.5~~ 7.0
11N	5W	30													S				

Total number of acres to be irrigated ~~6.5~~ 7.0

10. Describe any other water rights used for the same purposes as described above. A WELL IS
used for the culinary water in the house different *
11. a. Who owns the property at the point of diversion? APPLICANT
- b. Who owns the land to be irrigated or place of use? APPLICANT
- c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

12. Remarks: This well was first used in 1965 and has
been used continuously to irrigate these lands
since that time

MAY 14 1990

* changes per telecon with R. Roney 10/18/89. To see revised map
 Critchfield. SL


8/18/89
10/18/89

NO 7 1/2' topo map is available.

PER Tekow with R. Roney
10/18/89:

- 1) tax notice = NENESE
- * 2) plat, pln south of Indianhead Rd. and west of W. 3 Rd.
- 3) OK to change domestic to irrig., total irrig is 7 acres.
- 4) Another well used for irrigation domestic


* This appears section lines on applicants map incorrect.



180,000 FEET

WEISER

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

R. Rany 10/18/89

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

X R.H. Rany
(Applicant)

Received by AB ^{YLS.} Date 10-10-89 ^{3:36PM} Time 12:01:42 Preliminary check by AB SL
Fee \$ 30.00 Receipted by AB # MOU4845 Date 10/6/89
Publication prepared by GG Date 10-25-89 Published in Weiser Signal
Publication approved AT Date 12-18-89 11/2 & 11/9/89

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.
- e. Other:

MICROFILMED

MAR 14 1990

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO, } ss.
County of Washington }

Sarah Boles

, being duly sworn,

deposes and says:

That ^She is the Clerk of
THE WEISER SIGNAL, a weekly newspaper published at
Weiser, in the County of Washington and State of Idaho; that
said paper has been and is in general circulation in the
county aforesaid, and in the vicinity of Weiser; that the ad-
vertisement, a copy of which is attached hereto, was pub-
lished in said newspaper once a week for two consecu-
tive weeks in the regular and entire issue of said paper dur-
ing the period and time of publication, and was published in
the newspaper proper and not in a supplement; that said
paper has been established and regularly published for more
than seventy-eight consecutive weeks prior to the date of
first publication of said advertisement.

Such notice was published in the issue beginning with

November 2

, 1989,

and ending

with the issue of November 9

, 1989.

Sarah Boles

for fees, \$ 209.12

Subscribed and sworn to before me this 9

day of November, 1989.

[Signature]
Notary Public, Residing at Weiser, Idaho.

My Commission Expires 1-1, 1993.

The Following application(s) have been filed to appropriate
the public waters of the State of Idaho:

67-07777

RADCLIFFE, DAN
RADCLIFFE, KRYSTINA
1342 HOOVER RD.
WEISER, ID 83672
Source: GROUNDWATER
Diversion Pt: NESW Sec 25 T 12N R 05W
Use: IRRIGATION (.030 CFS)
DOMESTIC (.040 CFS)
Date Filed: 10/18/1989
In: T12N R05W S25 NESW
1.0 ACRES TOTAL

67-07781

GOMEZ, STEVE
GOMEZ, LINDA J.
1506 THOUSAND SPRINGS RD.
WEISER, ID 83672
Source: SPRING
Tributary: SINKS
Diversion Pt: SWNENW Sec 19 T 12N R 04W
Use: DOMESTIC (.020 CFS)
STOCKWATER (.020 CFS)
Date Filed: 10/02/1989
In: T12N R04W S19 NENW

67-07788

SEMERAD, CHARLES
SEMERAD, CATHY
1281 MANN CREEK RD.
WEISER, ID 83672
Source: SPRINGS
Tributary: MANN CREEK
Diversion Pt: SWNENW Sec 31 T 12N R 04W
NWSNENW Sec 31 T 12N R 04W
Use: STOCKWATER (.020 CFS)
Date Filed: 10/11/1989
In: T12N R04W S31 NENW SENW

67-07795

ROBERTS FARM INC.
1449 LARSEN RD.
WEISER, ID 83672
Source: GROUNDWATER
Diversion Pt: NESE Sec 5 T 10N R 05W
Use: IRRIGATION (.800 CFS)
Date Filed: 10/10/1989
In: T10N R05W S05 NESE NWSE
40.0 ACRES TOTAL

67-07797

RANEY, R. H.
RANEY, BETTY
363 W. INDIANHEAD RD.
WEISER, ID 83672
Source: GROUNDWATER
Diversion Pt: NENESE Sec 30 T 11N R 05W
Use: IRRIGATION (.140 CFS)
STOCKWATER (.020 CFS)
Date Filed: 10/06/1989
In: T11N R05W S30 NESE
7.0 ACRES TOTAL

67-07801

SLYTER, ROY L.
SLYTER CHET L.
797 SLYTER LN.
WEISER, ID 83672
Source: MONROE CREEK
Tributary: WEISER RIVER
Diversion Pt: NWNENW Sec 28 T 11N R 05W
Use: IRRIGATION (.500 CFS)
Date Filed: 10/10/1989
In: T11N R05W S28 NWNE
25.0 ACRES TOTAL

69-07099

GUEST, AARON M.
BOX 877
CASCADE, ID 83611
Source: SPRING
Tributary: ROCK CREEK
Diversion Pt: NWNESE Sec 2 T 13N R 06W
Use: WILDLIFE STORAGE (15.00 AF)
FIRE PROTECTION STORAGE (15.00 AF)
DIVERSION TO STORAGE (.200 CFS)
Date Filed: 9/05/1989
In: T14N R06W S02 NESE

69-07100

NELSON, ROBERT G.
NELSON, MARY E.
1748 WOODBRIDGE LN.
BOISE, ID 83706
Source: UNNAMED STREAM
Tributary: SNAKE RIVER
Diversion Pt: SESENW Sec 32 T 13N R 07W
Use: DOMESTIC (.020 CFS)
Date Filed: 10/12/1989
In: T13N R07W S32 Lot 2 (SWNW)

The permit(s) will be subject to all prior water rights. Protests
must be filed with the Director, Dept. of Water Resources,
Western Region, 2735 Airport Way, Boise, Idaho 83705 on or
before NOVEMBER 20, 1989.

R. KEITH HIGGINSON, Director
Published 11/02/1989 & 11/09/1989

FILMED

NOV 14 1989



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

January 14, 1993

R H RANEY
BETTY RANEY
363 W INDIANHEAD RD
WEISER ID 83672

RE: WATER RIGHT NO. 67-07797

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

PAMELA SKAGGS
Water Resource Agent

PS:cz

Enclosure

FEB 05 1993



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

December 23, 1992

R H RANEY
BETTY RANEY
363 W INDIANHEAD RD
WEISER ID 83672

RE: WATER RIGHT NO. 67-07797

Dear Water Right Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

Sincerely,

PAMELA SKAGGS
Water Resource Agent

PS:cz

Enclosure

RECEIVED
FEB 05 1993

LICENSE REVIEW CHECKLIST

Permit # 67-07797

Date 12-22-92

28

	<u>Yes</u>	<u>No</u>	
NAME	☐	☒	Address Change?
PRIORITY DATE	☐	☒	Advance? _____
	☐	☒	Memo to Advance _____
	☐	☒	Order to Reinstate Needed? _____
TOTAL CFS	☐	☒	Incorrect Fee for rate recommended? _____
	☐	☒	Disagree with Actual Measurement? _____
	☐	☒	<u>6.4 x .02 = .128 / .11 cfs (IRR) .01 cfs (STOCK)</u>
	☐	☒	Disagree with Theoretical? _____
	☒	☐	Limited by Capacity? <u>.11 cfs</u> (measured)
TOTAL VOLUME			Rate/ac <u>4.5</u> AFA Irr. Season <u>D</u>
			<u>3-15 to 11-15</u> Standard Irr. Season
			<u>Same Per Permit</u> Season Recommended
	☐	☒	Disagree with Examiner's Calculations? _____
	☐	☒	<u>6.4 x 4.5 = 28.8 afa (IRR) .2 afa (STOCK)</u>
	☐	☒	Limited by Flow? _____
SOURCE	☐	☒	Changes? Clarification of <u>Originally</u>
	☐	☒	<u>Intended</u> source _____
	☐	☒	Notice of Intent to Void. _____
P/D	☐	☒	Verify with Map
	☐	☒	Amendment Needed? _____
	☐	☒	Is Overlap Analysis a Consideration? _____
P/U	☐	☒	Verify with Map
	☐	☒	Amendment Needed? _____
	☐	☒	Is Overlap Analysis a Consideration? _____
USES	☐	☒	Change(s) in Nature of Use? _____
	☐	☒	Amendment Needed? _____
REMARKS	☐	☒	Multiple P/Ds in 1/4 1/4? _____
	☒	☐	Non-Irr. Uses <u>STOCK / 15 range cattle</u>
	☐	☒	Special Overlap Condition _____
	☐	☒	Other _____
CONDITIONS	☐	☒	Measuring Device
	☐	☒	W/Master Control
	<u>R3D</u>	☐	Overlap
	☐	☒	Water Quality
			DATES/MISC
		☒	Water Dist.
		☒	App Rec'd
		☒	Exam Made

COMMENTS/MEMOS NEEDED: Reduced Acre, rate

License 10-Day ☒ 15-Day ☐ Special Correspondence _____

WR0749NP
No. L67-07797

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT
(REGIONAL)

DATE: 12/22/92
PAGE: 1

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	R H RANEY	10/06/1989	IRRIGATION	03-15 11-15	0.11 CFS	28.8 AFA
C	BETTY RANEY		STOCKWATER	01-01 12-31	0.01 CFS	0.2 AFA
	363 W INDIANHEAD RD					
	WEISER ID 83672			TOTAL DIVERSION:	0.11 CFS	29.0 AFA
	(208) 549-1545					

Water Source: GROUNDWATER

Tributary to:

Stage: LICENSE

Point(s) of Diversion Capacity: 0.11 CFS

Point(s) of Diversion: T11N R05W S30 NE SE

Place of use Legal Description for: IRRIGATION

				NE				NW				SW				SE						
T	R	S		NENE	NWNE	SWNE	SENE	: NENW	NWNW	SWNW	SENW	: NESW	NWSW	SWSW	SESW	: NESE	NWSE	SWSE	SESE	:		
				Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	SUM
11N	05W	30	:					:				:				:					:	6.4
																						6.4

Place of use location for STOCKWATER is the same location as described for: IRRIGATION

Pou County: WASHINGTON

Non-Irrigation Uses: ~~STOCKWATER FOR 15 RANGE~~

Other Rights: ~~NONE~~

Other Water Rights Listing Overlapping Place(s) of use:
67-02384A 67-04067 67-04250 67-07797

Conditions of Approval:

- R32 - This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 4.5 afa per acre for the lands above.

Remarks: Stockwater use is for 15 range cattle.

Dates: App. Received: 10/06/1989 Priority Date: 10/06/1989
Proof Due Date: 02/01/1991 Proof Made Date: 12/10/1990
Exam Made Date: 07/16/1991 Exam Sent to S.O.: 12/16/1992
Licensed Date:

Misc: Water District Number: Field Exam Fee: R (Received)

Audit: 12/22/92 SKAGGS

Permit No. 67-07799

- 05 1993

System Description (continued)

3. **Narrative:** Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

A well with 12" casing, 4" discharge pipe and 5 Hp pump supplies water to a 4" buried PVC mainline with discs. The mainline "T's" 20' south of well. It runs West approx. 60' and then south about 250'. The mainline also runs East about 40' and then North about 100'. Irrigation to pasture is by 3" handlines and sprinklers. A line with 11-24 nozzled sprinklers were running at the time of exam. 6 pressure measurements were made ranging from 50-58 psi.

☒ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Model Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	Sta-Rite	5	CPG50240-04	Sta-Rite	4"

*Code to correspond with No. on map and aerial photo

5. **Point(s) of Diversion:**

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
		NE	NE	SE	11N	5W	30	Washington	Ortho photo quad.

6. **Place(s) of Use:**

Indicate Method of Determination *acing*

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
11N	5W	30													6.4				6.4 Ac.
11N	5W	30													S				

Do not use this space

FEB 05 1993

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
sprinkler gauge						
pilot tube						

2. Measurements:

6 - sprinkler head measurements taken at 50-58 psi =
54 average.

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

54 psi @ 64 = 4.33 gpm = 47.6 gpm = .11 cfs

2. Alternate Method for Checking Purposes:

$\frac{5 \times 8.8 \times 1.7}{100 + (2.3 \times 60)} = .13$

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3)

: Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 6.4 \times 4.5 = 28.8 \text{ afa}$

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = .11 \times 246 \times 1.9835 = 53.7$

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 28.8 \text{ afa}$

2. Volume Calculations for Other Uses:

15 head range cattle = .2 afa per Exhibit 15

RECEIVED

FEB 05 1993

H. REMARKS AND OVERLAP REVIEW ANALYSIS

Water is provided by a hydrant to a stock tank for an average of 15 head of range cattle on a year around basis.

System capacity per measurement of .11 cfs sets limit for diversion.

Other rights in same Q & Q do not affect this permit.

Acres computation:

282,900 $\div$

Less: House, driveway, garage - 3,950

278,950 $\div$ 43,560 = 6.4 Acres

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Irrigation	3-15	11-15	.11	28.8
Stockwater	1-1	12-31	.01	.2
Totals:			.11 cfs.	29.0 afa

2. Recommended Amendments

☐ Change P.D. as reflected above

☐ Add P.D. as reflected above

☒ None

☐ Change P.U. as reflected above

☐ Add P.U. as reflected above

☐ Other

J. AUTHENTICATION

Field Examiner's Name Melvin T. Schulte

JFW 4/1/92


Signature

Melvin T. Schulte

Certification Date

Field Report Preparation Date

7-25-91



K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

RECEIVED

FEB 05 1993

IRRIGATION RIGHT FROM A GROUND WATER SOURCE

A theoretical calculation is necessary to determine if a measurement is required for irrigation from a groundwater source.

=====

1. Using the found acres (or an estimate by the permit holder) calculate the acre-foot per annum limit. This is the volume that the system must be able to theoretically produce to exclude a rate of flow measurement.
2. Next, given the pump hp and the estimated dynamic water level, calculate the theoretical rate of flow that the system can produce.
3. Using the rate found in step 2 and the days in the permitted irrigation season, calculate the theoretical AFA that the system could produce. This volume is then compared to the first AFA calculation. If the theoretical volume (step 3) is greater than the irrigation requirement volume (step 1) then no measurement is necessary. If it is less, then you must make a diversion rate measurement during the field examination.

1.
$$\frac{6.4}{\text{Found Acres}} * \frac{4.5}{\text{Irr. Req.}} = \frac{28.8}{\text{AFA}}$$
2.
$$\frac{(5) \text{ HP} * 8.8 * (.7) \text{ EFF}}{(100) \text{ Dyn Level} + (2.3 * \{60\} \text{ PSI})} = \frac{.13}{\text{Theor. Div. Rate}}$$
3.
$$\frac{.13}{\text{Theoretical Div. Rate}} * \frac{246}{\text{Days in season}} * 1.9835 = \frac{63.4}{\text{AFA}}$$

Note: for electrical motors
EFF = 0.70
for diesel motors
EFF = 0.60

Data Requires Verification ☐
Measurement Required -- ☐
Measurement Not Required ☒

Calculation data sources:

Found acres = pacing = 6.4 net
HP = 5 - engine plate
Dyn Level = well log & pump
PSI = assumed at 60

RECORDED

FEB 07 1997

17'30"

4903

4902

950 000
FEET

4901

4900

44°15'
117°00'

PERMIT 17-771 INIT
T. R. S. Q/Q
P/D 11 54 30 1/2
SCALE
PHOTO ID. 453



Produced and published by the Geological Survey

Orthophotograph prepared from 1:76,000-scale
aerial photograph taken August 3, 1974

Projection and 10,000-foot grid ticks: Idaho coordinate
system, west zone (transverse Mercator)
1000-metre Universal Transverse Mercator grid,
zone 11. 1927 North American datum

Photoimagery transformed by scanning techniques
which may produce double or mismatched images;
use the mean of image position for map point

UTM GRID AND 1974 MAGNETIC NORTH
DECLINATION AT CENTER OF SHEET

This map has been prepared by the Idaho Department of Water Resources pursuant to
Idaho Code §42-1404 to assist claimants in filing notices of claim, and objections in the Snake
River Basin Adjudication. No warranty, either express, or implied, is made and no legal
responsibility is assumed by IDWR.

FOR SALE BY U.S.

Department of Water Resources
WELL INSPECTION FORM

If well is associated with water right, provide WR# 67-7797

Otherwise provide legal description and a sketch map and/or address so that the well can be located easily.

1. Legal Description: TWP 11N, Rge 5W, Sec. 30, NE 1/4 SE 1/4 or Lot _____.
2. Owner: R. H. Parney
Address 363 W. Indianhead, City Wesley, St Col.
3. Casing $\geq$ 12 inches above ground: Yes ☒ No ☐
4. Access Port: Yes ☐ No ☒ Static Water Level: 70'
Pressure Gauge: Yes ☐ No ☒ Casing Diameter: 1 1/2"
Flowing: Yes ☐ No ☒ Temperature: _____
5. Are there any obvious construction problems that may be a source for contamination or waste of water: Yes ☐ No ☒


If answer to Item 5 is Yes, describe in remarks and attach photo.

Remarks: _____

RECEIVED

FEB 05 1993

67-7797



#1

Well located
South of home




#2

Place of use
South of well.
Sprinklers are
shown in background.

RECEIVED
FEB 05 1993

67-7797



#3

Place of use
looking Southwest
from well



#4

Place of use
located West of
home.



FEB 05 1993

February 26, 1991

BETTY RANEY
R. H. RANEY
363 W. INDIANHEAD RD.
WEISER, ID 83672

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 67-07797

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the WESTERN Regional Office in Boise at (208)334-2190.

Sincerely,

Rita Fleck
Secretary/Records Manager

c: IDWR - Region

RECEIVED
MAR 20 1991

REPORT OF WELL DRILLER
State of Idaho

State law requires that this report shall be filed with the State Reclamation Engineer within 30 days after completion or abandonment of the well.

WELL OWNER:

Name HOWARD LANEY
Address 1101 1st E. IDAHO

Owner's Permit No. _____

NATURE OF WORK (check): Replacement well ☐

New well ☐ Deepened ☐ Abandoned ☐

Water is to be used for: IRRIGATION

METHOD OF CONSTRUCTION: Rotary ☐ Cable ☒

Dug ☐ Other _____ (explain)

CASING SCHEDULE: Threaded ☐ Welded ☒

12" Diam. from 1 ft. to 17 ft.

12" Diam. from _____ ft. to _____ ft.

12" Diam. from _____ ft. to _____ ft.

12" Diam. from _____ ft. to _____ ft.

Thickness of casing: _____ Material: _____

Steel ☒ concrete ☐ wood ☐ other ☐

(explain)

PERFORATED? Yes ☒ No ☐ Type of

perforator used: TURBO

Size of perforations: 1/2" by 6"

31 perforations from 1 ft. to 17 ft.

perforations from _____ ft. to _____ ft.

perforations from _____ ft. to _____ ft.

perforations from _____ ft. to _____ ft.

perforations from _____ ft. to _____ ft.

perforations from _____ ft. to _____ ft.

perforations from _____ ft. to _____ ft.

WAS SCREEN INSTALLED? Yes ☐ No ☒

Manufacturer's name _____

Type _____ Model No. _____

Diam. _____ Slot size _____ Set from _____ ft. to _____ ft.

Diam. _____ Slot size _____ Set from _____ ft. to _____ ft.

CONSTRUCTION: Well gravel packed? Yes ☒

No ☐ size of gravel 1/4" MIN. Gravel

placed from 1 ft. to 17 ft. Surface seal

provided? Yes ☒ No ☐ To what depth?

17 ft. Material used in seal: 1/2" MIN.

Did any strata contain unusable water? Yes ☐

No ☐ Type of water: _____

Depth of strata _____ ft. Method of sealing

strata off: _____

Surface casing used? Yes ☐ No ☒

Cemented in place? Yes ☐ No ☐

Locate well in section

Size of drilled hole: 16" Total

depth of well: 70 Standing water

level below ground: 40 Temp. _____

Fahr. 58 ° Test delivery: 150 gpm

or _____ cfs Pump? ☒ Bail ☐

Size of pump and motor used to make test:

8" PUMP 1/2 HP MOTOR

Length of time of test: 1 Hrs. Min. _____

Drawdown: 30 ft. Artesian pressure: ft. _____

above land surface Give flow _____ cfs

or _____ gpm. Shutoff pressure: _____

Controlled by: Valve ☐ Cap ☐ Plug ☐

No control ☐ Does well leak around casing?

Yes ☐ No ☐

DEPTH MATERIAL WATER

FROM TO YES OR NO

FEET FEET

1 5 SOIL SANDY

5 11 CLAY FILL

11 30 GRAVEL CEMENTED

11 30 16" TO 30"

30 40 12" BAIL

40 47 SAND FINE

47 70 SAND+GRAVEL

70 70 CLAY BLUE

70 70 CLAY BLUE

70 70 CLAY BLUE

70 70 CLAY BLUE

70 70 CLAY BLUE

70 70 CLAY BLUE

70 70 CLAY BLUE

70 70 CLAY BLUE

70 70 CLAY BLUE

70 70 CLAY BLUE

70 70 CLAY BLUE

70 70 CLAY BLUE

70 70 CLAY BLUE

70 70 CLAY BLUE

70 70 CLAY BLUE

70 70 CLAY BLUE

70 70 CLAY BLUE

70 70 CLAY BLUE

70 70 CLAY BLUE

70 70 CLAY BLUE

70 70 CLAY BLUE

70 70 CLAY BLUE

70 70 CLAY BLUE

70 70 CLAY BLUE

70 70 CLAY BLUE

70 70 CLAY BLUE

70 70 CLAY BLUE

70 70 CLAY BLUE

70 70 CLAY BLUE

70 70 CLAY BLUE

70 70 CLAY BLUE

70 70 CLAY BLUE

70 70 CLAY BLUE

70 70 CLAY BLUE

70 70 CLAY BLUE

70 70 CLAY BLUE

70 70 CLAY BLUE

70 70 CLAY BLUE

70 70 CLAY BLUE

70 70 CLAY BLUE

70 70 CLAY BLUE

70 70 CLAY BLUE

70 70 CLAY BLUE

70 70 CLAY BLUE

70 70 CLAY BLUE

70 70 CLAY BLUE

70 70 CLAY BLUE

70 70 CLAY BLUE

Work started: 1-31-64

Work finished: 1-3-64

Well Driller's Statement: This well was

drilled under my supervision and this report

is true to the best of my knowledge.

Name: HOWARD LANEY DRILLING CO

Address: ONTARIO OREGON

Signed by: Max Hallock

License No. 53 Date: 1-31-64

Use other side for additional remarks

ANALYSIS SHEET
for
PROOF OF BENEFICIAL USE

Permit No. 67-7797

Date 2-20-91

GENERAL CONSIDERATIONS

- ☒ Name same as permit?
☒ Address same as permit? If no, prepare data entry form.
☒ Proof timely received? If no, complete priority advancement below.

SOURCE OF WATER

- ☒ Surface water source
☒ Ground water source
NA Drill permit req'd?
1969 ☒ Copy in file? Drill permit no. _____
☒ Well log in file?
_____ Amt paid for drilling permit? _____ Correct?

LICENSE EXAMINATION FEE

- ☒ Required?
50.00 Amount submitted?
☒ Correct amount?

MEASURING DEVICE

- NO Measuring device or access port required?
☒ Installed?
☒ Waiver requested or needed?

DEFICIENCIES OR ACTION ITEMS

Proof acceptable

PRIORITY CALCULATION

Date proof received	<u>NA</u>	
Date proof due		-
No. of days late		=
Priority date		+
NEW PRIORITY DATE		=

LL

RECEIVED
DEC 17 1990

Department of Water Resources

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

For Office Use Only
Amt. of Fee \$ 500
Date 12/10/90
Receipt No. CD19109
Received by SC

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 67-7797 Telephone No. 549-1545
2. Name(s) of Permit Holder(s): R.H. or Betty Raney
3. Post Office Address: 363 W. Indianhead Rd. Weiser 83672
4. Source of Water: Groundwater
- a. If ground water, well driller's name: Holloway Drilling Date drilled: 4/69
- b. Pump horsepower: _____ Pressure (psi): _____ Dynamic pumping level (ft.): _____

5. Extent of Use:

Domestic _____ (No. of households)

Irrigation 7 (No. of acres)Stockwater 15 (No. and type of stock)

Other _____

6. Total rate and/or volume for which proof is submitted .14 cfs _____ acre/feet

7. Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? Yes ☒ No Installed? Yes ☐ No

OR

Flow Measurement Port: Required? Yes ☒ No Installed? Yes ☐ No

8. Fee Enclosed: \$ 500 (See License Examination Fee Schedule)

9. Person to contact to accompany the Department representative during the field examination:

Same as above

Name

Telephone No.

Address

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

MAR 20 1991

12/10/90
DateR.H. Raney
Signature (and title if on behalf of a company or organization)

138852
November 30, 1990

BETTY RANEY
R. H. RANEY
363 W. INDIANHEAD RD.
WEISER, ID 83672

PROOF DUE NOTICE

RE: PERMIT NO. 67-07797

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before February 1, 1991. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.


If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Rita Fleck
Secretary/Records Manager

Enclosures



S T A T E O F I D A H O
D E P A R T M E N T O F W A T E R R E S O U R C E S

Statehouse
Boise, Idaho 83720
(208) 327-7900
January 18, 1990

BETTY RANEY
R. H. RANEY
363 W. INDIANHEAD RD.
WEISER, ID 83672

P E R M I T A P P R O V A L N O T I C E

RE: PERMIT NO. P67-07797

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

You should be aware that the groundwater you propose to divert is located within a drainage basin where surface waters are regulated during the months of low flow. It is possible that diversion of groundwater may have an adverse impact on these surface water flows. Information available to us at this time does not warrant refusing to issue permits in your area, but we do caution that diversions of groundwater are not allowed to deplete flows available for surface water users with earlier priority dates. Siting your well as far from surface sources as possible and casing out upper water producing zones may reduce the potential of interference.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed for your convenience is a form entitled "Proof of

MICROFILMED

MAR 14 1990

Beneficial Use" that must be submitted to the Department when your project is completed. If development is complete, you may submit proof of beneficial use immediately.

Sincerely,

GARY SPACKMAN, Supervisor
Water Right Permits Section

GS: SC
Enclosures

Microfilm

MAR 14 1990

PD 2N SW 5.30 - NENESE
NESE

Form No. 202a.
3/89

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEET

INITIAL REVIEW BY: SC DATE: 10/18/89 APPLICATION: 67-07797

REQUIRED INFORMATION

☒ Name: (If applicant is a corporation or partnership, names and addresses for the director, officers, and other partners must be included.)
☒ Address:
☒ Source: (See USGS Quad for names of water sources)
☒ Point of Diversion: (10 acres for spring, lot & block descriptions for Subdivisions, local name)
☒ County:
☒ Quantity: (flow and/or volume)
☒ Period of use:
☒ Nature of proposed use: (Include description of use)
☒ Description of diverting works:
☒ Time required for beneficial use of water:
☒ Place of use or acres irrigated:
☒ Map:
☒ Signature: (If applicant is corp., partnership, or municipality, title of signatory is required)
☒ Fee:
☒ Yes No* In form to receipt:

Gov't. Lots:
N P/D
N P/U

ADDITIONAL INFORMATION

YES NO

☒ Overlapping place of use: (Describe source & relationship to present application on the back.)
☒ Overlapping point of diversion:
Field check required: Field check by: _____
Field report attached:
Critical groundwater area:
Groundwater management area:
Diversion within interim protected river area
Send dam safety information:
Send power requirement letter:
Send fish farm requirement letter:
Power residency affidavit:
Power efficiency form:
Within trust water boundary: (If yes, attach Trust Water Supplementary Analysis Sheet.)
Diversion greater than 5 cfs or 500 af: (If yes, attach Large Diversion supplementary analysis sheet.)
*REQUEST ADDITIONAL INFORMATION FROM THE APPLICANT

DATE REQUESTED: _____

Additional information on reverse side:

RECEIVED

DEC 22 1989

Department of Water Resources

67-07797

RANEY, R. H.
RANEY, BETTY
363 W. INDIANHEAD RD.
WEISER, ID 83672

Source: GROUNDWATER

Diversion Pt: NENESE Sec 30 T 11N R 05W

Use: IRRIGATION (.140 CFS)
STOCKWATER (.020 CFS)

Date Filed: 10/06/1989

In: T11N R05W S30 NESE

7.0 ACRES TOTAL

RECORDED

MAR 14 1990