


67-07992

T13N R3W S. 29

(no gate lots)



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
DEC 18 1992

Department of Water Resources

A. GENERAL INFORMATION


1. Owner: Robert and Doreen Wolfe Permit No. 67-7792
Current Address: HC 70, Box 2130, Medvale, Idaho 83645 Phone No. 355-2359
2. Accompanied by: Robert Wolfe EXAM. DATE: 8-6-91
Address: same Phone No. same
Relationship to Permit Holder: owner
3. Source: Spring tributary to Banner Creek

B. OVERLAP REVIEW

1. Other water rights with same place of use: None ☐ Copies Attached
2. Other water rights with same point of diversion: None ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = 100'

2. ☒ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required). ☐ Aerial Photo Attached (required for irrigation of 10 acres or more).
☒ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater).

RECEIVED

FEB 05 1993

67-7792



#1

P/D - corrugated
spring box that
collects spring
water.



#2

P/U - stock tank
located approx.
150' from the
springbox.

IMPROVED
FEB 05 1993

67-7792



#3.

Overflow pipe
from stocktank
located approx.
50' from the
stocktank.



#4.

View of stocktank
and sprung site
looking Southwest.

RECEIVED
FEB 05 1993

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE
WATER RIGHT NO. 67-07792

Priority: October 16, 1989

Maximum Diversion Rate:

0.01 CFS

Maximum Diversion Volume:

1.8 AF

This is to certify, that AIMEE WOLFE
ROBERT WOLFE

HC 70 BOX 2130
MIDVALE ID 83645

has complied with the terms and conditions
of the permit, issued pursuant to Application for Permit dated October 16, 1989; and
has submitted Proof of Beneficial Use on November 30, 1990. An examination indicates
that the works have a diversion capacity of .010 cfs of water from:

SPRING

tributary to **BANNER CREEK**

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
STOCKWATER	10/01 to 05/31	0.01 CFS	1.8 AF

LOCATION OF POINT(S) OF DIVERSION:

NESWSE , Sec. 29, Township 13N, Range 03W
SESWSE , Sec. 29, Township 13N, Range 03W
WASHINGTON County

PLACE OF USE: STOCKWATER
TWN RGE SEC

13N 03W 29 SWSE

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Use of water under this water right will be regulated by the watermaster of State Water District No. 67.
6. Stockwater use is for 200 range cattle.
7. Single point of diversion located on or near line between SESWSE

APPROVED

FEB 05 1992

State of Idaho
Department of Water Resources


WATER RIGHT LICENSE

WATER RIGHT NO. 67-07792

CONDITIONS/REMARKS:

and NESWSE, S29, T13N, R03W.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code,
Witness the seal and signature of the Director, affixed at Boise, this 14TH
day of JANUARY, 1993.


Acting for R. Keith Higginson, Director

FEB 05 1993

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 67-07792

Proposed Priority: October 16, 1989

Maximum Diversion Rate:

0.07 CFS

This is to certify, that **AIMEE WOLFE**
ROBERT WOLFE
HC 70 BOX 2130
MIDVALE, ID 83645

has applied for a permit to appropriate water from:

SPRING

tributary of **BANNER CREEK**

and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
STOCKWATER	01/01 to 12/31	0.07 CFS
<u>LOCATION OF POINT(S) OF DIVERSION:</u>	SESWSE	Sec. 29, Township 13N, Range 03W
	NESWSE	Sec. 29, Township 13N, Range 03W
		WASHINGTON County

PLACE OF USE: STOCKWATER

TWN RGE SEC

13N 03W 29 SWSE

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before January 1, 1991.
2. Subject to all prior water rights.
3. Use of water under this permit is subject to control by the watermaster of State Water District No. 67.
4. 1 point of diversion located on center line of SWSE, S29, T13N, R3W.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

28th day of December, 1989.

R. Keith Higginson
for R. Keith Higginson, Director

MICROFILMED

MAR 14 1990

Ident. No. 67-07792

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name: ROBERT WOLFE 208-355-2359
Address: HC 70
BOX 2130
MIDVALE, ID 83645
AND/OR
Name: AIMEE WOLFE
MIDVALE, ID 83645
2. Source: SPRING Trib. to: BANNER CREEK
3. Location of Point of Diversion: NESWSE Sec. 29, Township 13N, Range 03W
SESWSE Sec. 29, Township 13N, Range 03W
WASHINGTON County
4. Water will be used for the following purposes:
- | Purpose | From | To | CFS | (or) | AF |
|------------|-------|-------|-------|------|----|
| STOCKWATER | 01/01 | 12/31 | 0.070 | | |
5. Total quantity appropriated is:
0.070 CFS (and/or) AF
6. Proposed diverting works:
- Description of ditches, flumes, pumps, headgates, etc.
SPRINGBOX, PIPE, AND TROUGH
 - Height of storage dam feet; active reservoir capacity
acre-feet; total reservoir capacity acre-feet; period of
year when water will be diverted to storage: to inclusive.
 - Proposed well diameter is inches; proposed depth of well is
feet.
 - Is groundwater with a temperature greater than 90F being sought? NO
7. Time required for the completion of the works and application of
the water to the proposed beneficial use is 1 years.
8. Description of proposed uses:
STOCKWATER, 206 HEAD MIXED STOCK

MICROFILMED

MAR 14 1990

Ident. No. 67-07792
Page 2

9. Place of Use: STOCKWATER

TWN RGE SEC
13N 03W 29 SWSE

10. Describe any other water rights used for the same purposes.
A67-10823 ANOTHER SPRING SOUTH OF THIS ONE, DOMESTIC & STOCKWATER

11. a. Who owns the property at the point of diversion?
APPLICANTS
b. Who owns the land to be irrigated or place of use?
APPLICANTS
c. If the property is owned by a person other than the applicant,
describe the arrangement enabling the applicant to make this filing.

12. Remarks:
SINGLE SPRING ON TRACT LINE.

13. Map of proposed point of diversion and place of use attached? ☒

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Robert C. Holger
Applicant

Received by SL Date 10/16/89 Time 11:45 Preliminary check by SPD

Fee \$ 30⁰⁰ Receipted by SL # WW6248 Date 10/16/89

Publication prepared by GG Date 10-25-89 Published in Upper County News Reporter
11/2 & 11/9/89

Publication approved st Date 11-16-89

MICROFILMED

MAR 14 1990

67-07992

T13N R3W S. 29

(no gas hole)



MICROFILMED

MAR 14 1980

Affidavit of Publication..

STATE OF IDAHO }
County of Washington } ss.

Stuart Dopf, being duly sworn deposes and says he is the publisher of the Upper Country News-Reporter, a weekly newspaper published at Cambridge, in the County of Washington, State of Idaho; that said newspaper is in general circulation in the county of aforesaid and is a legal newspaper; that the annexed, a printed copy of which is attached hereto and made a part hereof, was published in said newspaper once a week for two consecutive weeks in the regular and entire issue of every number thereof during the period of time of publication, and was published in the newspaper proper and not in a supplement; and that publication of such notice began November 2, 1989, and ended November 9, 1989.

Stuart Dopf

Subscribed and sworn to before me

this 14TH day of November, 1989

B.H. Soules

Notary Public in and for the State of Idaho, residing at Cambridge, Idaho 83610.

Public Notices

NOTICE OF APPLICATIONS FOR WATER RIGHTS
The following applications have been filed to appropriate the public waters of the State of Idaho:

67-07783
McDONOUGH, PETER
P.O. BOX 3798
SANTA BARBARA, CA 93105
Source: SPRING
Tributary: WEISER RIVER
Diversion Pt: SWSENE Sec.
27 T 14N R 3W
Use: STOCKWATER (.030 CFS)
Date Filed: 10/03/1989
In: T14N R3W S27 SENE

67-07792 ✓
WOLFE, AIMEE
WOLFE, ROBERT
HC 70 BOX 2130
MIDVALE, ID 83645
Source: SPRING
Tributary: BANNER CREEK
Diversion Pt: NESWSE Sec.
29 T 13N R 3W; SESWSE
Sec. 29 T 13N R 3W
Use: STOCKWATER (.070 CFS)
Date Filed: 10/16/1989
In: T13N R3W S29 SWSE

67-07793
GORDON, WALTER L.
GORDON, CLEO A.
394 CHESTER RD.
ONTARIO, OR 97914
Source: GROUNDWATER
Diversion Pt. SENENW
Sec. 24 T 13N R 4W
Use: IRRIGATION (.160 CFS)
Use: DOMESTIC (.040 CFS)
Date Filed: 10/19/1989
In: T13N R4W S13 SESW;
S24 NENW
8.0 ACRES TOTAL

67-07798
PAPINEAU, CHRISTINE G.
PAPINEAU, KEVIN M.
RT. 1 BOX 143 C2
CAMBRIDGE, ID 83610
Source: GROUNDWATER
Diversion Pt: LOT 1
(NWNW) Sec 7 T 14N R 2W
Use: IRRIGATION (.150 CFS)
Use: DOMESTIC (.040 CFS)
Date Filed: 10/16/1989
In: T14N R2W S7 Lot 1
(NWNW)
5.0 ACRES TOTAL

The permits will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Western Region, 2735 Airport Way, Boise, Idaho 83705 on or before NOVEMBER 20, 1989.

R. KEITH HIGGINSON,
Director
Publish 11/2/1989 &
11/9/1989.

MICROFILMED
MAR 14 1990



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

January 14, 1993

AIMEE WOLFE
ROBERT WOLFE
HC 70 BOX 2130
MIDVALE ID 83645

RE: WATER RIGHT NO. 67-07792

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

A handwritten signature in cursive script that reads 'Pamela Skaggs'.

PAMELA SKAGGS
Water Resource Agent

PS:cz

Enclosure

RECEIVED

FEB 05 1993



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

December 23, 1992

AIMEE WOLFE
ROBERT WOLFE
HC 70 BOX 2130
MIDVALE ID 83645

RE: WATER RIGHT NO. 67-07792

Dear Water Right Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

Sincerely,

A handwritten signature in cursive script that reads "Pamela Skaggs".

PAMELA SKAGGS
Water Resource Agent

PS:cz

Enclosure

RECEIVED

FEB 05 1993

LICENSE REVIEW CHECKLIST

Permit # 67-07792

Date 12-22-92
38

	Yes	No	
NAME	☐	☒	Address Change?
PRIORITY DATE	☐	☒	Advance?
	☐	☒	Memo to Advance
	☐	☒	Order to Reinstate Needed?
TOTAL CFS	☐	☒	No Fee Paid
	☐	☒	Incorrect Fee for rate recommended?
	☐	☒	Disagree with Actual Measurement?
	☐	☒	<u>.01 cfs (STOCK)</u>
	☒	☐	Disagree with Theoretical?
	☒	☐	Limited by Capacity? <u>.01 cfs</u>
TOTAL VOLUME			Rate/ac <u> </u> AFA Irr. Season <u> </u>
			<u> </u> Standard Irr. Season
			<u> </u> Season Recommended
	☐	☒	Disagree with Examiner's Calculations?
	☐	☒	<u>1.8 afa (STOCK) Reduce season of use</u>
	☐	☒	Limited by Flow? <u>.01 x 243 x 1.9835 = 4.8 > 1.8</u>
SOURCE	☐	☒	Changes? Clarification of <u>Originally</u>
	☐	☒	<u>Intended</u> source
	☐	☒	Notice of Intent to Void.
P/D	☐	☒	Verify with Map
	☐	☒	Amendment Needed?
	☐	☒	Is Overlap Analysis a Consideration?
P/U	☐	☒	Verify with Map
	☐	☒	Amendment Needed?
	☐	☒	Is Overlap Analysis a Consideration?
USES	☐	☒	Change(s) in Nature of Use?
	☐	☒	Amendment Needed?
REMARKS	☐	☒	Multiple P/Ds in 1/4 1/4?
	☒	☐	Non-Irr. Uses <u>STOCK/200 Cattle</u>
	☐	☒	Special Overlap Condition
	☒	☐	Other <u>Single Spring on tract line</u>
CONDITIONS	☐	☒	Measuring Device
	<u>R04</u>	☐	W/Master Control
	☐	☒	Overlap
	☐	☒	Water Quality
		☒	DATES/MISC
		☒	<u>67</u> Water Dist.
		☒	App Rec'd
		☒	Exam Made
COMMENTS/MEMOS NEEDED:	<u>Reduce, rate, season</u>		
License	<u>10-Day</u>	☒	15-Day <u> </u> Special Correspondence <u> </u>

WR0749NP
No. L67-07792

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT
(REGIONAL)

DATE: 12/22/92
PAGE: 1

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	AIMEE WOLFE	10/16/1989	STOCKWATER	10-01 05-31	0.01 CFS	1.8 AFA
C	ROBERT WOLFE					
	HC 70 BOX 2130					
	MIDVALE ID 83645					
	(208) 355-2359					
				TOTAL DIVERSION:	0.01 CFS	1.8 AFA

Water Source: SPRING

Tributary to: BANNER CREEK

Stage: LICENSE

Point(s) of Diversion Capacity: 0.01 CFS

Point(s) of Diversion: T13N R03W S29 NE SW SE SE SW SE

Place of use Legal Description for: STOCKWATER

	NE				NW				SW				SE			
T R S	: Lt Ac	Lt Ac	Lt Ac	Lt Ac	: Lt Ac	Lt Ac	Lt Ac	Lt Ac	: Lt Ac	Lt Ac	Lt Ac	Lt Ac	: Lt Ac	Lt Ac	Lt Ac	Lt Ac
13N 03W 29	:				:				:				:			

Pou County: WASHINGTON

Non-Irrigation Uses: ~~STOCKWATER, 206 HEAD MIXED STOCK~~

Other Rights: ~~A67-10823 ANOTHER SPRING SOUTH OF THIS ONE, DOMESTIC & STOCKWATER~~

Conditions of Approval:

- R04 - Use of water under this water right will be regulated by the
- watermaster of State Water District No. 67.

Remarks: Stockwater use is for 200 range cattle.
Single point of diversion located on or near line between SESWSE
and NESWSE, S29, T13N, R03W.

Dates: App. Received: 10/16/1989 Priority Date: 10/16/1989
Proof Due Date: 01/01/1991 Proof Made Date: 11/30/1990
Exam Made Date: 08/06/1991 Exam Sent to S.O.: 12/16/1992
Licensed Date:

Misc: Water District Number: 67 Field Exam Fee: N (Not Required)

Audit: 12/22/92 SKAGGS

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
DEC 18 1992

Department of Water Resources

A. GENERAL INFORMATION

1. Owner: Robert and Annmarie Wolfe Permit No. 67-7792
Current Address: HC 70, Box 2130, Medvale, Idaho 83645 Phone No. 355-2359
2. Accompanied by: Robert Wolfe EXAM. DATE: 8-6-91
Address: same Phone No. same
Relationship to Permit Holder: owner
3. Source: Spring tributary to Banner Creek

B. OVERLAP REVIEW


1. Other water rights with same place of use: None

☐ Copies Attached
2. Other water rights with same point of diversion: None

☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = 100'

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required). ☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).
☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).

FEB 05 1993

System Description (continued)

3. **Narrative:** Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

A 3' diameter corrugated metal pipe buried approx 10' on end collects spring water that flows through a 1 1/4" x 150' buried PVC pipe to a stock tank. Overflow from the stock tank discharges through a buried 1 1/4" x 150' PVC pipe and flows into an unnamed small stream that empties into Banner Creek located about 600' North of the spring. Cattle water directly from the stock tank. A measurement with a 5 gallon bucket at the overflow averaged

☒ See Remarks on page 4 for continuation

- 4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
NA					

*Code to correspond with No. on map and aerial photo

5. **Point(s) of Diversion:**

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
		SE	SW	SE	29	13N	3W	Washington	Orthophoto quad map
		NE	SW	SE	29	13N	3W	Washington	" " " "

6. **Place(s) of Use:**

Indicate Method of Determination exam

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
13N	3W	29															S		

MICHIGAN

FEB 05 1993

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
5 gallon bucket						
and stopwatch						

2. Measurements:

measured 2 gallons in 30 seconds x 3 times.

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

2 gallons in 30 sec = 4 gpm = $\frac{.0089}{.01} = .01$ cfs.

2. Alternate Method for Checking Purposes:

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3); Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ _____

2. Volume Calculations for Other Uses:

200 head x 12 gpd x 243 days = $\frac{583,200}{325,850} = 1.8$ ofa

RECEIVED

FEB 05 1993

H. REMARKS AND OVERLAP REVIEW ANALYSIS

2 gallons in 30 seconds. The owner indicated up to 200 head of range cattle would utilize this location and stockwater for 18 months each year depending on public range conditions.

No overlaps.

It was not possible to determine if the spur was clearly on the NESWSE or the SESWSE of Sec 29, 13N, 3W.

Place as REMARK - Single point of Diversion located on or near line between SESWSE and NESWSE

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Stockwater	10-1	5-31	.01 cfs	1.8 afa
Totals:			.01 cfs	1.8 afa

2. Recommended Amendments

☐ Change P.D. as reflected above

☐ Add P.D. as reflected above

☒ None


☐ Change P.U. as reflected above

☐ Add P.U. as reflected above

☐ Other

J. AUTHENTICATION

Field Examiner's Name Melvin T. Schulte
JFW 4/1/92
Signature Melvin T. Schulte
Certification Date _____
Field Report Preparation Date 10-31-91



K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.


FEB 05 1993

PERMIT 67-7792 INIT
T. R. S. Q/Q
P/D 13N 3W 29 SESWSE
SCALE NESWSE
PHOTO ID. 45

P1R+P14


FEB 05 1993

67-7792



#1

P/D - corrugated
spring box that
collects spring
water.



#2

P/U - stock tank
located approx.
150' from the
spring box.

MISSOURI
FEB 05 1993

67-7792



#3.

Overflow pipe
from stocktank
located approx
50' from the
stocktank.



#4.

View of stocktank
and sprung site
looking Southwest.

FEB 05 1993

December 28, 1990

AIMEE WOLFE
ROBERT WOLFE
HC 70 BOX 2130
MIDVALE, ID 83645

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 67-07792

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the WESTERN Regional Office in Boise at (208)334-2190.

Sincerely,

Rita Fleck
Secretary/Records Manager

c: IDWR - Region

RECEIVED
FILMED

JAN 29 1991

ANALYSIS SHEET
for
PROOF OF BENEFICIAL USE

Permit No. 67-7792

Date 12-26-90

GENERAL CONSIDERATIONS

☒ Name same as permit?
☒ Address same as permit? If no, prepare data entry form.
☒ Proof timely received? If no, complete priority advancement below.

SOURCE OF WATER

☒ Surface water source
☐ Ground water source
☐ Drill permit req'd?
☐ Copy in file? Drill permit no. _____
☐ Well log in file?
☐ Amt paid for drilling permit? ☒ Correct?

LICENSE EXAMINATION FEE

☒ Required? not for stock
☐ Amount submitted?
☐ Correct amount?

MEASURING DEVICE

☒ Measuring device or access port required?
☐ Installed?
☐ Waiver requested or needed?

DEFICIENCIES OR ACTION ITEMS

proof acceptable

PRIORITY CALCULATION

Date proof received 12/26/90
Date proof due _____ - _____
No. of days late _____ = _____
Priority date _____ + _____
NEW PRIORITY DATE _____ = _____

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 67-7792 Telephone No. 355-2359

2. Name(s) of Permit Holder(s): Aimee a/k/a Robert Wolfe

3. Post Office Address: HC 70 Box 2130, Midvale, ID 83645

4. Source of Water: Spring

a. If ground water, well driller's name: _____ Date drilled: _____

b. Pump horsepower: _____ Pressure (psi): _____ Dynamic pumping level (ft.): _____

5. Extent of Use:

Domestic _____ (No. of households)

Irrigation _____ (No. of acres)

Stockwater 206 (No. and type of stock)

Other _____

6. Total rate and/or volume for which proof is submitted 0.07 cfs _____ acre/feet

7. Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? ☐ Yes ☒ No Installed? ☐ Yes ☐ No

OR

Flow Measurement Port: Required? ☐ Yes ☒ No Installed? ☐ Yes ☐ No

8. Fee Enclosed: \$ 0 (See License Examination Fee Schedule)

9. Person to contact to accompany the Department representative during the field examination:

Same as above
Name

Telephone No. _____

Address _____

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

7 11-30-90
Date

X Robert C. Hall
Signature (and title if on behalf of a company or organization)

FILED
JAN 29 1991

October 31, 1990

AIMEE WOLFE
ROBERT WOLFE
HC 70 BOX 2130
MIDVALE, ID 83645

PROOF DUE NOTICE

RE: PERMIT NO. 67-07792

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before January 1, 1991. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Rita Fleck
Secretary/Records Manager

Enclosures

RECEIVED

JAN 29 1991

S T A T E O F I D A H O
D E P A R T M E N T O F W A T E R R E S O U R C E S

Statehouse
Boise, Idaho 83720
(208) 327-7900
December 29, 1989

AIMEE WOLFE
ROBERT WOLFE
HC 70 BOX 2130
MIDVALE, ID 83645

P E R M I T A P P R O V A L N O T I C E

RE: PERMIT NO. P67-07792

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed for your convenience is a form entitled "Proof of Beneficial Use" that must be submitted to the Department when your project is completed. If development is complete, you may submit proof of beneficial use immediately.

Sincerely,

GARY SPACKMAN, Supervisor
Water Right Permits Section

GS: SC
Enclosures

RECORDED

MAR 14 1990

Form No. 202a.
3/89

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEET

INITIAL REVIEW BY: JP DATE: 10-19-89 APPLICATION: 67-07792


REQUIRED INFORMATION

- ☒ Name: (If applicant is a corporation or partnership, names and addresses for the director, officers, and other partners must be included.)
☒ Address:
☒ Source: (See USGS Quad for names of water sources)
☒ Point of Diversion: (10 acres for spring, lot & block descriptions for Subdivisions, local name)
☒ County:
☒ Quantity: (flow and/or volume)
☒ Period of use:
☒ Nature of proposed use: (Include description of use)
☒ Description of diverting works:
☒ Time required for beneficial use of water:
☒ Place of use or acres irrigated:
☒ Map:
☒ Signature: (If applicant is corp., partnership, or municipality, title of signatory is required)
☒ Fee:
☒ Yes ___ No* In form to receipt:
- Gov't. Lots:
N/A P/D
N/A P/U

ADDITIONAL INFORMATION

- | YES | NO | |
|-----|-------------------------------------|--|
| ___ | ☒ | Overlapping place of use: (Describe source & relationship to present application on the back.) |
| ___ | ☒ | Overlapping point of diversion: |
| ___ | ☒ | Field check required: Field check by: _____ |
| ___ | ☒ | Field report attached: |
| ___ | ☒ | Critical groundwater area: |
| ___ | ☒ | Groundwater management area: |
| ___ | ☒ | Diversion within interim protected river area |
| ___ | ☒ | Send dam safety information: |
| ___ | ☒ | Send power requirement letter: |
| ___ | ☒ | Send fish farm requirement letter: |
| ___ | ☒ | Power residency affidavit: |
| ___ | ☒ | Power efficiency form: |
| ___ | ☒ | Within trust water boundary: (If yes, attach Trust Water Supplementary Analysis Sheet.) |
| ___ | ☒ | Diversion greater than 5 cfs or 500 af: (If yes, attach Large Diversion supplementary analysis sheet.) |
| ___ | ☒ | *REQUEST ADDITIONAL INFORMATION FROM THE APPLICANT |

DATE REQUESTED: _____
☒ Additional information on reverse side:



Department of Water Resources

PROCESSING

APPLICATION NO. 67-07792

YES ☒ NO ☐

In form for advertising:

Statewide advertising:

Fee amount, receipt number and date recorded on application:

SEND COPIES TO

YES ☐ NO ☒

I.D. Health and Welfare

I.D. Fish and Game

I.D. Lands

Adjudication Bureau

YES ☐ NO ☒

U.S. BLM

U.S. Forest Svc.

Water Dist. # _____

Other _____

FINAL REGIONAL PROCESSING REVIEW

YES ☒ NO ☐

Affidavit of publication received:

Application published correctly: If not, record action taken.

Publication dates and paper recorded on application:

Protests received. Final date for protest November 20, 1989

Protest dates, resolution of protest recorded on application:

Recommendations attached: Approve, Dan

Measuring device required:

Measuring port required:

Water delivered by water master? District # 67, Weiser R. & tribs

Special conditions of approval or cover letter: _____

(05) (67, Weiser R & Tribs)

See below for additional information

Recommended Date or Priority 10/16/1989

Recommended by: Dm

Date 11/20/1989

STATE OFFICE REVIEW

See below for additional information. By P/6 05(67)

Date 12/18/89

ADDITIONAL INFORMATION

Adj Claim A67-10823 is for different Spring (POD & POH) WATERS same
Stream.

67-07792

WOLFE, AIMEE
WOLFE, ROBERT

HC 70 BOX 2130
MIDVALE, ID 83645
Source: SPRING

Tributary: BANNER CREEK

Diversion Pt: NESWSE Sec 29 T 13N R 03W
 SESWSE Sec 29 T 13N R 03W

Use: STOCKWATER (.070 CFS)

Date Filed: 10/16/1989

In: T13N R03W S29 SWSE

MICROFILMED

MAR 14 1990