




POD

POU

MICROFILMED

JUN 26 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
MAR 8 1993

Department of Water Resources

A. GENERAL INFORMATION


1. Owner: Johnson Bryant Equipment Company Permit No. 67-07787
Current Address: P.O. Box 135 Weiser Ida 83672 Phone No. 549-0988
2. Accompanied by: Daniel Krause EXAM. DATE: 7-29-91
Address: Weiser Phone No. same
Relationship to Permit Holder: contact person
3. Source: groundwater tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: 67-0007 City of Weiser, 67-04472 Olson
(neither apply since they are from a different source) ☒ Copies Attached
2. Other water rights with same point of diversion: Olson 67-04472 (no overlap problems
since there is a different source) ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = _____

2. ☐ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).
☐ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater.)
☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).

NOTED
MAY 25 1993

SOURCES

RSW

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT
AERIAL SURVEY

PERMIT 67-07787 INIT JS

T. R. S. Q/Q

P/D 11n Sw 32 acswse

SCALE

PHOTO ID. _____

Station 4.9 Mi.

180,000 Feet (Idaho)



67-07787



View of East SIDE
OF BUILDING.
THIS IS A COMMERCIAL
USAGE ONLY.



View of the well.
LOCATED IN THE
NORTH MID PORTION OF
THE BUILDING.

MAY 25 1993

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 67-07787

Priority: September 26, 1989

Maximum Diversion Rate:
Maximum Diversion Volume:

0.02 CFS
4.1 AF

This is to certify, that JOHNSON BRYANT EQUIPMENT CO
PO BOX 135

WEISER ID 83672

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated September 26, 1989; and has submitted Proof of Beneficial Use on January 9, 1990. An examination indicates that the works have a diversion capacity of .040 cfs of water from a **GROUNDWATER** source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
COMMERCIAL	01/01 to 12/31	0.02 CFS	4.1 AF

LOCATION OF POINT(S) OF DIVERSION:

SWSE , Sec. 32, Township 11N, Range 05W
WASHINGTON County


PLACE OF USE: COMMERCIAL
TWN RGE SEC

11N 05W 32 SWSE

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Commercial use is for equipment washing.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 20TH day of APRIL, 1993.

Acting for  R. Keith Higginson, Director

MAY 25 1993

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 67-07787

Proposed Priority: September 26, 1989 Maximum Diversion Rate: 0.02 CFS

This is to certify, that JOHNSON BRYANT EQUIPMENT CO.
P.O. BOX 135
WEISER, ID 83672

has applied for a permit to appropriate water from: GROUNDWATER
and a permit is APPROVED for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
COMMERCIAL	01/01 to 12/31	0.02 CFS
<u>LOCATION OF POINT(S) OF DIVERSION:</u>		SESWSE Sec. 32, Township 11N, Range 05W WASHINGTON County

PLACE OF USE: COMMERCIAL

TWN RGE SEC

11N 05W 32 SWSE

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before January 1, 1991.
2. Subject to all prior water rights.
3. Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
4. Commercial use is for steam cleaners and bathroom facilities.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

15th day of December, 1989.

R. Keith Higginson
for R. Keith Higginson, Director

MICROFILMED

JUN 26 1990

RECEIVED
SEP 26 1989

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho
Department of Water Resources

- Name of applicant Johnson-Bryant Equipment Co Phone 208-549-0418
Post office address P.O. Box 135 Weiser, Idaho 83672
- Source of water supply Groundwater which is a tributary of _____
- Location of point of diversion is SE $\frac{1}{4}$ of SW $\frac{1}{4}$ of SE $\frac{1}{4}$, Govt. Lot _____
Sec. 32 Township 11 N Range 5 W B.M. WASHINGTON County; additional
points of diversion if any: _____
- Water will be used for the following purposes:
Amount .02 for Commercial purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
- Total quantity to be appropriated is (a) 0.02 and/or (b) _____
cubic feet per second acre feet per annum
- Proposed diverting works:
 - Description of ditches, flumes, pumps, headgates, etc. 16' Well w/ 4' diameter
cistern and 1/2 HP subm. pump to bathrooms
and steam cleaners.
 - Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.
 - Proposed well diameter is 48" inches; proposed depth of well is _____ feet.
 - Is ground water with a temperature of greater than 90°F being sought? No
- Time required for the completion of the works and application of the water to the proposed beneficial use is
1 years (minimum 1 year).

MICROFILMED

JUN 26 1990

8. Description of proposed uses (if irrigation only, go to item 9):

- a. Hydropower; show total feet of head and proposed capacity in KW. _____
- b. Stockwatering; list number and kind of livestock. _____
- c. Municipal; show name of municipality. _____
- d. Domestic; show number of households. _____
- e. Other; describe fully. Commercial / Domestic i.e. Steam Cleaners
and Bathrooms

9. Description of place of use:

- a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
11N	5W	32															9/10		0

Total number of acres to be irrigated 0

10. Describe any other water rights used for the same purposes as described above.

None

11. a. Who owns the property at the point of diversion?

Applicant

b. Who owns the land to be irrigated or place of use?

Applicant

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing.

N/A

12. Remarks:


N/A

MICROFILMED

JUN 26 1990



13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



MICROFILMED
JUN 26 1990

Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Daniel Krause Sec
(Applicant)


Received by BAJ Date 9/26/89 Time 2:10 pm Preliminary check by BHS RWD
Fee \$ 30.00 Receipted by BAJ # M004699 Date 9/26/89
Publication prepared by GG Date 10-11-89 Published in Weiser Signal
Publication approved st Date 11-7-89

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.
- e. Other:



AFFIDAVIT OF PUBLICATION

STATE OF IDAHO, } ss.
County of Washington }

Sarah Roles, being duly sworn,
deposes and says:

That he is the Clerk of
THE WEISER SIGNAL, a weekly newspaper published at
Weiser, in the County of Washington and State of Idaho; that
said paper has been and is in general circulation in the
county aforesaid, and in the vicinity of Weiser; that the ad-
vertisement, a copy of which is attached hereto, was pub-
lished in said newspaper once a week for two consecu-
tive weeks in the regular and entire issue of said paper dur-
ing the period and time of publication, and was published in
the newspaper proper and not in a supplement; that said
paper has been established and regularly published for more
than seventy-eight consecutive weeks prior to the date of
first publication of said advertisement.

Such notice was published in the issue beginning with
October 19, 1989, and ending
with the issue of October 26, 1989
Sarah Roles
Fees, \$ 87.62

Subscribed and sworn to before me this 26
day of October, 1989
[Signature]
Notary Public, Residing at Weiser, Idaho.
My Commission Expires 1-1, 1993

MICROFILMED

JUN 26 1990

No. 37 NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have been filed to appropriate
the public waters of the State of Idaho:

67-07774
MARVIN, BARBARA J.
MARVIN, DARRALL A.
1533 BRYDEN DR.
LEWISTON, ID 83501
Source: SPRING
Tributary: SINKS
Diversion Pt: NENENE Sec 26 T 11N R 04W
Use: STOCKWATER (.030 CFS)
Date Filed: 9/13/1989
In: T11N R04W S26 NENE

67-07778
HERUP, WILLIAM C.
HERUP, JACKLYN
887 EATON RD.
WEISER, ID 83672
Source: WARM SPRINGS CREEK
Tributary: SNAKE RIVER
Diversion Pt: NENW Sec 20 T 11N R 06W
Use: IRRIGATION (.060 CFS)
Date Filed: 9/27/1989
In: T11N R06W S20 NENW
3.0 ACRES TOTAL

67-07787
JOHNSON BRYANT EQUIPMENT CO.
P.O. BOX 135
WEISER, ID 83672
Source: GROUNDWATER
Diversion Pt: SESWSE Sec 32 T 11N R 05W
Use: COMMERCIAL (.020 CFS)
Date Filed: 9/26/1989
In: T11N R05W S32 SWSE

The permit(s) will be subject to all prior water rights. Protests
must be filed with the Director, Dept. of Water Resources,
Western Region, 2735 Airport Way, Boise, Idaho 83705 on or
before NOVEMBER 6, 1989.

R. KEITH HIGGINSON, Director
Published 10/19/1989 & 10/26/1989

68-25

RECEIVED
NOV 01 1989

Department of Water Resources



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

April 26, 1993

JOHNSON BRYANT EQUIPMENT CO
PO BOX 135
WEISER ID 83672

RE: WATER RIGHT NO. 67-07787

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

A handwritten signature in black ink, appearing to read 'Jim Johnson', is written over the typed name.

JIM JOHNSON
Water Rights Supervisor

JJ:cz

Enclosure

RECEIVED
MAY 25 1993

DATE: 03/29/93
PAGE: 1

01-01 12-31	0.02 CFS	4.1 AFA
-----	-----	-----
ALL DIVERSION:	0.02 CFS	4.1 AFA

Stage: LICENSE

0.04 CFS

T11N R05W S32

COMMERCIAL

```
SE SE SE SE  
E MSE SWSE SESE :  
C Lt Ac Lt Ac Lt Ac :  
: : : : :  
: : : : :
```

Pou County: WASHINGTON

Overlapping Place(s) of use:

Remarks: Commercial use is for equipment washing.

Priority Date: 09/26/1989
Proof Made Date: 01/09/1990
Exam Sent to S.O.: 03/08/1993

Field Exam Fee: N (Not Required)

⑦

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
MAR 8 1993

Department of Water Resources

A. GENERAL INFORMATION


1. Owner: Gibson Bryant Equipment Company Permit No. 67-07787
Current Address: P.O. Box 135 Weiser Ida 83672 Phone No. 549-0982
2. Accompanied by: Donal Krause EXAM. DATE: 7-29-91
Address: Weiser Phone No. same
Relationship to Permit Holder: contact person
3. Source: groundwater tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: 67-0007 City of Weiser, 67-04472 Olson
(neither apply since they are from a different source) Copies Attached
2. Other water rights with same point of diversion: Olson 67-04472 (no overlap problems
since there is a different source) ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. Diversion System Diagram: Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = _____

2. ☐ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required). ☐ Aerial Photo Attached
☐ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater.)

RECEIVED
MAY 25 1993

System Description (continued)

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

This system makes use of an open hand-dug well. The well is only 18' deep and is about 4' square. The $\frac{3}{4}$ hp pump takes the water off the service for use at 4 spikits. use is commercial; for various wash jobs, clean ups, etc.
 Notes; a small lawn exists in front of building. It is less than $\frac{1}{8}$ of an acre. Static is 6ft with an 8ft. lift to the surface

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	GE	$\frac{3}{4}$	8912	GE	8912

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

Ident. No.	Gov't. Lot	$\frac{1}{4}$	$\frac{1}{4}$	$\frac{1}{4}$	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
		se	sw	se	32	11N	5W	Washington	Quads / Verification

6. Place(s) of Use:

Indicate Method of Determination

Twp.	Rge.	Sec.	NE $\frac{1}{4}$				NW $\frac{1}{4}$				SW $\frac{1}{4}$				SE $\frac{1}{4}$				Totals
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	
11N	5W	32																C	

Do not use this space

RECORDED

MAY 25 1993

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
None						

2. Measurements:

Theoretical: $.75 \text{ hp} \times 8.8 \times .7 \text{ cft} = 4.62$
 $14 + (2.3 \times \frac{40}{100}) = 152 = .09 \text{ cfs}$
 Use 40 psi estimate. Same as D.M. Capacity

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

Theoretical = $.09 \text{ cfs}$ $.02 \text{ cfs}$ (COMM) permit limit

2. Alternate Method for Checking Purposes:

Rule of Thumb
 $.08 \times .03 = .002 \text{ cfs}$

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi $\times 2.31 =$ _____ ft (1); Dynamic pumping level: _____ ft (2)
 Total Head: (1) + (2) = _____ (3) : Flow rate: _____ cfs (4)

Water HP: (3) $\times$ (4) $\div 8.8 =$ _____ (5)
 Meter Input KW: $3.6 \times$ _____ KH $\times$ _____ CTR or _____ MULT $\times$ _____ PTR $\times$ _____ N/ _____ T = _____ (6)
 Meter Input HP: (6) $\times 1.34 =$ _____ (7)
 Panel Input KW: _____ Ave PF $\times$ _____ Ave Volts $\times$ _____ Ave Amps $\times .001732 =$ _____ (8)
 Panel Input HP: (8) $\times 1.34 =$ _____ (7) Efficiency: (5)/(7) $\times 100 =$ _____ %

G. VOLUME CALCULATIONS

MAY 25 1993

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ $16 \text{ irrigated acres}$
 $V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$
 $V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$

2. Volume Calculations for Other Uses:

$.02 = 9 \text{ gpm} \times 60 \text{ min} \times 8 \text{ hrs} = 4320 \text{ gpd} \times 6 \text{ days/wk} \times 52 \text{ wk} = 1,347,840 \text{ gal} = 1.1 \text{ af}$
 $V_{dir} .02 \text{ cfs} \times 365 \text{ days} \times 1.9835 = 21.72 \text{ af}$
 $V_{reg} .02 \times 365 \times 1.9835 = 14.48 \text{ af}$
 Rule of Thumb $.08 \times .03 \times 365 \times 1.9835 = 1.74 \text{ af}$

H. REMARKS AND OVERLAP REVIEW ANALYSIS

Remarks - Comm/Equipment Washing
Conditions -

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Commercial	1-1	12-31	.02 cfs	4.1 + 740 ft
Totals:			.02 cfs	on 4.1 + 740 ft

2. Recommended Amendments

☐ Change P.D. as reflected above

☐ Add P.D. as reflected above

☒ None ✓

☐ Change P.U. as reflected above

☐ Add P.U. as reflected above

☐ Other

J. AUTHENTICATION


Field Examiner's Name

Signature

Certification Date

Field Report Preparation Date

DAVID T. GRAY
7-29-31
08-07-91



K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

RECEIVED

MAY 25 1993

JRCES

R5W

UNITED STATES
BUREAU OF THE INTERIOR
GEOLOGICAL SURVEY

PERMIT 67-07787 INIT J
T. R. S. Q/Q
P/D 11n Sw 32 secwse
SCALE _____
PHOTO ID. _____

Station 4.9 Mi. 180,000 Feet (Idaho)



1993

Department of Water Resources

WELL INSPECTION FORM

If well is associated with water right, provide WR# 6707787

Otherwise provide legal description and a sketch map and/or address so that the well can be located easily.

1. Legal Description: TWP 11N, Rge 5W, Sec. 32, SW 1/4 SE 1/4 or Lot _____.

2. Owner: Johnson Bryant Equipment Co
Address P.O. Box 135, City Wesley, St Idaho

3. Casing $\geq$ 12 inches above ground: Yes _____ No X

Access Port:	Yes _____ No <u>X</u>	Static Water Level:	<u>6 ft +</u>
Pressure Gauge:	Yes _____ No <u>X</u>	Casing Diameter:	<u>4 ft</u>
Flowing:	Yes <u>X</u> No _____	Temperature:	<u>NA</u>

5. Are there any obvious construction problems that may be a source for contamination or waste of water: Yes _____ No X

If answer to Item 5 is Yes, describe in remarks and attach photo.

Remarks: The well is open and hand dug.
The water is pumped off the top & used
for commercial use. A metal covering
seals the hole.

MAY 25 1993

67-07787



View of East SIDE
OF BUILDING.

THIS IS A COMMERCIAL
USAGE ONLY.



View of the well.
LOCATED IN THE
NORTH AND PORTION OF
THE BUILDING.

MAY 20 1980

May 22, 1990

JOHNSON BRYANT EQUIPMENT CO.
P.O. BOX 135
WEISER, ID 83672

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 67-07787

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the WESTERN Regional Office in Boise at (208)334-2190.

Sincerely,

Rita Fleck
Secretary/Records Manager

c: IDWR - Region

MICROFILMED
JUN 26 1990

1/88

PROOF OF BENEFICIAL USE

ANALYSIS SHEET

Permit No. 67-7787

Date: 5-22-90

General Considerations:

Y Name same as permit
Y Signature the same as permit holder
N Address change _____ If yes, prepare a data entry
Y Proof received timely _____
_____ Reinstated

Source of Water:

_____ Surface water
Y Groundwater
_____ 1. well log in file
_____ 2. drilling permit
_____ A. amount of drilling fee paid for proposed uses

Extent of Use and Rate of Diversion:

Y Rate of diversion appropriate for uses
Y Is rate or volume and fee appropriate?
Y Has permit holder indicated when water was first put to a beneficial use?

Measuring Device:

Y Is a measuring device or access port required?
Y Has one been installed?
Y Waiver or modification of measuring device requested

Remarks: Proof acceptable

Priority Calculation:

Y Date proof received _____
Date proof due _____ -
No. of days late _____ =
Priority date _____ +
NEW PRIORITY DATE _____ =

SEND FILES TO DATA ENTRY AND THEN TO MICROFILM



JAN 9 1990

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

For Office Use Only

Amt. of Fee \$

Date

Receipt No.

Received by

Department of Water Resources

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 67-07787 Telephone No. 549-0988

Name(s) of Permit Holder(s): Johnson-Bryant Equip. Co.

Post Office Address: P.O. Box 135 Weiser, Idaho 83672

Source of Water: Ground Water

If ground water, well driller's name: Hand dug by Walter-Bryant + Lloyd Johnson Date drilled: May 1959

Extent of Use:

Domestic _____ (No. of households)

Irrigation _____ (No. of acres)

Stockwater _____ (No. and type of stock)

Other Commercial

Total rate and/or volume for which proof is submitted 0.02 cfs _____ acre/feet

Show date water was first diverted and beneficially used under this permit: Sept. 26, 1989

One of the following may be a condition of approval of your permit:

Measuring device: Required? Yes ☒ No Installed? Yes ☐ No

OR

Flow Measurement Port: Required? Yes ☒ No Installed? Yes ☐ No

Fee Enclosed: \$ 0 (See License Examination Fee Schedule)

Person to contact to accompany the Department representative during the field examination:

DARREL KRAUSE 549-0988
Name Telephone No.

2305 Valley View Dr Weiser, Idaho 83672
Address

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

1-8-1990
Date

Darrel Krause Sec.
Signature (and title if on behalf of a company or organization)

JUN 26 1990

S T A T E O F I D A H O
D E P A R T M E N T O F W A T E R R E S O U R C E S

Statehouse
Boise, Idaho 83720
(208) 327-7900
December 18, 1989

JOHNSON BRYANT EQUIPMENT CO.
P.O. BOX 135
WEISER, ID 83672

P E R M I T A P P R O V A L N O T I C E

RE: PERMIT NO. P67-07787

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

You should be aware that the groundwater you propose to divert is located within a drainage basin where surface waters are regulated during the months of low flow. It is possible that diversion of groundwater may have an adverse impact on these surface water flows. Information available to us at this time does not warrant refusing to issue permits in your area, but we do caution that diversions of groundwater are not allowed to deplete flows available for surface water users with earlier priority dates. Siting your well as far from surface sources as possible and casing out upper water producing zones may reduce the potential of interference.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed for your convenience is a form entitled "Proof of

MICROFILMED

JUN 26 1990



Beneficial Use" that must be submitted to the Department when your project is completed. If development is complete, you may submit proof of beneficial use immediately.

Sincerely,

GARY SPACKMAN, Supervisor
Water Right Permits Section

GS: SC
Enclosures

MICROFILMED

JUN 26 1990

Form No. 202a.
3/89

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEET

INITIAL REVIEW BY: kw DATE: 10/31/89 APPLICATION: 67-07787

REQUIRED INFORMATION

- ☒ Name: (If applicant is a corporation or partnership, names and addresses for the director, officers, and other partners must be included.)
☒ Address:
☒ Source: (See USGS Quad for names of water sources)
☒ Point of Diversion: (10 acres for spring, lot & block descriptions for Subdivisions, local name)
☒ County:
☒ Quantity: (flow and/or volume) Gov't. Lots:
☒ Period of use: N P/D
☒ Nature of proposed use: (Include description of use) N P/U
☒ Description of diverting works:
☒ Time required for beneficial use of water:
☒ Place of use or acres irrigated:
☒ Map:
☒ Signature: (If applicant is corp., partnership, or municipality, title of signatory is required)
☒ Fee:
☒ Yes ☐ No* In form to receipt:

ADDITIONAL INFORMATION

- | YES | NO | |
|-------------------------------------|-------------------------------------|--|
| ☐ | ☒ | Overlapping place of use: (Describe source & relationship to present application on the back.) |
| ☐ | ☒ | Overlapping point of diversion: |
| ☐ | ☒ | Field check required: Field check by: _____ |
| ☐ | ☒ | Field report attached: |
| ☐ | ☒ | Critical groundwater area: |
| ☐ | ☒ | Groundwater management area: |
| ☐ | ☒ | Diversion within interim protected river area |
| ☐ | ☒ | Send dam safety information: |
| ☐ | ☒ | Send power requirement letter: |
| ☐ | ☒ | Send fish farm requirement letter: |
| ☐ | ☒ | Power residency affidavit: |
| ☐ | ☒ | Power efficiency form: |
| ☐ | ☒ | Within trust water boundary: (If yes, attach Trust Water Supplementary Analysis Sheet.) |
| ☐ | ☒ | Diversion greater than 5 cfs or 500 af: (If yes, attach Large Diversion supplementary analysis sheet.) |
| ☒ | ☐ | *REQUEST ADDITIONAL INFORMATION FROM THE APPLICANT |
| ☒ | ☐ | <u>OK kw</u> <u>11-1-89</u> DATE REQUESTED: _____ |
| ☒ | ☐ | Additional information on reverse side: |

RECEIVED
NOV 14 1989

Department of Water Resources

PROCESSING

APPLICATION NO. 67-07787

YES NO

☒ ☐
☐ ☒
☒ ☐

In form for advertising:

Statewide advertising:

Fee amount, receipt number and date recorded on application:

SEND COPIES TO

YES NO

☐ ☒
☐ ☒
☐ ☒
☐ ☒

I.D. Health and Welfare

I.D. Fish and Game

I.D. Lands

Adjudication Bureau

YES NO

☐ ☒
☐ ☒
☐ ☒
☐ ☒

U.S. BLM

U.S. Forest Svc.

Water Dist. # _____

Other _____

FINAL REGIONAL PROCESSING REVIEW

YES NO

☒ ☒
☒ ☐

Affidavit of publication received:

Application published correctly: If not, record action taken.

☒ ☒
☒ ☒
☒ ☒
☒ ☒
☒ ☒
☒ ☒
☒ ☒

Publication dates and paper recorded on application:

Protests received. Final date for protest November 6, 1989

Protest dates, resolution of protest recorded on application?

Recommendations attached: Approve, OK

Measuring device required:

Measuring port required:

Water delivered by water master? District # 67-POS

Special conditions of approval or cover letter: _____

See below for additional information

Recommended Date or Priority 9/26/1989Recommended by: DRDate 11/9/1989

STATE OFFICE REVIEW

POS, P23P1646See below for additional information. By KW Date 12/8/89

ADDITIONAL INFORMATION

Walter Bryant PresidentWallace Wirth V.P.Darrel Krause Sec. Treas.Box 135 Weiser, ID 83672

67-07787

JOHNSON BRYANT EQUIPMENT CO.
P.O. BOX 135
WEISER, ID 83672

Source: GROUNDWDATER

Diversion Pt: SESWSE Sec 32 T 11N R 05W.

Use: COMMERCIAL (.020 CFS)

Date Filed: 9/26/1989

In: T11N R05W S32 SWSE

UNRECORDED

JUN 26 1990