

T11N, R6W, Sec. 11

~~67-293~~ ~~67-2266~~

2 wells

67-7784

11 12

H-J-H Co.

plu

Add-38A

2-wells

11N-06W-11-NW SW

11-NESW

11-NWSE

11A

A 61.5

915

495

N

35

35

"Scotts Creek" reservoir

11-SWSE

11-SESE

11

14

MICROFILMED

JUN 26 1990

14-SW NW

35 PID

10

14-SE NW

19.7

14 SW NE

14 SE NE

NE SW 10A

DEC 1 1989

Department of Water Resources

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO,
County of Washington } ss.

Sarah Bates

, being duly sworn,

deposes and says:

That he is the Clerk of
THE WEISER SIGNAL, a weekly newspaper published at
Weiser, in the County of Washington and State of Idaho; that
said paper has been and is in general circulation in the
county aforesaid, and in the vicinity of Weiser; that the ad-
vertisement, a copy of which is attached hereto, was pub-

lished in said newspaper once a week for two consec-
utive weeks in the regular and entire issue of said paper dur-
ing the period and time of publication, and was published in
the newspaper proper and not in a supplement; that said
paper has been established and regularly published for more
than seventy-eight consecutive weeks prior to the date of
first publication of said advertisement.

Such notice was published in the issue beginning with

November 16

1989, and ending

with the issue of November 23, 1989.

Sarah Bates

Fees, \$ 194.54

MICROFILMED

JUN 26 1990

Subscribed and sworn to before me this 23

day of November, 1989.

Notary Public, Residing at Weiser, Idaho.

My Commission Expires 1-1, 1993No. 45
NOTICE OF APPLICATION FOR WATER RIGHT

The Following Application(s) have been filed to appropriate
the public waters of the State of Idaho:

67-07784

H J H CO.
C/O CARL HENNINGS
1005 W. 2ND ST.
WEISER, ID 83672
Source: GROUNDWATER
Diversion Pt: SWNW Sec 14 T 11N R 06W
Use: IRRIGATION (.960 CFS)
Date Filed: 10/04/1989
In: T11N R06W S11 NWSW
S14 SENW
48.0 ACRES TOTAL

67-07802

WINEGAR, REX M.
970 JONATHAN RD.
WEISER, ID 83672
Source: GROUNDWATER
Diversion Pt: SESENE Sec 16 T 11N R 06W
Use: IRRIGATION (.920 CFS)
Date Filed: 10/19/1989
In: T11N R06W S09 SESE
S16 NENE SENE
46.0 ACRES TOTAL

67-07804

SMITH, ESTHER M.
727 OLDS FERRY RD.
WEISER, ID 83672
Source: WASTE WATER
Tributary: HOG CREEK
Diversion Pt: LOT 1 (NENE) Sec 19 T 11N R 06W
Use: IRRIGATION (.200 CFS)
IRRIGATION STORAGE (5.00 AF)
IRRIGATION FROM STORAGE (5.00 AF)
DIVERSION TO STORAGE (.200 CFS)
Date Filed: 9/12/1989
In: T11N R06W S19 Lot 1 (NENE) Lot 2 (NWNE)
12.0 ACRES TOTAL

67-07806

CRAIG, SHELLY
CRAIG, KARSON
RT. 1 BOX 5
MIDVALE, ID 83645
Source: GROUNDWATER
Diversion Pt: NWNESW Sec 8 T 11N R 03W
Use: IRRIGATION (.060 CFS)
Date Filed: 10/23/1989
In: T11N R03W S08 NESW
2.0 ACRES TOTAL

67-07807

HILL, R. GLENN
HILL, JEAN M.
1452 WEISER RIVER RD.
WEISER, ID 83672
Source: UNNAMED STREAM
Tributary: MONROE CREEK
Diversion Pt: NWNE Sec 33 T 11N R 05W
Use: IRRIGATION (.150 CFS)
Date Filed: 9/20/1989
In: T11N R05W S33 NWNE
5.0 ACRES TOTAL

67-07808

CADA, WAYNE
2000 E. VICTORY RD.
MERIDIAN, ID 83642
Source: SPRINGS
Tributary: TENNISON CREEK
Diversion Pt: SWNWNE Sec 19 T 11N R 01W
SWSENE Sec 19 T 11N R 01W
SWSENE Sec 19 T 11N R 01W
Use: STOCKWATER (.030 CFS)
Date Filed: 10/16/1989
In: T11N R01W S19 NWNE SENE SENW

67-07809


CADA, WAYNE
2000 E. VICTORY RD.
MERIDIAN, ID 83642
Source: SPRINGS
Tributary: SOUTH CRANE CREEK
Diversion Pt: NWSWSW Sec 23 T 11N R 02W
NESWSW Sec 16 T 11N R 02W
SWSWNE Sec 22 T 11N R 02W
Use: STOCKWATER (.030 CFS)
Date Filed: 10/16/1989
In: T11N R02W S16 SWSW
S22 SWNE
S23 SWSW

The permit(s) will be subject to all prior water rights. Protests
must be filed with the Director, Dept. of Water Resources,
Western Region, 2735 Airport Way, Boise, Idaho 83705 on or
before DECEMBER 4, 1989.

R. KEITH HIGGINSON, Director
Published 11/16/1989 & 11/23 1989

76-2S

67-7784
System Diagram



BM 2484

2705

PERMIT 67-7784 INIT _____
T. R. S. Q/Q
P/D 11N6W14 SWNW
SCALE _____
PHOTO ID. U52

2429

Spring

2237

2414

Rocky Point

Springs

9

Artesian Well
2281

BM

10

2255

Weiser
Warm Springs

2188

2196

P/U

RECORDED

FEB 05 1951

2216

16

P/D



P/U

Springs

Central School

Creek

Pumps

2146

Scott

21

22

23

TOREGO

2112

SHOR

CANAL

1128

PERMIT 67-7784 INIT _____

T. R. S. Q/Q

P/D 11W 6W 11

SCALE 14

PHOTO ID. _____

NHEL

1
38.3

NHEL

2
54.5

3
98.4

NHEL

6
93

NHEL

7
23.4

NHEL

4
22.7 NHEL

5
13.7

NHEL

9
7.5

NHEL

10

22.3

NHEL

11
30.0

NHEL

8
29.8

NHEL

12
12.9

NHEL

13
19.4

14

19.7 NHEL

NHEL

15
29.5

NHEL

16
14.6

NHEL

17
15.0

NHEL

18
9.0

FEB 05 1993

67-7784



#1
Well #1



#2
Well #2

FEB 05 1993

67-7784



#3

Well #2



#4

Booster pump
Southeast of
Well #1 near
9 acre field
This pump serves
a wheel line

RECEIVED

FEB 05 1993

67-7784



#5
Gated pipe
used to irrigate
9 acre field



#6.
Valve that
diverts water
from 8" buried
pipe to a
concrete ditch
or to a headbox
North of this
location

UNRECORDED
FEB 05 1993

67-7784



#7

Headbox where water from wells can be transferred to concrete ditch.



#8

Point of diversion where well water transfers to a dirt ditch to 38 acre field.

NOTED

FEB 05 1993

67-7784



#9
Booster pump
used to transfer
water from
dirt ditch to
38 acre field
in background.



#10
P/U - 38 acre
field

RECEIVED
FEB 05 1993

67-7284



#11

Pond that collects
ditch, well, waste
water for distribution
through system.

RECEIVED
FEB 05 1993

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE
WATER RIGHT NO. 67-07784

Priority: October 4, 1989

Maximum Diversion Rate: 0.92 CFS
Maximum Diversion Volume: 211.5 AF

This is to certify, that H J H CO
C/O CARL HENNINGS
1005 W 2ND ST
WEISER ID 83672

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated October 4, 1989; and has submitted Proof of Beneficial Use on February 5, 1990. An examination indicates that the works have a diversion capacity of 2.960 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.92 CFS	211.5 AF

LOCATION OF POINT(S) OF DIVERSION: SWNW , Sec. 14, Township 11N, Range 06W
WASHINGTON County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
11N	06W	11	NWSW 38			38
		14	NESW 9			9

Total number of acres irrigated: 47

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right limited to the amount that can actually be beneficially use used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 4.5 afa per acre for the lands above.
6. Two points of diversion are located within SWNW, S14, T11N, R06W.

RECEIVED

FEB 05 1993

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE
WATER RIGHT NO. 67-07784

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 14th
day of JANUARY, 1993.

Acting for *R. Keith Higginson*
R. Keith Higginson, Director

FEB 05 1993

State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 67-07784

Proposed Priority: October 4, 1989

Maximum Diversion Rate:

0.96 CFS

This is to certify, that **H J H CO.**
C/O CARL HENNINGS
1005 W. 2ND ST.
WEISER, ID 83672

has applied for a permit to appropriate water from: **GROUNDWATER**
and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	03/15 to 11/15	0.96 CFS
<u>LOCATION OF POINT(S) OF DIVERSION:</u>		SWNW Sec. 14, Township 11N, Range 06W WASHINGTON County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
11N	06W	11	NWSW	38		38
		14	SENE	10		10

Total number of acres irrigated: 48

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before **February 1, 1991.**
2. Subject to all prior water rights.
3. Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
4. Prior to the diversion of water under this permit a flow measurement port or other device as specified by the Department shall be installed to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department.
5. The rate of diversion of water for irrigation under this permit and all other water rights on the same land shall not exceed 0.02 cubic feet per second for each acre of land.
6. 2 points of diversion located in SWNW, S14, T11N, R6W.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

17th day of January, 1990.

MICROFILMED

JUN 26 1990

[Signature]
for R. Keith Higginson, Director

T11N, R6W, Sec. 11

~~67-293~~ ~~67-2266~~

2 wells

67-7784

11 12

H-J-H Co.

PIU

Add. 38A

2 wells

11N-06W-11-NW SW

11-NESW

11-NWSE

38A

A 61.5

490

N

11-SW

11-SE SW

35

"Scotts Creek"
reservoir

11-SW SE

11-SE SE

14

40

14-NE NW

14-NW NE

14-NE NE

MICROFILMED

JUN 26 1990

14-SW NW

35 PID

14-SE NW

14-SW NE

14-SE NE

2.9

PIU

NE SW 10A

Ident. No. 67-07784

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name: H J H CO. 208-549-3929
Address: C/O CARL HENNINGS
1005 W. 2ND ST.
WEISER, ID 83672
2. Source: GROUNDWATER Trib. to:
3. Location of Point of Diversion: SWNW Sec. 14, Township 11N, Range 06W
WASHINGTON County
4. Water will be used for the following purposes:
- | Purpose | From | To | CFS | (or) | AF |
|------------|-------|-------|-------|------|----|
| IRRIGATION | 03/15 | 11/15 | 0.960 | | |
5. Total quantity appropriated is:
0.960 CFS (and/or) AF
6. Proposed diverting works:
- Description of ditches, flumes, pumps, headgates, etc.
2 WELLS (existing 1964 wells & pump with pipeline) *
 - Height of storage dam feet; active reservoir capacity acre-feet; total reservoir capacity acre-feet; period of year when water will be diverted to storage: to inclusive.
 - Proposed well diameter is 8 inches; proposed depth of well is 65 feet.
 - Is groundwater with a temperature greater than 90F being sought? NO
7. Time required for the completion of the works and application of the water to the proposed beneficial use is 1 year.
8. Description of proposed uses:
IRRIGATION
9. Place of Use: IRRIGATION

TWN	RGE	SEC	ACRES
11N	06W	11	NWSW 38
		14	SENW 10

ACRES

ACRES

TOTAL

38

10

48

Total number of acres irrigated:

* per telephone with C. Hennings 11/3/89, JL

10. Describe any other water rights used for the same purposes.
NONE

11. a. Who owns the property at the point of diversion?

APPLICANT

b. Who owns the land to be irrigated or place of use?

APPLICANT

c. If the property is owned by a person other than the applicant,
describe the arrangement enabling the applicant to make this filing.

12. Remarks:

TWO WELLS IN THE SW1/4,NW1/4, SECTION 14

13. Map of proposed point of diversion and place of use attached? ☒

BE IT KNOWN that the undersigned hereby makes application for permit to
appropriate the public waters of the State of Idaho as herein set forth.

H-J-HCO by Carl O'Herning
Applicant

Received by L. Werner Date 10-4-89 Time _____ Preliminary check by FL

Fee \$ 45.00 Receipted by FL # W0006159 Date 10-5-89

Publication prepared by GG Datel 11-8-89 Published in Weiser Signal

Publication approved at Date 12-18-89 11/16 & 11/23/89

MICROFILMED

JUN 26 1990

INFO PER
APPLICANT'S MAP
8/11/89

Spring

Rocky Point

Artesian
Well
2287

Weiser
Warm Springs

31

P/O

P/O

2

2112

6 K

Lenk

HEMEN

TERAL

PR

2126

LIBRARY

CONVERSATION MEMORANDUM

DATE 11/3/89
FILE 67-07784

NAME OF PARTY Carl Hennings
EMPLOYEE Steve Lester

RE:

1) wells existing since 1969, no drilling permit issue.

Pumps & ~~gas~~ pipelines

2) officers etc.

Pres. - Carl Hennings

V-P - Frank Johnson

Secy - Richard Johnson

} Addressed to HTH Co.
as in application.

MICROFILMED

JUN 26 1990

Department of Water Resources

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO, } ss.
County of Washington }Sarah Bates, being duly sworn,
deposes and says:That he is the clerk of
THE WEISER SIGNAL, a weekly newspaper published at
Weiser, in the County of Washington and State of Idaho; that
said paper has been and is in general circulation in the
county aforesaid, and in the vicinity of Weiser; that the ad-
vertisement, a copy of which is attached hereto, was pub-lished in said newspaper once a week for two consecu-
tive weeks in the regular and entire issue of said paper dur-
ing the period and time of publication, and was published in
the newspaper proper and not in a supplement; that said
paper has been established and regularly published for more
than seventy-eight consecutive weeks prior to the date of
first publication of said advertisement.

Such notice was published in the issue beginning with

November 16, 1989, and ending
with the issue of November 23, 1989.Fees, \$ 194.54MICROFILMED
JUN 26 1990Subscribed and sworn to before me this 23day of November, 1989.

Notary Public, Residing at Weiser, Idaho.

My Commission Expires 1-1, 1993.No. 45
NOTICE OF APPLICATION FOR WATER RIGHTThe Following location(s) have been filed to appropriate
the public water of the State of Idaho:67-07784 vet
H J H CO.
C/O CARL HENNINGS
1005 W. 2ND ST.
WEISER, ID 83672
Source: GROUNDWATER
Diversion Pt: SWNW Sec 14 T 11N R 06W
Use: IRRIGATION (.960 CFS)
Date Filed: 10/04/1989
In: T11N R06W S11 NWSW
S14 SENW
48.0 ACRES TOTAL67-07802
WINEGAR, REX M.
970 JONATHAN RD.
WEISER, ID 83672
Source: GROUNDWATER
Diversion Pt: SESENE Sec 16 T 11N R 06W
Use: IRRIGATION (.920 CFS)
Date Filed: 10/19/1989
In: T11N R06W S09 SESE
S16 NENE SENE
46.0 ACRES TOTAL67-07804
SMITH, ESTHER M.
727 OLDS FERRY RD.
WEISER, ID 83672
Source: WASTE WATER
Tributary: HOG CREEK
Diversion Pt: LOT 1 (NENE) Sec 19 T 11N R 06W
Use: IRRIGATION (.200 CFS)
IRRIGATION STORAGE (5.00 AF)
IRRIGATION FROM STORAGE (5.00 AF)
DIVERSION TO STORAGE (.200 CFS)
Date Filed: 9/12/1989
In: T11N R06W S19 Lot 1 (NENE) Lot 2 (NWNE)
12.0 ACRES TOTAL67-07806
CRAIG, SHELLEY
CRAIG, KARSON
RT. 1 BOX 5
MIDVALE, ID 83645
Source: GROUNDWATER
Diversion Pt: NWNE Sec 8 T 11N R 03W
Use: IRRIGATION (.060 CFS)
Date Filed: 10/23/1989
In: T11N R03W S08 NESW
2.0 ACRES TOTAL67-07807
HILL, R. GLENN
HILL, JEAN M.
1452 WEISER RIVER RD.
WEISER, ID 83672
Source: UNNAMED STREAM
Tributary: MONROE CREEK
Diversion Pt: NWNE Sec 33 T 11N R 05W
Use: IRRIGATION (.150 CFS)
Date Filed: 9/20/1989
In: T11N R05W S33 NWNE
5.0 ACRES TOTAL67-07808
CADA, WAYNE
2000 E. VICTORY RD.
MERIDIAN, ID 83642
Source: SPRINGS
Tributary: TENNISON CREEK
Diversion Pt: SWNWNE Sec 19 T 11N R 01W
SWSENE Sec 19 T 11N R 01W
SWSENE Sec 19 T 11N R 01W
Use: STOCKWATER (.030 CFS)
Date Filed: 10/16/1989
In: T11N R01W S19 NWNE SENE SENW67-07809
CADA, WAYNE
2000 E. VICTORY RD.
MERIDIAN, ID 83642
Source: SPRINGS
Tributary: SOUTH CRANE CREEK
Diversion Pt: NWSWSW Sec 23 T 11N R 02W
NESWSW Sec 16 T 11N R 02W
SWSWNE Sec 22 T 11N R 02W
Use: STOCKWATER (.030 CFS)
Date Filed: 10/16/1989
In: T11N R02W S16 SWSW
S22 SWNE
S23 SWSWThe permit(s) will be subject to all prior water rights. Protests
must be filed with the Director, Dept. of Water Resources,
Western Region, 2735 Airport Way, Boise, Idaho 83705 on or
before DECEMBER 4, 1989.R. KEITH HIGGINSON, Director
Published 11/16/1989 & 11/23 1989



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

January 14, 1993

H J H CO
C/O CARL HENNINGS
1005 W 2ND ST
WEISER ID 83672

RE: WATER RIGHT NO. 67-07784

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

PAMELA SKAGGS
Water Resource Agent

PS:cz

Enclosure

RECEIVED

FEB 05 1993



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

December 23, 1992

H J H CO
C/O CARL HENNINGS
1005 W 2ND ST
WEISER ID 83672

RE: WATER RIGHT NO. 67-07784

Dear Water Right Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

Sincerely,

A handwritten signature in cursive script that reads "Pamela Skaggs".

PAMELA SKAGGS
Water Resource Agent

PS:cz

Enclosure

RECEIVED

FEB 05 1993

LICENSE REVIEW CHECKLIST

Permit # 67-7784

Date 12-22-92
CS

	Yes	No	
NAME	☐	☒	Address Change?
PRIORITY DATE	☐	☒	Advance? _____
	☐	☒	Memo to Advance _____
	☐	☒	Order to Reinstate Needed? _____
TOTAL CFS	☐	☒	Incorrect Fee for rate recommended? _____
	☒	☐	Disagree with Actual Measurement? _____
			<u>47 x .02 = .94 / .92 cfs (IRR)</u>
	☐	☒	Disagree with Theoretical? _____
	☒	☐	Limited by Capacity? <u>2.96 cfs</u>
TOTAL VOLUME			Rate/ac <u>4.5</u> AFA Irr. Season <u>D</u>
			<u>3-15 to 11-15</u> Standard Irr. Season
			<u>same Per Permit</u> Season Recommended
	☐	☒	Disagree with Examiner's Calculations? _____
			<u>47 x 4.5 = 211.5 afa (IRR)</u>
	☐	☒	Limited by Flow? <u>.92 x 245 x 1.9835 = 447.7211.5</u>
SOURCE	☐	☒	Changes? Clarification of Originally Intended source _____
	☐	☒	Notice of Intent to Void. _____
P/D			Verify with Map
	☐	☒	Amendment Needed? _____
	☐	☒	Is Overlap Analysis a Consideration? _____
P/U			Verify with Map
	☒	☐	Amendment Needed? <u>change SENW to NESW, S14</u>
	☐	☒	Is Overlap Analysis a Consideration? _____
USES	☐	☒	Change(s) in Nature of Use? _____
	☐	☒	Amendment Needed? _____
REMARKS	☒	☐	Multiple P/Ds in 1/4 1/4? <u>2/SWNNW, S14</u>
	☐	☒	Non-Irr. Uses _____
	☐	☒	Special Overlap Condition _____
	☐	☒	Other _____
CONDITIONS	☐	☒	Measuring Device
	☐	☒	W/Master Control
	<u>R32</u>	☐	Overlap
	☐	☒	Water Quality
			DATES/MISC
			Water Dist.
			App Rec'd
			Exam Made

COMMENTS/MEMOS NEEDED: Reduced Acre, rate

License 10-Day ☒ 15-Day ☐ Special Correspondence _____

WR0749NP
No. L67-07784

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT
(REGIONAL)

DATE: 12/22/92
PAGE: 1

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	H J H CO C/O CARL HENNINGS 1005 W 2ND ST WEISER ID 83672 (208) 549-3929	10/04/1989	IRRIGATION	03-15 11-15	0.92 CFS	211.5 AFA
TOTAL DIVERSION:					0.92 CFS	211.5 AFA

Water Source: GROUNDWATER

Tributary to:

Stage: LICENSE

Point(s) of Diversion Capacity: 2.96 CFS

Point(s) of Diversion: T11N R06W S14 SW NW

Place of use Legal Description for: IRRIGATION

				NE				NW				SW				SE					
T	R	S	:	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	:	SUM
11N	06W	11	:																	:	38.0
11N	06W	14	:											09						:	9.0
																				TOTAL ACRES	47.0

Pou County: WASHINGTON

Non-Irrigation Uses: NONE

Other Rights: NONE

Other Water Rights with Same Point(s) of Diversion and Source:
67-02266 67-07784

Other Water Rights Listing Overlapping Place(s) of use:
67-02168 67-02169 67-02266 67-02338 67-02384A 67-07784 67-07856

Conditions of Approval:

R32 - This right when combined with all other rights shall provide no
- more than .02 cfs per acre nor more than 4.5 afa per acre for the
- lands above.

Remarks: Two points of diversion are located within SWNW, S14, T11N, R06W.

Dates: App. Received: 10/04/1989 Priority Date: 10/04/1989
Proof Due Date: 02/01/1991 Proof Made Date: 02/05/1990
Exam Made Date: 07/16/1991 Exam Sent to S.O.: 12/16/1992
Licensed Date:

Misc: Water District Number: Field Exam Fee: R (Received)

Audit: 12/22/92 SKAGGS

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
DEC 18 1992

Department of Water Resources

A. GENERAL INFORMATION


1. Owner: HJH Co. Permit No: 67-7784
Current Address: 1005 W. 2nd St, Weiser, Idaho 83672 Phone No. 549-3929
2. Accompanied by: Carl Hennings EXAM. DATE: 7-16-91
Address: Same Phone No. Same
Relationship to Permit Holder: owner
3. Source: groundwater tributary to none

B. OVERLAP REVIEW

1. Other water rights with same place of use: 67-2338, 67-7293, 67-2266
☒ Copies Attached
2. Other water rights with same point of diversion: 67-2266
☒ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☒ Alternative diagram attached



Scale: 1" = _____

2. ☒ Copy of U.S.G.S. Quadrangle Attached ☒ Aerial Photo Attached
Showing location(s) of point(s) of diversion and (required for irrigation of 10 acres or more).
☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).

System Description (continued)

3. **Narrative:** Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

Consists of two wells that feed a buried 8" PVC pipe that flows in opposite directions. Southeast of the wells a gated pipe irrigates approx. 10 acres. Northwest from the wells approx 300' from Well #2, water can either be discharged to a concrete ditch or it continues underground approx 1000' and discharged into a dirt ditch. The dirt ditch flows approx 1200' North and then approx 1200' East where it is pumped with a 15Hp pump to the gated

☒ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
Well #1	U.S. Sololift	15	2311016	Berkley	6" Unknown
Well #2	U.S. "	15	1158921	Unknown	6" Unknown

*Code to correspond with No. on map and aerial photo

5. **Point(s) of Diversion:**

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			SW	SW	14	11N	6W	Washington	Other photo quad

6. **Place(s) of Use:**

Indicate Method of Determination

aerial map

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
11N	6W	11										38							38
11N	6W	14								9									9

MISPLACED

FEB 05 1993

Do not use this space

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

None

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

2. Alternate Method for Checking Purposes:

$$\frac{15 \times 8.8 \times .7}{60 + (2.3 \times 0)} = 1.48 \text{ cfs} \times 2 = 2.96 \text{ cfs}$$

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) ; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 47 \times 4.5 = 211.5$$
$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = .94 \times 246 \times 1.9835 = 458.7$$
$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 211.5 \text{ cfs}$$

2. Volume Calculations for Other Uses:

NA

RECEIVED

FEB 05 1993

H. REMARKS AND OVERLAP REVIEW ANALYSIS

pipe for irrigation of a 38 acre field. The 38A was not being irrigated for the season because it contained safflower. The two wells and pipelines are part of a complex irrigation system that contains a storage pond, waste water collection, concrete and dirt ditches, booster pumps, gravity and sprinkler irrigation. Weiser irrigation water is added at two points on the West side of system. This permit overlaps 67-2266 for the 9A in Sec 11 and 67-2338 & 67-7293 for the 38A in Sec 11. The combination of all rights should not exceed .02 cfs per acre nor 4.5 cfs. System capacity limits 67-2266 and this permit to 2.96 cfs - 67-2266 is licensed for 2.04 leaving .92 cfs for 67-7784

I. RECOMMENDATIONS

1. Recommended Amounts


Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Irrigation	3-15	11-15	.94 cfs .92	211.5 afa
Totals:			.92 .94 cfs	211.5 afa

2. Recommended Amendments

- ☐ Change P.D. as reflected above
 ☐ Add P.D. as reflected above
 ☐ None
- ☒ Change P.U. as reflected above
 ☐ Add P.U. as reflected above
 ☐ Other

J. AUTHENTICATION

Field Examiner's Name Melvin T. Schulte
JFW 3/30/92
Signature Melvin T. Schulte
Certification Date _____
Field Report Preparation Date 7-31-91



K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

FEB 05 1993

IRRIGATION RIGHT FROM A GROUND WATER SOURCE

A theoretical calculation is necessary to determine if a measurement is required for irrigation from a groundwater source.

=====

1. Using the found acres (or an estimate by the permit holder) calculate the acre-foot per annum limit. This is the volume that the system must be able to theoretically produce to exclude a rate of flow measurement.
2. Next, given the pump hp and the estimated dynamic water level, calculate the theoretical rate of flow that the system can produce.
3. Using the rate found in step 2 and the days in the permitted irrigation season, calculate the theoretical AFA that the system could produce. This volume is then compared to the first AFA calculation. If the theoretical volume (step 3) is greater than the irrigation requirement volume (step 1) then no measurement is necessary. If it is less, then you must make a diversion rate measurement during the field examination.

1.
$$\frac{15 + 15}{47} * \frac{4.5}{4.5} = \frac{211.5}{\text{AFA}}$$
2.
$$\frac{(30) \text{ HP} * 8.8 * (.7) \text{ EFF}}{(60) \text{ Dyn Level} + (2.3 * \{0\} \text{ PSI})} = \frac{184.8}{2.97} \text{ CFS}$$

Theor. Div. Rate
3.
$$\frac{2.97}{\text{Theoretical Div. Rate}} * \frac{246}{\text{Days in season}} * 1.9835 = \frac{1.449.2}{\text{AFA}}$$

Note: for electrical motors
EFF = 0.70
for diesel motors
EFF = 0.60

Data Requires Verification ☐
Measurement Required -- ☐
Measurement Not Required ☒


Calculation data sources:

Found acres = from Aerial = 47
HP = 15 + 15 from motor plates
Dyn Level = 60 - estimated based on well logs & owners estimate
PSI = 0 - open discharge

RECEIVED

FEB 05 1993

67-7784
System Diagram



RECEIVED
FEB 05 1993

BM 2154

PERMIT 67-7784 INIT

T. R. S. Q/Q

P/D UN 60/14 SUNW

SCALE

PHOTO ID. U52

Spring

Rocky Point

Springs

Artesian Well
2281

BM

2255

Weiser
Warm Springs

FEB 05 1964

P/U

P/D

←P/U

Scho

23

2112

Department of Water Resources

WELL INSPECTION FORM

#1

If well is associated with water right, provide WR# 67-7784

Otherwise provide legal description and a sketch map and/or address so that the well can be located easily.

1. Legal Description: TWP 11N, Rge 6W, Sec. 14, SW 1/4 NW 1/4 or Lot _____.

2. Owner: HSH Co.
Address 1005 W. 2nd, City Wesley, St OK.

3. Casing $\geq$ 12 inches above ground: Yes ☒ No _____

4. Access Port: Yes _____ No ☒ Static Water Level: 20'
Pressure Gauge: Yes _____ No ☒ Casing Diameter: 12"
Flowing: Yes _____ No ☒ Temperature: _____

5. Are there any obvious construction problems that may be a source for contamination or waste of water: Yes _____ No ☒

If answer to Item 5 is Yes, describe in remarks and attach photo.

Remarks: _____

RECEIVED
FEB 05 1993

PERMIT 67-1784 INIT _____

T. R. S. Q/Q

P/D 11N 6W 11

SCALE 14

PHOTO ID. _____

NHEL

1
38.3

NHEL

NHEL

4
22.7 NHEL

5
13.7

NHEL

9
7.5

NHEL

10

22.3

29.8

NHEL

12
12.9

NHEL

16
14.6

19.4

14
19.7 NHEL

NHEL

15

25.5

FEB 05 1993

RECEIVED
FEB 12 1993

WELL LOG AND REPORT OF THE
STATE RECLAMATION ENGINEER OF IDAHO

Department of Reclamation

Permit No. 8-27377 Well No. 1 County Washington

Owner Wm. Carson

Address seeiser

Driller H.C. Nicholson

Address _____

Well location SW 1/4 NW 1/4 Sec. 14 T. 11 N. N. 1/2 R. 6 W. E. 1/2

Size of drilled hole 12"

Total depth of well 65'

Give depth to standing water from the ground 20 Water temp. _____ °Fahr.

On "Pumping Test" delivery was 400 g.p.m. or _____ c.f.s. Drawdown was 60 feet.

Size of pump and motor used to make test 6" pump + tractor

Length of time of test 15 hours _____ minutes.

If flowing well, give flow _____ c.f.s. or _____ g.p.m. and of shut off pressure _____

If flowing well, described control works _____

(TYPE AND SIZE OF VALVE, ETC.)

Water will be used for _____ Weight of casing per lineal foot _____

Thickness of casing 1/4" Casing material Steel

(STEEL, CONCRETE, WOOD, ETC.)

Diameter, length and location of casing 12" - 65'

(CASING 12" IN DIAMETER OR LESS, GIVE INSIDE DIAMETER;
CASING OVER 12" IN DIAMETER, GIVE OUTSIDE DIAMETER)

CASING RECORD

Diam. Casing	From Feet	To Feet	Length	Remarks—seals, grouting, etc.
12"	0	65		Slurried Pack

Number and size of perforations 200 7/8 X 4" located 45 feet to 65 feet from ground

Date of commencement of well _____

Date of completion of well 5-7-58

FEB 05 1993

11 N — 6 W — 14 S NW

nots.

WELL LOG

[illegible]

WELL DRILLER'S STATEMENT

This well was drilled under my supervision and the above information is complete, true and correct to the best of my knowledge and belief.

Signed. H. C. McFarlane

By _____

Dated 5-5, 1963

License No. 54

FEB 05 1993

Department of Water Resources

WELL INSPECTION FORM

Well #2

If well is associated with water right, provide WR# 67-7784

Otherwise provide legal description and a sketch map and/or address so that the well can be located easily.

1. Legal Description: TWP 11N, Rge 6W, Sec. 14, SW 1/4 NW 1/4 or Lot _____.
2. Owner: HJH Co. (Jo Carl Hennings)
Address 1005 W. 2nd St., City Wesley, St. Id.
3. Casing $\geq$ 12 inches above ground: Yes ✓ No _____
4. Access Port: Yes _____ No ✓ Static Water Level: 50'
Pressure Gauge: Yes _____ No ✓ Casing Diameter: 12"
Flowing: Yes _____ No ✓ Temperature: _____
5. Are there any obvious construction problems that may be a source for contamination or waste of water: Yes _____ No ✓

If answer to Item 5 is Yes, describe in remarks and attach photo.

Remarks: A large hole 4' to 5' at surface level has sunk to a depth of at least 15' on the Southeast side of casing. The pump is leaking around the shaft seal. An area approximately 6' to the west of the well where a mainline goes underground is also sinking.

PLD 05 1993

RECEIVED
JUN 22 1958

WELL LOG AND REPORT OF THE
STATE RECLAMATION ENGINEER OF IDAHO

Department of Agriculture

Permit No. 11-27377 Well No. 2 County Washington

Owner Sam Carson

Address Weller

Driller H.C. Michelson

Address Payette

Well location NW 1/4 NW 1/4 Sec. 14, T.11N. N. 1/2, R. 6W. S. 1/2

Size of drilled hole 12"

Locate well in section

NW 1/4	NE 1/4
SW 1/4	SE 1/4

Total depth of well 72

Give depth to standing water from the ground 20 Water temp. _____ °Fahr.

On "Pumping Test" delivery was 500 g.p.m. or _____ c.f.s. Drawdown was 65 feet.

Size of pump and motor used to make test 4" pump with motor

Length of time of test 15 hours _____ minutes.

If flowing well, give _____ c.f.s. or _____ g.p.m. and of shut off pressure _____

If flowing well, describe control works _____ (TYPE AND SIZE OF VALVE, ETC.)

Water will be used for _____ Weight of casing per lineal foot _____

Thickness of casing 1/4" Casing material Steel (STEEL, CONCRETE, WOOD, ETC.)

Diameter, length and location of casing _____ (CASING 12" IN DIAMETER OR LESS, GIVE INSIDE DIAMETER; CASING OVER 12" IN DIAMETER, GIVE OUTSIDE DIAMETER)

CASING RECORD

Diam. Casing	From Feet	To Feet	Length	Remarks—seals, grouting, etc.
12"	0	72		Gravel Pack

Number and size of perforations 3/8 x 4 located 45 feet to 72 feet from ground

Date of commencement of well _____ Date of completion of well 5-27-58

11N - 6W - 14 NW NW

used

[illegible]

This well was drilled under my supervision and the above information is complete, true and correct to the best of my knowledge and belief.

By _____

Dated 3-5 1943

License No. 424

67-7784



#3

Well #2




#4

Booster pump
Southeast of
Well #1 near
9 acre field
This pump serves
a wheel line

APPROVED

FEB 05 1993

67-7784



#1

Well #1



#2

Well #2


FEB 05 1993

67-7784



#5

Gated pipe
used to irrigate
9 acre field



#6.

Valve that
diverts water
from 8" buried
pipe to a
concrete ditch
or to a headbox
North of this
location

05 1993

67-7784



#11

Pond that collects
ditch, well, waste
water for distribution
through system.


FEB 05 1993

67-7784



#9

Booster pump
used to transfer
water from
dirt ditch to
38 acre field
in background.



#10

P/U - 38 acre
field

17607400


FEB 05 1993

67-7784



7

Headbox where water
from wells can be
transferred to concrete
ditch.



#8

Point of diversion
where well
water transfers
to a dirt ditch
to 38 acre field.

FEB 05 1993

May 22, 1990

H J H CO.
C/O CARL HENNINGS
1005 W. 2ND ST.
WEISER, ID 83672

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 67-07784

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the WESTERN Regional Office in Boise at (208)334-2190.

Sincerely,

Rita Fleck
Secretary/Records Manager

c: IDWR - Region

RECORDED

JUN 26 1990

1/88

PROOF OF BENEFICIAL USE

ANALYSIS SHEET

Permit No. 67-7784

Date: 5-20-70

General Considerations:

y Name same as permit
y Signature the same as permit holder
y Address change _____ If yes, prepare a data entry
y Proof received timely _____
_____ Reinstated

Source of Water:

_____ Surface water
y _____ Groundwater
_____ 1. well log in file
_____ 2. drilling permit
NA A. amount of drilling fee paid for proposed uses

Extent of Use and Rate of Diversion:

y Rate of diversion appropriate for uses
y Is rate or volume and fee appropriate?
y Has permit holder indicated when water was first put to a beneficial use?

Measuring Device:

NA Is a measuring device or access port required?
NA Has one been installed?
NA Waiver or modification of measuring device requested

Remarks: Proof acceptable

NA Priority Calculation:
Date proof received _____
Date proof due _____ -
No. of days late _____ =
Priority date _____ +
NEW PRIORITY DATE _____ =

SEND FILES TO DATA ENTRY CS AND THEN TO MICROFILM

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

Department of Water Resources
Western Regional Office

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 567-07724 Telephone No. 549-3929

Name(s) of Permit Holder(s): H-J-H Company

Post Office Address: Box 269 Weiser Idaho

Source of Water: Ground Water

If ground water, well driller's name: Using existing Wells Date drilled: 1958

Extent of Use:
Domestic _____ (No. of households) Irrigation 48 (No. of acres)

Stockwater _____ (No. and type of stock) Other _____

Total rate and/or volume for which proof is submitted 0.96 cfs _____ acre/feet

Show date water was first diverted and beneficially used under this permit: Spring of 1990

One of the following may be a condition of approval of your permit:

Measuring device: Required? ☐ Yes ☐ No Installed? ☐ Yes ☐ No

OR

Flow Measurement Port: Required? ☐ Yes ☐ No Installed? ☐ Yes ☐ No

Fee Enclosed: \$ 100 - (See License Examination Fee Schedule)

Person to contact to accompany the Department representative during the field examination:

Carl O Hennings 549-3929
Name Telephone No.

1005 W. 2nd, Weiser Idaho
Address

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

RECORDED

JUN 26 1990

Feb 1 1990
Date

Carl O Hennings, Pres.
Signature (and title if on behalf of a company or organization)

S T A T E O F I D A H O
D E P A R T M E N T O F W A T E R R E S O U R C E S

Statehouse
Boise, Idaho 83720
(208) 327-7900
January 18, 1990

H J H CO.
C/O CARL HENNINGS
1005 W. 2ND ST.
WEISER, ID 83672

P E R M I T A P P R O V A L N O T I C E

RE: PERMIT NO. P67-07784

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

Be sure to note the special condition requiring you to install a measuring device, or a flow measurement port to provide for the installation of measuring equipment by the Department. Enclosed please find a list of measuring device options, and specifications for the installation of the flow measurement port.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed for your convenience is a form entitled "Proof of

MICROFILMED

JUN 26 1990

Beneficial Use" that must be submitted to the Department when your project is completed. If development is complete, you may submit proof of beneficial use immediately.

Sincerely,

GARY SPACKMAN, Supervisor
Water Right Permits Section

GS: SC
Enclosures

MICROFILMED

JUN 26 1991

11/2 11N 6W 5.14 SWNW
11/2 " 5.11 NWSW
5.14 SENW

Form No. 202a.
3/89

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEET

INITIAL REVIEW BY: SL DATE: 11/3/89 APPLICATION: 67-07784

REQUIRED INFORMATION

Name: (If applicant is a corporation or partnership, names and addresses for the director, officers, and other partners must be included.) *See CONV. Memo*
Address:
Source: (See USGS Quad for names of water sources)
Point of Diversion: (10 acres for spring, lot & block descriptions for Subdivisions, local name)
County:
Quantity: (flow and/or volume)
Period of use: Gov't. Lots: N P/D
Nature of proposed use: (Include description of use) N P/U
Description of diverting works:
Time required for beneficial use of water:
Place of use or acres irrigated:
Map:
Signature: (If applicant is corp., partnership, or municipality, title of signatory is required)
Fee:
Yes No* In form to receipt:

ADDITIONAL INFORMATION

YES	NO	
☒	☐	Overlapping place of use: (Describe source & relationship to present application on the back.)
☒	☐	Overlapping point of diversion:
☐	☐	Field check required: Field check by: _____
☐	☐	Field report attached:
☐	☐	Critical groundwater area:
☐	☐	Groundwater management area:
☐	☐	Diversion within interim protected river area
☐	☐	Send dam safety information:
☐	☐	Send power requirement letter:
☐	☐	Send fish farm requirement letter:
☐	☐	Power residency affidavit:
☐	☐	Power efficiency form:
☐	☐	Within trust water boundary: (If yes, attach Trust Water Supplementary Analysis Sheet.)
☐	☐	Diversion greater than 5 cfs or 500 af: (If yes, attach Large Diversion supplementary analysis sheet.)
☐	☐	*REQUEST ADDITIONAL INFORMATION FROM THE APPLICANT

DATE REQUESTED: _____

Additional information on reverse side: _____

RECEIVED
DEC 22 1989
Department of Water Resources

PROCESSING

APPLICATION NO. 67-07784

YES NO

☒ ☐
☐ ☒
☒ ☐

In form for advertising:

Statewide advertising:

Fee amount, receipt number and date recorded on application:

SEND COPIES TO

YES NO

☐ ☒
☐ ☒
☐ ☒
☐ ☒

I.D. Health and Welfare

I.D. Fish and Game

I.D. Lands

Adjudication Bureau

YES NO

☐ ☒
☐ ☒
☐ ☒
☐ ☒

U.S. BLM

U.S. Forest Svc.

Water Dist. # _____

Other _____

FINAL REGIONAL PROCESSING REVIEW

YES NO

☒ ☐
☒ ☐

Affidavit of publication received:

Application published correctly: If not, record action taken.

☒ ☐
☒ ☐

Publication dates and paper recorded on application:

Protests received. Final date for protest December 14, 1989

Protest dates, resolution of protest recorded on application:

Recommendations attached: Approve, Deny

Measuring device required:

Measuring port required:

Water delivered by water master? District # _____

Special conditions of approval or cover letter: _____

oic

See below for additional information

Recommended Date or Priority 10/4/1989Recommended by: DocDate 12/21/89

STATE OFFICE REVIEW

P23, P03, P1646 DIGSee below for additional information. By KWDate 1-3-90

ADDITIONAL INFORMATION

OverlapP1067-02266 appears to be same two wells.P1667-02338 Scott's Cr. irrig. (S stockwater) on same area in S. 11.67-07293" " " via storage " " " "67-02266 see pld ; 10 other areas in S. 14.

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Western Region
2735 AIRPORT WAY

Boise, Idaho 83705
(208) 334-2190

NOVEMBER 8, 1989

The Weiser Signal
P.O. Box 709
Weiser, ID 83672

Dear Legal Dept.:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.


An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before DECEMBER 4, 1989.

Yours truly,

GAIL GARRETT
Secretary

Encl.



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Western Region
2735 AIRPORT WAY

Boise, Idaho 83705
(208) 334-2190

NOVEMBER 8, 1989

The Weiser Signal
P.O. Box 709
Weiser, ID 83672

Dear Legal Dept.:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before DECEMBER 4, 1989.

Yours truly,

GAIL GARRETT
Secretary

Encl.

MICROFILMED

JUN 26 1990

67-07784

H J H CO.
C/O CARL HENNINGS
1005 W. 2ND ST.
WEISER, ID 83672

Source: GROUNDWATER

Diversion Pt: SWNW Sec 14 T 11N R 06W

Use: IRRIGATION (.960 CFS)

Date Filed: 10/04/1989

In: T11N R06W S11 NWSW
 S14 SENW

48.0 ACRES TOTAL

RECORDED

JUN 15 1990