



APPLICATION 67-07782

SE

HOME
NE
SW

OSPRING

SEC 24
T17N
R1W

RECEIVED

MAR 14 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
DEC 18 1992

Department of Water Resources

A. GENERAL INFORMATION


Permit No. 67-07782
1. Owner: Anthony & Edith Schwartz Phone No. 253-4802
Current Address: P.O. Box 58 Fruitvale, ID 83620
2. Accompanied by: Anthony & Edith Schwartz EXAM. DATE: 6-21-91
Address: Same Phone No. _____
Relationship to Permit Holder: _____
3. Source: Spring tributary to Sinks

B. OVERLAP REVIEW

1. Other water rights with same place of use: 67-7419 ☐ Copies Attached
2. Other water rights with same point of diversion: None ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached




Scale: 1" = None

2. ☒ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).
☒ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater).
☐ Aerial Photo Attached (required for irrigation of 10 acres or more)

RECEIVED

FEB 05 1993



PERMIT 67-07782 INIT ML15
T. R. S. Q/Q
P/D 17N 1W 24 NE/NW/SE
SCALE _____
PHOTO ID. Fruitvale

UNRECORDED

FEB 05 1993

67-07782



#1

Housings for
spring diversion.



#2

Flow of spring
into well housing.
Spring flows from
white pipe on left.
Flow is for spring
#1.

RECORDED

FEB 05 1993

#67-7782



#3

Overflow From
spring #2.
Overflow has ceased
by time of the photo
due to usage in the
home.



#4

Overflow From
spring #1. Overflow
has ceased by time
of photo.

MICROFILMED

FEB 05 1993

#67-07782

#5.

Places of use.



#6.



MICROFILMED

FEB 05 1993

#67-07782



#7

Places of use.



#8

RECEIVED

FEB 05 1993

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE
WATER RIGHT NO. 67-07782

Priority: October 2, 1989

Maximum Diversion Rate:

0.01 CFS

Maximum Diversion Volume:

1.2 AF

This is to certify, that ANTHONY B SCHWARTZ
EDITH SCHWARTZ

PO BOX 58

FRUITVALE ID 83620

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated October 2, 1989; and has submitted Proof of Beneficial Use on September 18, 1990. An examination indicates that the works have a diversion capacity of .010 cfs of water from:

SPRING

tributary to **SINKS**

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
DOMESTIC	01/01 to 12/31	0.01 CFS	1.2 AF

LOCATION OF POINT(S) OF DIVERSION:

NENWSE , Sec. 24, Township 17N, Range 01W
ADAMS County

PLACE OF USE: DOMESTIC
TWN RGE SEC

17N 01W 24

NESW

NWSW

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Domestic use is for 1 home.

RECORDED


FEB 05 1993

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE
WATER RIGHT NO. 67-07782

This license is issued pursuant to the provisions of Section 42-219, Idaho Code,
Witness the seal and signature of the Director, affixed at Boise, this 27th
day of JANUARY, 1993.

Acting for


R. Keith Higginson, Director

FEB 05 1993

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 67-07782

Proposed Priority: October 2, 1989

Maximum Diversion Rate:

0.04 CFS

This is to certify, that **ANTHONY B. SCHWARTZ**
EDITH SCHWARTZ
P.O. BOX 58
FRUITVALE, ID 83620

has applied for a permit to appropriate water from:

SPRING

tributary of **SINKS**

and a permit is **APPROVED** for development of water as follows:

BENEFICIAL USE

PERIOD OF USE

RATE OF DIVERSION

DOMESTIC

01/01 to 12/31

0.04 CFS

LOCATION OF POINT(S) OF DIVERSION:

NENWSE

Sec. 24, Township 17N, Range 01W
ADAMS County

PLACE OF USE: DOMESTIC

TWN RGE SEC

17N 01W 24


NESW

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before January 1, 1991.
2. Subject to all prior water rights.
3. Domestic use is for 1 home.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

22 day of *December*, 19*89*.

for 
R. Keith Higginson, Director

MICROFILMED

MAR 14 1990

Ident. No. 67-07782

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name: ANTHONY B. SCHWARTZ 208-253-4802
Address: P.O. BOX 58
FRUITVALE, ID 83620
AND/OR
Name: EDITH SCHWARTZ 208-253-4802
Address: P.O. BOX 58
FRUITVALE, ID 83620

2. Source: SPRING Trib. to: SINKS
3. Location of Point of Diversion: NENWSE Sec. 24, Township 17N, Range 01W
ADAMS County

4. Water will be used for the following purposes:

Purpose	From	To	CFS	(or)	AF
DOMESTIC	01/01	12/31	0.040		

5. Total quantity to be appropriated is:
0.040 CFS (and/or) AF

6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc.
3 COLLECTOR LINES, 2- 1000G TANKS, PIPE TO HOME
b. Height of storage dam feet; active reservoir capacity
acre-feet; total reservoir capacity acre-feet; period of
year when water will be diverted to storage: to inclusive.
c. Proposed well diameter is inches; proposed depth of well is
feet.
d. Is groundwater with a temperature greater than 90F being sought? NO

7. Time required for the completion of the works and application of
the water to the proposed beneficial use is 1 years.

8. Description of proposed uses:
DOMESTIC FOR ONE HOME

9. Place of Use: DOMESTIC

TWN RGE SEC
17N 01W 24

NESW

RECORDED

MAR 14 1990

10. Describe any other water rights used for the same purposes.
NONE

11. a. Who owns the property at the point of diversion?
APPLICANT

b. Who owns the land to be irrigated or place of use?
APPLICANT

c. If the property is owned by a person other than the applicant,
describe the arrangement enabling the applicant to make this filing.

12. Remarks:
THIS SYSTEM PARTIALLY EXISTS

13. Map of proposed point of diversion and place of use attached? [X]

BE IT KNOWN that the undersigned hereby makes application for permit to
appropriate the public waters of the State of Idaho as herein set forth.

Anthony B. Schwartz
Applicant

Received by Rch Date 10/2/89 Time 1:00 Preliminary check by Rch

Fee \$ 30.00 Receipted by Rch # W006116 30.00 Date 10/2/89

Publication prepared by GG Date 10-25-89 Published in Adams County Leader

Publication approved st Date 11-16-89 11/1 & 11/8/89

INDEXED

MAR 14 1990



APPLICATION

67-07782

SE

4960

47' 30"

SEC 24
T17N
R1W

RECEIVED

MAR 14 1990

Affidavit of Publication

State of Idaho, County of Adams, ss:

I, Bert J. Rogers, being first duly sworn
do hereby certify that I am the publisher of

Leader, a newspaper; that a copy of the

hereto attached, was published in the regular
issue of said newspaper, and not in any supple-

ment (2)

..... consecutive weeks, the first

same being made in the issue dated

and the last in the issue dated November
that said newspaper is of general circulation
Idaho, printed and published weekly at
that said newspaper has been continuously
published in said county during a period
of twenty-eight consecutive weeks prior to the

said "Notice"

Bert J. Rogers

Subscribed and sworn to before me this

day of November

Bert J. Rogers

Notary Public
Residing

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s)
have been filed to appropriate
the public waters of the State
of Idaho:

67-07780

SNORGRASS, FLOYD A.
SNORGRASS, REBECCA
HORNET CREEK RT. BOX 2405
COUNCIL, ID 83612
Source: SPRINGS

Tributary: HORNET CREEK
Diversion Pt: NESWNW Sec 9 T
17N R 02W
NWNESW Sec 9 T
17N R 02W

Use: DOMESTIC (.020 CFS)
STOCKWATER (.060 CFS)
Date Filed: 10/02/1989
In: T17N R02W S09 NESW

67-07782

SCHWARTZ, ANTHONY B.
SCHWARTZ, EDITH
P.O. BOX 58
FRUITVALE, ID 83620
Source: SPRING

Tributary: SINKS
Diversion Pt: NENWSE Sec 24 T
17N R 01W

Use: DOMESTIC (.040 CFS)
Date Filed: 10/02/1989
In: T17N R01W S24 NESW

67-07791

WILSON, CLAYTON A.
WILSON, E. CATHERINE
P.O. BOX 95
JORDAN VALLEY, OR 97910

Source: UNNAMED STREAM
Tributary: GOODRICH CREEK
Diversion Pt: NENWNE Sec 30 T
16N R 02W

Use: IRRIGATION (.300 CFS)
Date Filed: 10/16/1989
In: T16N R02W S30 NENE

15.0 ACRES TOTAL

67-07796

CHRISTENSEN, ANN H.
1900 STEVENS DR. NO. 704
RICHLAND, WA 99352
Source: GROUNDWATER

Diversion Pt: SWNWSW Sec 2
T 16N R 01W

Use: IRRIGATION (.090 CFS)
DOMESTIC (.040 CFS)
AESTHETIC STORAGE
(.30 AF)

DIVERSION TO STORAGE
(.090 CFS)

Date Filed: 9/28/1989
In: T16N R01W S02 NWSW
3.0 ACRES TOTAL

67-07799

BAKER, ROBERT F.
BAKER, DORIS Y.
HC 68 BOX 2460
CAMBRIDGE, ID 83610
Source: WASTE WATER

Tributary: GRAYS CREEK
UNNAMED STREAMS

Diversion Pt: NESW Sec 33 T
15N R 01W

Use: STOCKWATER (.030 CFS)
STOCKWATER STORAGE
(2.00 AF)

STOCKWATER FROM
STORAGE (2.00 AF)
DIVERSION TO STORAGE
(.030 CFS)

Date Filed: 10/11/1989
In: T15N R01W S33 NESW

67-07800

INLEY, JR., KENNETH DALE
P.O. BOX 2351
COUNCIL, ID 83612
Source: UNNAMED STREAM
Tributary: HORNET CREEK
Diversion Pt: NENW Sec 23 T
17N R 02W
Use: IRRIGATION (.120 CFS)
STOCKWATER (.120 CFS)
Date Filed: 10/16/1989
In: T17N R02W S23 NENW
6.0 ACRES TOTAL

The permit(s) will be subject
to all prior water rights. Pre-
tests must be filed with the Di-
rector, Dept. of Water Resourc-
es, Western Region, 2735 Airport
Way, Boise, Idaho 83705 on or
before NOVEMBER 20, 1989.

R. KEITH HIGGINSON,
Director

Published 11/01/1989 &
01/08/1989

MICROFILMED

MAR 1 1990



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

January 28, 1993

ANTHONY B SCHWARTZ
EDITH SCHWARTZ
PO BOX 58
FRUITVALE ID 83620

RE: WATER RIGHT NO. 67-07782

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

A handwritten signature in cursive script that reads 'Pamela Skaggs'.

PAMELA SKAGGS
Water Resource Agent

PS:cz

Enclosure

RECORDED
FEB 05 1993



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

December 29, 1992

ANTHONY B SCHWARTZ
EDITH SCHWARTZ
PO BOX 58
FRUITVALE ID 83620

RE: WATER RIGHT NO. 67-07782

Dear Water Right Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

Sincerely,

PAMELA SKAGGS
Water Resource Agent

PS:cz

Enclosure

RECEIVED
FEB 05 1993

LICENSE REVIEW CHECKLIST

Permit # 67-7782

Date 12-24-92
38

	Yes	No	
NAME	☐	☒	Address Change?
PRIORITY DATE	☐	☒	Advance? _____
	☐	☒	Memo to Advance _____
	☐	☒	Order to Reinstate Needed? _____
TOTAL CFS	☐	☒	No Fee Paid _____
	☐	☒	Incorrect Fee for rate recommended? _____
	☐	☒	Disagree with Actual Measurement? _____
	☒	☒	<u>.01 cfs (DOM)</u>
	☒	☒	Disagree with Theoretical? _____
	☒	☒	Limited by Capacity? <u>.01 cfs</u>
TOTAL VOLUME			Rate/ac _____ AFA Irr. Season _____
			Standard Irr. Season _____
			Season Recommended _____
	☐	☒	Disagree with Examiner's Calculations? _____
	☐	☒	<u>1.2 cfs (DOM)</u>
	☐	☒	Limited by Flow? _____
SOURCE	☐	☒	Changes? Clarification of <u>Originally</u>
	☐	☒	<u>Intended</u> source _____
	☐	☒	Notice of Intent to Void. _____
P/D			Verify with Map _____
	☐	☒	Amendment Needed? _____
	☐	☒	Is Overlap Analysis a Consideration? _____
P/U			Verify with Map _____
	☒	☒	Amendment Needed? <u>Add NWSW</u>
	☐	☒	Is Overlap Analysis a Consideration? _____
USES	☐	☒	Change(s) in Nature of Use? _____
	☐	☒	Amendment Needed? _____
REMARKS	☐	☒	Multiple P/Ds in 1/4 1/4? _____
	☒	☒	Non-Irr. Uses <u>DOM / Home</u>
	☐	☒	Special Overlap Condition _____
	☐	☒	Other _____
CONDITIONS	☐	☒	Measuring Device _____
	☐	☒	W/Master Control _____
	☐	☒	Overlap _____
	☐	☒	Water Quality _____
			DATES/MISC _____
			Water Dist. _____
			App Rec'd _____
			Exam Made _____
COMMENTS/MEMOS NEEDED:	<u>Reduced rate</u>		

License	☐	☒	10-Day ☒ 15-Day ☐ Special Correspondence _____

WR0749NP
No. L67-07782

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT
(REGIONAL)

DATE: 12/24/92
PAGE: 1

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	ANTHONY B SCHWARTZ	10/02/1989	DOMESTIC	01-01 12-31	0.01 CFS	1.2 AFA
C	EDITH SCHWARTZ					
	PO BOX 58					
	FRUITVALE ID 83620					
	(208) 253-4802					
				TOTAL DIVERSION:	0.01 CFS	1.2 AFA

Water Source: SPRING

Tributary to: SINKS

Stage: LICENSE

Point(s) of Diversion Capacity: 0.01 CFS

Point(s) of Diversion: T17N R01W S24 NE NW SE

Place of use Legal Description for: DOMESTIC

				NE				NW				SW				SE			
T	R	S	:	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac
17N	01W	24	:																
			:																

Pou County: ADAMS

Other Water Rights Listing Overlapping Place(s) of use:
67-00121 67-04179

Remarks: Domestic use is for 1 home.

Dates:	App. Received:	10/02/1989	Priority Date:	10/02/1989
	Proof Due Date:	01/01/1991	Proof Made Date:	09/18/1990
	Exam Made Date:	06/21/1991	Exam Sent to S.O.:	12/16/1992
	Licensed Date:			

Misc: Water District Number: Field Exam Fee: N (Not Required)

Audit: 12/24/92 SKAGGS

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
DEC 18 1992

Department of Water Resources

A. GENERAL INFORMATION


1. Owner: Anthony & Edith Schwartz Permit No. 67-07782
Current Address: P.O. Box 58 Fruitvale, ID 83620 Phone No. 253-4802
2. Accompanied by: Anthony & Edith Schwartz EXAM. DATE: 6-21-91
Address: Same Phone No. _____
Relationship to Permit Holder: _____
3. Source: Spring tributary to Sinks

B. OVERLAP REVIEW

1. Other water rights with same place of use: 67-7419 ☐ Copies Attached
2. Other water rights with same point of diversion: None ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = None

2. ☒ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required). ☐ Aerial Photo Attached (required for irrigation of 10 acres or more)
☒ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater.)

RECEIVED

FEB 05 1993

System Description (continued)

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

Two Four Foot diameter, concrete cylinders were built to collect the spring flow. The springs flowed into the cylinder via a 6" PVC pipe located approx. 3' from the surface. With all systems in the domestic shut off, the cylinders filled until they flowed from overflow pipes. Cylinders #1 & #2 had overflow pipes located approx. 5' & 10' away, respectively. Measurements were made on each overflow pipe while the system was shut down. Water was diverted 1/2 mile west via gravity through a 2" pvc pipe six outside faucets and the house

☒ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	N/A			N/A	

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
		NE	NW	SE	24	17N	1W	Adams	USGS Quad / Pacing

6. Place(s) of Use:

Indicate Method of Determination USGS Quad

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
17N	1W	24									D	D							

Do not use this space

FEB 05 1993

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
5gal bucket,						
stopwatch						

2. Measurements:

Cylinder #1: Filled 4 gallons in 1 min. From overFlow

Cylinder #2: Filled 2 gallons in 1 min. From overFlow

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

$$(26PM + 46PM) / 448.8 = .01 cfs$$

Permit - .04 cfs

2. Alternate Method for Checking Purposes:

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) ; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ _____

2. Volume Calculations for Other Uses:

$$.01 cfs \times 1.9835 \frac{af}{cfs \text{ day}} \times 365 \text{ days} = 7.2 af$$

1.2 af for O/I

FEB 05 1993

H. REMARKS AND OVERLAP REVIEW ANALYSIS

operated on this system. The total acreage in use was $=(100' \times 100' + 100' \times 50' + 100' \times 75') / 43560 = .5$ acres

The owner's confirmed that they had measured a constant outflow rate of 6 GPM, year around.

P/U should reflect NW $\frac{1}{4}$ of SW $\frac{1}{4}$

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Domestic	1/1	12/31	.01	1.2
Totals:			.01	1.2


2. Recommended Amendments

- ☐ Change P.D. as reflected above ☐ Add P.D. as reflected above
☒ Change P.U. as reflected above ☐ Add P.U. as reflected above

- ☐ None
☐ Other

J. AUTHENTICATION


Field Examiner's Name Mark Senior
JFW 3/30/92 Signature Mark Senior
Certification Date _____
Field Report Preparation Date 6-24-91



K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

RECEIVED

FEB 05 1993



PERMIT 67-07782 INIT MLW/S
T. R. S. Q/Q
P/D 17N 12 24 NE/NW/SE
SCALE _____
PHOTO ID. Fruitvale

RECORDED

FEB 05 1993

PAYETTE

Spring

Creek

Mill

Flora

67-07782



#1

Housings for
spring diversion.



#2

Flow of spring
into well housing.
Spring flows from
white pipe on left.
Flow is for spring
#1.


RECEIVED

FEB 05 1993

FEB 05 1993

Mineral

#4
OverFlow from
spring #1. OverFlow
has ceased by time
of photo



#3
OverFlow from
spring #2.
OverFlow has ceased
by time of the photo
due to usage in the
home.



#67-7782

#67-07782

#5.

Places of use.



#6.



MICROFILMED


FEB 05 1993

#67-07782



#7

Places of use.



#8

SAINT JOHN'S MOUNTAIN

FEB 05 1993



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000
Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

December 27, 1990

ANTHONY B. SCHWARTZ
EDITH SCHWARTZ
P.O. BOX 58
FRUITVALE, ID 83620

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 67-07782

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the WESTERN Regional Office in Boise at (208)334-2190.

Sincerely,

Rita Fleck
Secretary/Records Manager

c: IDWR - Region

MICROFILMED

JAN 29 1991

ANALYSIS SHEET
for
PROOF OF BENEFICIAL USE

Permit No. 67-7782

Date 12-21-90

GENERAL CONSIDERATIONS

y Name same as permit?
y Address same as permit? If no, prepare data entry form.
y Proof timely received? If no, complete priority
advancement below.

SOURCE OF WATER

y Surface water source
 Ground water source
 Drill permit req'd?
 Copy in file? Drill permit no. _____
 Well log in file?
 Amt paid for drilling permit? _____ Correct?

LICENSE EXAMINATION FEE

no Required?
 Amount submitted?
 Correct amount?

MEASURING DEVICE

no Measuring device or access port required?
 Installed?
 Waiver requested or needed?

DEFICIENCIES OR ACTION ITEMS

Proof acceptable

PRIORITY CALCULATION

Date proof received	_____	_____
Date proof due	_____	- _____
No. of days late	_____	= _____
Priority date	_____	+ _____
NEW PRIORITY DATE	_____	= _____

RECEIVED
SEP 18 1990
No \$ received
Department of Water Resources

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

For Office Use Only

Amt. of Fee \$ _____
Date _____
Receipt No. _____
Received by _____

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 67-07782 Telephone No. (208)253-4802

Name(s) of Permit Holder(s): Anthony B. or Edith Schwartz

Post Office Address: Box 58, Fruitvale, ID 83620

Source of Water: spring

If ground water, well driller's name: _____ Date drilled: _____

Extent of Use:

Domestic 1 (No. of households)

Irrigation _____ (No. of acres)

Stockwater 10 (No. and type of stock)

Other _____

cattle & horses

Total rate and/or volume for which proof is submitted .04 cfs _____ acre/feet

Show date water was first diverted and beneficially used under this permit: 2-24-1990

One of the following may be a condition of approval of your permit:

Measuring device: Required? Yes ☒ No Installed? Yes ☐ No

OR

Flow Measurement Port: Required? Yes ☒ No Installed? Yes ☐ No

Fee Enclosed: \$ _____ (See License Examination Fee Schedule)

Person to contact to accompany the Department representative during the field examination:

Anthony B. Schwartz
Name

(208)253-4802
Telephone No.

Address _____

The above information is my true statement of the extent to which the above number permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

JAN 29 1991

9-16-90
Date

Edith Schwartz
Signature (and title if on behalf of a company or organization)

S T A T E O F I D A H O
D E P A R T M E N T O F W A T E R R E S O U R C E S

Statehouse
Boise, Idaho 83720
(208) 327-7900
December 26, 1989

ANTHONY B. SCHWARTZ
EDITH SCHWARTZ
P.O. BOX 58
FRUITVALE, ID 83620

P E R M I T A P P R O V A L N O T I C E

RE: PERMIT NO. P67-07782

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed for your convenience is a form entitled "Proof of Beneficial Use" that must be submitted to the Department when your project is completed. If development is complete, you may submit proof of beneficial use immediately.

Sincerely,

GARY SPACKMAN, Supervisor
Water Right Permits Section

GS: SC
Enclosures

MicroFILMED
MAR 14 1990

Form No. 202a.
3/89

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEET

INITIAL REVIEW BY: RW DATE: 10/31/89 APPLICATION: 67-07782

REQUIRED INFORMATION

- ☒ Name: (If applicant is a corporation or partnership, names and addresses for the director, officers, and other partners must be included.)
☒ Address:
☒ Source: (See USGS Quad for names of water sources)
☒ Point of Diversion: (10 acres for spring, lot & block descriptions for Subdivisions, local name)
☒ County:
☒ Quantity: (flow and/or volume)
☒ Period of use: Gov't. Lots: N P/D
☒ Nature of proposed use: (Include description of use) N P/U
☒ Description of diverting works:
☒ Time required for beneficial use of water:
☒ Place of use or acres irrigated:
☒ Map:
☒ Signature: (If applicant is corp., partnership, or municipality, title of signatory is required)
☒ Fee:
☒ Yes ☐ No* In form to receipt:

ADDITIONAL INFORMATION

YES NO

- ☒ Overlapping place of use: (Describe source & relationship to present application on the back.)
☒ Overlapping point of diversion:
☒ Field check required: Field check by: _____
☒ Field report attached:
☒ Critical groundwater area:
☒ Groundwater management area:
☒ Diversion within interim protected river area
☒ Send dam safety information:
☒ Send power requirement letter:
☒ Send fish farm requirement letter:
☒ Power residency affidavit:
☒ Power efficiency form:
☒ Within trust water boundary: (If yes, attach Trust Water Supplementary Analysis Sheet.)
☒ Diversion greater than 5 cfs or 500 af: (If yes, attach Large Diversion supplementary analysis sheet.)
☒ *REQUEST ADDITIONAL INFORMATION FROM THE APPLICANT

DATE REQUESTED: _____
Additional information on reverse side:

RECEIVED
NOV 21 1989

Department of Water Resources

PROCESSING

APPLICATION NO. 67-07782

YES NO

In form for advertising:

Fee amount, receipt number and date recorded on application:

SEND COPIES TO

YES NO

I.D. Health and Welfare

I.D. Fish and Game

I.D. Lands

Adjudication Bureau

YES NO

U.S. BLM

U.S. Forest Svc.

Water Dist. #

Other

FINAL REGIONAL PROCESSING REVIEW

YES NO

Affidavit of publication received:

Application published correctly: If not, record action taken.

Publication dates and paper recorded on application:

Protests received. Final date for protest *November 20, 1989*

Protest dates, resolution of protest recorded on application:

Recommendations attached: *Approve, One*

Measuring device required:

Measuring port required:

Water delivered by water master? District # 67-50 sink

Special conditions of approval or cover letter:

Recommended Date or Priority 10/2/1989 ✓

Date 11/20/87

STATE OFFICE REVIEW

See below for additional information. By

Date 12-18-89

ADDITIONAL INFORMATION

[illegible]

67-07782

SCHWARTZ, ANTHONY B.
SCHWARTZ, EDITH
P.O. BOX 58
FRUITVALE, ID 83620

Source: SPRING

Tributary: SINKS

Diversion Pt: NENWSE Sec 24 T 17N R 01W

Use: DOMESTIC (.040 CFS)

Date Filed: 10/02/1989

In: T17N R01W S24 NESW

MICROFILMED
MAR 14 1990