



T11N, R6W, Sec. 20: NE. NW 67-7778



SYSTEM DESCRIPTION
ATTACHMENT TO FIELD EXAM FORM



AREA $25900 - 1780 \text{ Home}$
 $= 24120$
 $\approx 6 \text{ ACRES}$



PERMIT 167-07889 INIT DJ
T. R. S. Q/Q
P/D 14m 3w 3 swse
SCALE _____
PHOTO ID. _____

Cambridge

WEISER

SALUBRIA

VALLE

Plm
pld
↑

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
MAR 8 1993

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 67-7778

Phone No. 549-2334

1. Owner: William C. + Jacklyn Herup
Current Address: 887 Eaton Road; Weiser, ID 83672

2. Accompanied by: Jacklyn Herup EXAM. DATE: 8/7/92
Address: (SAME) Phone No. (SAME)

Relationship to Permit Holder: Applicant

3. Source: Warm Springs Creek tributary to Snake River

B. OVERLAP REVIEW

1. Other water rights with same place of use: 67-2169, 67-2384A

☒ Copies Attached


2. Other water rights with same point of diversion: NONE

☐ Copies Attached

☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached




Scale: 1" = NTS

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).

☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater.

☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).

MICROFILMED
MAY 25 1993



This map has been prepared by the Idaho Department of Water Resources pursuant to Idaho Code 42-1401 and contains no warranty, either express or implied, as to the accuracy or completeness of the information contained herein. The Idaho Department of Water Resources and its employees, agents, contractors, and representatives shall not be liable for any damages, including consequential damages, arising from the use of this map. The user assumes all responsibility for the accuracy and completeness of the information contained herein.

ACROFILMED

MAY 25 1993

Copies Of These Maps Can
 Be Obtained From
 V. Bonnevillie Blue Print Co.



PHOTO ONE-

Pump and motor on south side of Warm Springs Creek. Four $\frac{3}{4}$ " PVC Lines exit pump to service various portions of property.

>



PHOTO TWO-

View west of pine and cottonwood trees. ^{Aug 25 1993} ALL are irrigated by hose. Smaller trees by drip lines.



PHOTO THREE- View south of drip lines To small pine Trees.



PHOTO FOUR- View West of home and Galloway Irrigation ditch MAY 25 1993
Ditch is not used by Herup's, but does supplement
irrigation of asparagus and apple Trees near ditch.



PHOTO FIVE-

View north of Galloway Irrigation ditch running parallel with home to the west.



PHOTO SIX-

View southwest of small fruit trees, apricot, peach, and apricot. Large garden lies just south of trees next to driveway. Shown to the left are raspberries next to Eaton Road.

MAY 25 1993



SEVEN
PHOTO ONE-

View ~~northwest~~ OF IRRIGATION SYSTEM FOR SMALL
FRUIT TREES.



EIGHT
PHOTO TWO-

View north OF TREE IRRIGATION SYSTEM.

MAY 25 1993



NINE
PHOTO THREE-

View south of Front Lawn Area.



TEN
PHOTO FOUR-

View northwest of southern Lawn area.



PHOTO FIVE-

View south of back of home and backyard area.
Warm Springs Creek lies to the right of photo.

>

PHOTO SIX-

APPROVED

MAY 25 1993

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 67-07778

Priority: December 2, 1989

Maximum Diversion Rate:

0.03 CFS

Maximum Diversion Volume:

3.6 AF

This is to certify, that JACKLYN HERUP
WILLIAM C HERUP

887 EATON RD
WEISER ID 83672

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated September 27, 1989; and has submitted Proof of Beneficial Use on August 5, 1991. An examination indicates that the works have a diversion capacity of .030 cfs of water from:

WARM SPRINGS CREEK

tributary to SNAKE RIVER

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.03 CFS	3.6 AF

LOCATION OF POINT(S) OF DIVERSION:

NENW , Sec. 20, Township 11N, Range 06W
WASHINGTON County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
11N	06W	20	NENW	0.8		0.8

Total number of acres irrigated: 0.8

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than 4.5 afa per acre for the lands above.

APPROVED

MAY 25 1993


PAGE 2

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 67-07778

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 15th
day of APRIL, 1993.


R. Keith Higginson, Director

MAY 25 1993

RECEIVED
MAR 08 1991

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

For Office Use Only
\$15 FEE Received by for
Date 3/8/91
Receipt # CO12 B101

Department of Water Resources

**REQUEST FOR EXTENSION OF TIME
TO PROVIDE ADDITIONAL TIME IN WHICH TO SUBMIT PROOF OF
BENEFICIAL USE FOR A WATER RIGHT PERMIT**

The Idaho Department of Water Resources will consider this form as a request that the permit holder(s) be granted an additional period of time in which to complete development of a water right under the provisions of Section 42-204, Idaho Code.

Permit No. 67-07778

Name(s) of Permit Holder: Herrup, William & Jocelyn

Post Office Address: 887 Etn Rd.

Weiser, Id. Telephone No. 549-2334

Date Proof is Due: _____

Describe what work has been completed toward the development of this water right: _____
(This must be filled out! If no work has been completed, show "none".)

Just a pump in the creek to be inspected

Costing \$ _____

The permit holder(s) has been unable to complete the remainder of the work for the following reasons:

Con inspector has not come out yet.

Permit holder(s) request an extension to Mar, 1992
(1 yr. minimum)

[Signature]
(Signature)*

FEE: \$15.00

*IF OTHER THAN PERMIT HOLDER,
POWER OF ATTORNEY MUST BE SUPPLIED.

ACTION OF THE DEPARTMENT OF WATER RESOURCES

APR 23 1991

IT IS HEREBY ORDERED that the above request for extension of time be APPROVED and the time within which to submit proof of beneficial use is extended to March 1, 1992.

IT IS FURTHER ORDERED that the permit be REINSTATED and the priority advanced to December 2, 1989, pursuant to Sec. 42-218a, Idaho Code.

Signed this 10th day of April, 19 91.

[Signature]
Chief, Water Allocation Bureau

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 67-07778

Proposed Priority: September 27, 1989 Maximum Diversion Rate: 0.06 CFS

This is to certify, that **JACKLYN HERUP**
WILLIAM C. HERUP
887 EATON RD.
WEISER, ID 83672
has applied for a permit to appropriate water from:

WARM SPRINGS CREEK tributary of **SNAKE RIVER**

and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
-----------------------	----------------------	--------------------------

IRRIGATION	03/15 to 11/15	0.06 CFS
------------	----------------	----------

LOCATION OF POINT(S) OF DIVERSION: NENW Sec. 20, Township 11N, Range 06W
WASHINGTON County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
11N	06W	20	NENW	3		3

Total number of acres irrigated: 3

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before **January 1, 1991**.
2. Subject to all prior water rights.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

14 day of December, 1989

R. Keith Higginson
for R. Keith Higginson, Director

MICROFILMED

MAR 14 1990

RECEIVED
SEP 27 1989

Ident. No. 67-07778

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

Department of Water Resources

APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name: WILLIAM C. HERUP 208-549-2334
Address: 887 EATON RD.
WEISER, ID 83672
OR
Name: JACKLYN HERUP 208-549-2334
Address: 887 EATON RD.
WEISER, ID 83672

2. Source: WARM SPRINGS CREEK Trib. to: SNAKE RIVER
3. Location of Point of Diversion: NENW Sec. 20, Township 11N, Range 06W
WASHINGTON County

4. Water will be used for the following purposes:

Purpose	From	To	CFS	(or)	AF
IRRIGATION	03/15	11/15	0.060		

5. Total quantity appropriated is:
0.060 CFS (and/or) AF

6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc.
1 1/2 HP PUMP, PUMPLINE, DRIP SYSTEM
b. Height of storage dam feet; active reservoir capacity
acre-feet; total reservoir capacity acre-feet; period of
year when water will be diverted to storage: to inclusive.
c. Proposed well diameter is inches; proposed depth of well is
feet.
d. Is groundwater with a temperature greater than 90F being sought? NO

7. Time required for the completion of the works and application of
the water to the proposed beneficial use is 1 year

8. Description of proposed uses:
IRRIGATION

MAR 14 1990

9. Place of Use: IRRIGATION

TWN RGE SEC
11N 06W 20

ACRES
NENW 3

ACRES

ACRES

TOTAL

3

Total number of acres irrigated:

3

10. Describe any other water rights used for the same purposes.
A6710343

11. a. Who owns the property at the point of diversion?
APPLICANT

b. Who owns the land to be irrigated or place of use?
APPLICANT

c. If the property is owned by a person other than the applicant,
describe the arrangement enabling the applicant to make this filing.

12. Remarks:

A6710343 SUPPLEMENTAL TO WARM SPRINGS CREEK.

13. Map of proposed point of diversion and place of use attached? []

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

William C. Henry
Applicant

Received by W. Werner Date 9-27-89 Time 9:10 pm Preliminary check by RW

Fee \$ 30.00 Receipted by L. Werne # M4706 Date 9/27/89

Publication prepared by GG Date 10-11-89 Published in Weiser Signal
10/19 & 10/26/89

Publication approved _____ Date _____

MICROFILMED

MAR 14 1990

T11N, RGW, Sec. 20: NE. NW 67-7778

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO, } ss.
County of Washington }

Sarah Boles, being duly sworn,
deposes and says:

That he is the Clerk of
THE WEISER SIGNAL, a weekly newspaper published at
Weiser, in the County of Washington and State of Idaho; that
said paper has been and is in general circulation in the
county aforesaid, and in the vicinity of Weiser; that the ad-
vertisement, a copy of which is attached hereto, was pub-
lished in said newspaper once a week for two consecu-
tive weeks in the regular and entire issue of said paper dur-
ing the period and time of publication, and was published in
the newspaper proper and not in a supplement; that said
paper has been established and regularly published for more
than seventy-eight consecutive weeks prior to the date of
first publication of said advertisement.

Such notice was published in the issue beginning with
October 19, 1989, and ending
with the issue of October 26, 1989.
Sarah Boles
Fees, \$ 87.62

Subscribed and sworn to before me this 26
day of October, 1989.
[Signature]
Notary Public, Residing at Weiser, Idaho.
My Commission Expires 1-1, 1990

No. 37 NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have been filed to appropriate
the public waters of the State of Idaho:

67-07774
MARVIN, BARBARA J.
MARVIN, DARRALL A.
1533 BRYDEN DR.
LEWISTON, ID 83501
Source: SPRING
Tributary: SINKS
Diversion Pt: NENENE Sec 26 T 11N R 04W
Use: STOCKWATER (.030 CFS)
Date Filed: 9/13/1989
In: T11N R04W S26 NENE

67-07778 ✓
HERUP, WILLIAM C.
HERUP, JACKLYN
887 EATON RD.
WEISER, ID 83672
Source: WARM SPRINGS CREEK
Tributary: SNAKE RIVER
Diversion Pt: NENW Sec 20 T 11N R 06W
Use: IRRIGATION (.060 CFS)
Date Filed: 9/27/1989
In: T11N R06W S20 NENW
3.0 ACRES TOTAL

67-07787
JOHNSON BRYANT EQUIPMENT CO.
P.O. BOX 135
WEISER, ID 83672
Source: GROUNDWATER
Diversion Pt: SESWSE Sec 32 T 11N R 05W
Use: COMMERCIAL (.020 CFS)
Date Filed: 9/26/1989
In: T11N R05W S32 SWSE

The permit(s) will be subject to all prior water rights. Protests
must be filed with the Director, Dept. of Water Resources,
Western Region, 2735 Airport Way, Boise, Idaho 83705 on or
before NOVEMBER 6, 1989.

R. KEITH HIGGINSON, Director
Published 10/19/1989 & 10/26/1989

68-2S

RECEIVED
NOV 01 1989

MAR 14 1990

Department of Water Resources

[illegible]

2. Measurements:

Thoreau

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

D. FLOW MEASUREMENTS

*Code to correspond with No. on map and aerial photo

Well or Diversion Identification No.*	Shallow well	Seeps	1	3/4	N/A	clear well
Motor Make						
Motor Serial No.						
Pump Make						
Pump Serial No. or Discharge Size	1"					


12

Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

MA - Aerial Photo Attached
(required for irrigation of 10+ acres)

~~Photo of Diversion and System Attached~~

10



3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate well size/ditch size/pipe i.d. as applicable.

E. NARRATIVE/REMARKS/COMMENTS

This system used two wells. The shallow well was 10' deep and had a static level of 4'. This is the primary irrigation well. The casing on this well is 6". It is an open well with a surface pump. Once it is dry a 3", 80' well is used to irrigate the lawn. This well has static water @ 14' and is also used in the house. The owner irrigate with hoses around the lawn.

* There are no overlaps that have the same Point of Diversion.

Have conditions of permit approval been met? ☒ yes ☐ no

F. FLOW CALCULATIONS

Additional Computation Sheets Attached

Measured Method:

Theoretical = $\frac{1 \times 8.8 \times .70}{6' \times (2.3 \times 45 \text{ ft})} = \frac{6.16}{163.5} = .04 \text{ cfs}$ need .06 acres = allow .03 cfs as minimum

Theoretical = $\frac{3/4 \times 8.8 \times .70}{15' + (2.3 \times 45)} = \frac{4.62}{118.5} = .04 \text{ cfs}$ need .04 cfs.

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{LR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = .6 \times 4.0 = 2.4 \text{ AFA}$

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = .03 \times 245 \times 1.9835 = 14.6 \text{ AFA}$

$V = \text{Smaller of } V_{LR} \text{ and } V_{D.R.} = 2.4 \text{ AFA (SHALLOW WELL)}$

2. Volume Calculations for Other Uses:

Volume for home with no lawn

Lawn covered under shallow well

.6 AFA (deep well)

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
Irrigation	From 4-1	To 10-31	.03 cfs	2.4 AFA
Domestic	4-1	12-31	.04 cfs	.6 AFA
Totals:			.07 cfs	3.0 AFA

2. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other


I. AUTHENTICATION

Field Examiner's Name [Signature] Date 7-1-93


Reviewer _____ Date _____

SEAL

SYSTEM DESCRIPTION
ATTACHMENT TO FIELD EXAM FORM



AREA: $25900 - 1700 \text{ Home}$
 $+ 43 \text{ ROWS}$
 $= 24200$



SHALLOW
WELL

IDAHO DEPARTMENT OF WATER RESOURCES

WELL INSPECTION FORM

1. DRILLING PERMIT NO: _____ OTHER APPLICABLE NO: WR# 67-07888
2. OWNER: Johann / Joe Karen Piper Phone: 257-3257
Address: P.O. Box 124 Cambridge ID 83610
3. WELL LOCATION: Twp 14n, Rge. 3w, Sec. 3, SW 1/4 SE 1/4
County WASHINGTON (Provide sketch map and photo on reverse.)
4. DRILLER: NA Lic. No. NA
When Drilled? Prior to 7/1/87
5. WELL CONSTRUCTION:
Casing Diameter 6 inches Water tight cap? ☐ Yes ☒ No Access Port: ☒ Yes ☐ No
Casing $\geq$ 12 inches above ground? ☒ Yes ☐ No - Describe _____
Depth of Casing ? ft. Method Drilled _____
Condition of Well Casing: ☒ Good ☐ Fair ☐ Poor Describe _____
Control Valve? ☐ Yes ☒ No Pressure Gauge: ☐ Yes ☐ No
Condition of Piping and Valving _____
Auger to a depth of _____ ft. Evidence of Annular Seal ☐ Yes ☐ No
Are there obvious construction problems that may be a source for contamination or waste of water?
☐ Yes ☐ No (Describe in Remarks and Attach Photo - On Reverse)
6. HYDROLOGIC INFORMATION:
Depth to Static Water 4' ft. Water Temperature _____ °F
Flowing Artesian ☐ Yes ☒ No Pressure: _____ (psi)
Water Sample Taken? ☐ Yes ☒ No If yes, describe purpose _____
Water Quality Measurements/Observations (Describe) _____
7. WELL USE:
☐ Domestic ☒ Irrigation ☐ Stock
☐ Test ☐ Municipal ☐ Industrial
☐ Abandoned ☐ Waste Disposal/Injection ☐ Not Used
☐ Other: _____

8. **POSSIBLE CONTAMINATION SOURCES:**

Is there evidence of Chemigation? ☐ Yes ☐ No

If yes, is there a check-valve present? ☐ Yes ☐ No

Is there a possible source of contamination nearby? ☐ Yes ☐ No

If yes, what Type? _____

How far away from the well is this source? _____

9. **REMARKS:**


Signature of Dept. Representative & Title

6-17-93
Inspection Date

PHOTOS, DRAWINGS, OTHER ATTACHMENTS:

DEEP
WELL

IDAHO DEPARTMENT OF WATER RESOURCES

WELL INSPECTION FORM

1. DRILLING PERMIT NO: _____ OTHER APPLICABLE NO: WR # 162-07888

2. OWNER: Johnny & Karen Piper Phone: 257-3257
Address: P.O. Box 124 Cambridge Id 83610

3. WELL LOCATION: Twp 14n, Rge. 3w, Sec. 3, SW 1/4 50 1/4
County WASHINGTON (Provide sketch map and photo on reverse.)

4. DRILLER: NA Lic. No. NA
When Drilled? Prior to 7/1/87

5. WELL CONSTRUCTION:

Casing Diameter 8" inches Water tight cap? ☒ Yes ☐ No Access Port: ☒ Yes ☐ No
Casing $\geq$ 12 inches above ground? ☒ Yes ☐ No - Describe _____
Depth of Casing _____ ft. Method Drilled _____
Condition of Well Casing: ☒ Good ☐ Fair ☐ Poor Describe _____
Control Valve? ☐ Yes ☒ No Pressure Gauge: ☐ Yes ☒ No
Condition of Piping and Valving Great
Auger to a depth of _____ ft. Evidence of Annular Seal ☐ Yes ☐ No
Are there obvious construction problems that may be a source for contamination or waste of water?
☐ Yes ☒ No (Describe in Remarks and Attach Photo - On Reverse)

6. HYDROLOGIC INFORMATION:

Depth to Static Water 15' ft. Water Temperature _____ °F
Flowing Artesian ☐ Yes ☒ No Pressure: _____ (psi) .
Water Sample Taken? ☐ Yes ☒ No If yes, describe purpose _____
Water Quality Measurements/Observations (Describe) _____

7. WELL USE:

☒ Domestic ☒ Irrigation ☒ Stock
☐ Test ☐ Municipal ☐ Industrial
☐ Abandoned ☐ Waste Disposal/Injection ☐ Not Used
☒ Other: Waters the pigs behind the house

8. **POSSIBLE CONTAMINATION SOURCES:**

Is there evidence of Chemigation? ☐ Yes ☐ No


If yes, is there a check-valve present? ☐ Yes ☐ No

Is there a possible source of contamination nearby? ☐ Yes ☐ No

If yes, what Type? _____

How far away from the well is this source? _____

9. **REMARKS:**


Signature of Dept. Representative & Title

10-17-93
Inspection Date

PHOTOS, DRAWINGS, OTHER ATTACHMENTS:



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

April 16, 1993

JACKLYN HERUP
WILLIAM C HERUP
887 EATON RD
WEISER ID 83672

RE: WATER RIGHT NO. 67-07778

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

PAMELA SKAGGS
Water Resource Agent

PS:cz

Enclosure

MICROFILMED
MAY 25 1993

WR0749NP
No. L67-07778

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT
(REGIONAL)

DATE: 03/26/93
PAGE: 1

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	JACKLYN HERUP	12/02/1989	IRRIGATION	03-15 11-15	0.03 CFS	3.6 AFA
C	WILLIAM C HERUP 887 EATON RD WEISER ID 83672 (208) 549-2334					
TOTAL DIVERSION:					0.03 CFS	3.6 AFA

Water Source: WARM SPRINGS CREEK

Tributary to: SNAKE RIVER

Stage: LICENSE

Point(s) of Diversion Capacity: 0.03 CFS

Point(s) of Diversion: T11N R06W S20 NE NW

Place of use Legal Description for: IRRIGATION

NE												NW				SW				SE				
T	R	S	: Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	: Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	: Lt	Ac	Lt	Ac	: SUM	
11N	06W	20	:								: .8								:				: 0.8	
TOTAL ACRES																						0.8		

Pou County: WASHINGTON

Other Rights: A6710343

Other Water Rights with Same Point(s) of Diversion and Source:
67-07778

Other Water Rights Listing Overlapping Place(s) of use:
67-02169 67-02384A 67-07778

Conditions of Approval:

R27 - This right when combined with all other rights shall provide no
- more than 4.5 afa per acre for the lands above.

Dates: App. Received: 09/27/1989 Priority Date: 12/02/1989
Proof Due Date: 03/01/1992 Proof Made Date: 08/05/1991
Exam Made Date: 08/07/1992 Exam Sent to S.O.: 03/08/1993
Licensed Date:

Misc: Water District Number: Field Exam Fee: N (Not Required)

Audit: 03/26/93 SKAGGS

02 03-26-93

7

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
MAR 8 1993

Department of Water Resources

A. GENERAL INFORMATION


1. Owner: William C. & Jacklyn Herup Permit No. 67-7778
Phone No. 549-2334
Current Address: 887 Eaton Road, Weiser, ID 83672
2. Accompanied by: Jacklyn Herup EXAM. DATE: 8/7/92
Address: (SAME) Phone No. (SAME)
Relationship to Permit Holder: Applicant
3. Source: Warm Springs Creek tributary to Snake River

B. OVERLAP REVIEW

1. Other water rights with same place of use: 67-2169, ~~67-2384A~~
☒ Copies Attached
2. Other water rights with same point of diversion: NONE
☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. Diversion System Diagram: Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = NTS

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).
☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater.)
☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).

RECORDED
MAY 25 1993

System Description (continued)

3. Narrative: Description (As operated at time of measurement. Indicate pressure number of sprinklers, etc.)

Water is pumped from Warm Springs Creek by a 1.5 h.p. pump. Four $\frac{3}{4}$ " PVC Lines to various portions of property. Approximately 0.8 acres is irrigated. A large section of property is not irrigated. Pine, Cottonwood, Fruit Trees, and garden comprise majority of irrigation.

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No. ^{model}	Pump Make	Pump Serial No. or Discharge Size
	Franklin	1.5	NSPHE150	Franklin	

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

Ident. No.	Gov't. Lot	$\frac{1}{4}$	$\frac{1}{4}$	$\frac{1}{4}$	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
		NE	NE	NW	20	11N	6W	Washington	AERIAL MAP

6. Place(s) of Use:

Indicate Method of Determination SAME AS P/O

Twp.	Rge.	Sec.	NE¼				NW¼				SW¼				SE¼				Totals
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
11N	6W	20					0.8											0.8	
																		0.8	

Do not use this space

RECORDED

MAY 25 1993

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

5 gallon Bucket
Flow = 12.0 gpm
(Measured from spigot near home)

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

5 gallon Bucket $Q = \frac{12.0 \text{ gpm}}{448.8 \text{ gpm}} = 0.027 \approx 0.03 \text{ CFS}$ capacity

2. Alternate Method for Checking Purposes:

Allow .03 cfs (IRR) < 1 Acre

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: 10 psi x 2.31 = 23.1 ft (1); Dynamic pumping level: 15 ft (2)
Total Head: (1) + (2) = 38.1 (3) $Q = \frac{(8.8)(.7)(1.5)}{107.4 \text{ lpm}} = 0.09 \text{ CFS}$: Flow rate: 0.09 cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amp x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 0.8 \times 4.5 = 3.6 \text{ AFA}$

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 0.03 \times 245 \times 1.9835 = 14.6$

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 3.6 \text{ AFA (IRR)}$

2. Volume Calculations for Other Uses:

RECEIVED
MAY 25 1993

H. REMARKS AND OVERLAP REVIEW ANALYSIS

The theoretical flow calculated to be 0.09 cfs. The flow requested on the permit is 0.06 cfs. Therefore, recommend licensing for ^{0.03} 0.06 cfs. as per permit. Also, average irrigated needs to be reduced to 0.8 acres from 3 acres as shown on permit.

* No record or stamp on proof of beneficial use indicating Exam Fee payment. Also, proof of beneficial use indicates domestic and irrigation use, when permit is only for irrigation. No fee required. .03 cfs.

Remarks-

Conditions-R27

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afs)
	From	To		
Irrigation	3/15	11/15	0.06 .03 cfs	3.6 afs
Totals:			0.06 .03 cfs	3.6 afs

2. Recommended Amendments

- ☐ Change P.D. as reflected above ☐ Add P.D. as reflected above
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above

- ☒ None
☐ Other

J. AUTHENTICATION


Field Examiner's Name Rick Collingwood

Signature Rick Collingwood

28803-26-93


Certification Date _____

Field Report Preparation Date 1/5/93



K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

RECEIVED
MAY 25 1993



This map was prepared by the U.S. Department of Water Resources, pursuant to authority of the U.S. Army, and is intended for informational purposes only. It is not a legal document and should not be used for any legal purpose. The U.S. Department of Water Resources makes no warranty, either express or implied, as to the accuracy, completeness, or reliability of the information contained in this map. The user of this map assumes all responsibility for the accuracy and completeness of the information contained in this map.

MAY 25 1993

Copies Of These Maps Can
Be Obtained At The Following Locations:




PHOTO ONE-

Pump and motor on south side of Warm Springs Creek. Four $\frac{3}{4}$ " PVC lines exit pump to service various portions of property.



PHOTO TWO-

View west of pine and cottonwood trees. ALL are irrigated by hose. Smaller trees by drip lines.

67-7778




PHOTO THREE-- View south of drip lines To small pine Trees.



PHOTO FOUR-- View west of home and Galloway Irrigation Ditch is not used by Herup's, but does supplement irrigation of asparagus and apple Trees near ditch. MAY 13 1993




PHOTO FIVE-

View north of Galloway Irrigation ditch running parallel with home to the west.




PHOTO SIX-

View southwest of small fruit trees, apricot, peach, and apricot. Large garden lies just south of trees next to driveway. Shown to the left are raspberries next to Eaton Road.

MAY 25 1993



SEVEN
PHOTO ONE-

View ~~WEST~~ OF irrigation system for small
FRUIT TREES.




EIGHT
PHOTO TWO-

View north OF tree irrigation system.

MAY 25 1993



NINE
PHOTO THREE- View south of front lawn area.



TEN
PHOTO FOUR-

View northwest of southern lawn area.

MAY 25 1993



PHOTO FIVE-

View south of back of home and backyard area.
Warm Springs Creek lies to the right of photo.

>

PHOTO SIX-

APPROVED

MAY 25 1993

May 19, 1992

JACKLYN HERUP
WILLIAM C. HERUP
887 EATON RD.
WEISER ID 83672

RE: Water Right No. 67-07778

Dear Water Right Holder(s):

Department water right records show that you divert water from the Snake River or its tributaries under a water right that has a priority date later than December 29, 1976. This is the priority of the established minimum stream flow of the Snake River at the Weiser Gage (Weiser) in the amount of 4,750 cubic feet per second.

Because of the continuing drought conditions in the Snake River Basin, department hydrologists project that during 1992, there could be periods when the required minimum flow will not be satisfied due to low flows of the Snake River. The department urges you to not divert at a higher rate than authorized by your water right and to not use your right in any manner different than authorized. In addition, when the minimum flow will not be satisfied or is not being satisfied, you are required to cease diverting water under your water right, because your right is of later priority than the minimum stream flow at Weiser.

If the department determines the minimum flow will not be satisfied, the department will advise you and will provide as much lead time as possible in requiring that you temporarily cease your diversion of water. The greatest likelihood for this to occur is during a period from mid-June to late June.

While the department expects good cooperation from junior water right holders, water users should be aware that Section 42-352, Idaho Code, provides for penalties of up to \$100 per day for unauthorized diversions of water.

The department has contacted both the Idaho Power Company and the U.S. Bureau of Reclamation with respect to the timing of storage releases from upstream reservoirs for flow enhancement

MAY 25 1993

purposes. This type of coordination could minimize the impact on existing water users and reduce the need to curtail diversions.

The department has scheduled public information meetings relative to this potential regulation as follows:

Mountain Home - June 4, 1992 - 10:00 a.m. - gymnasium at
North Elementary School, 290 E. 12th N.

Caldwell - June 4, 1992 - 7:00 p.m. - Ballroom in the
Student Union Building, Albertson College of Idaho,
2112 Cleveland

If you have questions concerning this letter or wish to provide the name of a different contact person or address to receive department correspondence, please contact the department.

Sincerely,

L. GLEN SAXTON
Chief, Water Allocation Bureau

LGS:klg

MAY 25 1993

August 14, 1991

JACKLYN HERUP
WILLIAM C. HERUP
887 EATON RD.
WEISER, ID 83672

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 67-07778

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the WESTERN Regional Office in Boise at (208)334-2190.

Sincerely,

Rita Fleck
Secretary/Records Manager

c: IDWR - Region

AUG 22 1991

ANALYSIS SHEET
for
PROOF OF BENEFICIAL USE

Permit No. 67-7778

Date 8-12-91

GENERAL CONSIDERATIONS

- ☒ Name same as permit?
☒ Address same as permit? If no, indicate below.
☒ Proof timely received? If no, complete priority advancement below.

SOURCE OF WATER

- ☒ Surface water source
☐ Ground water source
☒ Drill permit req'd?
☐ Copy in file? Drill permit no. _____
☐ Amt paid for drilling permit? _____ Correct?
☐ Well log in file?

LICENSE EXAMINATION FEE

- ☒ Required?
☒ Amount submitted?
☒ Correct amount?

MEASURING DEVICE

- ☒ Measuring device or access port required?
☐ Installed?
☐ Waiver requested or needed?

DEFICIENCIES OR ACTION ITEMS

Proof acceptable

PRIORITY CALCULATION

Date proof received	<u>NA</u>	
Date proof due	<u>/</u>	-
No. of days late		=
Priority date		+
NEW PRIORITY DATE		=

LB

RECEIVED
AUG 05 1991

STATE OF IDAHO

For Office Use Only

Amt. of Fee \$

Date

Receipt No.

Received by

DEPARTMENT OF WATER RESOURCES

Department of Water Resources

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 67-7718 Telephone No. 549-2334
2. Name(s) of Permit Holder(s): William C. and/or Jacklyn S. Keays
3. Post Office Address: 887 Eaton Rd., Weiser, Id. 83672
4. Source of Water: Warm Springs Creek
- a. If ground water, well driller's name: _____ Date drilled: _____
- b. Pump horsepower: 1 1/2 Pressure (psi): 40 Dynamic pumping level (ft.): 10

5. Extent of Use:

Domestic 1 (No. of households)Irrigation 1/4 acre (No. of acres)

Stockwater _____ (No. and type of stock)

Other _____

6. Total rate and/or volume for which proof is submitted .03 cfs 2 acre/feet

7. Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? Yes ☒ No ☒ Installed? Yes ☒ No ☒

OR

Flow Measurement Port: Required? Yes ☒ No ☒ Installed? Yes ☒ No ☒

8. Fee Enclosed: \$ _____ (See License Examination Fee Schedule)

9. Person to contact to accompany the Department representative during the field examination:

William C. or Jacklyn Keays

Name

549-2334

Telephone No.

887 Eaton Rd., Weiser

Address

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

8/2/91
DateWilliam C. Keays
Signature (and title if on behalf of a company or organization)

AUG 22 1991

April 15, 1991

WILLIAM C &/OR JACKLYN HERUP
887 ESTON RD
WEISER ID 83672

Dear Mr. and Mrs. Herup:

Re: Permit Nos. 67-7778

Enclosed is a copy of the approved request for extension of time. The time within which to submit proof of beneficial use is extended to March 1, 1992. Note that the permit has been reinstated with an advance in priority, since the extension was received after the proof of beneficial use date.

Your extension request indicates the reason that you have not completed the project is that, "An inspector has not come out yet." Be advised that if you are wanting an field examination completed by a department field inspector, you must complete and return the proof of beneficial use form along with a fee if applicable. Enclosed for your reference is a proof of beneficial use form and instruction sheet.

If you have any questions, please feel free to contact me.

Sincerely,

RITA I. FLECK
Secretary/Records Manager

Enclosures

RECEIVED
APR 23 1991

STAFF REVIEW SHEET - EXTENSION OF TIME

Permit No. 27-7778

Reviewed by [Signature]

Date 4-8-91

BASIC INFORMATION

- Den Date stamp received
4 Extension received timely (not too early not too late)
4 Fee received and receipted
4 Name and signature same as permit
4 Address change

BASIS FOR EXTENSION REQUEST

- Has adequate work been completed to demonstrate due diligence?
 Has the cost incurred been adequate to demonstrate an intent to complete the project?
 Has the permit been involved in litigation?
 a. Swan Falls _____ Dismissed from Swan Falls _____
 Other _____ Identify _____
 b. Is supporting documentation needed to complete the file? _____
 Requested _____
 c. Calculate the period of delay

Date litigation completed _____

Date litigation began _____

Total period of delay = _____

Present proof due date + _____

NEW PROOF DUE DATE = _____

- Is delay by a government agency?
 Is supporting documentation needed to complete the file? _____
 Requested? _____

ACTION TAKEN

Recommend approval for one year - Explain proof process in cover letter Reinstatement

 Reinstate Date extension received 3-8 = 67

Proof due date 1-1 = - 1

No. of days late = 66

Priority date 9-27-89 = +270

ADJUSTED PRIORITY DATE Dec. 289 = 336

DATE ENTRY

AB Change proof due date
 Priority date change

_____ Address change

WARNING

CANCELLED OR LAPSED

This permit has been officially CANCELLED or LAPSED.

Ninety days following the date of official action this file will be DESTROYED.

January 7, 1991

JACKLYN HERUP
WILLIAM C. HERUP
887 EATON RD.
WEISER, ID 83672

LAPSE NOTICE

RE: PERMIT NO. 67-07778

Dear Permit Holder:

You are hereby notified that under the provisions of Section 42-218A, Idaho Code, the above referenced permit has lapsed and is of no further force nor effect. The department provided the proper forms to you in our proof due notice dated October 31, 1990. No further construction or additional development is authorized under this permit unless it is reinstated.

The permit can only be reinstated if you submit an acceptable proof of beneficial use or an acceptable request for extension of time to the department within sixty (60) days of the mailing of this lapse notice. An acceptable proof of beneficial use submittal must include the examination fee or a completed field examination report. A request for extension of time must be accompanied by a fifteen dollar (\$15) fee.

Enclosed again for your use are a proof of beneficial use form and a request for extension of time form. Please note that only one extension of time can be granted unless the project has not been completed because of lack of a necessary approval by a government agency or by litigation which may bring title to the water in question.

L. GLEN SAXTON
Chief, Water Allocation Bureau

LGS:rf


Enclosures

MICROFILMED

APR 23 1991

CERTIFICATION OF MAILING

I hereby certify that on 1-10-91
a copy/an original of this document was
deposited in the United States mail,
postage prepaid addressed to the
individual(s) named above.



October 31, 1990

JACKLYN HERUP
WILLIAM C. HERUP
887 EATON RD.
WEISER, ID 83672

PROOF DUE NOTICE

RE: PERMIT NO. 67-07778

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before January 1, 1991. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Rita Fleck
Secretary/Records Manager

Enclosures

11/11/90

APR 23 1991

[illegible]

Form No. 202a.
3/89

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEET

INITIAL REVIEW BY: fw DATE: 10/31/89 APPLICATION: 67-07778

REQUIRED INFORMATION

- ☒ Name: (If applicant is a corporation or partnership, names and addresses for the director, officers, and other partners must be included.)
☒ Address:
☒ Source: (See USGS Quad for names of water sources)
☒ Point of Diversion: (10 acres for spring, lot & block descriptions for Subdivisions, local name)
☒ County:
☒ Quantity: (flow and/or volume)
☒ Period of use: Gov't. Lots: N P/D
☒ Nature of proposed use: (Include description of use) N P/U
☒ Description of diverting works:
☒ Time required for beneficial use of water:
☒ Place of use or acres irrigated:
☒ Map:
☒ Signature: (If applicant is corp., partnership, or municipality, title of signatory is required)
☒ Fee:
☒ Yes ☐ No* In form to receipt:

ADDITIONAL INFORMATION

YES NO

- ☐ ☒ Overlapping place of use: (Describe source & relationship to present application on the back.)
☐ ☒ Overlapping point of diversion:
☐ ☒ Field check required: Field check by: _____
☐ ☒ Field report attached:
☐ ☒ Critical groundwater area:
☐ ☒ Groundwater management area:
☐ ☒ Diversion within interim protected river area
☐ ☒ Send dam safety information:
☐ ☒ Send power requirement letter:
☐ ☒ Send fish farm requirement letter:
☐ ☒ Power residency affidavit:
☐ ☒ Power efficiency form:
☐ ☒ Within trust water boundary: (If yes, attach Trust Water Supplementary Analysis Sheet.)
☐ ☒ Diversion greater than 5 cfs or 500 af: (If yes, attach Large Diversion supplementary analysis sheet.)
☐ ☒ *REQUEST ADDITIONAL INFORMATION FROM THE APPLICANT

DATE REQUESTED: _____

Additional information on reverse side: _____

NOV 14 1989
Department of Water Resources

APPLICATION NO. 67-07778

- X _____
 - _____ X _____
 - X _____

Fee amount, receipt number and date recorded on application:

YES NO

—	—	I.D. Health and Welfare
—	—	I.D. Fish and Game
—	—	I.D. Lands
—	—	Adjudication Bureau

YES NO

_____ U.S. BLM
 _____ U.S. Forest Svc.
 _____ Water Dist. # _____
 _____ Other

~~YES~~ NO

☒ — Affidavit of publication received:
☒ — Application published correctly: If not, record action taken.

☒ Publication dates and paper recorded on application:
☒ Protests received. Final date for protest November 6, 1989
☒ Protest dates, resolution of protest recorded on application:
☒ Recommendations attached: Approve, DNR
☒ Measuring device required:
☒ Measuring port required:
☒ Water delivered by water master? District # _____
☒ Special conditions of approval or cover letter: _____

See below for additional information

Recommended Date or Priority 9/27/1989
Recommended by: Dns Date 11/8/89

STATE OFFICE REVIEW

P/16

See below for additional information. By ku Date 12-8-89

ADDITIONAL INFORMATION

[illegible]

67-07778

HERUP, WILLIAM C.
HERUP, JACKLYN
887 EATON RD.
WEISER, ID 83672

Source: WARM SPRINGS CREEK

Tributary: SNAKE RIVER

Diversion Pt: NENW Sec 20 T 11N R 06W

Use: IRRIGATION (.060 CFS)

Date Filed: 9/27/1989

In: T11N R06W S20 NENW

3.0 ACRES TOTAL

MICROFILMED

MAR 14 1990