




Affidavit of Publication:

STATE OF IDAHO }
County of Washington } ss.

Stuart Dopf, being duly sworn deposes and says he is the publisher of the Upper Country News-Reporter, a weekly newspaper published at Cambridge, in the County of Washington, State of Idaho; that said newspaper is in general circulation in the county of aforesaid and is a legal newspaper; that the annexed, a printed copy of which is attached hereto and made a part hereof, was published

in said newspaper once a week for.....two..... consecutive weeks in the regular and entire issue of every number thereof during the period of time of publication, and was published in the newspaper proper and not in a supplement; and that publication of such notice began August 17....., 1989. and ended August 24....., 1989.

Stuart Dopf

Subscribed and sworn to before me

this 1st day of September, 1989

John C. Kennedy
Notary Public in and for the State of Idaho, residing at Cambridge, Idaho 83610.

NOTICE OF APPLICATION FOR WATER RIGHT

The following application has been filed to appropriate the public waters of the State of Idaho:

67-07765 ✓

FAIRCHILD, VELDA C.
FAIRCHILD, DEAN D.
P.O. BOX 125
MIDVALE, ID 83645

Source: UNNAMED DRAIN

Tributary: WEISER RIVER,
WASTE WATER, WEISER RIVER

Diversion Pt: NESW Sec 18
T 13N R 03W, SESW Sec 18 T
13N R 03W, NWNE Sec 19 T
13N R 03W

Use: IRRIGATION (.500 CFS)

Date Filed: 7/18/1989

In: T13N R03W S18 Lot 3
(NWSW) SESW S19 NWNE
SWNE NENW Lot 1
(NWNW) SENW

170 ACRES TOTAL

The permit will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Western Region, 2735 Airport Way, Boise, Idaho 83705 on or before SEPTEMBER 5, 1989.

R. KEITH HIGGINSON,
Director

Published 8/17 &
8/24/1989

MICROFILMED

NOV 21 1989

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
DEC 18 1992

Department of Water Resources

A. GENERAL INFORMATION


1. Owner: Zauchelle Dean & Velda Permit No. 67-7765
Current Address: P.O. Box 125, Midvale, Idaho 83645 Phone No. 355-2277
2. Accompanied by: Dean Zauchelle & Joe E. EXAM. DATE: 10-10-91
Address: same Phone No. same
Relationship to Permit Holder: owner & ranch hand.
3. Source: unnamed drain tributary to Weiser River

B. OVERLAP REVIEW

1. Other water rights with same place of use: 67-00640, 67-00641, 67-00642, 67-00643,
67-2210B, 67-4434, 67-7590, 67-00651, 67-2319, 67-2384^B ☒ Copies Attached
2. Other water rights with same point of diversion: 67-00640, 67-00641, 67-00642
☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☒ Alternative diagram attached




Scale: 1" = not to scale

2. ☒ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).
☒ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater).
☒ Aerial Photo Attached (required for irrigation of 10 acres or more)

RECEIVED
FEB 05 1993

T13N F





BERKELEY PUMPS

TYPE "B" RATING CURVES
MOTOR DRIVE



67-7765

CURVE 4075
DATE 1-27-89
PAGE 5.01


SUPERSEDES

Curve 4075 Page 5.01

Dated 1-2-86




PERMIT 67-7705 INIT _____
T. R. S. Q/Q
P/D 13N 3W 19 NWNE
SCALE _____
PHOTO ID. 45204




67-7765

T13N R





T13N R3W



HEL NW
19
27.6

NHEL/W
A
5.1

NHEL/W
B
5.6

NHEL/W

NHEL/W

22
38.1

HEL

HEL

HEL

HEL

HEL

7 T260
19.3

13/18
24/19

NHEL/W

HEL NW

HEL NW

HEL NW

HEL NW

HEL NW

HEL NW

HEL NW

HEL NW

HEL NW

HEL NW

HEL NW

HEL NW

HEL NW

(2)

HEL
nw nw
(28)

newit
mn3
(25)

sw nw
(81)

sw nw
(1)

NESW
put
(1)

SESH
put
(2)

sw nw
(1)

sw nw
(1)

NHEL

NHEL

NHEL

NHEL

NHEL

NHEL

NHEL

NHEL

NHEL

NHEL

NHEL

NHEL

NHEL

NHEL

NHEL

NHEL

NHEL

NHEL

HEL

HEL

HEL

HEL

HEL

HEL

HEL

HEL

HEL

HEL

HEL

HEL

HEL

HEL

HEL

HEL

HEL

HEL

HEL

HEL

HEL

HEL

HEL

HEL

HEL

HEL

HEL

HEL

HEL

HEL


HEL

HEL

HEL

HEL

67-7765



#1

Pump and motor at
PID



#2

View of 6"
intake pump
from unnamed
drain at PID

APPROVED

FEB 05 1993

67-7765



#3

Discharge from pump to
8" surface mainline looking
South from P/D.



#4.

Booster pump
and catch basin
that receives water
from a 50 Hp
pump that draws
water from the
Weesec River

MAINTAINED

FEB 05 1993

67-7765



#5

Surface mainline coming from 25 Hp pump at unnamed drain to the booster pump. - Valve is south from booster pump.



#6

P/U looking West from booster pump.

MISSOURI ACO

FEB 05 1993

67-7765



#7.

P14 looking
South from
farm yard.

RECEIVED

FEB 05 1993

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE
WATER RIGHT NO. 67-07765

Priority: July 18, 1989

Maximum Diversion Rate: 0.50 CFS
Maximum Diversion Volume: 212.2 AF

This is to certify, that DEAN D FAIRCHILD
VELDA C FAIRCHILD

PO BOX 125

MIDVALE ID 83645

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated July 18, 1989; and has submitted Proof of Beneficial Use on November 21, 1989. An examination indicates that the works have a diversion capacity of .770 cfs of water from:

UNNAMED DRAIN

tributary to WEISER RIVER

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/01 to 10/31	0.50 CFS	212.2 AF

LOCATION OF POINT(S) OF DIVERSION:

NWNE , Sec. 19, Township 13N, Range 03W
WASHINGTON County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
13N	03W	18	NESW 7	SESW 21	SWSE 3	31
		19	NWNE 6	SWNE 1	NENW 25	
			Lot 1(NWNW) 28	Lot 2(SWNW) 18	SENW 5	83

Total number of acres irrigated: 114

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right limited to the amount that can actually be beneficially use used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Use of water under this water right will be regulated by the watermaster of State Water District No. 67.

NOTED

FEB 05 1993

State of Idaho
Department of Water Resources


WATER RIGHT LICENSE

WATER RIGHT NO. 67-07765

CONDITIONS/REMARKS:

6. A lockable device subject to the approval of the Department shall be maintained on the diverting works in a manner that will provide the watermaster suitable control of the diversion.
7. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 4.0 afa per acre for the lands above.
8. No water shall be diverted under this permit after June 15 of each year without prior approval of the watermaster.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 14TH day of JANUARY, 1993.

Acting for  Director

FEB 05 1993

APPROVED

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 67-07765

RECEIVED

JAN 7 1993

Department of Water Resources

Date of Priority: July 18, 1989

Maximum Diversion Rate: 0.50 CFS
Maximum Diversion Volume: 212.2 AF

Comes now

DEAN D FAIRCHILD
VELDA C FAIRCHILD

PO BOX 125
MIDVALE ID 83645

and represents to the Director of the

Idaho Department of Water Resources:

That he is the owner and holder of Permit to Appropriate the Public Waters of the State of Idaho No. 67-07765, and requests that the permit be changed as follows:

Source: UNNAMED DRAIN tributary to WEISER RIVER

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/01 to 10/31	0.50 CFS	212.2 AF

LOCATION OF POINT(S) OF DIVERSION: NWNE , Sec. 19, Township 13N, Range 03W
WASHINGTON County

<u>PLACE OF USE:</u> IRRIGATION		<u>ACRES</u>		<u>ACRES</u>		<u>ACRES</u>		<u>TOTAL</u>	
<u>TWN</u>	<u>RGE</u>	<u>SEC</u>							
13N	03W	18	NESW	7	SESW	21	SWSE	3	31
		19	NWNE	6	SWNE	1	NENW	25	
			Lot 1(NWNW)	28	Lot 2(SWNW)	18	SESW	5	83
Total number of acres irrigated:									114

Permit holder asserts that no one will be injured by such change and that such change will be made at permit holder's own risk.

Signed at Midvale Idaho, this 6th day of January, 1993.

Dean D Fairchild
(Signature)
Velda Fairchild

RECEIVED

FEB 05 1993

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 67-07765

FOR DEPARTMENT USE ONLY

Preliminary check by 28 Fee = \$20.00 Receipted by Jf # 0626469 Date 1-7-93

ACTION OF THE DEPARTMENT OF WATER RESOURCES

I, R. Keith Higginson, of the Department of Water Resources hereby approve the above Application for Amendment for Permit No. 67-07765 with the following;

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right limited to the amount that can actually be beneficially use used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Use of water under this water right will be regulated by the watermaster of State Water District No. 67.
6. A lockable device subject to the approval of the Department shall be maintained on the diverting works in a manner that will provide the watermaster suitable control of the diversion.
7. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 4.0 afa per acre for the lands above.
8. No water shall be diverted under this permit after June 15 of each year without prior approval of the watermaster.

Witness my hand this 13TH day of JANUARY, 1993.

Acting for R. Keith Higginson, Director

FEB 05 1993

State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 67-07765

Proposed Priority: July 18, 1989

Maximum Diversion Rate:

0.50 CFS

This is to certify, that **VELDA C. FAIRCHILD**
DEAN D. FAIRCHILD
P.O. BOX 125
MIDVALE, ID 83645

has applied for a permit to appropriate water from:

UNNAMED DRAIN
WASTE WATER

tributary of **WEISER RIVER**
tributary of **WEISER RIVER**

and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	03/15 to 11/15	0.50 CFS

LOCATION OF POINT(S) OF DIVERSION:

SESW	Sec. 18, Township 13N, Range 03W
NWNE	Sec. 19, Township 13N, Range 03W
NESW	Sec. 18, Township 13N, Range 03W

WASHINGTON County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>		<u>ACRES</u>		<u>ACRES</u>		<u>ACRES</u>	<u>TOTAL</u>
13N	03W	18	LOT 3(NWSW)	10	SESW	40			50
		19	NWNE	20	SWNE	25	NENW	25	
			LOT 1(NWNW)	35	SESW	15			120

Total number of acres irrigated: 170

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before December 1, 1990.
2. Subject to all prior water rights.
3. A lockable device, subject to the approval of the Department, shall be installed on the diverting works in a manner that will provide the watermaster suitable control of the diversion prior to diversion of water under this permit.
4. Use of water under this permit is subject to control by the watermaster of State Water District No. 67.
5. The rate of diversion of water for irrigation under this permit and all other water rights on the same land shall not exceed 0.02 cubic feet per second for each acre of land.
6. No water shall be diverted under this permit after June 1st each year without prior approval of the watermaster.

MICROFILMED

NOV 21 1989

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 67-07765

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

1st day of November, 1989.

for J. Glen Saxton
R. Keith Higginson, Director

MICROFILMED

NOV 21 1989

Ident. No. 67-07765

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name: DEAN D. FAIRCHILD 208-355-2277
Address: BOX 125
MIDVALE, ID 83645
OR
Name: VELDA C. FAIRCHILD 208-355-2277
Address: BOX 125
MIDVALE, ID 83645
2. Source: UNNAMED DRAIN Trib. to: WEISER RIVER
WASTEWATER WEISER RIVER
3. Location of Point of Diversion: * SESW Sec. 18, Township 13N, Range 03W
NWNE Sec. 19, Township 13N, Range 03W
* NESW Sec. 18, Township 13N, Range 03W
WASHINGTON County
4. Water will be used for the following purposes:

Purpose	From	To	CFS	(or)	AF
IRRIGATION	03/15	11/15	0.500		
5. Total quantity to be appropriated is:
0.500 CFS (and/or) AF
6. Proposed diverting works:
 - a. Description of ditches, flumes, pumps, headgates, etc.
EARTH DAM IN DRAIN W/50 HP PUMP TO BOOSTERS FOR SPRINKLER IRRIG.
 - b. Height of storage dam feet; active reservoir capacity
acre-feet; total reservoir capacity acre-feet; period of
year when water will be diverted to storage: to inclusive.
 - c. Proposed well diameter is inches; proposed depth of well is
feet.
 - d. Is groundwater with a temperature greater than 90F being sought? NO
7. Time required for the completion of the works and application of
the water to the proposed beneficial use is 1 years.
8. Description of proposed uses:
IRRIGATION OF 170 ACRES

* Additional Pds TAKEN from map 7-31-89 88

Ident. No. 67-07765
Page 2

9. Place of Use: IRRIGATION

TWN	RGE	SEC	LOT	ACRES	ACRES	ACRES	TOTAL
13N	03W	18	3(NWSW)	10	SESW	40	50
		19	NWNE	20	SWNE	25	
			LOT 1(NWNW)	35	SENW	15	120
Total number of acres irrigated:							170

10. Describe any other water rights used for the same purposes.
67-02210B, 67-02333, 67-02319, 67-00640-643.

11. a. Who owns the property at the point of diversion?
APPLICANTS
b. Who owns the land to be irrigated or place of use?
APPLICANTS
c. If the property is owned by a person other than the applicant,
describe the arrangement enabling the applicant to make this filing.

12. Remarks:
THE WASTE WATER IS COLLECTED BY A DITCH IN THE SESW 1/4 AND
NESW 1/4 OF SECTION 18.

13. Map of proposed point of diversion and place of use attached? ☒

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

for signature see original page

Applicant

Received by JS Date 7/18/89 Time 12:00 Preliminary check by JS

Fee \$ 45 Received by JS # W003680 Date 7/18/89


Publication prepared by GG Date 8-9-89 Published in Upper County News Reporter

Publication approved ST Date 8/17 & 8/24/89
9-13-89

MICROFILMED

NOV 21 1989





ATTACHMENT TO APPLICATION FOR PERMIT NO. 67-07765

THE SOURCES FOR THIS APPLICATION ARE LISTED AS AN UNNAMED DRAIN AND WASTEWATER, TRIB. TO THE WEISER RIVER. THE UNNAMED DRAIN SHOWS UP ON THE MAP AND THE POINT OF DIVERSION IS WHERE A SMALL DIVERSION DAM IS IN THE DRAIN. THE WASTEWATER SOURCE IS WHERE A WASTE DITCH, SHOWN ON THE MAP, FLOWS INTO THE DRAIN, AND IS ALSO PUMPED UP ONTO DIFFERENT LANDS THAN THAT WHICH THE WASTEWATER DRAINS OFF OF. BECAUSE IT IS DIFFERENT LANDS THAT THE WASTEWATER FROM THE APPLICANT'S LAND DRAINS OFF OF, THE APPLICATION IS FILED TO COVER THE ADDED ACRES.

MICROFILMED

NOV 21 1989

Orig 2nd pg. updated
pg. has remark added.
SL 8/2/89

Ident. No. 67-07765
Page 2

8. Description of proposed uses:
IRRIGATION OF 170 ACRES.

9. Description of place of use:

Township	Range	Section	1/4 of	1/4	Lot	Use	Acres
13N	03W	18	NW	SW	3	IRR	10.0
			SE	SW		IRR	40.0
Total Section Acres							50.0
		19	NW	NE		IRR	20.0
			SW	NE		IRR	25.0
			NE	NW		IRR	25.0
			NW	NW	1	IRR	35.0
			SE	NW		IRR	15.0
Total Section Acres							120.0
Total Acres							170.0

10. Describe any other water rights used for the same purposes.
67-02210B, 67-02333, 67-02319, 67-00640-643.

11. a. Who owns the property at the point of diversion?

APPLICANTS

b. Who owns the land to be irrigated or place of use?

APPLICANTS

c. If the property is owned by a person other than the applicant,
describe the arrangement enabling the applicant to make this filing.

12. Remarks:

13. Map of proposed point of diversion and place of use attached? ☒

BE IT KNOWN that the undersigned hereby makes application for permit to
appropriate the public waters of the State of Idaho as herein set forth

Jean D Fairchild
Applicant

RECEIVED

NOV 21 1989

Affidavit of Publication:

STATE OF IDAHO }
County of Washington } ss.

Stuart Dopf, being duly sworn deposes and says he is the publisher of the Upper Country News-Reporter, a weekly newspaper published at Cambridge, in the County of Washington, State of Idaho; that said newspaper is in general circulation in the county of aforesaid and is a legal newspaper; that the annexed, a printed copy of which is attached hereto and made a part hereof, was published

in said newspaper once a week for two consecutive weeks in the regular and entire issue of every number thereof during the period of time of publication, and was published in the newspaper proper and not in a supplement; and that publication of such notice began August 17, 1989, and ended August 24, 1989.

Stuart Dopf

Subscribed and sworn to before me
this 1st day of

September, 1989

John C. Clemens
Notary Public in and for the State
of Idaho, residing at Cambridge,
Idaho 83610.

NOTICE OF APPLICATION
The following application
has been filed to appropriate
the public waters of the State
of Idaho:

67-07165 ✓

FAIRCHILD, VELDA C.

FAIRCHILD, DEAN D.

P.O. BOX 125

MIDVALE, ID 83645

Source: UNNAMED
DRAIN

Tributary: WEISER
RIVER

WASTE WATER, WEISER
RIVER

Diversion Pt: NESW Sec 18

T 15N R 01W, SE2SW Sec 16 T

13N R 03W, NWNE Sec 19 T

15N R 03W

Use: IRRIGATION (300
CFS)

Date Filed: 7/18/1989

Int: T43N R00W S14 Lot 3

(NW2SW) SE2SW S14 NWNE

SWNE NWNE Lot 1

(NWNE) SE2SW

170 ACRES TOTAL

The permit will be subject to
all rules and regulations. Permits
must be filed with the Director,
Dept. of Water
Resources, Western Region,
2755 Airport Way, Boise,
Idaho 83725 on or before
SEPTEMBER 1, 1989.

E. EDWIN HENDERSON,

Director

APPROVED: 8/17/89

RECEIVED
SEP 19 1989

NOTARY



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

January 14, 1993

DEAN D FAIRCHILD
VELDA C FAIRCHILD
PO BOX 125
MIDVALE ID 83645

RE: WATER RIGHT NO. 67-07765

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit along with a copy of your approved application for amendment.

Should you have any questions regarding these documents, please feel free to contact our office.

Sincerely,

A handwritten signature in cursive script that reads 'Pamela Skaggs'.

PAMELA SKAGGS
Water Resource Agent

PS:cz

Enclosure

FEB 05 1993



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

December 29, 1992

DEAN D FAIRCHILD
VELDA C FAIRCHILD
PO BOX 125
MIDVALE ID 83645

RE: WATER RIGHT NO. 67-07765

Dear Water Right Holder(s):

The above referenced water right is in the process of being licensed. However, before a license can be issued, your permit must be amended to correspond with the findings of the Department's field examiner.

The enclosed application for amendment contains information that will be included on the license when it is issued. Please review carefully and if you concur, sign the amendment and return with the \$20.00 filing fee within 15 days.

If you do not concur with these findings or if you have any questions, please contact us within the 15-day period.

Sincerely,

PAMELA SKAGGS
Water Resource Agent

PS:cz

Enclosure

RECEIVED
FEB 05 1993

LICENSE REVIEW CHECKLIST

Permit # 67-07765

Date 12-23-92
38

	Yes	No	
NAME	☐	☒	Address Change?
PRIORITY DATE	☐	☒	Advance?
	☐	☒	Memo to Advance
	☐	☒	Order to Reinstate Needed?
TOTAL CFS	☐	☒	Incorrect Fee for rate recommended?
	☒	☐	Disagree with Actual Measurement?
			<u>114 x .02 = 2.28 / .5 cfs (IRR)</u>
	☐	☒	Disagree with Theoretical?
	☐	☒	Limited by Capacity? <u>.77 cfs</u>
TOTAL VOLUME			Rate/ac <u>4.0</u> AFA Irr. Season <u>C</u>
			<u>4-1 to 10-31</u> Standard Irr. Season
			<u>Same/Reduced from Permit</u> Season Recommended
	☒	☐	Disagree with Examiner's Calculations?
			<u>114 x 4.0 = 456 > 212.2 ac (IRR)</u>
	☒	☐	Limited by Flow? <u>.50 x 214 x 1.9835 = 212.2</u>
SOURCE	☐	☒	Changes? Clarification of <u>Originally</u>
	☐	☒	<u>Intended</u> source <u>Drop Wastewater</u>
	☐	☒	Notice of Intent to Void.
P/D			Verify with Map
	☐	☒	Amendment Needed? <u>Drop S18 pds.</u>
	☐	☒	Is Overlap Analysis a Consideration?
P/U			Verify with Map
	☒	☐	Amendment Needed? <u>Add S19</u>
	☒	☐	<u>SWNW, S19</u> <u>Add NESW + SWSE, S18</u>
	☐	☒	Is Overlap Analysis a Consideration?
USES	☐	☒	Change(s) in Nature of Use?
	☐	☒	Amendment Needed?
REMARKS	☐	☒	Multiple P/Ds in 1/4 1/4?
	☐	☒	Non-Irr. Uses
	☐	☒	Special Overlap Condition
	☐	☒	Other
CONDITIONS	<u>R02</u>	☐	Measuring Device
	<u>R04</u>	☐	W/Master Control
	<u>R31</u>	☐	Overlap
	☐	☒	Water Quality
			DATES/MISC
			<u>67</u> Water Dist.
		☒	App Rec'd
		☒	Exam Made

COMMENTS/MEMOS NEEDED: Reduced Acres Amend P/U

License ☐ 10-Day ☐ 15-Day ☒ Special Correspondence

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT
(REGIONAL)

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	DEAN D FAIRCHILD	07/18/1989	IRRIGATION	04-01 10-31	0.50 CFS	212.2 AFA
C	VELDA C FAIRCHILD PO BOX 125 MIDVALE ID 83645 (208) 355-2277			TOTAL DIVERSION:	0.50 CFS	212.2 AFA

Stage: LICENSE

Place of use Legal Description for: IRRIGATION

Misc: Water District Number: 67 Field Exam Fee: R (Received)

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
DEC 18 1992

Department of Water Resources

A. GENERAL INFORMATION

1. Owner: Zurchell, Dean & Velda
Current Address: P.O. Box 125, Midvale, Idaho 83645
2. Accompanied by: Dean Zurchell & Joe F.
Address: same
Relationship to Permit Holder: owner & ranch hand
3. Source: unnamed drain tributary to Weiser River


Permit No. 67-7765
Phone No. 355-2277
EXAM. DATE: 10-10-91
Phone No. same

B. OVERLAP REVIEW

1. Other water rights with same place of use: 67-00640, 67-00641, 67-00642, 67-00643, 67-22106, 67-4434, 67-7590, 67-00651, 67-2319, 67-23848 ☒ Copies Attached
2. Other water rights with same point of diversion: 67-00640, 67-00641, 67-00642
☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. Diversion System Diagram: Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☒ Alternative diagram attached



Scale: 1" = not to scale

2. ☒ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).
☒ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater).
☒ Aerial Photo Attached (required for irrigation of 10 acres or more)

RECEIVED
FEB 05 1993

System Description (continued)

3. **Narrative:** Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

A 25 Hp pump draws water from an unnamed drain through a 6" x 5' steel intake pipe. From the pump water discharges into an 8" x 230' aluminum pipe that connects to a 6" x 50' aluminum pipe. The 6" pipe turns West at a 90° elbow for 400' and then North at a 90° elbow for 220'. The 6" pipe meets with an 8" aluminum surface pipe coming from a 25 Hp booster pump. The booster pump receives water from an 18" corrugated steel catch basin. The catch basin receives water through a 12"

☒ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
Manipon	US	25	C528R12R280R23F	Edley	3" B32PL
Booster	Baldor	25	J5M2516T	Barkley	3" B32PL

*Code to correspond with No. on map and aerial photo

5. **Point(s) of Diversion:**

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
				NW	19	13N	3W	Washington	orthophoto quad map

6. **Place(s) of Use:**

Indicate Method of Determination

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
13N	3W	18									7			21			3		31 ac
13N	3W	19			6	1		25	28	18	5								83 ac

Do not use this space

FEB 05 1993

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

A physical measurement of water pumped from the unnamed drain was not possible without making major alterations to the owners pumping system. A measurement at the sprinkler system would include both Weiser River and drain ditch water combined.

E. FLOW CALCULATIONS

☒ Additional Computation Sheets Attached

1. Measured Method:

2. Alternate Method for Checking Purposes:

See attached

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3)

; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{i,r} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 114 \times 4.0 = 456 \text{ ofa}$

$V_{d,r} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = .50 \times 246 \times 1.9835 = 244 \text{ ofa}$

$V = \text{Smaller of } V_{i,r} \text{ and } V_{d,r} = 244 \text{ ofa}$

2. Volume Calculations for Other Uses:

NA

MAINTENANCE

FEB 05 1993

H. REMARKS AND OVERLAP REVIEW ANALYSIS

buried steel pipe from a 50 Hp pump at the Weiser River. From the booster pump location a 3" aluminum pipe diverts water from the 8" mainline to sprinkle irrigate a 3 acre field NE of the booster pump. Irrigation is provided by wheel lines and handlines. This permit is a small supplement to the main source, Weiser River water, licensed under 67-2384 B and 67-4434. The Dymoke right transferred with the purchase of the property by Zarichids. A thorough review of claim filings has been made by the owner and our adjudication section.

Recommendation is based on the system capacity as reflected and supported by theoretical calculation and pump curve.

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Irrigation	3-15	11-15	.50 cfs	244 afa
Totals:			.50 cfs	244 afa

2. Recommended Amendments


- * ☒ Change P.D. as reflected above ☐ Add P.D. as reflected above ☐ None * the only PID for this permit is the NW 1/4, Sec 19, 13N 3W.
- ☒ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

J. AUTHENTICATION

Field Examiner's Name Melvin T. Schulte
JFW 4/7/92 Signature Melvin T. Schulte
Certification Date _____
Field Report Preparation Date 12-24-91

CONSULTANT SEAL

K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.



FEB 05 1993

IRRIGATION RIGHT FROM A GROUND WATER SOURCE

A theoretical calculation is necessary to determine if a measurement is required for irrigation from a groundwater source.

=====

1. Using the found acres (or an estimate by the permit holder) calculate the acre-foot per annum limit. This is the volume that the system must be able to theoretically produce to exclude a rate of flow measurement.
2. Next, given the pump hp and the estimated dynamic water level, calculate the theoretical rate of flow that the system can produce.
3. Using the rate found in step 2 and the days in the permitted irrigation season, calculate the theoretical AFA that the system could produce. This volume is then compared to the first AFA calculation. If the theoretical volume (step 3) is greater than the irrigation requirement volume (step 1) then no measurement is necessary. If it is less, then you must make a diversion rate measurement during the field examination.

$$1. \quad \frac{114}{\text{Found Acres}} * \frac{4.0}{\text{Irr. Req.}} = \frac{456}{\text{AFA}}$$

$$2. \quad \frac{(25) \text{ HP} * 8.8 * (.7) \text{ EFF}}{(37.7) \text{ Dyn Level} + (2.3 * (70) \text{ PSI})} = \frac{.77}{\text{Theor. Div. Rate}} \text{ CFS}$$

$$3. \quad \frac{.77}{\text{Theoretical Div. Rate}} * \frac{246}{\text{Days in season}} * 1.9835 = \frac{375.7}{\text{AFA}}$$

Note: for electrical motors
EFF = 0.70
for diesel motors
EFF = 0.60

Data Requires Verification ☒
Measurement Required -- ☐
Measurement Not Required ☐


Calculation data sources:

Found acres = 114 - ASCS aerial map & overlay
 HP = 25 - motor plate
 * Dyn Level = 37.7 - see attached calculation
 PSI = 70 - minimum required

FEB 05 1993

67-7765
System
Diagram

T13N



67-7765 THEORETICAL AND FRICTION LOSS CALCULATIONS

FRICTION LOSS CALCULATION:

320gpm estimate based on pump curve and 70% efficiency factor

230' x 8" aluminum pipe = .24 head loss per 100' @ 320gpm

2.30 x .24 = .55ft

670' x 6" aluminum pipe = 1.02 head loss per 100 @ 320gpm

7.00 x 1.02 = 7.14 ft

.55' + 7.14' = 7.69' total friction head loss

THEORETICAL CALCULATION:

- (1) Vertical lift = 30'
- (2) Friction head loss = 7.7'
- (3) 70psi estimated based on minimum requirement estimated to prevent back flow from the 25Hp booster pump back to the 25Hp drain ditch pump.

TDH with friction loss = 30 + 7.7 + (2.3 x 70) = 198.7

25 x 8.8 .7
37.7 + (2.3 x 70) = .77cfs

RECEIVED
FEB 05 1993





BERKELEY PUMPS

TYPE "B" RATING CURVES MOTOR DRIVE

67-7765

CURVE	4075
DATE	1-27-89
PAGE	5.01
SUPERSEDES	
Curve 4075	Page 5.01
Dated 1-2-86	



RECEIVED
FEB 05 1983

10" Pipe

300 →
8" = .24
6" = 1.02

67-7765

FRICTION LOSS IN PIPE FITTINGS - EQUIVALENT FEET OF STRAIGHT PIPE								
Nominal Pipe Size Inches	Actual Inside Diameter Inches	Gate Valve Full Open	45 Degree Elbow	Long Elbow or run of std tee	Std. Elbow or run of std. tee 1/2	Std. tee through side outlet	Swing Check Valve Full Open	Pressure Regulating Valve Full Open
1/2	.662	.35	.78	1.1	1.7	3.3	4.3	18.6
3/4	.824	.44	.97	1.4	2.1	4.2	5.3	23.1
1	1.049	.56	1.23	1.8	2.6	5.3	5.3	29.4
1 1/4	1.380	.74	1.6	2.3	3.5	7.0	8.9	38.6
1 1/2	1.610	.86	1.9	2.7	4.1	8.1	10.4	45.2
2	2.067	1.10	2.4	3.5	5.2	10.4	13.4	58.0
2 1/2	2.469	1.32	2.9	4.2	6.2	12.4	12.9	69.0
3	3.068	1.6	3.6	5.2	7.7	15.5	19.8	86.0
4	4.026	2.1	4.7	6.8	10.2	20.3	26.0	113.0
5	5.047	2.7	5.9	8.5	12.7	25.4	33.0	142.0
6	6.065	3.2	7.1	10.2	15.3	31.0	39.0	170.0
7	7.024	3.7	8.3	11.8	17.7	35.0	45.0	197.0
8	7.981	4.3	9.4	13.4	20.2	40.0	52.0	224.0
10	10.020	5.3	11.8	16.9	25.3	51.0	65.0	281.0
12	12.0	6.4	14.1	20.2	30.0	61.0	77.0	336.0
14	14.0	7.5	16.5	23.5	35.0	71.0	90.0	
16	16.0	8.5	18.8	26.9	40.0	81.0	104.0	
18	18.0	9.6	21.2	30.0	45.0	91.0	116.0	
20	20.0	10.7	23.5	34.0	50.0	101.0	129.0	
24	24.0	12.8	28.2	40.0	61.0	121.0	155.0	
30	30.0	16.0	35.3	50.0	76.0	151.0	193.0	
36	36.0	19.2	42.4	61.0	91.0	181.0	232.0	
42	42.0	22.4	49.4	71.0	106.0	212.0	271.0	
48	48.0	25.6	57.6	81.0	121.0	242.0	310.0	

APPROVED
FEB 05 1993

PERMIT 67-7765 INIT _____

T. R. S. Q/Q

F/D 13V 3W 19 NWNE

SCALE

FIELD ID. 45244

26371

253
BM25


MINVALE

2581

FE 05 19 2849T


67-7765

T13N R




FEB 05 1993

T13N R3W



67-7765



#1

Pump and motor at
P/D



#2

View of 6"
intake pump
from unnamed
drain at P/D

APPROVED


FEB 05 1993

67-7765



#3

Discharge from pump to
8" surface mainline looking
South from P/D.




#4.

Booster pump
and catch basin
that receives water
from a 50 Hp
pump that draws
water from the
Weiser River

MAINTAINED

FEB 05 1993

67-7765



#5

Surface mainline coming
from 25 Hp pump at
unnamed drain to the
booster pump. - Vein
is south from booster
pump.




#6

PIU looking
West from
booster pump.

RECEIVED

FEB 05 1993

67-7765



#7.

P/U looking
South from
farm yard.

RECEIVED

FEB 05 1993

May 19, 1992

VELDA C. FAIRCHILD
DEAN D. FAIRCHILD
P.O. BOX 125
MIDVALE ID 83645

RE: Water Right No. 67-07765

Dear Water Right Holder(s):

Department water right records show that you divert water from the Snake River or its tributaries under a water right that has a priority date later than December 29, 1976. This is the priority of the established minimum stream flow of the Snake River at the Weiser Gage (Weiser) in the amount of 4,750 cubic feet per second.

Because of the continuing drought conditions in the Snake River Basin, department hydrologists project that during 1992, there could be periods when the required minimum flow will not be satisfied due to low flows of the Snake River. The department urges you to not divert at a higher rate than authorized by your water right and to not use your right in any manner different than authorized. In addition, when the minimum flow will not be satisfied or is not being satisfied, you are required to cease diverting water under your water right, because your right is of later priority than the minimum stream flow at Weiser.

If the department determines the minimum flow will not be satisfied, the department will advise you and will provide as much lead time as possible in requiring that you temporarily cease your diversion of water. The greatest likelihood for this to occur is during a period from mid-June to late June.

While the department expects good cooperation from junior water right holders, water users should be aware that Section 42-352, Idaho Code, provides for penalties of up to \$100 per day for unauthorized diversions of water.

The department has contacted both the Idaho Power Company and the U.S. Bureau of Reclamation with respect to the timing of storage releases from upstream reservoirs for flow enhancement

RECORDED

FEB 05 1993

purposes. This type of coordination could minimize the impact on existing water users and reduce the need to curtail diversions.

The department has scheduled public information meetings relative to this potential regulation as follows:

Mountain Home - June 4, 1992 - 10:00 a.m. - gymnasium at
North Elementary School, 290 E. 12th N.

Caldwell - June 4, 1992 - 7:00 p.m. - Ballroom in the
Student Union Building, Albertson College of Idaho,
2112 Cleveland

If you have questions concerning this letter or wish to provide the name of a different contact person or address to receive department correspondence, please contact the department.

Sincerely,

L. GLEN SAXTON
Chief, Water Allocation Bureau

LGS:klg

FEB 05 1993

February 12, 1990

VELDA C. FAIRCHILD
DEAN D. FAIRCHILD
P.O. BOX 125
MIDVALE, ID 83645

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 67-07765

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the WESTERN Regional Office in Boise at (208)334-2190.

Sincerely,

Rita Fleck
Secretary/Records Manager

c: IDWR - Region

MICROFILMED

FEB 28 1990

1/88

PROOF OF BENEFICIAL USE

ANALYSIS SHEET

Permit No. 67-7745

Date: 2-9-90

General Considerations:

- ☒ Name same as permit
☒ Signature the same as permit holder
☒ Address change NO If yes, prepare a data entry
☒ Proof received timely
☐ Reinstated

Source of Water:

- ☒ Surface water
☐ Groundwater
☒ 1. well log in file
☒ 2. drilling permit
☒ A. amount of drilling fee paid for proposed uses

Extent of Use and Rate of Diversion:

- ☒ Rate of diversion appropriate for uses
☒ Is rate or volume and fee appropriate?
☒ Has permit holder indicated when water was first put to a beneficial use?

Measuring Device: Lockable

- ☒ Is a measuring device or access port required?
☒ Has one been installed?
☐ Waiver or modification of measuring device requested


Remarks:

Proof acceptable

Priority Calculation:

Date proof received	<u>NA</u>	
Date proof due		
No. of days late		
Priority date		
NEW PRIORITY DATE		

SEND FILES TO DATA ENTRY AND THEN TO MICROFILM



NOV 21 1989

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

For Office Use Only
Fee Received \$ 1.00
Date 11/20/89
Receipt # WRR 6753
Receipt by SL
Reviewed by _____
Sent to region _____

Department of Water Resources

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 67-07765
Name(s) of Permit Holder: Veldp & Dean Fairchild
Post Office Address: P.O. Box 125
Minvale ID 83645 Telephone No. 355-2277
Source of Water: Unnatural Drain & Waste Water

Extent of Use:

Domestic _____ (number of households) Stockwater _____ (number and type of stock)
Irrigation 170 (acres) Other/Remark _____

Total rate and/or volume for which proof is submitted .50 cfs _____ acre-feet

Show the date water was first diverted and beneficially used under this permit: 7/18/89

Measuring Device: Required? ☐ Yes ☒ No
Installed? ☐ Yes ☒ No
Fee enclosed \$ 1.00
(See License Examination Fee Schedule)

Flow Measurement Port: Required? ☐ Yes ☒ No
Installed? ☐ Yes ☒ No

Person to contact to accompany the Department representative during the field examination:

AS PBWR
(Name)

(Telephone Number)

(Address)

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

11/20/89
Date

Dean Fairchild
Signature of Permit Holder (and title, if appropriate)

MICROFILMED
FEB 28 1990

S T A T E O F I D A H O
D E P A R T M E N T O F W A T E R R E S O U R C E S

Statehouse
Boise, Idaho 83720
(208) 327-7900
November 1, 1989

VELDA C. FAIRCHILD
DEAN D. FAIRCHILD
P.O. BOX 125
MIDVALE, ID 83645

P E R M I T A P P R O V A L N O T I C E

RE: PERMIT NO. P67-07765

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

Be sure to note the special condition requiring you to install a lockable device that will provide the watermaster control on your diversion.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed for your convenience is a form entitled "Proof of Beneficial Use" that must be submitted to the Department when your project is completed. If development is complete, you may submit proof of beneficial use immediately.

Sincerely,

GARY SPACKMAN, Supervisor
Water Right Permits Section

GS: SC
Enclosures

MICROFILMED

NOV 21 1989

└──────────┘

Form No. 202a.
3/89

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEET

INITIAL REVIEW BY: GG DATE: 7/31/89 APPLICATION: 67-07765

REQUIRED INFORMATION

SL 8/2/89

- ☒ Name: (If applicant is a corporation or partnership, names and addresses for the director, officers, and other partners must be included.)
☒ Address:
☒ Source: (See USGS Quad for names of water sources)
☒ Point of Diversion: (10 acres for spring, lot & block descriptions for Subdivisions, local name)
☒ County:
☒ Quantity: (flow and/or volume)
☒ Period of use:
☒ Nature of proposed use: (Include description of use)
☒ Description of diverting works:
☒ Time required for beneficial use of water:
☒ Place of use or acres irrigated:
☒ Map:
☒ Signature: (If applicant is corp., partnership, or municipality, title of signatory is required)
☒ Fee:
☒ Yes ☐ No* In form to receipt:

Gov't. Lots:
N/A P/D
N/A P/U

ADDITIONAL INFORMATION

YES NO

- ☒ Overlapping place of use: (Describe source & relationship to present application on the back.)
☒ Overlapping point of diversion:
☐ Field check required: Field check by: _____
☐ Field report attached:
☒ Critical groundwater area:
☒ Groundwater management area:
☒ Diversion within interim protected river area
☒ Send dam safety information:
☒ Send power requirement letter:
☒ Send fish farm requirement letter:
☒ Power residency affidavit:
☒ Power efficiency form:
☒ Within trust water boundary: (If yes, attach Trust Water Supplementary Analysis Sheet.)
☒ Diversion greater than 5 cfs or 500 af: (If yes, attach Large Diversion supplementary analysis sheet.)
☒ *REQUEST ADDITIONAL INFORMATION FROM THE APPLICANT

DATE REQUESTED: _____

☒ Additional information on reverse side:

RECEIVED

SEP 20 1989

Department of Water Resources

PROCESSING

APPLICATION NO. 67-07765

YES NO

☒ ☒
☒ ☒
☒ ☒

In form for advertising:

Statewide advertising:

Fee amount, receipt number and date recorded on application:

SEND COPIES TO

YES NO

☒ ☒
☒ ☒
☒ ☒
☒ ☒

I.D. Health and Welfare

I.D. Fish and Game

I.D. Lands

Adjudication Bureau

YES NO

☒ ☒
☒ ☒
☒ ☒
☒ ☒

U.S. BLM

U.S. Forest Svc.

Water Dist. #

Other

FINAL REGIONAL PROCESSING REVIEW

YES NO

☒ ☒
☒ ☒

Affidavit of publication received:

Application published correctly: If not, record action taken.

☒ ☒

Publication dates and paper recorded on application:

Protests received. Final date for protest September 5, 1989

Protest dates, resolution of protest recorded on application:

Recommendations attached:

Measuring device required:

Measuring port required:

Water delivered by water master? District # 67

Special conditions of approval or cover letter:

26A ~~Recommend that 3 years be allowed for completion of this project. No only requested one yr.~~

☒ See below for additional information
Recommended Date or Priority 7/18/1989Recommended by: DMDate 9/14/1989

STATE OFFICE REVIEW

POI, PILE OLH
05(67, Weiser River) ** (below)

See below for additional information. By KW Date 10-23-89

ADDITIONAL INFORMATION

Added Two PODs in section 18 from applicants map

POD = water rights 67-00640, 67-00641, 67-00642 : 67-02319 also claiming same legal land descriptions for the POD, Sources are Surface Water

POU = Water rights 67-02319, 07590, 04434, 02210B, 00640, 00641, 00642, 00643, 04434, 07669 also claiming same legal land descriptions for the POU, Sources are Surface Water

**** No water shall be diverted under this permit after June 15 of each year without prior approval of the watermaster.**

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Western Region
2735 AIRPORT WAY

Boise, Idaho 83705
(208) 334-2190

AUGUST 9, 1989

Upper County News Reporter
P.O. Box 98
Cambridge, ID 83601

Dear Legal Dept.:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before SEPTEMBER 5, 1989.

Yours truly,

GAIL GARRETT
Secretary

Encl.

MICROFILMED

NOV 21 1989

67-07765

FAIRCHILD, VELDA C.
FAIRCHILD, DEAN D.
P.O. BOX 125
MIDVALE, ID 83645

Source: UNNAMED DRAIN
WASTE WATER

Tributary: WEISER RIVER
WEISER RIVER

Diversion Pt:	NESW	Sec 18	T 13N	R 03W
	SESW	Sec 18	T 13N	R 03W
	NWNE	Sec 19	T 13N	R 03W

Use: IRRIGATION (.500 CFS)

Date Filed: 7/18/1989

In:	T13N	R03W	S18	Lot 3	(NWSW)	SESW		
			S19		NWNE	SWNE	NENW	Lot 1 (NWNW)
					SENE			

170.0 ACRES TOTAL

MICROFILMED
NOV 21 1989