


13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

X Seth Matthews
(Applicant)

SEP 08 1989

RECEIVED
MAR 25 1993
Department of Water Resources

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION

Permit No. 67-07759

1. Owner: Seth Mathews Phone No. 549-1813
Current Address: 426 Krause Rd

2. Accompanied by: Seth Mathews EXAM. DATE: 7-22-91
Address: same Phone No. same

Relationship to Permit Holder: owner

3. Source: groundwater tributary to —


B. OVERLAP REVIEW

1. Other water rights with same place of use: No problems with P/U: same 1/4, 1/4 (67-07624 Moore, 67-04474 ODONS, 67-4600 Bergquist, 67-02155 Klatz, 65-11415 & 65-02165X Lower Payette Ditch Co.) ☐ Copies Attached

2. Other water rights with same point of diversion: None
☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached




Scale: 1" = Not to scale

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).

☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater.

☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).

RECEIVED
AUG 10 1994



Patch Island

Long Island

SNAKE

RIVER

WASHINGTON CO
MALHEUR CO

Topla Rd

PERMIT 67-67759 INIT DM
T. R. S. Q/Q
P/D 10n SW 9 newse
SCALE 1/24000
PHOTO ID. _____

AUG 10 1994

67-07759



look at
field. Los
North.



A look at
the field
side of the

AUG 10 1994

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE
WATER RIGHT NO. 67-07759

Priority: April 21, 1989

Maximum Diversion Rate: 0.13 CFS
Maximum Diversion Volume: 30.2 AF

This is to certify, that SETH MATTHEWS
426 KRAUSE RD
WEISER ID 83672

has complied with the terms and conditions
of the permit, issued pursuant to Application for Permit dated April 21, 1989; and
has submitted Proof of Beneficial Use on September 19, 1989. An examination indicates
that the works have a diversion capacity of .220 cfs of water from a GROUNDWATER
source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.13 CFS	30.2 AF

LOCATION OF POINT(S) OF DIVERSION: NWSE , Sec. 9, Township 10N, Range 05W
WASHINGTON County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
10N	05W	9	NWSE	6.7		6.7

Total number of acres irrigated: 6.7

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount that can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 4.5 afa per acre for the lands above.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 13
day of JUNE, 1994.

Acting for R. Keith Higginson, Director

AUG 10 1994



STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES
Department of Water Resources

PROOF OF BENEFICIAL USE

For Office Use Only
Fee Received 100.00
Date 9/19
Receipt # CO11691
Receipt by D.K.
Reviewed by _____
Sent to region _____

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. P67-07759

Name(s) of Permit Holder: Seth Matthews

Post Office Address: 426 Krause Rd
Weiser, Idaho Telephone No. 208-549-1813

Source of Water: Ground Water

Extent of Use:

Domestic _____ (number of households) Stockwater _____ (number and type of stock)
Irrigation 12 (acres) Other/Remark _____

Total rate and/or volume for which proof is submitted 0.24 cfs cfs _____ acre-feet

Show the date water was first diverted and beneficially used under this permit: _____

Measuring Device: Required? ☐ Yes ☐ No Fee enclosed \$ _____
Installed? ☐ Yes ☐ No (See License Examination Fee Schedule)

Flow Measurement Port: Required? ☐ Yes ☐ No
Installed? ☐ Yes ☐ No

Person to contact to accompany the Department representative during the field examination:

Seth Matthews 549-1813 Home 549-1266
(Name) (Telephone Number) WORK

426 Krause Rd Weiser
(Address)

The above information is my true statement of the extent to which the above numbered permit has been _____ and I relinquish any undeveloped portion of the permit to the state of Idaho.

RECEIVED

FEB 28 1990

8-28-89
Date

Seth Matthews
Signature of Permit Holder (and title, if appropriate)

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 67-07759

Proposed Priority: April 21, 1989

Maximum Diversion Rate:

0.24 CFS

This is to certify, that **SETH MATTHEWS**
426 KRAUSE RD.
WEISER, ID 83672

has applied for a permit to appropriate water from: **GROUNDWATER**
and a permit is **APPROVED** for development of water as follows:

BENEFICIAL USE

PERIOD OF USE

RATE OF DIVERSION

IRRIGATION

03/15 to 11/15

0.24 CFS

LOCATION OF POINT(S) OF DIVERSION:

NWSE Sec. 9, Township 10N, Range 05W
WASHINGTON County

PLACE OF USE: IRRIGATION

TWN RGE SEC

ACRES

ACRES

ACRES

TOTAL

10N 05W 9

NWSE 12

12

Total number of acres irrigated:

12

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before **September 1, 1990**.
2. Subject to all prior water rights.
3. Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
4. The rate of diversion of water for irrigation under this permit and all other water rights on the same land shall not exceed 0.02 cubic feet per second for each acre of land.
5. The maximum rate of diversion for irrigation purposes under this permit shall not exceed 0.24 cfs.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

31st day of August, 1989.

for 
R. Keith Higginson, Director

MICROFILMED

SEP 08 1989

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APR 21 1989

To appropriate the public waters of the State of Idaho

1. Name of applicant SETH MATTHEWS Phone 208-549-1813
Post office address 426 Krause Rd Weiser, Idaho 83672
2. Source of water supply Well which is a tributary of _____
3. Location of point of diversion is _____ 1/4 of NW 1/4 of SE 1/4, Govt. Lot _____
Sec. 9 Township 10N Range 5W B.M. Washington County; additional
points of diversion if any: _____
4. Water will be used for the following purposes:
Amount 1.24 for Irrigation purposes from March 15 to November 15 *
(cfs or acre-feet per annum) September (both dates inclusive)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) 1.24 and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works:
- a. Description of ditches, flumes, pumps, headgates, etc. New gravel packed well to divert
into existing ditches. Drilling Permit 67-89-W-001 approved 6/5/89.
- b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.
- c. Proposed well diameter is 16" inches; proposed depth of well is 100' feet.
- d. Is ground water with a temperature of greater than 90°F being sought? NO
7. Time required for the completion of the works and application of the water for beneficial use is
1 years (minimum 1 year).

* allow maximum .24 cfs at .02 cfs/acre. Standard irrigation season used.
These changes were discussed with S. Matthews per telcon 5/2/89, SL.

MICROFILMED

SEP 08 1989

8. Description of proposed uses (if irrigation only, go to item 9):

- Hydropower; show total feet of head and proposed capacity in KW. _____
- Stockwatering; list number and kind of livestock. _____
- Municipal; show name of municipality. _____
- Domestic; show number of households. _____
- Other; describe fully. _____

9. Description of place of use:

- If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- If water is used for other purposes, place a symbol of the use (example: *D* for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
* 10N	5W	9														12			12

Total number of acres to be irrigated 12

10. Describe any other water rights used for the same purposes as described above. _____

11. a. Who owns the property at the point of diversion? Seth Matthews

b. Who owns the land to be irrigated or place of use? Seth Matthews


c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

12. Remarks: _____

MICROFILMED

* confirmed per file with S. Matthews 5/21/99, FL SEP 08 1999

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

SEP 08 1989

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

X *Steb. Matthews*
(Applicant)

Received by K. Young Date 4/21/89 Time 2:00 pm Preliminary check by SL
Fee \$ 45.00 Received by K. Young # COD6465 Date 4/21/89
Publication prepared by GG Date 5/31/89 Published in Weiser Signal
Publication approved st Date 7-7-89 6/8 & 6/15/89

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other:

MICROFILMED
SEP 08 1989

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO, } ss.
County of Washington

Dorothy A. Butler, being duly sworn,
deposes and says:

That he is the Clerk of
THE WEISER SIGNAL, a weekly newspaper published at
Weiser, in the County of Washington and State of Idaho; that
said paper has been and is in general circulation in the
county aforesaid, and in the vicinity of Weiser; that the ad-
vertisement, a copy of which is attached hereto, was pub-
lished in said newspaper once a week for 2 consecu-
tive weeks in the regular and entire issue of said paper dur-
ing the period and time of publication, and was published in
the newspaper proper and not in a supplement; that said
paper has been established and regularly published for more
than seventy-eight consecutive weeks prior to the date of
first publication of said advertisement.

Such notice was published in the issue beginning with
6-8-89, 19....., and ending
with the issue of 6-15-89, 19.....

Dorothy A. Butler
Fees, \$ 94.28

Subscribed and sworn to before me this 15
day of July, 19 89
Notary Public, Residing at Weiser, Idaho.
My Commission Expires 1-1, 19 93

No. 20 NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have been filed to appropriate
the public waters of the State of Idaho:


67-07758
HUSSMAN, WILLIAM P.
HUSSMAN, ANNITA C.
1822 WEISER RIVER RD.
WEISER, ID 83672
Source: MANN CREEK
Tributary: WEISER RIVER
Diversion Pt: NWSESW Sec 31 T 11N R 04W
Use: IRRIGATION (.090CFS)
Date Filed: 4/18/1989
In: T11N R04W S31 NESW SESW
3.0 ACRES TOTAL

67-07759 ✓
MATTHEWS, SETH
426 KRAUSE RD.
WEISER, ID 83672
Source: GROUNDWATER
Diversion Pt: NWSE Sec 9 T 10N R 05W
Use: IRRIGATION (.240 CFS)
Date Filed: 4/21/1989
In: T10N R05W S09 NWSE
12.0 ACRES TOTAL

The permit(s) will be subject to all prior water rights. Protests
must be filed with the Director, Dept. of Water Resources,
Western Region, 2735 Airport Way, Boise, Idaho 83705 on or
before JUNE 26, 1989.

R. KEITH HIGGINSON, Director
Published 6/08/1989 & 6/15/1989

30-2S



WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

[illegible]



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

June 3, 1994

SETH MATTHEWS
426 KRAUSE RD
WEISER ID 83672

RE: WATER RIGHT NO. 67-07759

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit. If you have any questions, please contact me within 10 days of receipt of this license.

Sincerely,

A handwritten signature in black ink, appearing to read 'Jim Johnson', with a horizontal line extending to the right.

JIM JOHNSON
Water Rights Supervisor

JJ:dc

Enclosure

RECEIVED

AUG 10 1994

MAR 25 1993

Form 219
8/86

Department of Water Resources

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION

Permit No. 67-07759

1. Owner: Seth Mathews Phone No. 549-1813

Current Address: 426 Krause Rd

2. Accompanied by: Jeth Mathews EXAM. DATE: 7-22-91

Address: 1400 Phone No. 1400

Relationship to Permit Holder: OWNER

3. Source: groundwater tributary to —


B. OVERLAP REVIEW

1. Other water rights with same place of use: No problems with P/M: same 1/4, 1/4 (67-07626 More,
67-04474 ODOMS, 67-4600 Bergquist, 67-02159 Klatz, 65-11415 & 65-02165x Lower Payette Dist. Co.) ☐ Copies Attached

2. Other water rights with same point of diversion: None
☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = Not to scale.

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).

☒ Photo of Diversion and System Attached

(required for all but single household domestic groundwater, and stockwater.)

☐ **Aerial Photo Attached**
(required for irrigation of 10 acres or more).

AUG 10 1994

System Description (continued)

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

This system is covering a 6.7 acre alfalfa field. The well city extends to at 70' and has a pumping level of 45'. The static water level is at 13' and the discharge size is 4". The casing is a 12" diameter. The 5 hp pump pushes the water into gated pipe down the field. The pump is submersible.

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
Submersible	NA	5hp	NA	NA	4"

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			NW	SE	9	10N	5W	Washington	Gov Records / Verification

6. Place(s) of Use:

Indicate Method of Determination _____

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
10N	5W	9								12.7 6.7	6.7								12.7

* per maps

NOT RECORDED

Do not use this space

AUG 10 1994

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
- None -						

2. Measurements:

$$\text{Theoretical} = \frac{5hp \times 8.8 \times .7 \text{ eff}}{45' + (2.3 \times 40)} = \frac{30.8}{137} = .22 \text{ cfs}$$

will log

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

Permit - .24 cfs

1. Measured Method:

$$\text{Theoretical} = .22 \text{ cfs}$$

$$\text{Rate of flow} \\ 6.7 \text{ Acres} \times .02 = .134 \text{ cfs}$$

2. Alternate Method for Checking Purposes:

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3)

; Flow rate: _____ cfs (4)

-NA-

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = \frac{(Ac)}{6.7 \times 4.5} = 30.2 \text{ AFA}$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = .13 \text{ cfs} \times 245 \times 1.9835 = 63.2 \text{ AF}$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 30.2 \text{ AFA}$$

2. Volume Calculations for Other Uses:

RECEIVED
AUG 10 1994

H. REMARKS AND OVERLAP REVIEW ANALYSIS

Mr. Mathews' permit claims 12 acres but only 6.7 acres could be found by the aerial.

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
IRRIGATION	3-15	11-15	.134 cfs	30.2 afa
Totals:			.134 cfs	30.2 afa

2. Recommended Amendments

☐ Change P.D. as reflected above

☐ Add P.D. as reflected above

☒ None

☐ Change P.U. as reflected above

☐ Add P.U. as reflected above

☐ Other

J. AUTHENTICATION

Field Examiner's Name

JFW 4/7/92

Signature

Certification Date


Field Report Preparation Date

DAVID T. GRAY

David Gray

7-2-91

8-01-91



CONSULTANT SEAL

K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

AUG 10 1994

MALHEIR CO

Patch
Island


5079

STANDARD

PERMIT 67-37159 INIT
T. R. S. Q/Q
P/D 10 1 1968
SCALE 1:1000
PHOTO ID.

AUG 10 1994

67-07759



AUG 10 1994

Department of Water Resources

WELL INSPECTION FORM

If well is associated with water right, provide WR# 67-07759

Otherwise provide legal description and a sketch map and/or address so that the well can be located easily.

1. Legal Description: TWP 10N Rge 4W, Sec. 9, NW 1/4 SE 1/4 or Lot _____.

2. Owner: Seth Mathews

Address 4216 Krause Rd, City Weiss, St Idaho

3. Casing $\geq$ 12 inches above ground: Yes ☒ No _____

4. Access Port: Yes _____ No ☒ Static Water Level: 13
Pressure Gauge: Yes _____ No ☒ Casing Diameter: 12'
Flowing: Yes _____ No ☒ Temperature: _____

5. Are there any obvious construction problems that may be a source for contamination or waste of water: Yes _____ No ☒

If answer to Item 5 is Yes, describe in remarks and attach photo.

Remarks: Well is in excellent shape

AUG 10 1994

67-0777



1944
- 10-1-44
North



1944

10-1-44
North

AUG 10 1934

December 21, 1989

SETH MATTHEWS
426 KRAUSE RD.
WEISER, ID 83672

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 67-07759

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the WESTERN Regional Office in Boise at (208)334-2190.

Sincerely,

Rita Fleck
Secretary/Records Manager

c: IDWR - Region

MicroFILMED

FEB 28 1990

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

[illegible]

USE ADDITIONAL SHEETS IF NECESSARY — FORWARD THE WHITE COPY TO THE DEPARTMENT

Form 235-1
6/87

Requested additional \$90 5/2/89 per telecon
with S. Matthews.

Drilling Permit No. 67-89-W-001
Water Permit No. 69-07759
Injection Permit No. _____

RECEIVED

MAY 1 1989

State of Idaho
Department of Water Resources
DRILLING PERMIT

RECEIVED

APR 21 1989

Department of Water Resources
Western Regional Office
(Authorizing Construction of a Well)*

1. Applicant Seth Matthews Department of Water Resources

2. Address 426 Krause Rd Weiser, Idaho 83672

549-1266 (W) 549-1813 (L)

(X) Well Owner () Well Operator () Other, specify _____

3. Water right permit no. 67-07759; Injection well permit no. _____

4. Proposed well location NW 1/4 SE 1/4 1/4, or Gov't lot No. _____

Sec. 9, Twp. 10N, Rge. 5W, County Washington

Lot, block and subdivision _____

5. Proposed use of well: (Check all that apply)

() Domestic () Stockwater () Monitoring

(X) Irrigation () Industrial () Municipal

() Injection () Other, Specify _____

Department of Water Resources

6. Well construction information:

(X) New well () Deepen () Replace

Proposed surface diameter 16" Proposed depth 100'

Anticipated bottom hole temperature:

(X) 85°F or less (Cold water well)
() 85°F to 212°F (Low temp. geothermal well)
() 212°F or more (Geothermal well)

7. Anticipated construction start date As soon as possible

8. Well Driller (if known) Daugherty Drilling

Address P.O. Box 700 Parma, Idaho 83660

Date 4-13-89 Applicant's signature Seth Matthews X

Title Owner X

FEB 28 1990

* After other pre-requisite approvals have been obtained.

Fee = \$100 based on 1.25 cfs in
application 67-07759

Form 235-1
6/87

Requested additional #90 5/2/89 per telecon
with S. Matthews.

Drilling Permit No. 67-89-W-001
Water Permit No. 67-07759
Injection Permit No. _____

RECEIVED
MAY 1 1989

State of Idaho
Department of Water Resources
DRILLING PERMIT

RECEIVED
APR 21 1989

Department of Water Resources
Western Regional Office

(Authorizing Construction of a Well)*

1. Applicant Seth Matthews Department of Water Resources
2. Address 426 Krause Rd Weiser, Idaho 83672

549-1266 (W) 549-1813 (L)

(X) Well Owner () Well Operator () Other, specify _____

3. Water right permit no. 67-07759; Injection well permit no. _____

4. Proposed well location NW 1/4 SE 1/4 1/4, or Gov't lot No. _____

Sec. 9, Twp. 10N, Rge. 5W, County Washington

Lot, block and subdivision _____

5. Proposed use of well: (Check all that apply)

() Domestic () Stockwater () Monitoring
(X) Irrigation () Industrial () Municipal
() Injection () Other, Specify _____

Department of Water Resources

6. Well construction information:

(X) New well () Deepen () Replace

Proposed surface diameter 16" Proposed depth 100'

Anticipated bottom hole temperature:

(X) 85°F or less (Cold water well)
() 85°F to 212°F (Low temp. geothermal well)
() 212°F or more (Geothermal well)

7. Anticipated construction start date As soon as possible

8. Well Driller (if known) Daugherty Drilling

Address P.O. Box 700 Parma, Idaho 83660

Date 4-13-89 Applicant's signature Seth Matthews

Title Owner

FEB 28 1990

* After other pre-requisite approvals have been obtained.

Fee = \$100 based on 7.24 cfs in
application 67-07759

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

Statehouse
Boise, Idaho 83720
(208) 334-7900
September 1, 1989

SETH MATTHEWS
426 KRAUSE RD.
WEISER, ID 83672

PERMIT APPROVAL NOTICE

RE: PERMIT NO. P67-07759

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed for your convenience is a form entitled "Proof of Beneficial Use" that must be submitted to the Department when your project is completed. If development is complete, you may submit proof of beneficial use immediately.

Sincerely,

GARY SPACKMAN, Supervisor
Water Right Permits Section

GS: SC
Enclosures

MICROFILMED
SEP 08 1989

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Western Region
2735 AIRPORT WAY

Boise, Idaho 83705
(208) 334-2190

MAY 31, 1989

The Weiser Signal
P.O. Box 709
Weiser, ID 83672

Dear Legal Dept.:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before JUNE 26, 1989.

Yours truly,

JUDY PENSE
Secretary

Encl.

MICROFILMED
SEP 08 1989

67-07759

MATTHEWS, SETH
426 KRAUSE RD.
WEISER, ID 83672

Source: GROUNDWATER

Diversion Pt: NWSE Sec 9 T 10N R 05W

Use: IRRIGATION (.240 CFS)

Date Filed: 4/21/1989

In: T10N R05W S09 NWSE

12.0 ACRES TOTAL

Unrecorded

SEP 08 1984