


This plat is made solely for purpose of assisting in locating the land and Washington County Title Co. assumes no liability for variations, if any, with actual survey.



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

Same pld as in
Appl. 67-07758

Permit No.

Phone No. 549-3268

EXAM. DATE:

Phone No.

A. GENERAL INFORMATION


1. Owner: WILLIAM P. HUSSMAN Phone No. 577-3268
Current Address: Rt. 2 Box 63 E. WEISER ID. 83672
2. Accompanied by: SAME EXAM. DATE: [REDACTED]
Address: _____ Phone No. _____
Relationship to Permit Holder: _____
3. Source: MANNE CREEK tributary to Weiser River

B. OVERLAP REVIEW

1. Other water rights with same place of use _____
_____ Copies Attached
2. Other water rights with same point of diversion: _____
_____ Copies Attached _____ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = _____

MICROFILMED

SEP 22 1989

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).
☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO, }
County of Washington } ss.Dorothy A. Post, being duly sworn,
deposes and says:

That he is the Clerk of
THE WEISER SIGNAL, a weekly newspaper published at
Weiser, in the County of Washington and State of Idaho; that
said paper has been and is in general circulation in the
county aforesaid, and in the vicinity of Weiser; that the ad-
vertisement, a copy of which is attached hereto, was pub-
lished in said newspaper once a week for 2 consecu-
tive weeks in the regular and entire issue of said paper dur-
ing the period and time of publication, and was published in
the newspaper proper and not in a supplement; that said
paper has been established and regularly published for more
than seventy-eight consecutive weeks prior to the date of
first publication of said advertisement.

Such notice was published in the issue beginning with

6-8-89, 1989, and ending
with the issue of 6-15-89, 1989.Dorothy A. Post
Fees, \$ 94.28Subscribed and sworn to before me this 15day of June, 1989Notary Public, Residing at Weiser, Idaho.My Commission Expires 1-1, 1993No. 20
NOTICE OF APPLICATION
FOR WATER RIGHTThe Following application(s) have been filed to appropriate
the public waters of the State of Idaho:67-07758HUSSMAN, WILLIAM P.
HUSSMAN, ANNITA C.
1822 WEISER RIVER RD.
WEISER, ID 83672
Source: MANN CREEK
Tributary: WEISER RIVER
Diversion Pt: NWSESW Sec 31 T 11N R 04W
Use: IRRIGATION (.090CFS)
Date Filed: 4/18/1989
In: T11N R04W S31 NESW SESW
3.0 ACRES TOTAL

67-07759

MATTHEWS, SETH
426 KRAUSE RD.
WEISER, ID 83672
Source: GROUNDWATER
Diversion Pt: NWSE Sec 9 T 10N R 05W
Use: IRRIGATION (.240 CFS)
Date Filed: 4/21/1989
In: T10N R05W S09 NWSE
12.0 ACRES TOTALThe permit(s) will be subject to all prior water rights. Protests
must be filed with the Director, Dept. of Water Resources,
Western Region, 2735 Airport Way, Boise, Idaho 83705 on or
before JUNE 26, 1989.R. KEITH HIGGINSON, Director
Published 6/08/1989 & 6/15/1989

30-2S

MICROFILMED

SEP 22 1989 JUL 03 1989

Department of Water Resources

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
MAR 8 1993

Department of Water Resources

A. GENERAL INFORMATION


1. Owner: Annita C. Hussman / William P. Hussman Permit No. 67-07758
Current Address: 1822 Weber River Rd WEBER, IDA 83672 Phone No. 549-3268
2. Accompanied by: Annita C. Hussman EXAM. DATE: 6-11-92
Address: same Phone No. same
Relationship to Permit Holder: same
3. Source: Manns Creek tributary to Weber River

B. OVERLAP REVIEW

1. Other water rights with same place of use: 67-00613 Davis, 67-00614 Brashears, 67-02169
Weber Irrigation, 67-07496 Hussman ☐ Copies Attached
2. Other water rights with same point of diversion: 67-7496 HUSSMAN
☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = _____

2. ☐ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).
☐ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater).
☐ Aerial Photo Attached (required for irrigation of 10 acres or more).

RECORDED
MAY 25 1993

67-07758



View of Lawn &
GARDEN LOOKING
NORTH.



View of lawn.
Notice Mann's
creek to the side.

REC
MAY 25 1993

67-07758



View of domestic
PART OF THE $\frac{1}{2}$ A
OF LAWN COVERED
UNDER THIS PERMIT.



View of southern
PORTION OF THE LAWN

RECEIVED
MAY 25 1993

RECEIVED

OCT 10 1997

RECEIVED

AUG 26 1997

STATE OF IDAHO
IDAHO DEPARTMENT OF WATER RESOURCES

Department of Water Resources

WATER RESOURCES
WESTERN REGION

NOTICE OF CHANGE OF WATER RIGHT OWNERSHIP

Please print or type. Attach pages with additional information. Instructions are on the back of this page.
Incomplete forms will be returned.

1. Water Right No(s).: 67-07463 - 67-07496 - [REDACTED]
Adjudication Claim No(s).: _____
2. The following REQUIRED information must be submitted with this form:
 - A. A copy of the most recent DEED, TITLE POLICY, CONTRACT OF SALE or other legal document indicating your ownership of the property and water rights or claims in question, WITH ATTACHED LEGAL DESCRIPTION.
AND
 - B. PLAT OF PROPERTY or SURVEY MAP for parcel of ten acres or less. (These are usually attached to your deed or on file with the county.)
OR
 - C. For water rights or adjudication claims involving ten or more irrigated acres, a USDA Farm Service Agency AERIAL PHOTO with irrigated acres outlined and point(s) of diversion clearly marked.
3. Name and Address of Former Owner/Claimant WILLIAM P. HUSSMAN/ANNITA C. HUSSMAN
904 Pueblo, Boise, ID 83702
4. New Owner/Claimant(s) WIL E. OVERGAARD and/or MEGAN E. OVERGAARD, husband & wife
Name Connector (Check one): ☐ and, ☐ or, ☐ and/or
New Mailing Address 1822 Weiser River Road
City, State and ZIP Code Weiser, Idaho 83672
New Telephone Number (208) 549-1014
5. Date you acquired the property July 17, 1997
6. If you have acquired only a portion of the former owner's property, IDWR may need to split the water right(s) or adjudication claim(s). If this applies, describe in detail your portion of each water right or adjudication claim in the spaces below. If necessary, attach additional pages.
Number of acres you irrigate _____ Number and type of stock _____
Diversion rate in CFS _____ Number of homes _____ Other uses _____
If a water right or adjudication claim is being split and you are not sure how to identify your portion of the original right or claim, please contact the nearest IDWR office for assistance.
7. Signature of New Owner or Claimant(s) Wil E. Overgaard
Megan E. Overgaard
(Corporations or other organizations must submit a list of directors and/or officers demonstrating authority to sign form.)
8. For Snake River Basin Adjudication Claims: Please attach a Notice of Appearance completed by your attorney, if you wish IDWR to correspond with him or her for all matters related to your claims..

MICROFILMED

FEB 05 1998

RECEIVED

AUG 26 1997

WATER RESOURCES
WESTERN REGION

INSTRUMENT NO. 169995
PAGE 1 OF 2

COPY

Approved by:
Initials WD

WARRANTY DEED

FOR VALUE RECEIVED, WILLIAM P. HUSSMAN and ANNITA C. HUSSMAN, husband and wife, the Grantors, do hereby, grant, bargain, sell and convey unto WIL E. OVERGAARD and MEGAN E. OVERGAARD, husband and wife, the Grantees, whose address is 1822 Weiser River Road, Weiser, Idaho 83672, the following described real estate situated in Washington County, State of Idaho, to-wit:

SEE LEGAL DESCRIPTION ATTACHED - EXHIBIT "A"

TO HAVE AND TO HOLD the said premises, with their appurtenances unto the said Grantees, their successors and assigns forever. And the said Grantors do hereby covenant to and with the said Grantees, that they are the owners in fee simple of said premises; that said premises are free from all incumbrances, and that they will warrant and defend the same from all lawful claims whatsoever.

DATED this 16 day of July, 1997.

William P. Hussman
William P. Hussman

Annita C. Hussman
Annita C. Hussman

STATE OF IDAHO)
: ss
County of Washington)

On this 16th day of July, 1997, before me, the undersigned, a Notary Public in and for said State, personally appeared WILLIAM P. HUSSMAN and ANNITA C. HUSSMAN, known to me to be the persons who signed the foregoing instrument and acknowledged to me that they executed the same.

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my seal the day and year first above written.

Frances McDaniel
Notary Public for Idaho
Residing at Weiser, Idaho
Commission expires: 9/1/98

INSTRUMENT NO. 169995
STATE OF IDAHO, COUNTY OF WASHINGTON ss,
Filed for record at the request of


WASHINGTON COUNTY TITLE
22 Min. past FOURTEEN o'clock P. M.
This 17TH day of JULY 19 97

Index to: DEEDS
SHARON WIDNER, Recorder Fee: \$6.00
By JC Knight Deputy

WASHINGTON COUNTY TITLE

Cmp. Index
Cmp. Rel.
Film
Compare
Card Rel.
Sk. Rel.
Up-date
Return
Copy

MICROFILMED
FEB 05 1999



COPY

EXHIBIT "A"

IN WASHINGTON COUNTY, IDAHO:

Parcel 1:

Beginning at a point N 2° 28' East 15.2 feet from a point in the center of the County Road which point is south 87° 15' East 910 feet from a pin on the Township line North 1216.4 feet from the southwest corner of Township 11 North of Range 4 West of the Boise Meridian; thence N 2° 28' East 213.2 feet parallel to and 41.25 feet west of the west line of school building on said land to the Galloway Ditch; thence North 69° 41' East 444.4 feet along said Ditch to the East line of Lot numbered 3 of Section 31, Township 11 North of Range 4 West of the Boise Meridian; thence South on said east line 368 feet to a point 36 feet from a pin in the center of said County Road; thence West 432.5 feet in a line parallel to and 132 feet south of the north line of Lot 4 of said Section 31 to the place of beginning.

EXCEPTING THEREFROM the West 141.25 feet on which is located the Jeffrey School Building.

Parcel 2:


All that part of the E ~~SW~~ 1/4 of Section 31, Township 11 North, Range 4 West of the Boise Meridian, situated North of the right of way for County road known as Weiser River Road and westerly of the access road to Mabel D. Moore's homesite, and being southerly and westerly of the Weiser Irrigation District Canal.

EXCEPTING FROM the above described parcels all rights-of-way and easements of record or in use.

MICROFILMED

FEB 05 1999

This plat is made solely for purpose of assisting in locating the land and Washington County Title Co. assumes no liability for variations, if any, with actual survey.



State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 67-07758

Priority: April 18, 1989

Maximum Diversion Rate: 0.09 CFS
Maximum Diversion Volume: 13.5 AF

This is to certify, that WILLIAM P HUSSMAN
ANNITA C HUSSMAN

1822 WEISER RIVER RD
WEISER ID 83672

has complied with the terms and conditions
of the permit, issued pursuant to Application for Permit dated April 18, 1989; and
has submitted Proof of Beneficial Use on April 27, 1990. An examination indicates
that the works have a diversion capacity of .120 cfs of water from:

MANNS CREEK

tributary to WEISER RIVER

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.09 CFS	13.5 AF

LOCATION OF POINT(S) OF DIVERSION:

SESW , Sec. 31, Township 11N, Range 04W
WASHINGTON County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
11N	04W	31	SESW	3		3

Total number of acres irrigated: 3

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Use of water under this water right will be regulated by the watermaster of State Water District No. 67.

MICROFILMED

MAY 25 1993

State of Idaho
Department of Water Resources


WATER RIGHT LICENSE

WATER RIGHT NO. 67-07758

CONDITIONS/REMARKS:

6. This right when combined with all other rights shall provide no more than .03 cfs per acre nor more than 4.5 afa per acre for the lands above.
7. Upon request of the watermaster or upon order of the Department a measuring device and lockable controlling works of a type acceptable to the Department shall be permanently installed and maintained as part of the diverting works prior to diversion of water under this permit.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 15TH day of APRIL, 1993.


R. Keith Higginson, Director

UNRECORDED

MAY 25 1993

BEFORE THE DEPARTMENT OF WATER RESOURCES

OF THE

STATE OF IDAHO

IN THE MATTER OF REMOVING THE MEASURING)
DEVICE REQUIREMENT FOR PERMIT NO. 67-7758) ORDER
IN THE NAME OF WILLIAM &/OR ANNITA HUSSMAN)

WHEREAS, on September 1, 1989, the Department of Water Resources issued Permit No. 67-7758 in the name of William &/or Annita Hussman with the requirement that:

A measuring device and lockable controlling works of a type acceptable to the Department shall be permanently installed and maintained as part of the diverting works prior to diversion of water under this permit;

and,

WHEREAS, the Department of Water Resources has determined that a measuring device and lockable controlling works are not required at this time for a determination of the quantity of water appropriated under the permit;

NOW THEREFORE, the condition of approval on Permit No. 67-7758 requiring that a measuring device and lockable controlling works be installed is MODIFIED as follows:

Upon request of the watermaster or upon order of the Department, a measuring device and lockable controlling works of a type acceptable to the Department shall be permanently installed and maintained as part of the diverting works prior to diversion of water under this permit.

Dated this 25 day of April, 1990.

MICROFILMED

JUN 27 1990

L. Glen Saxton
L. GLEN SAXTON
Chief, Water Allocations Bureau

State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 67-07758

Proposed Priority: April 18, 1989 Maximum Diversion Rate: 0.09 CFS

This is to certify, that ANNITA C. HUSSMAN
WILLIAM P. HUSSMAN
1822 WEISER RIVER RD.
WEISER, ID 83672

has applied for a permit to appropriate water from:

MANN CREEK tributary of WEISER RIVER

and a permit is APPROVED for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	03/15 to 11/15	0.09 CFS

LOCATION OF POINT(S) OF DIVERSION: NWSESW Sec. 31, Township 11N, Range 04W
WASHINGTON County

PLACE OF USE: IRRIGATION

<u>TWN RGE SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
11N 04W 31	NESW 1	SESW 2		3

Total number of acres irrigated: 3

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before October 1, 1990.
2. Subject to all prior water rights.
3. Use of water under this permit is subject to control by the watermaster of State Water District No. 67.
4. A measuring device and lockable controlling works of a type acceptable to the Department shall be permanently installed and maintained as part of the diverting works prior to diversion of water under this permit.
5. The rate of diversion of water for irrigation under this permit and all other water rights on the same land shall not exceed 0.02 cubic feet per second for each acre of land.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

1st day of September, 1989.

MICK...

SEP 22 1989

for R. Keith Higginson, Director

Ident. No. 67-07758

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name: WILLIAM P. HUSSMAN 208-549-3268
Address: 1822 WEISER RIVER ROAD
WEISER, ID 83672

OR
Name: ANNITA C. HUSSMAN 208-549-3268
Address: 1822 WEISER RIVER ROAD
WEISER, ID 83672

2. Source: MANN CREEK Trib. to: WEISER RIVER

3. Location of point of diversion:

Township	Range	Section	1/4 of 1/4 of 1/4	Lot	County
11N	04W	31	NW SE SW		WASHINGTON

4. Water will be used for the following purposes:

Purpose	From	To	CFS	(or)	AFA
IRRIGATION	03/15	11/15		0.090	

5. Total quantity appropriated is:
0.090 CFS (and/or) AFA

6. Proposed diverting works:

- Description of ditches, flumes, pumps, headgates, etc.
2- 1 HP PUMPS WITH HOSES
- Height of storage dam feet; active reservoir capacity
acre-feet; total reservoir capacity acre-feet; period of
year when water will be diverted to storage: to inclusive.
- Proposed well diameter is inches; proposed depth of well is
feet.
- Is groundwater with a temperature greater than 90F being sought? NO

7. Time required for the completion of the works and application of
the water to the proposed beneficial use is 1 years.

RECEIVED

SEP 22 1989

8. Description of proposed uses:
IRRIGATION

9. Description of place of use:

Township	Range	Section	1/4 of 1/4	Lot	Use	Acres
11N	04W	31	NE SW		IRR	1.0
			SE SW		IRR	2.0

Total Section Acres 3.0

Total Acres 3.0

10. Describe any other water rights used for the same purposes.
A67-07496, A67-07463

11. a. Who owns the property at the point of diversion?

APPLICANT

b. Who owns the land to be irrigated or place of use?

APPLICANT

c. If the property is owned by a person other than the applicant,
describe the arrangement enabling the applicant to make this filing.

12. Remarks:

THIS SYSTEM EXISTS

13. Map of proposed point of diversion and place of use attached? ☒

BE IT KNOWN that the undersigned hereby makes application for permit to
appropriate the public waters of the State of Idaho as herein set forth.

William P. Heyman
Applicant

MICROFILMED

SEP 22 1989

Ident. No. 67-07758
Page 3

Received by Ron H. Date 4-18-89 Time 11:25 Preliminary check by SL

Fee \$ 30.00 Receipted by Ron H. # W002586 Date 4-18-89

Publication prepared by GG Date 5/31/89 Published in Weiser Signal

Publication approved st Date 7-14-89 6/8 & 6/14/89

MICROFILMED


SEP 22 1989

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

30" 5 W. R. 4 W. MIDVALE 19 MI. 16.7 MI. TO U.S. 95

(WEISER 1:125000)

50'



REFILED

1999

Permit No. [REDACTED] 67-07496

Phone No. 549-3268

EXAM. DATE:


Address: _____ Phone No. _____

3. Source: MANNIS CREEK tributary to Weiser River

[illegible]

2. Other water rights with same point of diversion: _____
 _____ ☐ Copies Attached ☐ Copies of Field Exam's Attached

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = _____

SEP 22 1989

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).

☐ **Aerial Photo Attached**
(required for irrigation of 10 acres or more).

☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater.)

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO, }
County of Washington } ss.

Dorothy A. Bell, being duly sworn,
deposes and says:

That he is the Clark of
THE WEISER SIGNAL, a weekly newspaper published at
Weiser, in the County of Washington and State of Idaho; that
said paper has been and is in general circulation in the
county aforesaid, and in the vicinity of Weiser; that the ad-
vertisement, a copy of which is attached hereto, was pub-
lished in said newspaper once a week for 2 consecu-
tive weeks in the regular and entire issue of said paper dur-
ing the period and time of publication, and was published in
the newspaper proper and not in a supplement; that said
paper has been established and regularly published for more
than seventy-eight consecutive weeks prior to the date of
first publication of said advertisement.

Such notice was published in the issue beginning with
6-8-89, 1989, and ending
with the issue of 6-15-89, 1989.

Fees, \$ 94.28

Subscribed and sworn to before me this 15
day of June, 1989

[Signature]
Notary Public, Residing at Weiser, Idaho.

My Commission Expires 1-1, 1993

No. 20
NOTICE OF APPLICATION
FOR WATER RIGHT

The Following application(s) have been filed to appropriate
the public waters of the State of Idaho:

(67-07758)
HUSSMAN, WILLIAM P.
HUSSMAN, ANNITA C.
1822 WEISER RIVER RD.
WEISER, ID 83672
Source: MANN CREEK
Tributary: WEISER RIVER
Diversion Pt: NWSESW Sec 31 T 11N R 04W
Use: IRRIGATION (.090CFS)
Date Filed: 4/18/1989
In: T11N R04W S31 NESW SESW
3.0 ACRES TOTAL

67-07759
MATTHEWS, SETH
426 KRAUSE RD.
WEISER, ID 83672
Source: GROUNDWATER
Diversion Pt: NWSE Sec 9 T 10N R 05W
Use: IRRIGATION (.240 CFS)
Date Filed: 4/21/1989
In: T10N R05W S09 NWSE
12.0 ACRES TOTAL

The permit(s) will be subject to all prior water rights. Protests
must be filed with the Director, Dept. of Water Resources,
Western Region, 2735 Airport Way, Boise, Idaho 83705 on or
before JUNE 26, 1989.

R. KEITH HIGGINSON, Director
Published 6/08/1989 & 6/15/1989

30-2S

Notarized

SEP 22 1989



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208)327-7900 FAX: (208)327-7866 www.idwr.state.id.us/idwr/idwrhome.htm

January 15, 1999

DIRK KEMPTHORNE

Governor

KARL J. DREHER

Director

WIL E OVERGAARD
MEGAN M OVERGAARD
1822 WEISER RIVER RD
WEISER ID 83672

RE: WATER RIGHTS 67-07463/67-07496/67-07758


Dear Mr. & Mrs. Overgaard:

The Department is in receipt of the correspondence changing ownership of the above referenced water rights to you. We have modified our records to reflect this change in ownership and computer generated reports are enclosed.

Just a reminder, because of a law that went into effect July 1, 1996, all water right owners are required to report change of address or ownership to the department within 120 days of the change. Failure to report these changes could result in a \$100 late filing fee to the water right owner. If you have other water rights that haven't had the ownership updated please contact the department as soon as possible.

If you have any questions regarding this matter, please feel free to contact me at (208) 327-7947.

Sincerely,



JIM JOHNSON, Manager
Water Right Permits Section

JJ:klt

Enclosure

MICROFILMED
FEB 05 1999



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

April 16, 1993

WILLIAM P HUSSMAN
ANNITA C HUSSMAN
1822 WEISER RIVER RD
WEISER ID 83672

RE: WATER RIGHT NO. 67-07758

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

A handwritten signature in cursive script that reads 'Pamela Skaggs'.

PAMELA SKAGGS
Water Resource Agent

PS:cz

Enclosure

RECEIVED

MAY 25 1993

WR0749NP
No. L67-07758

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT
(REGIONAL)

DATE: 03/26/93
PAGE: 1

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	WILLIAM P HUSSMAN	04/18/1989	IRRIGATION	03-15 11-15	0.09 CFS	13.5 AFA
C	ANNITA C HUSSMAN					
	1822 WEISER RIVER RD			TOTAL DIVERSION:	0.09 CFS	13.5 AFA
	WEISER ID 83672					
	(208) 549-3268					

Water Source: MANNS CREEK

Tributary to: WEISER RIVER

Stage: LICENSE

Point(s) of Diversion Capacity: 0.12 CFS

Point(s) of Diversion: T11N R04W S31 SE SW

Place of use Legal Description for: IRRIGATION

NE												NW				SW				SE					
T	R	S	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	SUM				
11N	04W	31	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:				
																03								:	3.0
																				TOTAL ACRES				:	3.0

Pou County: WASHINGTON

Other Rights: A67-07496, A67-07463

Other Water Rights Listing Overlapping Place(s) of use:
67-00613 67-00614 67-02169 67-07758

Conditions of Approval:

- R04 - Use of water under this water right will be regulated by the watermaster of State Water District No. 67.
- R52 - This right when combined with all other rights shall provide no more than .03 cfs per acre nor more than 4.5 afa per acre for the lands above.

Remarks: Upon request of the watermaster or upon order of the Department a measuring device and lockable controlling works of a type acceptable to the Department shall be permanently installed and maintained as part of the diverting works prior to diversion of water under this permit.

Dates: App. Received: 04/18/1989 Priority Date: 04/18/1989
Proof Due Date: 10/01/1990 Proof Made Date: 04/27/1990
Exam Made Date: 06/11/1992 Exam Sent to S.O.: 03/08/1992
Licensed Date:

Misc: Water District Number: 67 Field Exam Fee: R (Received)

Audit: 03/26/93 SKAGGS

28 03-24-43
(7)

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 67-07758

1. Owner: Annita C. Hussman / William P. Hussman

Phone No. 549-3268

Current Address: 1622 Weir River Rd WEBER IDA 83672

2. Accompanied by: Anita C. Hassman

EXAM. DATE: 6-11-92

Address: same

Phone No. same

Relationship to Permit Holder: same

3. ✓ Source: Manns Creek tributary to Weiser River

B. OVERLAP REVIEW

1. Other water rights with same place of use: 67-001613 Davis, 67-001614 Brashears, 67-02169
Weser Irrigation, 67-07416 Hussman ☐ Copies Attached


☐ Copies Attached

2. Other water rights with same point of diversion: 67-7496 Hussman

☐ Copies Attached☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = _____

2. ☐ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).

☐ **Photo of Diversion and System Attached**

(required for all but single household domestic groundwater, and stockwater.)

☐ Aerial Photo Attached

(required for irrigation of 10 acres or more)

MAY 2 1964

System Description (continued)

3. **Narrative:** Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

This system uses 2 1 hp pumps that move water from Mann's Creek to a lawn & pasture. The pump has a 5 ft draw and discharges into a 3/4" hoses. Only two to four sprinklers per line are run at one time.

☐ See Remarks on page 4 for continuation

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
1	A.D. Smith	1	7E01	VAE motor	3/4"
2	A.D. Smith	1	6E79	VAE motor	3/4"

*Code to correspond with No. on map and aerial photo

5. ☒ **Point(s) of Diversion:**

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			se	sw	31	11n	4w	Washington	Quads, Field Exam

6. ☒ **Place(s) of Use:**

Indicate Method of Determination

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
11n	4w	31											3						3

Do not use this space

MAY 25 1993

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

Theoretical: $1.0 \text{ hp} \cdot 8.8 \cdot .70 - \frac{16.16}{5 + (2.3 - 45 \text{ psi}) 108.3} = .06 \text{ cfs} \times 2 = .12 \text{ cfs}$ ^{two pumps} ✓

Sprinkler; 4 heads, $\frac{3}{16} @ 45 \text{ psi} = 4(7.03) \cdot .448 \cdot 8 = .06 \text{ cfs} \times 2 = .12 \text{ cfs}$ ^{lines} ✓

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

Sprinkler Head = $.12 \text{ cfs}$ _{capacity}

$3 \times .03 = .09 \text{ cfs}$

2. Alternate Method for Checking Purposes:

Theoretical = $.12 \text{ cfs}$

$\frac{.09 \text{ cfs (IRR)}}{\text{per unit max.}}$

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3)

; Flow rate: _____ cfs (4)

-NA

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: $3.6 \times \text{_____} \text{ KH} \times \text{_____} \text{ CTR or } \text{_____} \text{ MULT} \times \text{_____} \text{ PTR} \times \text{_____} \text{ N/} \text{_____} \text{ T} = \text{_____} (6)$

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 3 \times 4.5 = 13.5 \text{ AFA}$ ✓

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = .09 \times 245 \times 1.9835 = 43.7 \text{ AFA}$ ✓

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 13.5 \text{ AFA (IRR)}$

2. Volume Calculations for Other Uses:

MAINTAINED
MAY 25 1993

H. REMARKS AND OVERLAP REVIEW ANALYSIS

None of the Hussman's neighbors permits overlap this one. Their permit # 67-07463 is their domestic well - it covers $\frac{1}{2}$ of the 1 Acre lawn. Their other permit 67-07496 is from the same pumps but does not cover the 3-3.5 Acres left uncovered.

Remarks - M.D. Condition per Order 4-25-90

Conditions - R04/67, R52

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Irrigation	3-15	11-15	.09 cfs	13.5 AFA
Totals:			.09 cfs	13.5 AFA

2. Recommended Amendments

- ☐ Change P.D. as reflected above
☐ Change P.U. as reflected above

- ☐ Add P.D. as reflected above
☐ Add P.U. as reflected above

- ☐ None
☐ Other

J. AUTHENTICATION

Field Examiner's Name

DAVID GRAY

Signature


David Gray

088 03-26-93

Certification Date

Field Report Preparation Date

8-04-92



K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

RECORDED

MAY 2 1993



State of Idaho
DEPARTMENT OF WATER RESOURCES

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

31

116°52'30"
R5W
44°15'

4899000m.N.

TIIN
TION

MAILED


MAY 25 1993



67-07758



View of Lawn i.
GARDEN LOOKING
NORTH.



View of lawn.
Notice Mann's
creek to the side.

MAY 25 1993

67-07758



View of domestic
PART OF THE $\frac{1}{2}$ A
OF LAWN COVERED
UNDER THIS PERMIT.



View of southern
PORTION OF THE LAWN

RECORDED
INDEXED
MAY 25 1993

May 19, 1992

ANNITA C. HUSSMAN
WILLIAM P. HUSSMAN
1822 WEISER RIVER RD.
WEISER ID 83672

RE: Water Right No. 67-07758

Dear Water Right Holder(s):

Department water right records show that you divert water from the Snake River or its tributaries under a water right that has a priority date later than December 29, 1976. This is the priority of the established minimum stream flow of the Snake River at the Weiser Gage (Weiser) in the amount of 4,750 cubic feet per second.

Because of the continuing drought conditions in the Snake River Basin, department hydrologists project that during 1992, there could be periods when the required minimum flow will not be satisfied due to low flows of the Snake River. The department urges you to not divert at a higher rate than authorized by your water right and to not use your right in any manner different than authorized. In addition, when the minimum flow will not be satisfied or is not being satisfied, you are required to cease diverting water under your water right, because your right is of later priority than the minimum stream flow at Weiser.

If the department determines the minimum flow will not be satisfied, the department will advise you and will provide as much lead time as possible in requiring that you temporarily cease your diversion of water. The greatest likelihood for this to occur is during a period from mid-June to late June.

While the department expects good cooperation from junior water right holders, water users should be aware that Section 42-352, Idaho Code, provides for penalties of up to \$100 per day for unauthorized diversions of water.

The department has contacted both the Idaho Power Company and the U.S. Bureau of Reclamation with respect to the timing of storage releases from upstream reservoirs for flow enhancement

RECEIVED

MAY 25 1993

purposes. This type of coordination could minimize the impact on existing water users and reduce the need to curtail diversions.

The department has scheduled public information meetings relative to this potential regulation as follows:

Mountain Home - June 4, 1992 - 10:00 a.m. - gymnasium at
North Elementary School, 290 E. 12th N.

Caldwell - June 4, 1992 - 7:00 p.m. - Ballroom in the
Student Union Building, Albertson College of Idaho,
2112 Cleveland

If you have questions concerning this letter or wish to provide the name of a different contact person or address to receive department correspondence, please contact the department.

Sincerely,

L. GLEN SAXTON
Chief, Water Allocation Bureau

LGS:klg

RECEIVED
MAY 25 1993

June 26, 1990

ANNITA C. HUSSMAN
WILLIAM P. HUSSMAN
1822 WEISER RIVER RD.
WEISER, ID 83672

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 67-07758

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the WESTERN Regional Office in Boise at (208)334-2190.

Sincerely,

Rita Fleck
Secretary/Records Manager

c: IDWR - Region

RECORDED

JUN 27 1990

1/88

PROOF OF BENEFICIAL USE

ANALYSIS SHEET

Permit No. 67-7758

Date: 6-25-90

General Considerations:

☒ Name same as permit
☒ Signature the same as permit holder
☒ Address change NO If yes, prepare a data entry
☒ Proof received timely
☐ Reinstated

Source of Water:

☒ Surface water
☐ Groundwater
☒ 1. well log in file
☒ 2. drilling permit
☒ A. amount of drilling fee paid for proposed uses

Extent of Use and Rate of Diversion:

☒ Rate of diversion appropriate for uses
☒ Is rate or volume and fee appropriate?
☒ Has permit holder indicated when water was first put to a beneficial use?

Measuring Device:

☒ Is a measuring device or access port required?
☒ Has one been installed?
☒ Waiver or modification of measuring device requested

Remarks:

Proof acceptable

Priority Calculation:

Date proof received	<u>NA</u>	
Date proof due		-
No. of days late		=
Priority date		+
NEW PRIORITY DATE		=

SEND FILES TO DATA ENTRY AND THEN TO MICROFILM

Form 217
03/86

RECEIVED
APR 27 1990

Department of Water Resources STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

For Office Use Only
Fee Received 50.00
Date 4/27/90
Receipt # 0116562
Receipt by C. WONG
Reviewed by SP-8 4-25-90
Sent to region

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. P67-07258

Name(s) of Permit Holder: ANNITA C. HUSSMAN WILLIAM P. HUSSMAN

Post Office Address: 1822 WEISER RIVER ROAD WEISER ID 83622

Telephone No. 549-3268

Source of water: MANN CREEK

Extent of Use:

Domestic (number of households) Stockwater (number and type of stock)

Irrigation 3 (acres) Other/Remark

Total rate and/or volume for which proof is submitted .09 CFS cfs 5-20 acre-feet

Show the date water was first diverted and beneficially used under this permit: 4-18-89

Measuring Device: Required? Yes ☒ No
Installed? Yes ☒ No Fee enclosed \$ 50
(See License Examination Fee Schedule)

Flow Measurement Port: Required? Yes ☒ No
Installed? Yes ☒ No

Person to contact to accompany the Department representative during the field examination:

WILLIAM P. HUSSMAN 549-3268
(Name) (Telephone Number)

1822 WEISER RIVER ROAD WEISER ID 83622
(Address)

The above information is my true statement of the extent to which the above number has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

4-25-90
Date

William P. Hussman
Signature of Permit Holder (and title, if appropriate)

JUN 27 1990

RECEIVED

APR 27 1990

January 29, 1990

Mr. William P. Hussman
1822 Weiser River Road
Weiser, Idaho 83672

Department of Water Resources

Dear Mr. Hussman,

I agree to a variance in your permit to Appropriate Water No. 67-07758
Requiring Installation of a Measuring Device and Lockable Controlling Works.

This agreement is predicated upon the condition that you remove your
pumps, upon my request and lock them in your shed, until I inform you that
there is sufficient water for you to resume pumping operations.

~~Lawson Howland~~

Watermaster

Gerald K. Myers
Watermaster Dist. 67
2-4-1990

MICROFILMED

JUN 27 1990



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720 -(208) 327-7900

CECIL D. ANDRUS

GOVERNOR

R. KEITH HIGGINSON

DIRECTOR

May 22, 1990

William and/or Annita Hussman
1822 Weiser River Road
Weiser, ID 83672

RE: Permit No. 67-7758 in the Name of William and/or Annita
Hussman

Dear Mr. and Mrs. Hussman:

Enclosed is an Order which modifies a condition of the above
referenced permit requiring the installation of a measuring
device and lockable controlling works.

If you have any questions, please contact this office.

Respectfully,

A handwritten signature in cursive script that reads "Gary Spackman".

GARY SPACKMAN, Manager
Water Right Permits Section

GS:js

Enclosure

MICROFILMED

JUN 27 1990

Gary Spackman, Manager
Water Right Permits Section
Dept. of Water Resources
1301 N. Orchard St.
Boise, Idaho 83720

Feb 8, 1990

RE: Permit to Appropriate Water No. 67-07758; Condition Requiring
Installation of a Measuring Device and Lockable Controlling Works

Dear Mr. Spackman:

As you advised I contacted the Watermaster for district 67 and explained to him my reasons for a request that a lockable device and water measuring device not be required on my system

Mr. Gerald K. Myers, the Watermaster, has agreed to exempting this requirement. His consent document is enclosed.

Thankyou for your help in this matter.

Sincerely,

William P. Hussman

William P. Hussman
1822 Weiser River Road
Weiser, Idaho 83672

RECEIVED
FEB 9 1990

Department of Water Resources

RECEIVED
JUN 27 1990

RECEIVED
FEB 9 1990

Mr. William P. Hussman
1822 Weiser River Road
Weiser, Idaho 83672

Department of Water Resources

January 29, 1990

Dear Mr. Hussman,

I agree to a variance in your permit to Appropriate Water No. 67-07758
Requiring Installation of a Measuring Device and Lockable Controlling Works.

This agreement is predicated upon the condition that you remove your
pumps, upon my request and lock them in your shed, until I inform you that
there is sufficient water for you to resume pumping operations.

~~Lawson Howland~~
Watermaster

Gerald K. Myers
Watermaster Dist. 67
2-4-1990

MICROFILMED

JUN 27 1990



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720 - (208) 327-7900

CECIL D. ANDRUS

GOVERNOR

R. KEITH HIGGINSON

DIRECTOR

January 19, 1990

RECEIVED
JAN 25 1990

Department of Water Resources

William P. Hussman
1822 Weiser River Rd.
Weiser, ID 83672

RE: Permit to Appropriate Water No. 67-07758; Condition
Requiring Installation of a Measuring Device and Lockable
Controlling Works

Dear Mr. Hussman:

Thank you for your letter dated January 3, 1990. I understand your concern about the expense and hassle of installing an elaborate diversion structure and measuring device. I also know that a watermaster struggles with multiple small, portable diversions over which he has no direct control. Portable diversion works are difficult to police because of their mobility.

I am willing to consider withdrawing the condition of your permit requiring the installation of a lockable diversion works and measuring device if the watermaster consents. I suggest that you contact him and discuss your problem. His name is Lawson Howland, HC 68, Box 2510, Cambridge, Idaho, 83610. I will send him a carbon copy of this letter.

If the watermaster consents, please prepare a consent document for his signature, and forward it to me after it is signed.

Sincerely,

Gary Spackman
GARY SPACKMAN, Manager
Water Right Permits Section
JUN 22 1990

GS:js

cc. Lawson Howland
Western Region

*Watermaster for Weiser River Water Dist. 67 is now
Gerald Myers of Midvale, Idaho 83645. I retired in January
of 1988.*
Lawson Howland



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720 -(208) 327-7900

CECIL D. ANDRUS

GOVERNOR

R. KEITH HIGGINSON

DIRECTOR

January 19, 1990

William P. Hussman
1822 Weiser River Rd.
Weiser, ID 83672

RE: Permit to Appropriate Water No. 67-07758; Condition
Requiring Installation of a Measuring Device and Lockable
Controlling Works

Dear Mr. Hussman:

Thank you for your letter dated January 3, 1990. I understand your concern about the expense and hassle of installing an elaborate diversion structure and measuring device. I also know that a watermaster struggles with multiple small, portable diversions over which he has no direct control. Portable diversion works are difficult to police because of their mobility.

I am willing to consider withdrawing the condition of your permit requiring the installation of a lockable diversion works and measuring device if the watermaster consents. I suggest that you contact him and discuss your problem. His name is Lawson Howland, HC 68, Box 2510, Cambridge, Idaho, 83610. I will send him a carbon copy of this letter.

If the watermaster consents, please prepare a consent document for his signature, and forward it to me after it is signed.

Sincerely,

GARY SPACKMAN, Manager
Water Right Permits Section

GS:js

cc. Lawson Howland
Western Region

INDEXED

JUN 27 1990

INTER-DEPARTMENT MEMO — 1

FROM

Bany
~~X~~
TO *Kay kw*

DATE

1/11/90

SUBJECT

*Can you tell me the name & address
of the watermaster of District 67,
Weiser River?*

*Lawson, Howland
HC 68, Box 2510
Cambridge, Id. Bany
83610*

RECORDED & INDEXED
JUN 27 1990

SIGNATURE

Mr. Gary Spackman, Supervisor
Water Right Permits Section
State of Idaho, Dept. of Water Resources
1301 N. Orchard St.- Statehouse Mail
Boise, Idaho 83720

Jan 3, 1990

RECEIVED
JAN 5 1990

Re: Permit No P67-07758 Conditions/Remarks #4

Department of Water Resources

Dear Mr. Spackman,

I have been using (2) 1HP pumps, garden hose and plastic pipe with the power source being 110 outlets on my house. In lieu of a measuring and lockable device would you kindly allow me to continue with this system without the expense of installing a more elaborate and considerably more expensive one? I shall be more than happy to remove my pumps upon request of the Watermaster and lock them up should this be necessary.

In 1985 Mr. Forrest E. Luthy and I discussed this same problem and at that time I received approval to do so, see attached correspondence.

Sincerely,

William P. Hussman
William P. Hussman
1822 Weiser River Road
Weiser, Idaho 83672

MICROFILMED

JUN 27 1990

RECEIVED
JAN 5 1990

Department of Water Resources

INTER-DEPARTMENT MEMO — 1

DATE May 9, 85

FROM FORREST E. LUTHY

TO Mr. Wm. HUSSMAN,
Rt 2, Box 63 E
WEISER, ID 83672

SUBJECT PROOF OF BENEFICIAL USE ON PMT. 67-7496

MICROFILMED

JUN 27 1990

DEAR MR. HUSSMAN:

PER OUR CONVERSATION, I COULDN'T FIND ANY EVIDENCE OF FILING OF PROOF OF BENEFICIAL USE FOR YOUR PERMIT. CONSEQUENTLY, I AM SENDING THE PRESENTLY USED FORM FOR YOUR COMPLETION. ALSO CHECKED WITH MR. LEE SISCO CONCERNING REMOVAL OF THE LOCKABLE DEVICE REQUIREMENT. HE THOUGHT THAT FOR A SMALL DIVERSION FOR STOCKWATER, A LETTER ADDRESSED TO THE DIRECTOR, AS WE DISCUSSED, EXPLAINING THE SITUATION OF THE SMALL PLUG IN TYPE OPERATION & THE UNNECESSARY COST OF ADDING A DEVICE AT THE CREEK, WOULD RESULT IN THE REMOVAL OF THE REQUIREMENT.

P.S.: BE SURE TO FILE THE PROOF PRIOR TO JULY, SO THAT THE PERMIT WON'T LAPSE.

SINCERELY

Forrest E. Luthy

SIGNATURE

May 8, 1985

RECEIVED
JAN 5 1990

Mr. Ken Dunn
State of Idaho
Dept. of Water Resources
State House
 Boise, Idaho 83720

Department of Water Resources

Dear Mr. Dunn,

I am writing in reference to my permit number 67-7496 and the requirement which states "(2) A lockable device, subject to the approval of the Department, shall be installed on the diverting works in a manner that will provide the Watermaster suitable control of the diversion."

I am pumping water out of Mann Creek to irrigate aprox. one acre and, on occasion, provide water to a couple head of cattle. I am using two 1HP electric pumps with power supplied from the house through 100' heavy duty electrical cords.

To place a lockable device at the pump would require considerable expense--- trenching for electrical lines, a permanent pump platform and a locking mechanism.

I would appreciate your considering an alternative in this case, one which would give the Watermaster as much control and save me an unnecessary expense. Upon request of the Watermaster I will remove the pumps from the creek and place them in storage in my shop.



I trust you will find this suggestion reasonable and acceptable.

Sincerely,

William P. Hussman
RR-2 Box 63-E
Weiser, Idaho 83672

MICROFILMED

JUN 27 1990



MR GARY SPACKMAN, SUPERVISOR
WATER RIGHT PERMITS SECTION
DEPT OF WATER RESOURCES
1301 N. ORCHARD ST - STATEHOUSE MAIL
BOISE, ID 83720

S T A T E O F I D A H O
D E P A R T M E N T O F W A T E R R E S O U R C E S

Statehouse
Boise, Idaho 83720
(208) 334-7900
September 1, 1989

ANNITA C. HUSSMAN
WILLIAM P. HUSSMAN
1822 WEISER RIVER RD.
WEISER, ID 83672

P E R M I T A P P R O V A L N O T I C E

RE: PERMIT NO. P67-07758

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

Be sure to note the special condition requiring you to install a measuring device and lockable controlling works that will enable the watermaster to control the rate of diversion.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed for your convenience is a form entitled "Proof of Beneficial Use" that must be submitted to the Department when your project is completed. If development is complete, you may submit proof of beneficial use immediately.

Sincerely,

GARY SPACKMAN, Supervisor
Water Right Permits Section

GS: SC
Enclosures

MICROFILMED

SEP 22 1989

11N 9W S.31 NW 56SW

NE5W

SE5W

Form No. 202a.

4/87

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEET

INITIAL REVIEW BY: SL

DATE: 5/2/89

APPLICATION: 67-07758

REQUIRED INFORMATION

- ☒ Name: (If applicant is a corporation or partnership, names and addresses for the director, officers, and other partners must be included.)
☒ Address:
☒ Source: (See USGS Quad for names of water sources)
☒ Point of Diversion: (10 acres for spring, lot & block descriptions for Subdivisions, local name)
☒ County:
☒ Quantity: (flow and/or volume)
☒ Period of use:
☒ Nature of proposed use: (Include description of use)
☒ Description of diverting works:
☒ Time required for beneficial use of water:
☒ Place of use or acres irrigated:
☒ Map:
☒ Signature: (If applicant is corp., partnership, or municipality title of signator is required)
☒ Fee:
☒ yes ___ No* In form to receipt:

Gov't. Lots:

N P/D

N P/U

ADDITIONAL INFORMATION

YES NO

- ☒ Overlapping place of use: (Describe source & relationship to present application on the back.)
☒ Overlapping point of diversion:
☒ Field check required: Field check by: _____
☒ Field report attached:
☒ Critical groundwater area:
☒ Groundwater management area:
☒ Send dam safety information:
☒ Send power requirement letter:
☒ Send fish farm requirement letter:
☒ Power residency affidavit:
☒ Power efficiency form:
☒ Within trust water boundry: (If yes, attach Trust Water Supplementary Analysis Sheet.)
☒ Diversion greater than 5 cfs or 500 af: (If yes, attach Large Diversion supplementary analysis sheet.)
☒ *REQUEST ADDITIONAL INFORMATION FROM THE APPLICANT

RECEIVED

DATE REQUESTED: _____

JUL 26 1989

☒ Additional information on reverse side:

Department of Water Resources

PROCESSING

YES NO

- ☒ In form for advertising:
☒ Statewide advertising:
☒ Fee amount, receipt number and date recorded on application:

SEND COPIES TO

YES NO

- ☐ I.D. Health and Welfare
☐ I.D. Fish and Game
☐ I.D. Lands
☐ Adjudication Bureau

YES NO

- ☐ U.S. BLM
☐ U.S. Forest Svc.
☒ Water District # 67 *since w. master deliver irrig. water from this source.*
☒ Other

FINAL REGIONAL PROCESSING REVIEW

YES NO

- ☒ Affidavit of publication received:
☒ Application published correctly: If not, record action taken.

- ☒ Publication dates and paper recorded on application:
☒ Protests received, Final date for protest June 26, 1989
☒ Protests, dates, resolution of protest recorded on application:
☒ Recommendations attached: Approve, DER
☒ Measuring device required:
☒ Measuring port required:
☒ Water delivered by water master? District # 67 Weiser R. & tribs.
☒ Special conditions of approval or cover letter: (see additional info. below)
☒ See Below For Additional Information

Recommended Date of Priority 4/18/1989
Recommended by: DER Date 7/25/1989

STATE OFFICE REVIEW

P08, P16 05(67, Weiser River) 01J

See below for additional information. By kw Date 8/25/89

ADDITIONAL INFORMATION

Overlap

P14 - 67-07496 Mann Ck. same diversion as in application. Field exam
01E, 05(67, Weiser R. & tribs) on 7/20/87 for 67-07496 did not include measurement of
system capacity.

P16 - AS PBW for stockwater.

- 67-00597, 00613, 02386, 00614 Mann Ck. right, other land.

- 67-02169 Weiser River for 40 ac in SESW (description includes
applicant's 2 ac in SESW).

Appl refers to 67-07463, well for irrig., domestic, & heating on other lands.



State of Idaho
DEPARTMENT OF WATER RESOURCES

Western Region, 2735 Airport Way, Boise, Idaho 83705 - (208) 334-2190

CECIL D. ANDRUS

GOVERNOR

R. KEITH HIGGINSON

DIRECTOR

June 5, 1989

Gerald Myers
HC 70 Box 2010
Midvale, ID 83645

Re: Application for Permit No. 67-07758 in the Name of William P. or Annita
C. Hussman

Dear Sir:

Enclosed is a copy(s) of the above-referenced application(s) for permit which may be of interest to your agency. Please review the application(s) and submit any comments you may have.

This office normally completes the processing of an application within a six-week period and is required to take final action shortly thereafter, however, if your agency desires to file a formal protest against the approval of this application(s), your written protest must be received in this office by June 26, 1989.

If you have any questions regarding the application, please contact this office.

Sincerely,

DAVID R. TUTHILL, JR., P. E.
Manager, Western Regional Office

DRT:st

Enclosure(s):

MICROFILMED

SEP 22 1989

67-07758

HUSSMAN, WILLIAM P.
HUSSMAN, ANNITA C.
1822 WEISER RIVER ROAD
WEISER, ID 83672

Source: MANN CREEK

Tributary: WEISER RIVER

Diversion Pt: NWSESW Sec 31 T 11N R 04W

Use: IRRIGATION (.090 CFS)

Date Filed: 4/18/1989

In: T11N R04W S31 NESW SESW

3.0 ACRES TOTAL

MicroFILMED

SEP 22 1989