

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

TWP 11N-R5W-30/5
SEC 30

DEC 13 1988

MICROFILMED

Sec. 30

T. 11N
R. 5W

X P.D.
P.U.

MICROFILMED

DEC 13 1988

Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Francis Campbell
(Applicant)

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

MAR 25 1993

Department of Water Resources

A. GENERAL INFORMATION


1. Owner: Francis Campbell Permit No. 67-7730
Current Address: 418 West 5th St. Weiser, Idaho 83672 Phone No. 549-0249
2. Accompanied by: Francis Campbell EXAM. DATE: 7-30-91
Address: same Phone No. same
Relationship to Permit Holder: owner
3. Source: groundwater tributary to none

B. OVERLAP REVIEW

1. Other water rights with same place of use: 67-2169, 67-2384A
☐ Copies Attached
2. Other water rights with same point of diversion: None
☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = 30'

2. ☒ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required). ☐ Aerial Photo Attached (required for irrigation of 10 acres or more).
☒ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater).

MICROFILMED

AUG 30 1993

No 1047

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO, } ss.
County of Washington }

Dorothy A Booth, being duly sworn,

deposes and says:

That he is the Clerk of
THE WEISER SIGNAL, a weekly newspaper published at
Weiser, in the County of Washington and State of Idaho; that
said paper has been and is in general circulation in the
county aforesaid, and in the vicinity of Weiser; that the ad-
vertisement, a copy of which is attached hereto, was pub-

lished in said newspaper once a week for 2 consecu-
tive weeks in the regular and entire issue of said paper dur-
ing the period and time of publication, and was published in
the newspaper proper and not in a supplement; that said
paper has been established and regularly published for more
than seventy-eight consecutive weeks prior to the date of
first publication of said advertisement.

Such notice was published in the issue beginning with

April 21, 1988, and ending
with the issue of April 28, 1988

Fees, \$ 32.72

Subscribed and sworn to before me this 28

day of April, 1988

Dorothy A Booth
Notary Public, Residing at Weiser, Idaho.

My Commission Expires 1-1, 1993

No. 1047
NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the
public waters of the State of Idaho:

67-07730 ✓ 1P

CAMPBELL FRANCIS
418 W. 5TH ST.
WEISER, ID 83672
Source: GROUNDWATER

Tributary:
Diversion Pt: SESW Sec 30 T 11N R 05W
Use: DOMESTIC (0.40 CFS)

Date Filed: 3/30/88
In: SESW Sec 30 T 11N R 05 W FOR ACRES

The permit(s) will be subject to all prior water rights. Protests
must be filed with the Director, Dept. of Water Resources,
Western Region, 2735 Airport Way, Boise, Idaho 83705 on or
before MAY 9, 1988.

R. KEITH HIGGINSON, Director
Published 4/21/1988 & 4/28/1988

16-2S

MICROFILMED

DEC 13 1988

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 67-07730

Priority: March 30, 1988

Maximum Diversion Rate:

0.03 CFS

Maximum Diversion Volume:

1.2 AF

This is to certify, that FRANCIS CAMPBELL

418 W 5TH ST

WEISER ID 83672

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated March 30, 1988; and has submitted Proof of Beneficial Use on May 24, 1988. An examination indicates that the works have a diversion capacity of .030 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
DOMESTIC	01/01 to 12/31	0.03 CFS	1.2 AF

LOCATION OF POINT(S) OF DIVERSION:

SESW, Sec. 30, Township 11N, Range 05W
WASHINGTON County

PLACE OF USE: DOMESTIC
TWN RGE SEC

11N 05W 30

SESW

CONDITIONS/REMARKS:


1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Domestic use is for 1 home.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 9TH day of AUGUST, 1993.

Acting for. Keith Higginson, Director

MICROFILMED

AUG 30 1993



MAY 24 1988

no & encl
Department of Water Resources

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

For Office Use Only
Fee Received _____
Date _____
Receipt # _____
Receipt by _____
Reviewed by *HL*
Sent to region _____

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 67-7730

Name(s) of Permit Holder: Francis A. Campbell

Post Office Address: 418 West 5 th. Weiser, Idaho

Telephone No. 549-0249

Source of Water: Well

Extent of Use:

Domestic 1 (number of households) Stockwater _____ (number and type of stock)

Irrigation Less than one (1 1/2 Lots) acres Other/Remark _____

Total rate and/or volume for which proof is submitted .04 cfs _____ acre-feet

Show the date water was first diverted and beneficially used under this permit: 4-15-88

Measuring Device: Required? Yes ☒ No
Installed? Yes ☐ No Fee enclosed \$ None
(See License Examination Fee Schedule)

Flow Measurement Port: Required? Yes ☒ No
Installed? Yes ☐ No

Person to contact to accompany the Department representative during the field examination:

Francis Campbell
(Name)

549-0249
(Telephone Number)

418 West 5th Street, Weiser, Idaho
(Address)

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

RECORDED

DEC 13 1988

23, 1988
May
Date

Francis A. Campbell
Signature of Permit Holder (and title, if appropriate)

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

Ident. No. 67-07730

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant Francis Campbell Phone 549-0249

Post office address 418 West 5th St. Weiser, Idaho 83672

2. Source of water supply groundwater (well) which is a tributary of N/A

3. Location of point of diversion is SE $\frac{1}{4}$ of SW $\frac{1}{4}$ of Govt. Lot

Sec. 30 Township 11 North Range 5 West B.M. Washington County; additional

points of diversion if any: N/2 Lot 20 R1b-23 of Washington Adm

4. Water will be used for the following purposes:

Amount for irrigation purposes from March 1 to November 1 (both dates inclusive)
(cfs or acre-feet per annum)

Amount .04 for Domestic purposes from Jan. 1 to Dec. 31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount for purposes from to (both dates inclusive)
(cfs or acre-feet per annum)

Amount for purposes from to (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated is (a) .04 cubic feet per second and/or (b) acre feet per annum

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. $\frac{1}{2}$ horse, centrif. Pump
Pump
may use a submersible pump later on

b. Height of storage dam feet; active reservoir capacity acre-feet; total
reservoir capacity acre-feet; period of year when water will be diverted to storage:
to inclusive.

c. Proposed well diameter is 6 inch inches; proposed depth of well is 30 feet.

d. Is ground water with a temperature of greater than 90°F being sought? no

7. Time required for the completion of the works and application of the water to proposed beneficial use is
4 years (minimum 1 year).

MICROFILMED

DEC 13 1988

8. Description of proposed uses (if irrigation only, go to item 9):

- a. Hydropower; show total feet of head and proposed capacity in KW. _____
- b. Stockwatering; list number and kind of livestock. _____
- c. Municipal; show name of municipality. _____
- d. Domestic; show number of households. ONE
- e. Other; describe fully. _____

9. Description of place of use:

- a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
11 N	5 W	30												D					

Total number of acres to be irrigated _____

10. Describe any other water rights used for the same purposes as described above. _____

11. a. Who owns the property at the point of diversion? Francis Campbell
- b. Who owns the land to be irrigated or place of use? Same
- c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

12. Remarks: Well drilling permit No. 67-88-2-01
Well drilled by Dallas Drilling on Feb. 12-1988
Drilled on City Plot north half lot 20 block 23 of
Washington Add. City of Weiser, Washington County

DEC 13 1988

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number. *Map 114, 85m, 31/10/1960*

TWP 11N-R5W-30³⁰/~~5W~~

100-443887-100

Sec. 30

T. 11N	
R. 5W	

X	P.D. P.V.
---	--------------

MICROFILMED

DEC 13 1988

Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Francis Campbell
(Applicant)

Proposed Priority 3/30/88

Received by nl Date 3-30-88 Time 10:00 am Preliminary check by _____

Fee \$ 30. Receipted by jp # W000069 Date 3/30/88

Publication prepared by GG Date 4-13-88 Published in Weiser Signal

4/21 -4/28/88

Publication approved so Date 5/10/88

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 67-7730, and said application is hereby APPROVED

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before June 1, 19 89.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other: Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.

Witness my hand this 16th day of May, 1988.

Director

MICROFILMED

DEC 13 1988



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

August 9, 1993

FRANCIS CAMPBELL
418 W 5TH ST
WEISER ID 83672

RE: WATER RIGHT NO. 67-07730

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

A handwritten signature in black ink, appearing to read 'Jim Johnson', written over the printed name and title.

JIM JOHNSON
Water Rights Supervisor

JJ:dc

Enclosure

MICROFILMED

AUG 30 1993

DATE: 07/29/93
PAGE: 1

Stage: LICENSE

Audit: 07/29/93 CHAPMAN

LICENSE REVIEW CHECKLIST

Permit # 67-7730 Date 7-29-93 Brenda Chapman

NAME Yes No ☒ Or Address Change?

PRIORITY DATE ☒ Advance? ☒ Memo to Advance ☐
☒ Order to Reinstate Needed?

SOURCE ☒ Changes? Clarification of **Originally Intended** source
☒ Notice of Intent to Void - Source change.

P/D ☒ Amendment Needed?
☒ Is Overlap Analysis a Consideration?

P/U ☒ Amendment Needed?
☒ Is Overlap Analysis a Consideration?

TOTAL CFS -NA- Incorrect Fee for rate recommended?
☒ Disagree/Measurement 5 gal bucket @ 2.5 SEC = .03 CFS
☒ Pumping Theoretical $(8.8) \times (.70) \times (.5)$
 $(20 + [2.31 \times 40]) = .03 \text{ CFS}$
☒ System Capacity .03
Allowable Amount: CAPACITY of .03 CFS

TOTAL VOLUME Rate/ac AFA Irr. Season
Standard Irr. Season
Season Recommended
☒ Disagree with Examiner's Calculations?
DOMESTIC = 1.2
☒ Flow limit: .03 x 365 x 1.9835 = 21.7

USES ☒ Change(s) in Nature of Use?
☒ Amendment Needed?

REMARKS ☒ Multiple P/Ds in 1/4 1/4?
☒ Non-Irr. Uses DOMESTIC
☒ Special Overlap Condition
☒ Other

CONDITIONS ☒ Measuring Devices Dates/Misc
☒ W/Master Control ☒ Water Dist
☒ Irrigation Overlap 3-30-89 App Rec'd
☒ Water Quality 7-30-91 Exam Made

COMMENTS: REDUCE RATE

RECOMMENDED	CFS	VOL
Irrigation	<u> </u>	<u> </u>
Domestic	<u>.03</u>	<u>1.2</u>
Stockwater	<u> </u>	<u> </u>

LICENSE ☒
AMEND

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

MAR 25 1993

Department of Water Resources

A. GENERAL INFORMATION


Permit No. 67-7730
Phone No. 549-0249
1. Owner: Francis Campbell
Current Address: 418 West 5th St. Urester, Idaho 83672
2. Accompanied by: Francis Campbell EXAM. DATE: 7-30-91
Address: same Phone No. same
Relationship to Permit Holder: owner
3. Source: groundwater tributary to none

B. OVERLAP REVIEW

1. Other water rights with same place of use: 67-2169, 67-2384A
☐ Copies Attached
2. Other water rights with same point of diversion: None
☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



6,750 ☒
- 3,000
4,750 ☒ =
Lawn and garden

Scale: 1" = 30'

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and place(s) of use (required).
☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater.)
☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).

NOT FILMED

AUG 30 1993

System Description (continued)

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

Well with a 6" casing and 1/2 Hp surface pump draws water to a one inch discharge pipe to a garden hose used to irrigate a small yard and garden. At the pump a hydrant and garden hose is used to supply drinking water and water for a clothes washer located in a shed next to the well. This well supplements city water usage but is not piped to the house.

☒ See Remarks on page 4 for continuation

- 4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	Go Smith	1/2	C48H2EC11	Sta-Riti	1" 1HC61

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			SE	SW	30	11N	5W	Washington	Aerial photo quad map.

6. Place(s) of Use:

Indicate Method of Determination

field exam

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
11N	5W	30												P					

Do not use this space

AUG 30 1993

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

5 gallon bucket measurement at hydrant at well

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method: 5 gal in 25 sec = 12 gpm = .03 cfs -

2. Alternate Method for Checking Purposes: $\frac{.5 \times 8.8 \times .7}{20 + (2.3 \times 20)} = .05 \text{ cfs.} -$

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) ; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ _____

2. Volume Calculations for Other Uses:

1.2 AFA EXT. + INT. DOMESTIC USE

RECEIVED

AUG 30 1993

H. REMARKS AND OVERLAP REVIEW ANALYSIS

Recommendation of .03 cfs is based on measurement rate.

Other rights in same PQ don't affect this permit.

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
<i>Domestic</i>	<i>1-1</i>	<i>12-31</i>	<i>.03</i>	<i>1.2</i>
Totals:			<i>.03 cfs -</i>	<i>1.2 afa -</i>

2. Recommended Amendments

☐ Change P.D. as reflected above

☐ Add P.D. as reflected above

☒ None

☐ Change P.U. as reflected above

☐ Add P.U. as reflected above

☐ Other


J. AUTHENTICATION

Field Examiner's Name *Melvin T. Schulte*

Signature *Melvin T. Schulte*

Certification Date


Field Report Preparation Date *10-8-91*



K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

NOT RECORDED

AUG 30 1993



and published by the Geological Survey

graph prepared from 1:76,000-scale
 graph taken August 3, 1974

and 10,000-foot grid ticks: Idaho coordinate
 zone (transverse Mercator)
 Universal Transverse Mercator grid,
 927 North American datum

y transformed by scanning techniques
 produce double or mismatched images;
 of image position for map point

and prepared by the Idaho Department of Water Resources pursuant to
 42 U.S.C. 1674a-1, 1674a-2, 1674a-3, 1674a-4, 1674a-5, 1674a-6, 1674a-7, 1674a-8, 1674a-9, 1674a-10, 1674a-11, 1674a-12, 1674a-13, 1674a-14, 1674a-15, 1674a-16, 1674a-17, 1674a-18, 1674a-19, 1674a-20, 1674a-21, 1674a-22, 1674a-23, 1674a-24, 1674a-25, 1674a-26, 1674a-27, 1674a-28, 1674a-29, 1674a-30, 1674a-31, 1674a-32, 1674a-33, 1674a-34, 1674a-35, 1674a-36, 1674a-37, 1674a-38, 1674a-39, 1674a-40, 1674a-41, 1674a-42, 1674a-43, 1674a-44, 1674a-45, 1674a-46, 1674a-47, 1674a-48, 1674a-49, 1674a-50, 1674a-51, 1674a-52, 1674a-53, 1674a-54, 1674a-55, 1674a-56, 1674a-57, 1674a-58, 1674a-59, 1674a-60, 1674a-61, 1674a-62, 1674a-63, 1674a-64, 1674a-65, 1674a-66, 1674a-67, 1674a-68, 1674a-69, 1674a-70, 1674a-71, 1674a-72, 1674a-73, 1674a-74, 1674a-75, 1674a-76, 1674a-77, 1674a-78, 1674a-79, 1674a-80, 1674a-81, 1674a-82, 1674a-83, 1674a-84, 1674a-85, 1674a-86, 1674a-87, 1674a-88, 1674a-89, 1674a-90, 1674a-91, 1674a-92, 1674a-93, 1674a-94, 1674a-95, 1674a-96, 1674a-97, 1674a-98, 1674a-99, 1674a-100, 1674a-101, 1674a-102, 1674a-103, 1674a-104, 1674a-105, 1674a-106, 1674a-107, 1674a-108, 1674a-109, 1674a-110, 1674a-111, 1674a-112, 1674a-113, 1674a-114, 1674a-115, 1674a-116, 1674a-117, 1674a-118, 1674a-119, 1674a-120, 1674a-121, 1674a-122, 1674a-123, 1674a-124, 1674a-125, 1674a-126, 1674a-127, 1674a-128, 1674a-129, 1674a-130, 1674a-131, 1674a-132, 1674a-133, 1674a-134, 1674a-135, 1674a-136, 1674a-137, 1674a-138, 1674a-139, 1674a-140, 1674a-141, 1674a-142, 1674a-143, 1674a-144, 1674a-145, 1674a-146, 1674a-147, 1674a-148, 1674a-149, 1674a-150, 1674a-151, 1674a-152, 1674a-153, 1674a-154, 1674a-155, 1674a-156, 1674a-157, 1674a-158, 1674a-159, 1674a-160, 1674a-161, 1674a-162, 1674a-163, 1674a-164, 1674a-165, 1674a-166, 1674a-167, 1674a-168, 1674a-169, 1674a-170, 1674a-171, 1674a-172, 1674a-173, 1674a-174, 1674a-175, 1674a-176, 1674a-177, 1674a-178, 1674a-179, 1674a-180, 1674a-181, 1674a-182, 1674a-183, 1674a-184, 1674a-185, 1674a-186, 1674a-187, 1674a-188, 1674a-189, 1674a-190, 1674a-191, 1674a-192, 1674a-193, 1674a-194, 1674a-195, 1674a-196, 1674a-197, 1674a-198, 1674a-199, 1674a-200, 1674a-201, 1674a-202, 1674a-203, 1674a-204, 1674a-205, 1674a-206, 1674a-207, 1674a-208, 1674a-209, 1674a-210, 1674a-211, 1674a-212, 1674a-213, 1674a-214, 1674a-215, 1674a-216, 1674a-217, 1674a-218, 1674a-219, 1674a-220, 1674a-221, 1674a-222, 1674a-223, 1674a-224, 1674a-225, 1674a-226, 1674a-227, 1674a-228, 1674a-229, 1674a-230, 1674a-231, 1674a-232, 1674a-233, 1674a-234, 1674a-235, 1674a-236, 1674a-237, 1674a-238, 1674a-239, 1674a-240, 1674a-241, 1674a-242, 1674a-243, 1674a-244, 1674a-245, 1674a-246, 1674a-247, 1674a-248, 1674a-249, 1674a-250, 1674a-251, 1674a-252, 1674a-253, 1674a-254, 1674a-255, 1674a-256, 1674a-257, 1674a-258, 1674a-259, 1674a-260, 1674a-261, 1674a-262, 1674a-263, 1674a-264, 1674a-265, 1674a-266, 1674a-267, 1674a-268, 1674a-269, 1674a-270, 1674a-271, 1674a-272, 1674a-273, 1674a-274, 1674a-275, 1674a-276, 1674a-277, 1674a-278, 1674a-279, 1674a-280, 1674a-281, 1674a-282, 1674a-283, 1674a-284, 1674a-285, 1674a-286, 1674a-287, 1674a-288, 1674a-289, 1674a-290, 1674a-291, 1674a-292, 1674a-293, 1674a-294, 1674a-295, 1674a-296, 1674a-297, 1674a-298, 1674a-299, 1674a-300, 1674a-301, 1674a-302, 1674a-303, 1674a-304, 1674a-305, 1674a-306, 1674a-307, 1674a-308, 1674a-309, 1674a-310, 1674a-311, 1674a-312, 1674a-313, 1674a-314, 1674a-315, 1674a-316, 1674a-317, 1674a-318, 1674a-319, 1674a-320, 1674a-321, 1674a-322, 1674a-323, 1674a-324, 1674a-325, 1674a-326, 1674a-327, 1674a-328, 1674a-329, 1674a-330, 1674a-331, 1674a-332, 1674a-333, 1674a-334, 1674a-335, 1674a-336, 1674a-337, 1674a-338, 1674a-339, 1674a-340, 1674a-341, 1674a-342, 1674a-343, 1674a-344, 1674a-345, 1674a-346, 1674a-347, 1674a-348, 1674a-349, 1674a-350, 1674a-351, 1674a-352, 1674a-353, 1674a-354, 1674a-355, 1674a-356, 1674a-357, 1674a-358, 1674a-359, 1674a-360, 1674a-361, 1674a-362, 1674a-363, 1674a-364, 1674a-365, 1674a-366, 1674a-367, 1674a-368, 1674a-369, 1674a-370, 1674a-371, 1674a-372, 1674a-373, 1674a-374, 1674a-375, 1674a-376, 1674a-377, 1674a-378, 1674a-379, 1674a-380, 1674a-381, 1674a-382, 1674a-383, 1674a-384, 1674a-385, 1674a-386, 1674a-387, 1674a-388, 1674a-389, 1674a-390, 1674a-391, 1674a-392, 1674a-393, 1674a-394, 1674a-395, 1674a-396, 1674a-397, 1674a-398, 1674a-399, 1674a-400, 1674a-401, 1674a-402, 1674a-403, 1674a-404, 1674a-405, 1674a-406, 1674a-407, 1674a-408, 1674a-409, 1674a-410, 1674a-411, 1674a-412, 1674a-413, 1674a-414, 1674a-415, 1674a-416, 1674a-417, 1674a-418, 1674a-419, 1674a-420, 1674a-421, 1674a-422, 1674a-423, 1674a-424, 1674a-425, 1674a-426, 1674a-427, 1674a-428, 1674a-429, 1674a-430, 1674a-431, 1674a-432, 1674a-433, 1674a-434, 1674a-435, 1674a-436, 1674a-437, 1674a-438, 1674a-439, 1674a-440, 1674a-441, 1674a-442, 1674a-443, 1674a-444, 1674a-445, 1674a-446, 1674a-447, 1674a-448, 1674a-449, 1674a-450, 1674a-451, 1674a-452, 1674a-453, 1674a-454, 1674a-455, 1674a-456, 1674a-457, 1674a-458, 1674a-459, 1674a-460, 1674a-461, 1674a-462, 1674a-463, 1674a-464, 1674a-465, 1674a-466, 1674a-467, 1674a-468, 1674a-469, 1674a-470, 1674a-471, 1674a-472, 1674a-473, 1674a-474, 1674a-475, 1674a-476, 1674a-477, 1674a-478, 1674a-479, 1674a-480, 1674a-481, 1674a-482, 1674a-483, 1674a-484, 1674a-485, 1674a-486, 1674a-487, 1674a-488, 1674a-489, 1674a-490, 1674a-491, 1674a-492, 1674a-493, 1674a-494, 1674a-495, 1674a-496, 1674a-497, 1674a-498, 1674a-499, 1674a-500, 1674a-501, 1674a-502, 1674a-503, 1674a-504, 1674a-505, 1674a-506, 1674a-507, 1674a-508, 1674a-509, 1674a-510, 1674a-511, 1674a-512, 1674a-513, 1674a-514, 1674a-515, 1674a-516, 1674a-517, 1674a-518, 1674a-519, 1674a-520, 1674a-521, 1674a-522, 1674a-523, 1674a-524, 1674a-525, 1674a-526, 1674a-527, 1674a-528, 1674a-529, 1674a-530, 1674a-531, 1674a-532, 1674a-533, 1674a-534, 1674a-535, 1674a-536, 1674a-537, 1674a-538, 1674a-539, 1674a-540, 1674a-541, 1674a-542, 1674a-543, 1674a-544, 1674a-545, 1674a-546, 1674a-547, 1674a-548, 1674a-549, 1674a-550, 1674a-551, 1674a-552, 1674a-553, 1674a-554, 1674a-555, 1674a-556, 1674a-557, 1674a-558, 1674a-559, 1674a-560, 1674a-561, 1674a-562, 1674a-563, 1674a-564, 1674a-565, 1674a-566, 1674a-567, 1674a-568, 1674a-569, 1674a-570, 1674a-571, 1674a-572, 1674a-573, 1674a-574, 1674a-575, 1674a-576, 1674a-577, 1674a-578, 1674a-579, 1674a-580, 1674a-581, 1674a-582, 1674a-583, 1674a-584, 1674a-585, 1674a-586, 1674a-587, 1674a-588, 1674a-589, 1674a-590, 1674a-591, 1674a-592, 1674a-593, 1674a-594, 1674a-595, 1674a-596, 1674a-597, 1674a-598, 1674a-599, 1674a-600, 1674a-601, 1674a-602, 1674a-603, 1674a-604, 1674a-605, 1674a-606, 1674a-607, 1674a-608, 1674a-609, 1674a-610, 1674a-611, 1674a-612, 1674a-613, 1674a-614, 1674a-615, 1674a-616, 1674a-617, 1674a-618, 1674a-619, 1674a-620, 1674a-621, 1674a-622, 1674a-623, 1674a-624, 1674a-625, 1674a-626, 1674a-627, 1674a-628, 1674a-629, 1674a-630, 1674a-631, 1674a-632, 1674a-633, 1674a-634, 1674a-635, 1674a-636, 1674a-637, 1674a-638, 1674a-639, 1674a-640, 1674a-641, 1674a-642, 1674a-643, 1674a-644, 1674a-645, 1674a-646, 1674a-647, 1674a-648, 1674a-649, 1674a-650, 1674a-651, 1674a-652, 1674a-653, 1674a-654, 1674a-655, 1674a-656, 1674a-657, 1674a-658, 1674a-659, 1674a-660, 1674a-661, 1674a-662, 1674a-663, 1674a-664, 1674a-665, 1674a-666, 1674a-667, 1674a-668, 1674a-669, 1674a-670, 1674a-671, 1674a-672, 1674a-673, 1674a-674, 1674a-675, 1674a-676, 1674a-677, 1674a-678, 1674a-679, 1674a-680, 1674a-681, 1674a-682, 1674a-683, 1674a-684, 1674a-685, 1674a-686, 1674a-687, 1674a-688, 1674a-689, 1674a-690, 1674a-691, 1674a-692, 1674a-693, 1674a-694, 1674a-695, 1674a-696, 1674a-697, 1674a-698, 1674a-699, 1674a-700, 1674a-701, 1674a-702, 1674a-703, 1674a-704, 1674a-705, 1674a-706, 1674a-707, 1674a-708, 1674a-709, 1674a-710, 1674a-711, 1674a-712, 1674a-713, 1674a-714, 1674a-715, 1674a-716, 1674a-717, 1674a-718, 1674a-719, 1674a-720, 1674a-721, 1674a-722, 1674a-723, 1674a-724, 1674a-725, 1674a-726, 1674a-727, 1674a-728, 1674a-729, 1674a-730, 1674a-731, 1674a-732, 1674a-733, 1674a-734, 1674a-735, 1674a-736, 1674a-737, 1674a-738, 1674a-739, 1674a-740, 1674a-741, 1674a-742, 1674a-743, 1674a-744, 1674a-745, 1674a-746, 1674a-747, 1674a-748, 1674a-749, 1674a-750, 1674a-751, 1674a-752, 1674a-753, 1674a-754, 1674a-755, 1674a-756, 1674a-757, 1674a-758, 1674a-759, 1674a-760, 1674a-761, 1674a-762, 1674a-763, 1674a-764, 1674a-765, 1674a-766, 1674a-767, 1674a-768, 1674a-769, 1674a-770, 1674a-771, 1674a-772, 1674a-773, 1674a-774, 1674a-775, 1674a-776, 1674a-777, 1674a-778, 1674a-779, 1674a-780, 1674a-781, 1674a-782, 1674a-783, 1674a-784, 1674a-785, 1674a-786, 1674a-787, 1674a-788, 1674a-789, 1674a-790, 1674a-791, 1674a-792, 1674a-793, 1674a-794, 1674a-795, 1674a-796, 1674a-797, 1674a-798, 1674a-799, 1674a-800, 1674a-801, 1674a-802, 1674a-803, 1674a-804, 1674a-805, 1674a-806, 1674a-807, 1674a-808, 1674a-809, 1674a-810, 1674a-811, 1674a-812, 1674a-813, 1674a-814, 1674a-815, 1674a-816, 1674a-817, 1674a-818, 1674a-819, 1674a-820, 1674a-821, 1674a-822, 1674a-823, 1674a-824, 1674a-825, 1674a-826, 1674a-827, 1674a-828, 1674a-829, 1674a-830, 1674a-831, 1674a-832, 1674a-833, 1674a-834, 1674a-835, 1674a-836, 1674a-837, 1674a-838, 1674a-839, 1674a-840, 1674a-841, 1674a-842, 1674a-843, 1674a-844, 1674a-845, 1674a-846, 1674a-847, 1674a-848, 1674a-849, 1674a-850, 1674a-851, 1674a-852, 1674a-853, 1674a-854, 1674a-855, 1674a-856, 1674a-857, 1674a-858, 1674a-859, 1674a-860, 1674a-861, 1674a-862, 1674a-863, 1674a-864, 1674a-865, 1674a-866, 1674a-867, 1674a-868, 1674a-869, 1674a-870, 1674a-871, 1674a-872, 1674a-873, 1674a-874, 1674a-875, 1674a-876, 1674a-877, 1674a-878, 1674a-879, 1674a-880, 1674a-881, 1674a-882, 1674a-883, 1674a-884, 1674a-885, 1674a-886, 1674a-887, 1674a-888, 1674a-889, 1674a-890, 1674a-891, 1674a-892, 1674a-893, 1674a-894, 1674a-895, 1674a-896, 1674a-897, 1674a-898, 1674a-899, 1674a-900, 1674a-901, 1674a-902, 1674a-903, 1674a-904, 1674a-905, 1674a-906, 1674a-907, 1674a-908, 1674a-909, 1674a-910, 1674a-911, 1674a-912, 1674a-913, 1674a-914, 1674a-915, 1674a-916, 1674a-917, 1674a-918, 1674a-919, 1674a-920, 1674a-921, 1674a-922, 1674a-923, 1674a-924, 1674a-925, 1674a-926, 1674a-927, 1674a-928, 1674a-929, 1674a-930, 1674a-931, 1674a-932, 1674a-933, 1674a-934, 1674a-935, 1674a-936, 1674a-937, 1674a-938, 1674a-939, 1674a-940, 1674a-941, 1674a-942, 1674a-943, 1674a-944, 1674a-945, 1674a-946, 1674a-947, 1674a-948, 1674a-949, 1674a-950, 1674a-951, 1674a-952, 1674a-953, 1674a-954, 1674a-955, 1674a-956, 1674a-957, 1674a-958, 1674a-959, 1674a-960, 1674a-961, 1674a-962, 1674a-963, 1674a-964, 1674a-965, 1674a-966, 1674a-967, 1674a-968, 1674a-969, 1674a-970, 1674a-971, 1674a-972, 1674a-973, 1674a-974, 1674a-975, 1674a-976, 1674a-977, 1674a-978, 1674a-979, 1674a-980, 1674a-981, 1674a-982, 1674a-983, 1674a-984, 1674a-985, 1674a-986, 1674a-987, 1674a-988, 1674a-989, 1674a-990, 1674a-991, 1674a-992, 1674a-993, 1674a-994, 1674a-995, 1674a-996, 1674a-997, 1674a-998, 1674a-999, 1674a-1000, 1674a-1001, 1674a-1002, 1674a-1003, 1674a-1004, 1674a-1005, 1674a-1006, 1674a-1007, 1674a-1008, 1674a-1009, 1674a-1010, 1674a-1011, 1674a-1012, 1674a-1013, 1674a-1014, 1674a-1015, 1674a-1016, 1674a-1017, 1674a-1018, 1674a-1019, 1674a-1020, 1674a-1021, 1674a-1022, 1674a-1023, 1674a-1024, 1674a-1025, 1674a-1026, 1674a-1027, 1674a-1028, 1674a-1029, 1674a-1030, 1674a-1031, 1674a-1032, 1674a-1033, 1674a-1034, 1674a-1035, 1674a-1036, 1674a-1037, 1674a-1038, 1674a-1039, 1674a-1040, 1674a-1041, 1674a-1042, 1674a-1043, 1674a-1044, 1674a-1045, 1674a-1046, 1674a-1047, 1674a-1048, 1674a-1049, 1674a-1050, 1674a-1051, 1674a-1052, 1674a-1053, 1674a-1054, 1674a-1055, 1674a-1056, 1674a-1057, 1674a-1058, 1674a-1059, 1674a-1060, 1674a-1061, 1674a-1062, 1674a-1063, 1674a-1064, 1674a-1065, 1674a-1066, 1674a-1067, 1674a-1068, 1674a-10

Department of Water Resources

WELL INSPECTION FORM

If well is associated with water right, provide WR# 07-7730

Otherwise provide legal description and a sketch map and/or address so that the well can be located easily.

1. Legal Description: TWP 11N, Rge 5W, Sec. 30, SE 1/4 SW 1/4 or Lot _____.

2. Owner: Francis Campbell
Address 418 W. 5th St., City Wenatchee, St. Id.

3. Casing $\geq$ 12 inches above ground: Yes ☒ No ☐

4. Access Port: Yes ☐ No ☒ Static Water Level: 12'
Pressure Gauge: Yes ☐ No ☒ Casing Diameter: 6"
Flowing: Yes ☐ No ☒ Temperature: _____

5. Are there any obvious construction problems that may be a source for contamination or waste of water: Yes ☒ No ☐

If answer to Item 5 is Yes, describe in remarks and attach photo.

Remarks: Top of casing was not sealed permanently. Owner was advised to have a permanent metal cap welded to top of casing. He indicated he would correct the problem immediately by replacing the board top with a metal one.

MAILED
AUG 30 1993

USE ADDITIONAL SHEETS IF NECESSARY. FORWARD THE WHITE COPY TO THE DEPARTMENT

67-7730



#1

P/D



#2

P/D - View of
back yard and
garden area.

AMPROFIL MED
AUG 30 1993

67-7730



#3

P14 - View of
home and yard
from street

AUG 30 1993



CECIL D. ANDRUS
Governor

State of Idaho
DEPARTMENT OF WATER RESOURCES
WESTERN REGION, 2735 Airport Way, Boise, Idaho 83705 • (208) 334-2190

R. KEITH HIGGINSON
Director

November 19, 1988

67-7730
Francis A. Campbell
418 West 5th
Weiser, ID 83672

Dear Applicants(s):

We acknowledge receipt of your statement submitted as proof as beneficial use for the above-referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department. A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office.

Sincerely,

Judy Pense
Secretary

/jp

MICROFILMED
DEC 13 1988

1/88

PROOF OF BENEFICIAL USE

ANALYSIS SHEET

Permit No. V7-7730

Date: 10/24/88

General Considerations:

Y Name same as permit
Y Signature the same as permit holder
N Address change _____ If yes, prepare a data entry
Y Proof received timely
_____ Reinstated

Source of Water:

_____ Surface water
Y Groundwater
_____ 1. well log in file
_____ 2. drilling permit
_____ A. amount of drilling fee paid for proposed uses

Extent of Use and Rate of Diversion:

Y Rate of diversion appropriate for uses
_____ Is rate or volume and fee appropriate?
X Has permit holder indicated when water was first put to a beneficial use?

Measuring Device:

N/A Is a measuring device or access port required?
N/A Has one been installed?
_____ Waiver or modification of measuring device requested

Remarks:

Proof acceptable

N/A Priority Calculation:
Date proof received _____
Date proof due _____
No. of days late _____
Priority date _____
NEW PRIORITY DATE _____

SEND FILES TO DATA ENTRY AND THEN TO MICROFILM

To: File 67-07730

From: Groundwater Protection

Date: 10/26

Drilling Permit: ☐ Not Applicable
☒ Found and in file
☐ Not Found

Well Drillers Report:

☐ Not found, due to reported age of well
☒ probably not available
☐ Found and is in file
☐ Not found

Follow-up

☐ Request from permit holder the well
drillers report and/or the name of the
well driller, *and date drilled.*
☐ Ask permit holder when well was drilled
and notify holder of drilling permit
requirement if after July 01, 1987.

*Fo - use of
0.04 cfs or less
OK
JD*

RECEIVED

DEC 13 1988

State of Idaho
Department of Water Resources

DRILLING PERMIT

(Authorizing Construction of a Well)*

1. Applicant Francis A. Campbell
2. Address 418 West 5th St. Weiser, ID 83672

☒ Well Owner ☐ Well Operator ☐ Other, specify _____

3. Water right permit no. _____; Injection well permit no. _____

4. Proposed well location N 1/2 1/4 1/4, or Gov't lot No. _____

Sec. _____, Twp. _____, Rge. _____, County Washington

Lot, block and subdivision Lot 20 Block 23 Washingtons Add.

5. Proposed use of well: (Check all that apply)

☒ Domestic ☐ Stockwater ☐ Monitoring

☒ Irrigation 12.5 + 1/2 acre ☐ Industrial ☐ Municipal

☐ Injection ☐ Other, Specify _____

6. Well construction information:

☒ New well ☐ Deepen ☐ Replace

Proposed surface diameter 6" Proposed depth 35'

Anticipated bottom hole temperature:

- ☒ 85°F or less (Cold water well)
☐ 85°F to 212°F (Low temp. geothermal well)
☐ 212°F or more (Geothermal well)

7. Anticipated construction start date Between Jan 1 - + March 1 - 88

8. Well Driller (if known) Dallas Drilling & Pump Co. Inc.

Address 505 So. 18th St. Payette, ID 83655

Date 12-30-87 Applicant's signature Francis A. Campbell

Title Owner & Resident

MICROFILMED

* After other pre-requisite approvals have been obtained.

DEC 13 1988

The approval of this permit authorizes the construction of a well as described on this application subject to the conditions on this permit.

GENERAL CONDITIONS:

1. The well must be constructed in compliance with the applicable statutes, specific conditions of approval shown on the water right permit, injection well permit, transfer or amendment and the rules and regulations of the Department for water appropriation, injection wells and well construction standards.
2. This drilling permit is valid for two (2) months from its date of issuance for the start of construction and is valid for one (1) year from the date of issuance for completion of the well unless an extension has been granted.
3. The permit holder or his representative shall notify the Department ten (10) days prior to the start of construction unless good cause for later notification can be shown.
4. The well shall be constructed by a driller currently licensed in the State of Idaho who must maintain a copy of the drilling permit at the drilling site.
5. Issuance of this drilling permit does not authorize trespass on the land of another party.
6. This permit does not constitute other local, county, state or federal approvals which may be required for construction of a well.

SPECIFIC CONDITIONS:

7. Item 3 is not required.
 8. The owner or driller shall provide a complete legal description with the well report.
 9. Approved for domestic and irrigation of less than 1/2 acre
- Dated this 4th day of January, 1988.

Signed John Reed

Title

SECTION MANAGER
GROUNDWATER PROTECTION

Received by ry Fee \$10.00 Date 1-4-88

Receipt No. 48244 Construction start date

Construction start extension to

Extension approved by

MICROFILMED

DEC 13 1988

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources
within 30 days after the completion or abandonment of the well.

1. WELL OWNER

Name FRANCIS CAMPBELL

Address 418 West 5th St. Weiser, Idaho

Owner's Permit No. DRILLING #67-88-2-01

2. NATURE OF WORK

☒ New well

☐ Deepened

☐ Replacement

☐ Abandoned (describe abandonment procedures such as materials, plug depths, etc. in lithologic log)

3. PROPOSED USE

☐ Domestic

☒ Irrigation

☐ Test

☐ Municipal

☐ Industrial

☐ Stock

☐ Waste Disposal or Injection

☐ Other (specify type)

4. METHOD DRILLED

☐ Rotary

☐ Air

☐ Hydraulic

☐ Reverse rotary

☒ Cable

☐ Dug

☐ Other

5. WELL CONSTRUCTION

Casing schedule: ☒ Steel ☐ Concrete ☐ Other

Thickness .250 inches

Diameter 6 inches

From 1 feet

To 21 feet

Was casing drive shoe used? ☒ Yes ☐ No

Was a packer or seal used? ☐ Yes ☒ No

Perforated? ☒ Yes ☐ No

How perforated? ☐ Factory ☐ Knife ☒ Torch

Size of perforation 1/8 inches by 5 inches

90 perforations

15 feet

20 feet

Well screen installed? ☐ Yes ☒ No

Manufacturer's name

Type Model No.

Diameter Slot size Set from feet to feet

Diameter Slot size Set from feet to feet

Gravel packed? ☐ Yes ☒ No ☐ Size of gravel

Placed from feet to feet

Surface seal depth 13 Material used in seal: ☐ Cement grout ☒ Bentonite ☐ Pudding clay

Sealing procedure used: ☒ Slurry pit ☐ Temp. surface casing ☒ Overbore to seal depth

Method of joining casing: ☐ Threaded ☒ Welded ☐ Solvent Weld

☐ Cemented between strata

7. WATER LEVEL

Static water level 12 feet below land surface.

Flowing? ☐ Yes ☒ No G.P.M. flow

Artesian closed-in pressure p.s.i.

Controlled by: ☐ Valve ☐ Cap ☐ Plug

Temperature 58 OF. Quality GOOD

Describe artesian or temperature zones below.

8. WELL TEST DATA

☐ Pump

☒ Bailer

☐ Air

☐ Other

Discharge G.P.M.

Pumping Level

Hours Pumped

30

20

1

9. LITHOLOGIC LOG

Bore Diam.

Depth

Material

Water

From

To

Yes

No

8

0

13

BROWN CLAY

X

6

13

19

SAND & GRAVEL

X

6

19

30

BLUE CLAY

X

10.

Work started 2/10/88 finished 2/11/88

6. LOCATION OF WELL

Sketch map location must agree with written location.

N

W

E

S

X

Subdivision Name

Lot No. Block No.

County Washington

SE 1/4 SW 1/4 Sec. 30 T. 11N N/S, R. 5W E/W.

11. DRILLERS CERTIFICATION

I/We certify that all minimum well construction standards were complied with at the time the rig was removed.

Firm Name DALLAS DRILLING AND PUMP CO. INC.

Address 505 S. 18th Street #445

Address PAYETTE, IDAHO Date 3/11/88

Signed by (Firm Official) and (Operator)

USE ADDITIONAL SHEETS IF NECESSARY — FORWARD THE WHITE COPY TO THE DEPARTMENT

USE TYPEWRITER OR
BALLPOINT PEN

OCT 17 1988

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

[illegible]

USE ADDITIONAL SHEETS IF NECESSARY — FORWARD THE WHITE COPY TO THE DEPARTMENT

S T A T E O F I D A H O
D E P A R T M E N T O F W A T E R R E S O U R C E S

Statehouse
Boise, Idaho 83720
(208) 334-7900
May 23, 1988

FRANCIS CAMPBELL
418 W. 5TH ST.
WEISER, ID 83672

P E R M I T A P P R O V A L N O T I C E

RE: PERMIT NO. 67-07730

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

You should be aware that the groundwater you propose to divert is located within a drainage basin where surface waters are regulated during the months of low flow. It is possible that diversion of groundwater may have an adverse impact on these surface water flows. Information available to us at this time does not warrant refusing to issue permits in your area, but we do caution that diversions of groundwater are not allowed to deplete flows available for surface water users with earlier priority dates. Siting your well as far from surface sources as possible and casing out upper water producing zones may reduce the potential of interference.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also

MICROFILMED
DEC 13 1988

enclosed for your convenience is a form entitled "Proof of Beneficial Use" that must be submitted to the Department when your project is completed.

Sincerely,

Gary Spackman
Supervisor, Water Allocation Section

GS: SC
Enclosures

RECEIVED

DEC 13 1988

Nº 1047

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO, }
County of Washington } ss.

POROTHY A. BOOTH, being duly sworn,
deposes and says:

That he is the *Clerk* of
THE WEISER SIGNAL, a weekly newspaper published at
Weiser, in the County of Washington and State of Idaho; that
said paper has been and is in general circulation in the
county aforesaid, and in the vicinity of Weiser; that the ad-
vertisement, a copy of which is attached hereto, was pub-

lished in said newspaper once a week for *2* consecu-
tive weeks in the regular and entire issue of said paper dur-
ing the period and time of publication, and was published in
the newspaper proper and not in a supplement; that said
paper has been established and regularly published for more
than seventy-eight consecutive weeks prior to the date of
first publication of said advertisement.

Such notice was published in the issue beginning with
April 21, 19 *88*, and ending
with the issue of *April 28*, 19 *88*

Fees, \$ *32.72*

Subscribed and sworn to before me this *28*
day of *April*, 19 *88*

[Signature]
Notary Public, Residing at Weiser, Idaho.

My Commission Expires *1-1*, 19 *93*

NOTICE
The following application(s) have been filed to appropriate the
waters of the State of Idaho.

67-07730

CAMPBELL, FRANCIS

WEISER, ID 83672

Source: GROUNDWATER

Tributary:

Diversion Pt: SESW Sec 30 T 11N R 05W

Use: DOMESTIC (0.40 CFS)

Effective Date: 3/30/88

In: SESW Sec 30 T 11N R 05 W FOR ACRES

The permit(s) will be subject to all prior water rights. Protests
must be filed with the Director, Dept. of Water Resources,
Western Region, 2735 Airport Way, Boise, Idaho 83705 on or
before MAY 9, 1988.

R. KEITH HIGGINSON, Director

Published 4/21/1988 & 4/28/1988

MICROFILMED

DEC 13 1988

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Western Region

2735 Airport Way
Boise, Idaho 83705
(208) 334-2190

APRIL 13, 1988

The Weiser Signal
Box 709
Weiser, ID 83672

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before MAY 9, 1988.

Yours truly,

JUDY FENSE
Secretary

Encl.

MICROFILMED

DEC 13 1988

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Western Region, 2735 Airport Way, Boise, Idaho 83705 on or before

R. KEITH HIGGINSON, Dir.

MICROFILMED

Published 04/21 & 04/28/88.

DEC 13 1988

67-07730

CAMPBELL, FRANCIS
418 W. 5TH ST.
WEISER, ID 83672

Source: GROUNDWATER

Tributary:

Diversion Pt: SESW Sec 30 T 11N R 05W

Use: DOMESTIC (.040 CFS)

Date Filed: 3/30/88

In: SESW Sec 30 T 11N R 05W FOR ACRES

MICROFILMED

DEC 13 1988