


13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Alvin D. Santa
(Applicant)

Nº 1005

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO, }
County of Washington } ss.

Dorothy A. Burt, being duly sworn,
deposes and says:

That he is the Claret of
THE WEISER SIGNAL, a weekly newspaper published at
Weiser, in the County of Washington and State of Idaho; that
said paper has been and is in general circulation in the
county aforesaid, and in the vicinity of Weiser; that the ad-
vertisement, a copy of which is attached hereto, was pub-
lished in said newspaper once a week for Two consecu-
tive weeks in the regular and entire issue of said paper dur-
ing the period and time of publication, and was published in
the newspaper proper and not in a supplement; that said
paper has been established and regularly published for more
than seventy-eight consecutive weeks prior to the date of
first publication of said advertisement.

Such notice was published in the issue beginning with
May 21, 1987, and ending
with the issue of May 28, 1987

Fees, \$ 28.96

No. 1005
NOTICE OF APPLICATION FOR WATER RIGHT

The following application has been filed to appropriate the
public waters of the State of Idaho:

67-7712 ✓ 124

SAITO BROS. INC.
5387 HWY. 201, ONTARIO, OR 97914
Source: GROUNDWATER
Diversion PT: NWNE Sec 23 T 11N R 06W
Use: IRRIGATION (2.440 CFS)
Date Filed: 04/07/1987
In: NENE NWNE SWNE SENE Sec 23 T 11N R 06W
NWNW SWNW Sec 24 T 11N R 06W FOR 122 ACRES

The permit will be subject to all prior water rights. Protests
must be filed with the Director, Dept. of Water Resources,
Western Region, Statehouse, Boise, Idaho 83720 on or before
JUNE 8, 1987.

KEN DUNN, Dir.
Published 05/21 & 05/27/87.

24-2S

MICROFILMED

Subscribed and sworn to before me this 28
day of May, 1987

[Signature]
Notary Public, Residing at Weiser, Idaho.

My Commission Expires 1-1, 1993

RECEIVED
JUN 2 1987

Department of Water Resources
Western Regional Office

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
MAR 13 1991

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 87-1712

1. Owner: SAITO FARMS Phone No. _____

Current Address: 5387 HIGHWAY 201 ONTERIO, OR. 97914

2. Accompanied by: BRET KARNES EXAM. DATE: 8-14-89

Address: _____ Phone No. _____

Relationship to Permit Holder: RANCH MANAGER

3. Source: GROUNDWATER tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: TWO RIGHTS; SURFACE WATER SOURCE

☐ Copies Attached


2. Other water rights with same point of diversion: NONE

☐ Copies Attached

☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = _____

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).

- ☒ Photo of Diversion and System Attached


(required for all but single household domestic groundwater, and stockwater.

- ☒ Aerial Photo Attached
(required for irrigation of 10 acres or more).

RECEIVED

FEB 04 1993


13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Alvin D. Santa
(Applicant)



97000

RECEIVED

FEB 14 1993

49000

<----- PICTURE # 1

This picture was taken from the canal and is looking east. Also shown is the measurement port. The line shown runs to ground on the west side of the canal. Water was being used on the ground southwest of the P/D but that ground is not normally irrigated from this P/D.



PICTURE # 2

This picture is looking southwest and shows the well the booster pump and the plumbing involved. the measurement port is on the pipe shown on the right side of this photo.



FEB 04 1993

PICTURE # 3

This picture is looking south and shows the bend in the canal which is the west boarder of the P/U.



PICTURE # 4

This picture taken from the same spot as # 3 Is looking west and shows the current division between the fields.



FEB 04 1993

PICTURE # 5

This picture is looking south and shows that the southern field division is in line with the northern fields.



PICTURE # 6

This picture is looking west northwest and shows the land leveling on the east side of the farmstead. The buildings shown are just beyond the lands irrigated under this permit.



FEB 04 1993

PICTURE # 7

This picture shows the land development on the west side of the farmstead and the gated pipe used to irrigate this field. This picture is looking east.



RECEIVED
FEB 04 1993

RECEIVED

JUN 22 1988

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

Department of Water Resources

PROOF OF BENEFICIAL USE

For Office Use Only
Fee Received \$250.00
Date 6/22/88
Receipt # C001541
Receipt by Jim
Reviewed by JS
Sent to region

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 67-7712 ~~* 67-7713~~

Name(s) of Permit Holder: SAITO BROS. INC.

Post Office Address: 5387 Hwy 201

ONTARIO, OREGON 97914 Telephone No. 1-503-262-3473

Source of Water: GROUND ~~* SURFACE~~

Extent of Use:

Domestic (number of households) Stockwater (number and type of stock)

Irrigation 175 ACRES (acres) Other/Remark

Total rate and/or volume for which proof is submitted 67-7712 is for 2.74 CFS ~~67-7713 is for .52 cfs~~ acre-feet

Show the date water was first diverted and beneficially used under this permit: Both in July of 1987

Measuring Device: Required? Yes X No
Installed? Yes No

Fee enclosed \$ 250.00 ~~(150.00)~~
(See License Examination Fee Schedule)

Flow Measurement Port: Required? X Yes X No
Installed? Yes No

Person to contact to accompany the Department representative during the field examination:

Al SAITO

(Name)

549-2385

(Telephone Number)

1089 Olds Ferry Rd

Weiser, Idaho

(Address)

83672

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

June 20, 1988
Date

Alan D. Saito, PRES.
Signature of Permit Holder (and title, if appropriate)

OCT 03 1988

USE TYPEWRITER OR
BALL POINT PEN

State of Idaho
Department of Water Resources

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

1. WELL OWNER Name: <u>Mr. Sato</u> Address: <u>Home</u> Owner's permit No. _____		7. WATER LEVEL Static water level: <u>2'</u> feet below land surface Flowing? ☐ Yes ☒ No G.P.M. flow _____ Temperature _____ Quality _____ Waterman closed or pressure _____ P.S.I. _____ Controlled by ☐ Valve ☐ Cap _____																												
2. NATURE OF WORK ☒ New well ☐ Deepened ☐ Replacement ☐ Abandoned (describe method of abandoning) _____		8. WELL TEST DATA Pump ☐ Barler ☒ P. Driver Discharge G.P.M. <u>36</u> Draw Down <u>54</u> Hours Pumped <u>7</u>																												
3. PROPOSED USE ☐ Domestic ☒ Irrigation ☐ Test ☐ Other (specify type) _____ ☐ Municipal ☐ Industrial ☐ Stock ☐ Waste Disposal or Injection _____		9. LITHOLOGIC LOG <table border="1"><thead><tr><th rowspan="2">Hole Diam.</th><th colspan="2">Depth</th><th rowspan="2">Material</th><th rowspan="2">Water Yes No</th></tr><tr><th>From</th><th>To</th></tr></thead><tbody><tr><td>16</td><td>6</td><td>15</td><td>Hard pan</td><td></td></tr><tr><td>10</td><td>15</td><td>35</td><td>Blue Clay</td><td></td></tr><tr><td>12</td><td>35</td><td>42</td><td>Hard T. Subsoil</td><td></td></tr><tr><td>10</td><td>42</td><td>54</td><td>Blue Clay</td><td></td></tr></tbody></table>		Hole Diam.	Depth		Material	Water Yes No	From	To	16	6	15	Hard pan		10	15	35	Blue Clay		12	35	42	Hard T. Subsoil		10	42	54	Blue Clay	
Hole Diam.	Depth		Material		Water Yes No																									
	From	To																												
16	6	15	Hard pan																											
10	15	35	Blue Clay																											
12	35	42	Hard T. Subsoil																											
10	42	54	Blue Clay																											
4. METHOD DRILLED ☐ Cable ☒ Rotary ☐ Dug ☐ Other _____																														
5. WELL CONSTRUCTION Diameter of hole <u>12</u> inches Total depth <u>54</u> feet Casing schedule ☒ Steel ☐ Concrete Thickness <u>2.56</u> inches Diameter <u>12</u> inches From <u>0</u> feet To <u>55</u> feet inches inches feet feet inches inches feet feet inches inches feet feet inches inches feet feet Was casing drive shoe used? ☐ Yes ☒ No Was a packer or seal used? ☐ Yes ☒ No Perforated? ☒ Yes ☐ No How perforated? ☒ Factory ☐ Knife ☐ Torch Size of perforation <u>1/2</u> inches by <u>3</u> inches Number <u>45</u> From <u>35</u> feet To <u>55</u> feet perforations feet feet perforations feet feet perforations feet feet Well screen installed? ☐ Yes ☒ No Manufacturer's name _____ Type _____ Model No. _____ Diameter _____ Slot size _____ Set from _____ feet to _____ feet Diameter _____ Slot size _____ Set from _____ feet to _____ feet Gravel packed? ☒ Yes ☐ No Size of gravel _____ Placed from _____ feet to _____ feet Surface seal depth <u>1.5</u> Material used in seal ☐ Cement grout ☒ Pudding clay ☐ Well cuttings Sealing procedure used ☐ Slurry pit ☐ Temporary surface casing ☒ Overbore to seal depth																														
6. LOCATION OF WELL Sketch map location must agree with written location. <u>67</u>  Subdivision Name _____ Lot No. _____ Block No. _____ County <u>North</u> <u>NW 1/4 NE 1/4 Sec. 23, T. 11 N, R. 6 E</u>		10. Work started <u>8-1-77</u> finished <u>8-2-77</u>																												
		11. DRILLERS CERTIFICATION Firm Name <u>Dallas Drilling</u> Firm No. <u>224</u> Address <u>Payette</u> Date <u>8-2-77</u> Signed by (Firm Official) <u>Dallas G. Giff</u> and (Operator) <u>Johnny L. Giff</u>																												

USE ADDITIONAL SHEETS IF NECESSARY

FORWARD THE WHITE COPY TO THE DEPARTMENT

OCT 03 1988

PAGE 3603
01/02/1987

TWINSHIP RE

TWINSHIP RE

120 05

PAGE 3604
01/02/1987

TOWNSHIP RING

TOWNSHIP RING

JUL 09 1987

(POU CONTINUED)
12N 046

IDaho DEPARTMENT OF WATER RESOURCES
WATER RIGHTS BY PLACE OF USE

PAGE 3602
01/02/1987

WBSHP	RNG	SEC	TRACT	LOT	ACRES	USES	WATER RIGHT NUMBER	LAST NAME	OWNER CODE	STAGE	PRIORITY DATE	SOURCE OF WATER
-------	-----	-----	-------	-----	-------	------	-----------------------	-----------	---------------	-------	------------------	-----------------

YOU CONTINUED FROM PREVIOUS PAGE

[illegible]

MICROFILMED

JUL 09 1987

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 67-07712

Priority: April 7, 1987

Maximum Diversion Rate: 1.45 CFS
Maximum Diversion Volume: 549.0 AF

This is to certify, that SAITO BROS INC
5387 HWY 201

ONTARIO OR 979140000 has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated April 7, 1987; and has submitted Proof of Beneficial Use on June 22, 1988. An examination indicates that the works have a diversion capacity of 1.450 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	1.45 CFS	549.0 AF

LOCATION OF POINT(S) OF DIVERSION: NWNE , Sec. 23, Township 11N, Range 06W
WASHINGTON County

<u>PLACE OF USE: IRRIGATION</u>		<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>	
<u>TWN</u>	<u>RGE</u>	<u>SEC</u>				
11N	06W	23	NENE 30	NWNE 35	SWNE 4	105
			SENE 36			17
		24	NWNW 14	SWNW 3		

Total number of acres irrigated: 122

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right limited to the amount that can actually be beneficially use used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 4.5 afa per acre for the lands above.
6. The right holder shall use the full allotment of his surface water right, to the extent it is available, in conjunction with

FEB 04 1993

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 67-07712

CONDITIONS/REMARKS:

groundwater diverted pursuant to this right.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 5TH
day of JANUARY, 1993.

Acting for R. Keith Higginson, Director

FEB 04 1993

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant Saito Bros. Inc. Phone 503-262-3473

Post office address 5387 Hwy 201, Ontario, OR 97914

2. Source of water supply groundwater which is a tributary of _____

3. Location of point of diversion is _____ $\frac{1}{4}$ of NW $\frac{1}{4}$ of NE $\frac{1}{4}$, Govt. Lot _____

Sec. 23 Township 11 N Range 6 W B.M. Washington County; additional
points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 2.44 for irrigation purposes from 3/15 to 11/15 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated is (a) 2.44 and/or (b) _____
cubic feet per second acre feet per annum

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. well, pump, distribution system

b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.

c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.

d. Is ground water with a temperature of greater than 90°F being sought? _____

7. Time required for the completion of the works and application of the water to the proposed beneficial use is
5 years (minimum 1 year).

RECEIVED
JUL 09 1987

8. Description of proposed uses (if irrigation only, go to item 9):

- Hydropower; show total feet of head and proposed capacity in KW. _____
- Stockwatering; list number and kind of livestock. _____
- Municipal; show name of municipality. _____
- Domestic; show number of households. _____
- Other; describe fully. _____

9. Description of place of use:

- If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- If water is used for other purposes, place a symbol of the use (example: *D* for *Domestic*) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
11 N	6 W	23	30	35	4	36													105
11 N	6W	24						14	3										17

Total number of acres to be irrigated 122


- Describe any other water rights used for the same purposes as described above. Weiser Irrigation District water; application is for supplemental use
- Who owns the property at the point of diversion? applicant
 - Who owns the land to be irrigated or place of use? applicant
 - If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

12. Remarks: _____

RECEIVED

JUL 09 1987

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

(Applicant)

Proposed Priority 4/7/87
Received by nl Date 4-7-87 Time 12:00 Preliminary check by [Signature]
Fee \$ 85.00 Receipted by SP # 42311 Date 4/9/87
Publication prepared by SP Date 5-21-87 Published in The Weiser Signal
Publication approved AA Date 6-8-87

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 67-7712, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before July 1, 1988.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.
- e. Other: Prior to the diversion of water under this permit a flow measurement port or other device as specified by the Department shall be installed to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department.

Witness my hand this 24th day of June, 1987.

[Signature]
Chief, Operations Bureau

MICROFILMED

JUL 09 1987

Nº 1005

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO, } ss.
County of Washington }

Don'thy A. B. B., being duly sworn,
deposes and says:

That he is the Chert of
THE WEISER SIGNAL, a weekly newspaper published at
Weiser, in the County of Washington and State of Idaho; that
said paper has been and is in general circulation in the
county aforesaid, and in the vicinity of Weiser; that the ad-
vertisement, a copy of which is attached hereto, was pub-

lished in said newspaper once a week for Two consecu-
tive weeks in the regular and entire issue of said paper dur-
ing the period and time of publication, and was published in
the newspaper proper and not in a supplement; that said
paper has been established and regularly published for more
than seventy-eight consecutive weeks prior to the date of
first publication of said advertisement.

Such notice was published in the issue beginning with
May 21, 1987, and ending
with the issue of May 28, 1987.

Don'thy A. B. B.
Fees, \$ 28.26

Subscribed and sworn to before me this 28
day of May, 1987.

Don'thy A. B. B.
Notary Public, Residing at Weiser, Idaho.

My Commission Expires 1-1, 1993.

NOTICE OF APPLICATION FOR WATER RIGHT

The following application has been filed to appropriate the
public waters of the State of Idaho:

67-7712 ✓ 24

SAITO BROS. INC.

5387 HWY. 201, ONTARIO, OR 97914

Source: GROUNDWATER

Diversion PT: NWNE Sec-23 T 11N R 06W

Use: IRRIGATION (2.440 CFS)

Date Filed: 04/07/1987

In: NENE NWNE SWNE SENE Sec 23 T 11N R 06W

NWNW SWNW Sec 24 T 11N R 06W FOR 122 ACRES

The permit will be subject to all prior water rights. Protests
must be filed with the Director, Dept. of Water Resources,
Western Region, Statehouse, Boise, Idaho 83720 on or before
JUNE 8, 1987.

Published June 8, 1987 24-28

RECEIVED
JUN 8 1987

Department of Water Resources
Western Regional Office



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

January 7, 1993

SAITO BROS INC
5387 HWY 201
ONTARIO OR 979140000

RE: WATER RIGHT NO. 67-07712

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

A handwritten signature in cursive script that reads "Pamela Skaggs".

PAMELA SKAGGS
Water Resource Agent

PS:cz

Enclosure

FEB 04 1993



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

November 9, 1992

SAITO BROS INC
5387 HWY 201
ONTARIO OR 979140000

RE: WATER RIGHT NO. 67-07712

Dear Water Right Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

Sincerely,

PAMELA SKAGGS
Water Resource Agent

PS:cz

Enclosure

NOV 10 1992

NOV 04 1993

LICENSE REVIEW CHECKLIST

Permit # 67-7712

Date 11-05-92
ES

	Yes	No	
NAME	___	<u>/</u>	Address Change?
PRIORITY DATE	___	<u>/</u>	Advance? _____
	___	<u>/</u>	Memo to Advance _____
	___	<u>/</u>	Order to Reinstate Needed? _____
TOTAL CFS	___	<u>/</u>	Incorrect Fee for rate recommended? _____
	___	<u>/</u>	Disagree with Actual Measurement? _____
	___	<u>/</u>	<u>122 x .02 = 2.44 / 1.45 cfs (IRR)</u>
	<u>NA</u>	___	Disagree with Theoretical? _____
	<u>/</u>	___	Limited by Capacity? <u>1.45 cfs</u>
TOTAL VOLUME			Rate/ac <u>4.5</u> AFA Irr. Season <u>D</u>
			<u>3-15 to 11-15</u> Standard Irr. Season _____
			<u>Same Per Permit</u> Season Recommended _____
	___	<u>/</u>	Disagree with Examiner's Calculations? _____
	___	<u>/</u>	<u>122 x 4.5 = 549 afc (IRR)</u>
	___	<u>/</u>	Limited by Flow? _____
SOURCE	___	<u>/</u>	Changes? Clarification of <u>Originally</u>
	___	<u>/</u>	<u>Intended</u> source _____
	___	<u>/</u>	Notice of Intent to Void. _____
P/D			Verify with Map _____
	___	<u>/</u>	Amendment Needed? _____
	___	<u>/</u>	Is Overlap Analysis a Consideration? _____
P/U			Verify with Map _____
	___	<u>/</u>	Amendment Needed? _____
	___	<u>/</u>	Is Overlap Analysis a Consideration? _____
USES	___	<u>/</u>	Change(s) in Nature of Use? _____
	___	<u>/</u>	Amendment Needed? _____
REMARKS	___	<u>/</u>	Multiple P/Ds in 1/4 1/4? _____
	___	<u>/</u>	Non-Irr. Uses _____
	___	<u>/</u>	Special Overlap Condition _____
	___	<u>/</u>	Other _____
CONDITIONS	___	<u>/</u>	Measuring Device DATES/MISC
	___	<u>/</u>	W/Master Control ___ <u>/</u> Water Dist.
	<u>R32</u>	___	Overlap <u>/</u> ___ App Rec'd
	___	<u>/</u>	Water Quality <u>/</u> ___ Exam Made
COMMENTS/MEMOS NEEDED:			<u>Reduced rate</u>

License	___	10-Day	<u>/</u> 15-Day ___ Special Correspondence

WR0749NP
No. L67-07712

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT
(REGIONAL)

DATE: 11/05/92
PAGE: 1

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	SAITO BROS INC 5387 HWY 201 ONTARIO OR 979140000	04/07/1987	IRRIGATION	03-15 11-15	1.45 CFS	549.0 AFA
TOTAL DIVERSION:					1.45 CFS	549.0 AFA

Water Source: GROUNDWATER

Tributary to:

Stage: LICENSE

Point(s) of Diversion Capacity: 1.45 CFS

Point(s) of Diversion: T11N R06W S23 NW NE

Place of use Legal Description for: IRRIGATION

				NE				NW				SW				SE					
T	R	S	:	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	:	SUM
11N	06W	23	:	30		35		04		36	:									:	105.0
11N	06W	24	:								:	14		03	:					:	17.0
TOTAL ACRES																				:	122.0

Pou County: WASHINGTON

Other Rights: WEISER IRR. DIST.

Other Water Rights with Same Point(s) of Diversion and Source:
67-07712

Other Water Rights Listing Overlapping Place(s) of use:
67-02095 67-02110 67-02168 67-02169 67-02265 67-02384A 67-07712 67-07713 67-07717

Conditions of Approval:

- R32 - This right when combined with all other rights shall provide no
- more than .02 cfs per acre nor more than 4.5 afa per acre for the
- lands above.

Dates:	App. Received:	04/07/1987	Priority Date:	04/07/1987
	Proof Due Date:	07/01/1988	Proof Made Date:	06/22/1988
	Exam Made Date:	08/14/1989	Exam Sent to S.O.:	03/13/1991
	Licensed Date:			

Misc: Water District Number: Field Exam Fee: R (Received)

Audit: 11/05/92 SKAGGS

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

67-7712
Permit No.

Staff Analysis Sheet
for
Beneficial Use Field Report

A. Prior to Conducting the Exam, the File Contains:

- ☒ Blank Field Report Form
☒ Copy of Permit
☒ Copies of any Amendments/Orders with conditions of approval
yes ☒ Well Inspection Form Needed
☒ Copy of U.S.G.S. Quad

none Check for Government Lots. If so, make a copy of Government Plat

Check of P/D index 8-11-89 KKC (Initial and date)

Overlap? ☒ yes ☒ no If yes: ☐ copy of exam(s) attached?
Type of Overlap? ☐ Add acres or uses to existing system
☐ Increase rate of flow or volume
☐ Other: _____

Check of P/U index 8-11-89 KKC (Initial and date)

Overlap? ☒ yes ☐ no If yes: ☐ copy of water right(s) attached?
Type of Overlap? ☐ Increase rate of flow or volume
☒ Add P/D's
☐ Increase number of acres within tracts
☒ Other: WEISER IRRIG. WATER; SALON/WEISER RIVER IRRIG.

Aerial Photo

Required? ☒ yes ☐ no If yes: ☐ copy attached?

Scheduling Letter sent? _____ (Initial and date)

☒ Appointment made and telephone conversation memo attached

B. After Conducting the Exam, the File Contains:

- ☒ Fully completed and signed Field Report Form
☒ Photographs of Point of Diversion and Place of Use

C. Review and Processing:

Exam Completed 9-17-89 Kelly K. Minter (Signature of examiner and date)
Exam Reviewed by Senior Water Resource Agent (initials) (Initial and date)
Exam Reviewed by Manager of Regional Office DG 3/15/91 (Initial and date)
Exam Date Entered in Computer ✓ (Initial and date)
Exam sent to State Office 3-15-91 st (Initial and date)
Copy of Staff Analysis Sheet sent to Manager of Regional Office and Original
Refiled in White File _____ (Initial and date)

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
MAR 13 1991

Department of Water Resources
Permit No. 07-177-120

A. GENERAL INFORMATION


1. Owner: SAITO FARMS Phone No. _____
Current Address: 5387 HIGHWAY 201 ONTERIO, OR. 97914
2. Accompanied by: BRET KARNES EXAM. DATE: 8-14-89
Address: _____ Phone No. _____
Relationship to Permit Holder: RANCH MANAGER
3. Source: GROUNDWATER tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: TWO RIGHTS; SURFACE WATER SOURCE ☐ Copies Attached
2. Other water rights with same point of diversion: NONE ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required). ☒ Aerial Photo Attached
(required for irrigation of 10 acres or more).
☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).

RECEIVED

FEB 04 1993

System Description (continued)

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

THE SYSTEM IS A WELL SUPPLYING WATER TO THE PLACE OF USE VIA 3" HAND LINES. LINES ARE OF VARYING LENGTHS WITH 165 SPRENKLER HEADS RAINBIRDS MDL 30 WITH 1/8" TIERS. CURRENT USE IS TO USE A TEMPORARY 8" ALUMINUM LINE TO CARRY THE WATER TO EXISTING CEMENT DITCHES AND BURIED PIPE LINES.

☐ See Remarks on page 4 for continuation

- 4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
WELL PUMP	U.S. MOTORS	30	N322.R042R-14	JOHNSTON	8"
BOOSTER	BALDOR	40	672-40E49W11	BERKLEY	4"

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
					23	11N	6W	WASHINGTON	ORTHO PHOTOGRAPHIC QUAD MAP

6. Place(s) of Use:

Indicate Method of Determination ORTHO PHOTO & AERIAL PHOTO

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
11N	6W	23	30	35	4	36													105
11N	6W	24					14	3											17
																			122

RECEIVED

Do not use this space

FEB 04 1993

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
ANNUBAR				91414	8"	
MANOMETER				#2	48"	

2. Measurements:

MEASURED 1.45 CFS

(SEE SUPPLEMENTAL SHEET ANNUBAR MEASUREMENT)

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

2. Alternate Method for Checking Purposes:

165 HEADS OPERATING, 1/8" tip & MDL30EV = 3.55 GPM
@ 50 PSI

X 165
585.75 GPM
4488 = 1.31

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) : Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 122 \times 4.5 = 549$

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 1.45 \times 245 \times 1.9835 = 704.6$

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 549$

2. Volume Calculations for Other Uses:

MICROFILMED

FEB 04 1993

H. REMARKS AND OVERLAP REVIEW ANALYSIS

NO OVERLAP FOUND

PERMIT IS FOR IRRIGATION OF 122 ACRES AND 2.44 CFS
 FEES PAID FOR 3.00 CFS MAX
 FOUND IRRIGATION OF 122 ACRES @ 1.43 CFS
 $1.45 \text{ CFS} / 122 \text{ ACRES} = 0.0119 \text{ CFS/ACRE}$

I. RECOMMENDATIONS

1. Recommended Amounts


Beneficial Use	Period of Use		Rate of Diversion	Annual Volume
	From	To	Q (cfs)	V (afa)
IRRIGATION	3-15	11-15	1.45	549
Totals:			1.45 CFS	549 AFA

2. Recommended Amendments

- ☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

J. AUTHENTICATION

Field Examiner's Name KEELY K. CHRISTENSEN
 Signature Keely K. Christensen
 Certification Date 3-12-91
 Field Report Preparation Date 10-17-89



K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

RECEIVED

FEB 04 1993

State of Idaho
Department of Water Resources
WELL INSPECTION FORM

This form should be completed by the examiner when conducting a field examination to determine the extent of beneficial use of water from a well or whenever a well is inspected for other reasons. The form should be forwarded to Groundwater Protection Section in the State Office upon completion.

1. Legal Description of well location. Twp. 11N, Rge. 6W,
Sec. 23, Qtr./Qtr. NW/NE or Lot _____
2. Owner SATO FARMS
Address 5387 HIGHWAY 201, City ONTARIO, State OR
3. Approx. date of well construction 1987 MAY
Well Driller FRANK SELLY
4. Casing: Diameter 12" Condition NEW
5. Casing length above land surface CEMENT PAD 3" HIGH; CASING 3.5" ABOVE PAD
6. Well depth (ft) 70' Flowing NO Temp. _____
Access port YES BUT UNABLE TO REMOVE
7. Condition of piping and valving NEW
8. Evidence of well seal -
9. Shut in pressure or static water level -
10. Evidence of leakage around the casing NONE
11. Does well need repair NO
12. Comments _____

(OVER)

RECEIVED
MAY 14 1993

SCHEMATIC

Provide a schematic diagram showing the location of the well in the quarter-quarter with respect to houses, roads, other wells or readily identifiable features.

Inspected by _____ Date _____

State of Idaho
DEPARTMENT OF WATER RESOURCES
SUPPLEMENTAL FIELD REPORT FOR ANNUBAR MEASUREMENT

Measured by: KELLY K. CHRISTENSEN

Date 8-14-89

Owner: _____

Permit No. 67 7712

Description of well &/or measuring site

- Include any clarifications of the sketch
- Include legal description if more than one p.d. is described in the Field Report

MEASURED INSIDE PIPE DIAMETER IN INCHES (ID)

CIR = Pipe Circumference in Inches = _____

T = Pipe Thickness in Inches = _____

ID = $2 [(.01592 \times \text{CIR}) - T] =$ 7.625 DIRECT MEASUREMENT

ANNUBAR DESCRIPTION & CONSTANT (C)

Size Used in Test 8"

State ID No. 91414

Select C based on size from Table below.

Nominal Pipe Size	C
4"	4.23
6"	3.75
8"	3.37
10"	3.24
12"	3.99
14" - 16"	4.01
18" - 24"	4.02
30" or larger	4.03

C selected 3.87

DIFFERENTIAL PRESSURE READING IN INCHES OF H₂O (H)

High Reading = 28.4

Low Reading = 20.0

High - Low = H = ... 8.4


CALCULATION OF DISCHARGE IN CFS (Q)

$$Q = \frac{(ID)^2 (\sqrt{H}) (C)}{448.3}$$

$$Q = \frac{(7.625)^2 (\sqrt{8.4}) (3.87)}{448.3} = 1.45 \text{ CFS}$$

SKETCH (If not shown on Field Report)


13: Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Alvin D. Smith
(Applicant)



Weiner Warm Springs

P/U

P/D

P/U

2

23

2125

2130

2121

97000

4 1999

40000


←----- PICTURE # 1

This picture was taken from the canal and is looking east. Also shown is the measurement port. The line shown runs to ground on the west side of the canal. Water was being used on the ground southwest of the P/D but that ground is not normally irrigated from this P/D.



PICTURE # 2

This picture is looking southwest and shows the well the booster pump and the plumbing involved. the measurement port is on the pipe shown on the right side of this photo.



FEB 04 1993


PICTURE # 3

This picture is looking south and shows the bend in the canal which is the west boarder of the P/U.



PICTURE # 4

This picture taken from the same spot as # 3 Is looking west and shows the current division between the fields.



FEB 04 1993

PICTURE # 5

This picture is looking south and shows that the southern field division is in line with the northern fields.



PICTURE # 6

This picture is looking west northwest and shows the land leveling on the east side of the farmstead. The buildings shown are just beyond the lands irrigated under this permit.



FEB 04 1993

PICTURE # 7

This picture shows the land development on the west side of the farmstead and the gated pipe used to irrigate this field. This picture is looking east.



RECEIVED
FEB 04 1993



CECIL D. ANDRUS
Governor

State of Idaho
DEPARTMENT OF WATER RESOURCES
WESTERN REGION, 2735 Airport Way, Boise, Idaho 83705 • (208) 334-2190

R. KEITH HIGGINSON
Director

October 10, 1988

67-7712
Saito Bros. Inc.
5387 Hwy. 201
Ontario, OR 97914

Dear Applicant(s):

We acknowledge receipt of your statement submitted as proof as beneficial use for the above-referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department. A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office.

Sincerely,

A handwritten signature in cursive script, appearing to read "Judy Pense".

Judy Pense
Secretary

/jp

FEB 04 1993

1/88

PROOF OF BENEFICIAL USE

ANALYSIS SHEET

Permit No. 67-7712

Date: 9/21/88

General Considerations:

Y Name same as permit
Y Signature the same as permit holder
N Address change _____ If yes, prepare a data entry
Y Proof received timely _____
_____ Reinstated

Source of Water:

_____ Surface water
Y Groundwater
_____ 1. well log in file
N/A 2. drilling permit
_____ A. amount of drilling fee paid for proposed uses

Extent of Use and Rate of Diversion:

Y Rate of diversion appropriate for uses
Y Is rate or volume and fee appropriate?
Y Has permit holder indicated when water was first put to a beneficial use?

Measuring Device:

Y Is a measuring device or access port required?
N Has one been installed?
N Waiver or modification of measuring device requested

Remarks:

N/A Proof acceptable. Permit holder stated on
Proof of B/V that no flow measurement port is
required, however it is required. Informed field
examiner.
Priority Calculation:
Date proof received _____

Date proof due _____ - _____


No. of days late _____ = _____

Priority date _____ + _____

NEW PRIORITY DATE _____ = _____

SEND FILES TO DATA ENTRY AND THEN TO MICROFILM

10/4/1993



JUN 22 1988

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES
Department of Water Resources
PROOF OF BENEFICIAL USE

For Office Use Only
Fee Received \$750.00
Date 6/22/88
Receipt # C001541
Receipt by Jim
Reviewed by JS
Sent to region

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 67-7712 ~~67-7713~~

Name(s) of Permit Holder: SAITO Bros. Inc.

Post Office Address: 5387 Hwy 201

ONTARIO, OREGON 97914 Telephone No. 1-503-262-3473

Source of Water: GROUND ~~WATER~~

Extent of Use:

Domestic (number of households) Stockwater (number and type of stock)

Irrigation 175 ACRES (acres) Other/Remark

Total rate and/or volume for which proof is submitted 67-7712 is for 2.44 CFS
67-7713 is for .52 cfs acre-feet

Show the date water was first diverted and beneficially used under this permit: Both in July of 1987

Measuring Device: Required? Yes X No
Installed? Yes No

Fee enclosed \$ 250.00 (150.00)
(See License Examination Fee Schedule)

Flow Measurement Port: Required? X Yes X No
Installed? Yes No

Person to contact to accompany the Department representative during the field examination:

Al Saito (Name) 549-~~XXXX~~ (Telephone Number)

1089 Olds Ferry Rd Weiser, Idaho 83672
(Address)

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

June 20, 1988
Date

Alan D. Saito, Pres.
Signature of Permit Holder (and title, if appropriate)

OCT 05 1988

To: File 67-7712

From: Groundwater Protection

Date: 9/9/88

Drilling Permit: 3 Not Applicable
0 Found and in file
 Not Found

Well Drillers Report:

 Not found, due to reported age of well
probably not available
3 Found and is in file
0 Not found

Follow-up

✓ Request from permit holder the well
drillers report and/or the name of the
well driller.
 Ask permit holder when well was drilled
and notify holder of drilling permit
requirement if after July 01, 1987.

*This well for the log in this file
will not produce 2.44 cfs I
suspect they may have another well*

OK TO
PROCESS

MICROFILMED

OCT 03 1988

USE TYPEWRITER OR
BALL POINT PEN

State of Idaho
Department of Water Resources

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

1. WELL OWNER Name: <u>Ch. Nault</u> Address: <u>1640 S. 10th</u> Owner: <u>Ch. Nault</u>		7. WATER LEVEL Static water level: <u>12</u> feet below land surface Pumping water level: <u>12</u> feet below land surface Pumping rate: <u>10</u> gpm Controlled by: <u>Valve</u>	
2. NATURE OF WORK ☒ New Well ☐ Deepened ☐ Replacement Abandoned (describe method of abandoning):		8. WELL TEST DATA Pump: <u>10 gpm</u> Draw Down: <u>12</u> ft Discharge GPM: <u>10</u> Draw Down: <u>12</u> ft	
3. PROPOSED USE ☐ Domestic ☒ Irrigation ☐ Test ☐ Other (specify type) ☐ Municipal ☐ Industrial ☐ Stock ☐ Waste Disposal or Injection		9. LITHOLOGIC LOG Hole Diam. Depth From To Material <u>16</u> <u>6</u> <u>15</u> <u>12</u> <u>15</u> <u>Blue Clay</u> <u>18</u> <u>15</u> <u>30</u> <u>12</u> <u>15</u> <u>Blue Clay</u> <u>12</u> <u>30</u> <u>42</u> <u>12</u> <u>15</u> <u>Blue Clay</u> <u>10</u> <u>42</u> <u>54</u> <u>12</u> <u>15</u> <u>Blue Clay</u>	
4. METHOD DRILLED ☐ Cable ☒ Rotary ☐ Dug ☐ Other			
5. WELL CONSTRUCTION Diameter of hole: <u>12</u> inches Total depth: <u>54</u> feet Casing schedule: ☒ Steel ☐ Concrete Thickness: <u>256</u> inches Diameter: <u>12</u> inches From: <u>1</u> foot To: <u>25</u> feet Was casing drive shoe used? ☐ Yes ☒ No Was a pecker or tool used? ☐ Yes ☒ No Perforated? ☐ Yes ☒ No How perforated? ☒ Factory ☐ Knife ☐ Torch Size of perforation: <u>1/2</u> inches by <u>3</u> inches Number: <u>456</u> From: <u>25</u> feet To: <u>54</u> feet perforations: <u>25</u> feet <u>54</u> feet perforations: <u>25</u> feet <u>54</u> feet perforations: <u>25</u> feet <u>54</u> feet Well screen installed? ☐ Yes ☒ No Manufacturer's name: _____ Type: _____ Model No.: _____ Diameter: _____ Slot size: _____ Set from: _____ feet to: _____ feet Diameter: _____ Slot size: _____ Set from: _____ feet to: _____ feet Gravel packed? ☒ Yes ☐ No Size of gravel: _____ Placed from: _____ feet to: _____ feet Surface seal depth: <u>12</u> Material used in seal: ☐ Cement grout ☒ Pudding clay ☐ Well cuttings Sealing procedure used: ☐ Slurry pit ☐ Temporary surface casing ☒ Overbore to seal depth			
6. LOCATION OF WELL Sketch map location must agree with written location. <u>67</u> Subdivision Name: _____ Lot No.: _____ Block No.: _____ County: <u>Blaine</u>		10. Work started <u>8-1-77</u> finished <u>8-2-77</u>	
11. DRILLER'S CERTIFICATION I, <u>Chas. Nault</u> , Firm No. <u>224</u> dated <u>8-2-77</u> Signed by <u>Chas. Nault</u> Signature: <u>Chas. Nault</u>			

OCT 03 1988

138508
CERTIFIED MAIL
April 30, 1988

SAITO BROS. INC.
5387 HWY. 201
ONTARIO, OR 97914

PROOF DUE NOTICE

RE: Permit No. 67-7712

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before July 1, 1988. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a completed field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this Department on or before the above described proof due date, or the permit will no longer be of any force nor effect.

Sincerely,

RITA FLECK
Secretary/Records Manager

Enclosures

RECEIVED

OCT 05 1988

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

- - - - -

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
JUNE 26, 1987

SATTO PROCS. INC.
5387 HWY. 201
ONTARIO, OR 97914

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 67-7712

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

BE SURE TO NOTE THE SPECIAL CONDITION REQUIRING YOU TO INSTALL A MEASURING DEVICE, OR A FLOW MEASUREMENT PORT TO PROVIDE FOR THE INSTALLATION OF MEASURING EQUIPMENT BY THE DEPARTMENT. ENCLOSED PLEASE FIND A LIST OF MEASURING DEVICE OPTIONS, AND SPECIFICATIONS FOR THE INSTALLATION OF THE FLOW MEASUREMENT PORT.

WE HAVE ENCLOSED A FORM ENTITLED "INSTRUCTIONS FOR PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT. ALSO ENCLOSED FOR YOUR CONVENIENCE IS THE STATEMENT OF BENEFICIAL USE FORM THAT MUST BE SUBMITTED WHEN YOUR PROJECT IS COMPLETED.

SINCERELY,

GARY SPACKMAN
SUPERVISOR, WATER ALLOCATION SECTION

GS: SC
ENCLOSURES

MICROFILMED

JUL 09 1987

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: Jar Shute APPLICATION NUMBER: 67-7713

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.

Field check by: _____

Date: _____

Comments: _____

☐ Yes ☒ No Field check required.

☐ Yes ☒ No Critical groundwater area.

☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____

☒ Yes ☐ No* In form to receipt.

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☐ Idaho State Health Department.
☐ Idaho Fish and Game Department.
☐ Idaho Department of Lands.
☐ U.S. Bureau of Land Management.
☐ U.S. Forest Service.
☐ Other _____

Copies sent by: _____ Date: _____

PROCESSING:

☐ Yes ☒ No Platted by: _____ Map No. _____

☒ Yes ☐ No Other rights on same place of use. _____

☒ Yes ☐ No* In form for advertising.

Final date for protests: June 8, 1987

☐ Yes ☒ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

☒ Affidavit of publication received. Date: June 2, 1987

☒ Application published correctly. If not, record action taken: _____

☒ Fee amount, receipt date & number, recorded on application. 85/42311

☒ Publication dates and paper, recorded on application. the United States 5/21 & 5/28/87

☒ Protests, dates, withdrawal, etc., recorded on application.

☒ Recommendation & initial, recorded on application.

☐ Yes ☒ No Measuring device required.

☒ Yes ☐ No Access port required.

☐ Yes ☒ No Will water be delivered by watermaster? If yes, what district? JUL 09 1987

☒ 4/7/1987 Date of priority recommended.

Special conditions of approval or cover letter. OIC

OK Recommend that one year be allowed for the completion of this project.

By: DW Date: 6/9/1987

STATE OFFICE REVIEW:

103,616

OIC

RECEIVED

☐ See attached sheet for more information.

By: kw Date: 6/24/87

Department of Water Resources



Cecil D. Andrus
Governor

State of Idaho
DEPARTMENT OF WATER RESOURCES
Western Region

2735 Airport Way
Boise, Idaho 83705
(208) 334-2266

June 18, 1987

Saito Bros. Inc.
5387 Hwy. 201
Ontario, OR 97914

Dear Water Right Applicant:

Enclosed please find your receipt no. 42311 in the amount of \$85.00. Your application has been advertised and it is being forwarded to our state office for final action.

Sincerely,

A handwritten signature in dark ink, appearing to read "David R. Tuthill, Jr.", written in a cursive style.

DAVID R. TUTHILL, JR., P. E.
Manager, Western Regional Office

DRT:jp

MICROFILMED

JUL 09 1987

State of Idaho
Department of Water Resources
Temporary Approval Analysis Sheet .

☒ Yes ☐ No Basin No. Correct?
☒ Yes ☐ No Source is Groundwater?
☒ Yes ☐ No Lands are irrigated with surface water rights?
☒ Yes ☐ No Lands are outside Critical Groundwater Area & Groundwater Management Area boundaries?
☒ Yes ☐ No County has been declared a drought emergency area by the Governor's Office?

Remarks: Weiser Irrig. District has water rights for this land as shown in the pl. of use report attached.

Application Initially Received Date 4/7/87 Time 12:00 pm.
File Prepared By jp Date 4/21/87 Time 9:00 am.
Staff Review By JP Date 4/21/87 Time 2:30 pm
Temporary Approval Prepared By JP Date 4/22/87 Time 4:00 pm
Temporary Approval Signed By DMR Date 4/22/87 Time 4:25 pm
Temporary Approval Mailed By ELL Date 4/22/87 Time 5:03 P.M.
Index Updated By DMR Date 4/23/87 Time 8:00

MICROFILMED

JUL 09 1987



Cecil D. Andrus
Governor

State of Idaho
DEPARTMENT OF WATER RESOURCES
Western Region

2735 Airport Way
Boise, Idaho 83705
(208) 334-2190

April 22, 1987

Saito Bros. Inc.
5387 Hwy. 201
Ontario, OR 97914

Re: Water Right No. 67-7712

Dear Water Right Applicant:

Enclosed is a temporary approval for diversion of groundwater during the 1987 irrigation season.

The copy of the application for permit to appropriate water attached to the interim approval defines the various components of your temporary approval. The inclusion of the copy of the application is only for the purpose of definition, and any terms contained therein are limited by the conditions of the temporary approval.

As described in condition of approval (k), this office will continue to process the original application for permit, pursuant to Chapter 2, Title 42, Idaho Code, unless directed otherwise by you. This processing will include advertisement for two weeks in the county where the point of diversion is located, and the result may be issuance of a water right permit.

Sincerely,

DAVID R. TUTHILL, JR., P. E.
Manager, Western Regional Office

DRT:jp

Enclosures: Temporary Approval
Copy of Application for Permit

RECEIVED
FILMED

JUL 09 1987

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES
WITH RESPECT TO TEMPORARY APPROVAL OF
APPLICATION FOR PERMIT NO. 67-7712

This is to certify that I have examined Application for Permit to Appropriate the public waters of the State of Idaho No. 67-7712; and a temporary approval to divert groundwater is granted until August 20, 1987, subject to the following limitations and conditions:

- a. The water use approved herein is subject to all prior water rights.
- b. The water user acknowledges that the temporary approval does not convey a continuing right to divert water and does not convey any right to divert water except as specifically provided in the temporary approval.
- c. The water user assumes all risk that he or she will be successful in obtaining a permanent water right permit when the application is processed under the provisions of Chapter 2, Title 42, Idaho Code and the water Appropriation Rules and Regulations.
- d. Violation of temporary approval conditions, provisions of the Idaho Code, or the Water Appropriation Rules and Regulations is cause for cancellation of the temporary approval and denial of future requests.
- e. By commencing diversion of water under this temporary approval, the water user acknowledges and agrees that the Director of IDWR is authorized to disconnect the power supply from the pump motor used to divert water under the temporary approval or to take other reasonable steps to insure that water is not diverted during any period the temporary approval is suspended or revoked.
- f. The Director may impose additional conditions not a part of the original temporary approval conditions.
- g. The temporary approval applies only to uses and lands which normally have an adequate supply of water from surface water sources but are temporarily water short because of drought conditions.
- h. The temporary approval granted under the expedited procedure shall not be effective for more than the 1987 irrigation season and will expire upon termination of the declared drought emergency, or on the expiration of the term of the approval set herein, whichever is earlier.
- i. The Director will retain jurisdiction of any temporary approval given.
- j. By acceptance of the temporary approval and diversion of water under the temporary approval, the water user assumes all risk relative to interference with other water rights and acknowledges and agrees that the Director is authorized to take reasonable steps to insure that water is not diverted under the approval at any time the Director determines there is not water available for diversion.

JUL 09 1987

- k. Temporary approval granted will be of no force nor effect from and after the 1987 irrigation season. The application for permit, however, will be processed by the Department under the provisions of Chapter 2, Title 42, Idaho Code, unless directed otherwise by the applicant.

Witness my hand this 22nd day of April, 1987.

David R. Tuthill

DAVID R. TUTHILL, JR., P. E.
Manager, Western Regional Office

MICROFILMED

JUL 09 1987

~~PAGE 3403~~
~~01/02/1987~~

INDEX

PAGE 3604
01/02/1987

THNSHP RM

(POU CONTINUED)
12N 04

MICROFILMED

JUL 09 1987

MG	SEC	TRACT	LOT	ACRES	USES	WATER RIGHT NUMBER	LAST NAME	OWNER	STAGE	PRIORITY	DATE	SOURCE OF WATER
24		SASH	40	01.43		67-2169	WEISER IRRIGATION		L		12-18-1936	WEISER RIVER
		SASH	40	01.43		67-2304A	SNOW		L		04-09-1920	CRANE CREEK
		SASH	43			67-4190	WEISER RIVER IRRIG		S		08-12-1974	GROUNDWATER
		SESH	20	01.43		67-2169	WEISER IRRIGATION		L		12-18-1936	WEISER RIVER
		SESH	40	01.43		67-2304A	SNOW		L		04-09-1920	CRANE CREEK
		NESE		01.03,02.55		67-2097B	WEISER RIVER IRRIG		L		05-11-1918	JENKINS CREEK
		NESE	40	01		67-4250	IDaho INDUSTRIAL I		S		06-01-1918	WEISER RIVER
		NESE	10	01.43		67-2304A	INSTITUTE CANAL CO		L		04-09-1920	CRANE CREEK
		SESE		01.03,02.55		67-2097B	WEISER RIVER IRRIG		L		05-11-1918	JENKINS CREEK
		SESE	40	01.43		67-2169	WEISER IRRIGATION		L		12-18-1936	WEISER RIVER
		SESE	20	01.43		67-2304A	SNOW		L		04-09-1920	CRANE CREEK
		SESE	20	01		67-4250	WEISER RIVER IRRIG		S		06-01-1918	WEISER RIVER
		SESE	40	01.03,02.55		67-2097B	IDaho INDUSTRIAL I		L		05-11-1918	JENKINS CREEK
		NESE	39	01		67-4250	INSTITUTE CANAL CO		S		06-01-1918	WEISER RIVER
		NESE	40	01		67-2322	EISENBARTH		L		02-28-1964	GROUNDWATER
		NESE	40	01.43		67-7194	EISENBARTH		L		06-07-1974	GROUNDWATER
		NESE	05	01		67-2169	WEISER IRRIGATION		L		12-18-1936	WEISER RIVER
		NESE	40	01		67-2322	EISENBARTH		L		02-28-1964	GROUNDWATER
		NESE	30	01.43		67-2304A	SNOW		L		04-09-1920	CRANE CREEK
		NESE	05	01		67-7194	WEISER RIVER IRRIG		L		07-07-1974	GROUNDWATER
		NESE	04			67-7625	EISENBARTH		L		06-07-1983	SPRING
		NESE	40	01.43		67-2169	WEISER IRRIGATION		L		12-18-1936	WEISER RIVER

~~LIBRARY DEPARTMENT OF WATER RESOURCES~~ ~~WATER RIGHTS BY PLACE OF USE~~

~~PAGE 3602~~
~~81/02/1987~~

REGISTRATION	SEC	TRACT	LOT	ACRES	USES	WATER RIGHT NUMBER	LAST NAME	OWNER STAGE	PRIORITY DATE	SOURCE OF WATER
1 CONTINUED FROM PREVIOUS PAGE										
114	004	22	10004	40	01.43	67-2304A	WEISER RIVER IRRIG	D		
			10004	40	01.43	67-2304A	WEISER RIVER IRRIG	D	04-09-1920	CRANE CREEK
			10004	40	01.43	67-2304A	WEISER RIVER IRRIG	D	04-09-1920	CRANE CREEK
			10004	40	01.43	67-2169	WEISER RIVER IRRIG	D	12-18-1936	WEISER RIVER
			10004	40	01.43	67-2304A	WEISER IRRIGATION	C	04-09-1920	CRANE CREEK
			10004	40	01.43	67-2169	WEISER RIVER IRRIG	D	12-18-1936	WEISER RIVER
			10004	40	01.43	67-2304A	WEISER IRRIGATION	C	04-09-1920	CRANE CREEK
			10004	40	01.43	67-2304A	WEISER RIVER IRRIG	D	04-09-1920	CRANE CREEK
			10004	40	01.43	67-2304A	WEISER RIVER IRRIG	D	04-09-1920	CRANE CREEK
			10004	40	01.43	67-2169	WEISER RIVER IRRIG	D	12-18-1936	WEISER RIVER
			10004	40	01.43	67-2304A	WEISER IRRIGATION	C	04-09-1920	CRANE CREEK
			10004	40	01.43	67-2304A	WEISER RIVER IRRIG	D	04-09-1920	CRANE CREEK
			10004	40	01.43	67-2304A	WEISER RIVER IRRIG	D	04-09-1920	CRANE CREEK
			10004	40	01.43	67-2169	WEISER RIVER IRRIG	D	12-18-1936	WEISER RIVER
			10004	40	01.43	67-2304A	WEISER IRRIGATION	C	04-09-1920	CRANE CREEK
			10004	40	01.43	67-2304A	WEISER RIVER IRRIG	D	04-09-1920	CRANE CREEK
			10004	40	01.43	67-2304A	WEISER RIVER IRRIG	D	04-09-1920	CRANE CREEK
			10004	40	01.43	67-2169	WEISER RIVER IRRIG	D	12-18-1936	WEISER RIVER
			10004	40	01.43	67-2304A	WEISER IRRIGATION	C	04-09-1920	CRANE CREEK
			10004	40	01.43	67-2304A	WEISER RIVER IRRIG	D	04-09-1920	CRANE CREEK
			10004	40	01.43	67-2304A	WEISER RIVER IRRIG	D	04-09-1920	CRANE CREEK
			10004	40	01.43	67-2169	WEISER RIVER IRRIG	D	12-18-1936	WEISER RIVER
			10004	40	01.43	67-2304A	WEISER IRRIGATION	C	04-09-1920	CRANE CREEK
			10004	40	01.43	67-2304A	WEISER RIVER IRRIG	D	04-09-1920	CRANE CREEK
			10004	40	01.43	67-2304A	WEISER RIVER IRRIG	D	04-09-1920	CRANE CREEK
			10004	40	01.43	67-2169	WEISER RIVER IRRIG	D	12-18-1936	WEISER RIVER
			10004	40	01.43	67-2304A	WEISER IRRIGATION	C	04-09-1920	CRANE CREEK
			10004	40	01.43	67-2304A	WEISER RIVER IRRIG	D	04-09-1920	CRANE CREEK
			10004	40	01.43	67-2304A	WEISER RIVER IRRIG	D	04-09-1920	CRANE CREEK
			10004	40	01.43	67-2169	WEISER RIVER IRRIG	D	12-18-1936	WEISER RIVER
			10004	40	01.43	67-2304A	WEISER IRRIGATION	C	04-09-1920	CRANE CREEK
			10004	40	01.43	67-2304A	WEISER RIVER IRRIG	D	04-09-1920	CRANE CREEK
			10004	40	01.43	67-2304A	WEISER RIVER IRRIG	D	04-09-1920	CRANE CREEK
			10004	40	01.43	67-2169	WEISER RIVER IRRIG	D	12-18-1936	WEISER RIVER
			10004	40	01.43	67-2304A	WEISER IRRIGATION	C	04-09-1920	CRANE CREEK
			10004	40	01.43	67-2304A	WEISER RIVER IRRIG	D	04-09-1920	CRANE CREEK
			10004	40	01.43	67-2304A	WEISER RIVER IRRIG	D	04-09-1920	CRANE CREEK
			10004	40	01.43	67-2169	WEISER RIVER IRRIG	D	12-18-1936	WEISER RIVER
			10004	40	01.43	67-2304A	WEISER IRRIGATION	C	04-09-1920	CRANE CREEK
			10004	40	01.43	67-2304A	WEISER RIVER IRRIG	D	04-09-1920	CRANE CREEK
			10004	40	01.43	67-2304A	WEISER RIVER IRRIG	D	04-09-1920	CRANE CREEK
			10004	40	01.43	67-2169	WEISER RIVER IRRIG	D	12-18-1936	WEISER RIVER
			10004	40	01.43	67-2304A	WEISER IRRIGATION	C	04-09-1920	CRANE CREEK
			10004	40	01.43	67-2304A	WEISER RIVER IRRIG	D	04-09-1920	CRANE CREEK
			10004	40	01.43	67-2304A	WEISER RIVER IRRIG	D	04-09-1920	CRANE CREEK
			10004	40	01.43	67-2169	WEISER RIVER IRRIG	D	12-18-1936	WEISER RIVER
			10004	40	01.43	67-2304A	WEISER IRRIGATION	C	04-09-1920	CRANE CREEK
			10004	40	01.43	67-2304A	WEISER RIVER IRRIG	D	04-09-1920	CRANE CREEK
			10004	40	01.43	67-2304A	WEISER RIVER IRRIG	D	04-09-1920	CRANE CREEK
			10004	40	01.43	67-2169	WEISER RIVER IRRIG	D	12-18-1936	WEISER RIVER
			10004	40	01.43	67-2304A	WEISER IRRIGATION	C	04-09-1920	CRANE CREEK
			10004	40	01.43	67-2304A	WEISER RIVER IRRIG	D	04-09-1920	CRANE CREEK
			10004	40	01.43	67-2304A	WEISER RIVER IRRIG	D	04-09-1920	CRANE CREEK
			10004	40	01.43	67-2169	WEISER RIVER IRRIG	D	12-18-1936	WEISER RIVER
			10004	40	01.43	67-2304A	WEISER IRRIGATION	C	04-09-1920	CRANE CREEK
			10004	40	01.43	67-2304A	WEISER RIVER IRRIG	D	04-09-1920	CRANE CREEK
			10004	40	01.43	67-2304A	WEISER RIVER IRRIG	D	04-09-1920	CRANE CREEK
			10004	40	01.43	67-2169	WEISER RIVER IRRIG	D	12-18-1936	WEISER RIVER
			10004	40	01.43	67-2304A	WEISER IRRIGATION	C	04-09-1920	CRANE CREEK
			10004	40	01.43	67-2304A	WEISER RIVER IRRIG	D	04-09-1920	CRANE CREEK
			10004	40	01.43	67-2304A	WEISER RIVER IRRIG	D	04-09-1920	CRANE CREEK
			10004	40	01.43	67-2169	WEISER RIVER IRRIG	D	12-18-1936	WEISER RIVER
			10004	40	01.43	67-2304A	WEISER IRRIGATION	C	04-09-1920	CRANE CREEK
			10004	40	01.43	67-2304A	WEISER RIVER IRRIG	D	04-09-1920	CRANE CREEK
			10004	40	01.43	67-2304A	WEISER RIVER IRRIG	D	04-09-1920	CRANE CREEK
			10004	40	01.43	67-2169	WEISER RIVER IRRIG	D	12-18-1936	WEISER RIVER
			10004	40	01.43	67-2304A	WEISER IRRIGATION	C	04-09-1920	CRANE CREEK
			10004	40	01.43	67-2304A	WEISER RIVER IRRIG	D	04-09-1920	CRANE CREEK
			10004	40	01.43	67-2304A	WEISER RIVER IRRIG	D	04-09-1920	CRANE CREEK
			10004	40	01.43	67-2169	WEISER RIVER IRRIG	D	12-18-1936	WEISER RIVER
			10004	40	01.43	67-2304A	WEISER IRRIGATION	C	04-09-1920	CRANE CREEK
			10004	40	01.43	67-2304A	WEISER RIVER IRRIG	D	04-09-1920	CRANE CREEK
			10004	40	01.43	67-2304A	WEISER RIVER IRRIG	D	04-09-1920	CRANE CREEK
			10004	40	01.43	67-2169	WEISER RIVER IRRIG	D	12-18-1936	WEISER RIVER
			10004	40	01.43	67-2304A	WEISER IRRIGATION	C	04-09-1920	CRANE CREEK
			10004	40	01.43	67-2304A	WEISER RIVER IRRIG	D	04-09-1920	CRANE CREEK
			10004	40	01.43	67-2304A	WEISER RIVER IRRIG	D	04-09-1920	CRANE CREEK
			10004	40	01.43	67-2169	WEISER RIVER IRRIG	D	12-18-1936	WEISER RIVER
			10004	40	01.43	67-2304A	WEISER IRRIGATION	C	04-09-1920	CRANE CREEK
			10004	40	01.43	67-2304A	WEISER RIVER IRRIG	D	04-09-1920	CRANE CREEK
			10004	40	01.43	67-2304A	WEISER RIVER IRRIG	D	04-09-1920	CRANE CREEK
			10004	40	01.43	67-2169	WEISER RIVER IRRIG	D	12-18-1936	WEISER RIVER
			10004	40	01.43	67-2304A	WEISER IRRIGATION	C	04-09-1920	CRANE CREEK
			10004	40	01.43	67-2304A	WEISER RIVER IRRIG	D	04-09-1920	CRANE CREEK
			10004	40	01.43	67-2304A	WEISER RIVER IRRIG	D	04-09-1920	CRANE CREEK
			10004	40	01.43	67-2169	WEISER RIVER IRRIG	D	12-18-1936	WEISER RIVER
			10004	40	01.43	67-2304A	WEISER IRRIGATION	C	04-09-1920	CRANE CREEK
			10004	40	01.43	67-2304A	WEISER RIVER IRRIG	D	04-09-1920	CRANE CREEK
			10004	40	01.43	67-2304A	WEISER RIVER IRRIG	D	04-09-1920	CRANE CREEK
			10004	40	01.43	67-2169	WEISER RIVER IRRIG	D	12-18-1936	WEISER RIVER
			10004	40	01.43	67-2304A	WEISER IRRIGATION	C	04-09-1920	CRANE CREEK
			10004	40	01.43	67-2304A	WEISER RIVER IRRIG	D	04-09-1920	CRANE CREEK
			10004	40	01.43	67-2304A	WEISER RIVER IRRIG	D	04-09-1920	CRANE CREEK
			10004	40	01.43	67-2169	WEISER RIVER IRRIG	D	12-18-1936	WEISER RIVER
			10004	40	01.43	67-2304A	WEISER IRRIGATION	C	04-09-1920	CRANE CREEK
			10004	40	01.43	67-2304A	WEISER RIVER IRRIG	D	04-09-1920	CRANE CREEK
			10004	40	01.43	67-2304A	WEISER RIVER IRRIG	D	04-09-1920	CRANE CREEK
			10004	40	01.43	67-2169	WEISER RIVER IRRIG	D	12-18-1936	WEISER RIVER
			10004	40	01.43	67-2304A	WEISER IRRIGATION	C	04-09-1920	CRANE CREEK
			10004	40	01.43	67-2304A	WEISER RIVER IRRIG	D	04-09-1920	CRANE CREEK
			10004	40	01.43	67-2304A	WEISER RIVER IRRIG	D	04-09-1920	CRANE CREEK
			10004	40	01.43	67-2169	WEISER RIVER IRRIG	D	12-18-1936	WEISER RIVER
			10004	40	01.43	67-2304A	WEISER IRRIGATION	C	04-09-1920	CRANE CREEK
			10004	40	01.43	67-2304A	WEISER RIVER IRRIG	D	04-09-1920	CRANE CREEK
			10004	40	01.43	67-2304A	WEISER RIVER IRRIG	D	04-09-1920	CRANE CREEK
			10004	40	01.43	67-2169	WEISER RIVER IRRIG	D	12-18-1936	WEISER RIVER
			10004	40	01.43	67-2304A	WEISER IRRIGATION	C	04-09-1920	CRANE CREEK
			10004	40	01.43	67-2304A	WEISER RIVER IRRIG	D	04-09-1920	CRANE CREEK
			10004	40	01.43	67-2304A	WEISER RIVER IRRIG	D	04-09-1920	CRANE CREEK
			10004	40	01.43	67-2169	WEISER RIVER IRRIG	D	12-18-1936	WEISER RIVER
			10004	40	01.43	67-2304A	WEISER IRRIGATION	C	04-09-1920	CRANE CREEK
			10004	40	01.43	67-2304A	WEISER RIVER IRRIG	D	04-09-1920	CRANE CREEK
			10004	40	01.43	67-2304A	WEISER RIVER IRRIG	D	04-09-1920	CRANE CREEK
			10004	40	01.43	67-2169	WEISER RIVER IRRIG	D	12-18-1936	WEISER RIVER
			10004	40	01.43	67-2304A	WEISER IRRIGATION	C	04-09-1920	CRANE CREEK
			10004	40	01.43	67-2304A	WEISER RIVER IRRIG	D	04-09-1920	CRANE CREEK
			10004	40	01.43	67-2304A	WEISER RIVER IRRIG	D	04-09-1920	CRANE CREEK
			10004	40	01.43	67-2169	WEISER RIVER IRRIG	D	12-18-1936	WEISER RIVER
			10004	40	01.43	67-2304A	WEISER IRRIGATION	C	04-09-1920	CRANE CREEK
			10004	40	01.43	67-2304A	WEISER RIVER IRRIG	D	04-09-1920	CRANE CREEK
			10004	40	01.43	67-2304A	WEISER RIVER IRRIG	D	04-09-1920	CRANE CREEK
			10004	40	01.43	67-2169	WEISER RIVER IRRIG	D	12-18-1936	WEISER RIVER
			10004	40	01.43	67-2304A	WEISER IRRIGATION	C	04-09-1920	CRANE CREEK
			10004	40	01.43	67-2304A	WEISER RIVER IRRIG	D	04-09-1920	CRANE CREEK
			10004	40	01.43	67-2304A	WEISER RIVER IRRIG	D	04-09-1920	CRANE CREEK
</										

REFILMED

Jul 9 1987

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Western Region

Statehouse
Boise, Idaho 83720
(208) 334-2190

MAY 13, 1987

The Weiser Signal
Box 709
Weiser, ID 83672

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billings to this office before JUNE 8, 1987.

Yours truly,

JUDY PENSE
Secretary

Encl.

RECEIVED
MAY 13 1987

JUL 09 1987

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Western Region, Statehouse, Boise, Idaho 83720 on or before JUNE 8, 1987.

KEN DUNN, Dir.

Published 05/21 & 05/27/87.

67-7712

SAITO BROS. INC.

5387 HWY. 201, ONTARIO, OR 97914

Source: GROUNDWATER

Diversion Pt: NWNE Sec 23 T 11N R 06W

Use: IRRIGATION (2.440 CFS)

Date Filed: 04/07/1987

In: NENE NWNE SWNE SENE Sec 23 T 11N R 06W NWNW SWNW Sec 24 T 11N R 06W
FOR 122 ACRES

MICROFILMED

JUL 09 1987