


13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

x Barbara Sympson
(Applicant)

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
NOV 22 1993
Department of Water Resources

A. GENERAL INFORMATION


Permit No. 67-07711
Phone No. 549-0971
1. Owner: Maurice & Lois Barbara Syme
Current Address: Rt. 1 Box 100 Weiser, Ida 83472
2. Accompanied by: Maurice Syme EXAM. DATE: 6-24-93
Address: SAME Phone No. SAME
Relationship to Permit Holder: SAME
3. Source: groundwater tributary to -NA-

B. OVERLAP REVIEW

1. Other water rights with same place of use: 67-2169, 67-2384A - OTHER WRTs WITH
P. PERMIT PLD's: PLD's ☐ Copies Attached
2. Other water rights with same point of diversion: None
☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☒ Alternative diagram attached



Scale: 1" = _____

2. ☒ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).
☒ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater).
☒ Aerial Photo Attached (required for irrigation of 10 acres or more).



D-20


OCT 31 1994


NOT TO SCALE

MAP

MAP

11/10
11/10
11/10







View of the P/U. : THE
10" IRRIGATION WELL. View is
to the East. THE WELL OPEN
DISCHARGES INTO THE DITCH. TUBES
ARE USED TO PUMP WATER IN
CORRIGATES. WATER IS REUSED
THROUGHOUT THE DITCH SYSTEM.

PHOTO ONE-



View of the domestic well. Well is located
on the W/E side of the Domestic
& VERY NEAR THE IRRIGATION WELL.
Well is used in the LAWN & in the
Home.

RECEIVED
OCT 31 1994

PHOTO TWO-



View of Plu to the South
All fields ARE IRRIGATED IN THIS
MANNER. With tubes & CORRIGATES.

PHOTO THREE-

>

RECEIVED
OCT 31 1994

PHOTO FOUR-

1. WELL OWNER

7. WATER LEVEL

2. NATURE OF WORK

8. WELL TEST DATA

3. PROPOSED USE

9. LITHOLOGIC LOG

4. METHOD DRILLED

5. WELL CONSTRUCTION

Describe access port

6. LOCATION OF WELL

Sketch map location must agree with written location.

Subdivision Name

WASHINGTON COUNTY

NW 1/4 NE 1/4 Sec. 20, T. 11N, N/S, R. 6W E/W.

10. Work started 4/18/86 finished 4/19/86

11. DRILLERS CERTIFICATION

DRILLERS CERTIFICATION

I/We certify that all minimum well construction standards were complied with at the time the rig was removed.

DALLAS DRILLING & PUMP CO. #445
Firm Name 505 So. 18th St. Firm No. _____
PAYETTE, IDAHO 83661

USE ADDITIONAL SHEETS IF NECESSARY -- FORWARD THE WHITE COPY TO THE DEPARTMENT

OCT 03 1988

No 998

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO, }
County of Washington } ss.

Dorothy A. Booth, being duly sworn,
deposes and says:

That he is the Clerk of
THE WEISER SIGNAL, a weekly newspaper published at
Weiser, in the County of Washington and State of Idaho; that
said paper has been and is in general circulation in the
county aforesaid, and in the vicinity of Weiser; that the ad-
vertisement, a copy of which is attached hereto, was pub-
lished in said newspaper once a week for Two consecu-
tive weeks in the regular and entire issue of said paper dur-
ing the period and time of publication, and was published in
the newspaper proper and not in a supplement; that said
paper has been established and regularly published for more
than seventy-eight consecutive weeks prior to the date of
first publication of said advertisement.

Such notice was published in the issue beginning with
April 16, 1987, and ending
with the issue of April 23, 1987.

Dorothy A. Booth
Fees, \$ 31.48

Subscribed and sworn to before me this 23
day of April, 1987.

[Signature]
Notary Public, Residing at Weiser, Idaho.

My Commission Expires 1-1, 1993

PUBLIC NOTICES PUBLIC NOTICES

No. 998

NOTICE OF APPLICATION FOR WATER RIGHT

The following application has been filed to appropriate the
public waters of the State of Idaho:

67-7711

SYME, MAURICE &/or BARBARA

RT. 1 BOX 100, WEISER, ID 83672

Source: GROUNDWATER

Diversion Pt. SWNE NWSE Sec 17 T 11N R 06W

Use: IRRIGATION (2.0 CFS)

DOMESTIC (0.040 CFS)

Date Filed: 03/20/1987

In: SENE NWSE Sec 17 T. 11N R 06W NWNE SWNE Sec 20
T 11N R 06W FOR 110 ACRES

The permit will be subject to all prior water rights. Protests
must be filed with the Director, Dept. of Water Resources,
Western Region, Statehouse, Boise, Idaho 83720 on or before
MAY 4, 1987.

KEN DUNN, Dir.

Published 04/16 & 04/23/87

14-2S

RECORDED

OCT 05 1988

RECEIVED
APR 23 1987

Department of Water Resources
Western Regional Office

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 67-07711

Priority: March 20, 1987

Maximum Diversion Rate: 0.66 CFS
Maximum Diversion Volume: 303.7 AF

This is to certify, that MAURICE SYME
BARBARA SYME

952 EATON RD
WEISER ID 83672

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated March 20, 1987; and has submitted Proof of Beneficial Use on March 16, 1988. An examination indicates that the works have a diversion capacity of .670 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.62 CFS	302.5 AF
DOMESTIC	01/01 to 12/31	0.04 CFS	1.2 AF
	Totals	0.66 CFS	303.7 AF

LOCATION OF POINT(S) OF DIVERSION: SWNE , Sec. 17, Township 11N, Range 06W
NWSE , Sec. 17, Township 11N, Range 06W
WASHINGTON County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
11N	06W	17	NWSE 24.8			24.8
		20	NWNE 38	SWNE 15.8		53.8
Total number of acres irrigated:						78.6

PLACE OF USE:

DOMESTIC, same as IRRIGATION use

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount that can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 4.5 afa per acre for the lands above.

OCT 31 1994

State of Idaho
Department of Water Resources


WATER RIGHT LICENSE


WATER RIGHT NO. 67-07711

CONDITIONS/REMARKS:

6. The right holder shall fully use all surface water rights appurtenant to the lands identified above prior to using water under this right.
7. Two points of diversion located on or near line between SWNE and NWSE, S17, T11N, R06W.
8. Domestic use is for 1 home.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 13TH day of OCTOBER, 1994.


Acting for R. Keith Higginson, Director



OCT 31 1994

RECEIVED

MAR 16 1988

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

For Office Use Only
Fee Received \$100.00
Date 3-17-88
Receipt # 000164
Receipt by [Signature]
Reviewed by [Signature]
Sent to region

Department of Water Resources PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 67-7711

Name(s) of Permit Holder: MAURICE AND BARBARA SYME

Post Office Address: 952 EATON RD

WEISER, IDAHO 83672 Telephone No. 549-0971

Source of Water: GROUND WATER

Extent of Use:

Domestic 1 (number of households) Stockwater (number and type of stock)

Irrigation 85 (acres) Other/Remark

Total rate and/or volume for which proof is submitted 50 INCHES 1.0 cfs acre-feet

Show the date water was first diverted and beneficially used under this permit: 6-15-87

Measuring Device: Required? ☒ Yes ☐ No
Installed? ☒ Yes ☐ No
Fee enclosed \$ 100.00
(See License Examination Fee Schedule)

Flow Measurement Port: Required? ☐ Yes ☒ No
Installed? ☐ Yes ☒ No

Person to contact to accompany the Department representative during the field examination:

MAURICE SYME 549-0971
(Name) (Telephone Number)

952 EATON RD WEISER, IDAHO 83672
(Address)

The above information is my true statement of the extent to which the above number of acres has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

3-11-88
Date

Maurice Syme
Signature of Permit Holder (and title, if appropriate)

OCT 03 1988

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

APPROVED

1. Name of applicant Maurice &/or Barbara Syme Phone (208)549-0971
Post office address Rt. 1, Box 100 Weiser, ID 83672

2. Source of water supply groundwater which is a tributary of _____

3. Location of point of diversion is _____ $\frac{1}{4}$ of SW $\frac{1}{4}$ of NE $\frac{1}{4}$, Govt. Lot _____
Sec. 17 Township 11N Range 6W B.M. Washington County; additional
points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 2.0 for Irrigation purposes from 3/15 to 11/15 (both dates inclusive)
(cfs or acre-feet per annum)

Amount 0.04 for Domestic purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated is (a) 2.0 and/or (b) _____
cubic feet per second acre feet per annum

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. 10" well, 10HP motor, open
ditch

b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.

c. Proposed well diameter is 10 inches; proposed depth of well is 80 feet.

d. Is ground water with a temperature of greater than 90°F being sought? _____

7. Time required for the completion of the works and application of the water to the proposed beneficial use is
2 years (minimum 1 year).

RECEIVED

OCT 03 1988

8. Description of proposed uses (if irrigation only, go to item 9):

- Hydropower; show total feet of head and proposed capacity in KW. _____
- Stockwatering; list number and kind of livestock. _____
- Municipal; show name of municipality. _____
- Domestic; show number of households. 1
- Other; describe fully. _____

9. Description of place of use:

- If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- If water is used for other purposes, place a symbol of the use (example: *D* for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
11N	6W	17				10										40			50
		20		40	20														60

Total number of acres to be irrigated 110

10. Describe any other water rights used for the same purposes as described above. 67-2384 + 67-2169

WEISER IRRIGATION DIST.; THIS IS TO SUPPLEMENT SURFACE WATER.


11. a. Who owns the property at the point of diversion? Applicant

b. Who owns the land to be irrigated or place of use? Applicant

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

12. Remarks: _____

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Barbara Lynne
(Applicant)

Received by nl Jim Date 3-25-87 Time 8:00 am Proposed Priority 3/20/87
Date 3-20-87 Time 11:55 A.M. Preliminary check by [Signature]
Fee \$ 65.00 Received by CCW # 41590 Date 3-20-87
Publication prepared by Le Date 4/8/87 Published in the Weiser Signal
Date 4/10/87 4/23/87
Publication approved SR Date 5/13/87

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 67-7711, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before March 1, 19 89.

- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

- e. Other: Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.

Prior to the diversion of water under this permit a flow measurement port or other device as specified by the Department shall be installed to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department.

Witness my hand this 1st day of February, 1988.

[Signature]
Director

RECEIVED

OCT 03 1988



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000
Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

October 14, 1994

MAURICE SYME
BARBARA SYME
952 EATON RD
WEISER ID 83672

RE: WATER RIGHT NO. 67-07711

Dear Water Right Holder(s):

Enclosed is a copy of the Water Right License issued on the above referenced permit. If you have any questions, please contact me within 10 days of receipt of this license.

Sincerely,

Shelley W. Keen
Water Rights Supervisor

SK:dc

Enclosure

RECEIVED

OCT 31 1994

LICENSE REVIEW CHECKLIST

PERMIT NO. 67-7711 DATE 8-25-94



NAME	Yes ☒ No ☐	Or Address Change?
PRIORITY DATE	☐ ☒	Advance? ☐ Advanced to: _____ Order to reinstate needed? _____ Incorrect fee for rate recommended? <u>NO</u>
SOURCE	☐ ☒	Changes or just clarification of originally intended source? _____ Notice of Intent to Void necessary? _____
POINT OF DIV	☐ ☒	Amendment needed? <u>DELETE SWNE P/D - LEAVE -</u> Overlaps? <u>RIGHT ON LINE</u>
PLACE OF USE	☐ ☒	Amendment needed? <u>DELETE SENE OF SEC 17</u> Overlaps? _____
DIV RATE	☐ ☒	Measurement Q = _____ Theoretical Q = <u>.62</u> <u>78.6 x .02 = 1.57</u> DOMESTIC well Q = .05 _____ domestic = .04 Capacity: <u>.67</u> Combined rates exceed capacity _____ Permit/fee limits: <u>1 CFS</u> Allowable: _____
ANNUAL VOLUME	☐ ☒	Season of use: <u>D/4.5 (3-15 to 11-15)</u> Calculations: _____ Domestic = 1.2 <u>78.6 x 4.5 = 353.7</u> Flow limit: <u>.62</u> cfs x <u>246</u> x 1.9835 = <u>302.5</u> Combined volumes exceed capacity/allowable _____
USES	☐ ☒	Change in Nature of Use or additional uses? _____ Amendment necessary? _____
REMARKS	<u>WB3, W33, W01</u>	Multiple p/d(s) in 1/4 1/4? _____ Other <u>Weiss IRR DIST</u>
CONDITIONS	☐ ☒	Measuring/Locking Devices _____ Watermaster control - District _____ <u>R32</u> Irrigation Overlap _____ Water Quality _____ Other _____
COMMENTS:	<u>Supplemental Water; Reduce IRR Rate to Capacity - also</u> <u>Reduce acres</u>	

RECOMMENDED	CFS	VOLUME	LICENSE ☒
<u>Irrigation</u>	<u>.62</u>	<u>302.5</u>	ADJUSTMENT MEMO NEEDED _____
<u>DOMESTIC</u>	<u>.04</u>	<u>1.2</u>	1ST AMENDMENT LETTER _____
TOTALS	<u>.66</u>	<u>303.7</u>	FINAL AMENDMENT LETTER _____

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required). ☒ Aerial Photo Attached
(required for irrigation of 10 acres or more).
☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).

System Description (continued)

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

THIS WELL USES A 10 HP, 103' ^{WATER LIFT} WELL TO IRRIGATE C 80 ACRES. The static level is 12' but soon pumps down to 100', the dynamic pumping level. The ACREAGE IS IRRIGATED THROUGH AN OPEN DISCHARGE INTO A SERIES OF DITCHES. THE OWNER THEN MAY INJECT WATER TO IRRIGATION DITCH USING TUBES IN THE DITCH. THE DOMESTIC WELL, A COMPLETELY DIFFERENT SYSTEM, IS 45' DEEP WITH A 11' STATIC WATER LEVEL. A PUMPING LEVEL OF @ 45' THE DOMESTIC HAS A 1 HP MOTOR; IRRIGATES THROUGH DITCHES. THE CASING IS 6" and the pressure tank is INSIDE THE HOUSE. The LAWN OF THE

☒ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
SUBMERSIBLE	—	7½	—		

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

Ident. No.	Gov't. Lot	¼	¼	¼	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			NE	SE	17	11N	6W	WASHINGTON	Pumps. Aerials - Owners Id.

6. Place(s) of Use:

Indicate Method of Determination

Twp.	Rge.	Sec.	NE¼				NW¼				SW¼				SE¼				Totals
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
11N	6W	17														24.8			24.8
11N	6W	20			38.6	15.8													53.8
																			78.6

MAILED

OCT 31 1994

Do not use this space

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

$$\text{Theoretical} = \frac{10.0 \times 8.8 \times .70}{100 + (2.3 \times 0)} = \frac{61.6}{100} = .62 \text{ cfs system capacity}$$

$$\text{Domestic} = \frac{1 \times 8.8 \times .70}{45 + (2.3 \times 35)} = \frac{6.16}{126} = .05 \text{ cfs}$$

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

$$\text{Theoretical} = .62 \text{ cfs} \quad \text{Dom} = .05 \text{ cfs}$$

$$\text{Dom} = \text{NEED} / \text{Home} = .09 \text{ cfs}$$

2. Alternate Method for Checking Purposes:

$$\text{Irr} = \text{NEED} 79A \times .02 = 1.6 \text{ cfs}$$

✓ ALLOW
.62 system capacity

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3)

; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 79 \times 4.5 = 356 \text{ AFA}$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = .62 \times 245 \times 1.9835 = 301 \text{ AFA}$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 301 \text{ AFA}$$

2. Volume Calculations for Other Uses:

$$V_{HFA} = \text{Domestic} / \text{ALLOW} = 1.2 \text{ AFA}$$

ALL INFORMATION CONTAINED HEREIN IS UNCLASSIFIED
DATE 3-1-1994 BY [signature]

H. REMARKS AND OVERLAP REVIEW ANALYSIS

domestic is small, under $\frac{1}{2}$ Acre. The pop-up sprinklers work in units of 8 head under a timed system.

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Irrigation	3-15	11-15	.62 cfs	301 afa
Domestic	1-1	12-31	.04 cfs	1.2 afa
Totals:			.66 cfs	302.2 afa

2. Recommended Amendments

☒ Change P.D. as reflected above

☐ Add P.D. as reflected above

☐ None

☒ Change P.U. as reflected above

☐ Add P.U. as reflected above

☐ Other

J. AUTHENTICATION

Field Examiner's Name

DAVID T. GRAY

Signature

[Signature]

Certification Date

8-13-93

Field Report Preparation Date

CONSULTANT SEAL

K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

OCT 31 1994


67-0771

Note: IF NECESSARY, A PICTURE OF THE DOMESTIC MAY BE NEEDED.

Also, A measurement other than a theoretical may be needed on the irrigation well, however, the statistics on the well; the theoretical info is very accurate

- Dave, Long

RECEIVED
OCT 18 1964





D-20

MAR

OCT 31 1968

NOT TO SCALE





PERMIT 67-7711 INIT RL
T. R. S. Q/Q MSG
P/D Mr. Gw 17 same
SCALE _____
PHOTO ID. _____

OCT 31 1994

IDAHO DEPARTMENT OF WATER RESOURCES

WELL INSPECTION FORM

1. DRILLING PERMIT NO: _____ OTHER APPLICABLE NO: WUR# 67-7711

2. OWNER: Maurice Syme Phone: 549-6971

Address: Rt. 1 Box 100 WASH IDA 83672

3. WELL LOCATION: Twp 11N, Rge. 6W, Sec. 17, NW 1/4 SE 1/4 8-15-93
County Washington (Provide sketch map and photo on reverse.)

4. DRILLER: Dallas Lic. No. _____

When Drilled? 3-16/19-89

5. WELL CONSTRUCTION:

Casing Diameter 10 inches Water tight cap? ☒ Yes ☐ No Access Port: ☒ Yes ☐ No

Casing $\geq$ 12 inches above ground? ☒ Yes ☐ No - Describe _____

Depth of Casing 82 ft. Method Drilled Rotary/Air

Condition of Well Casing: ☒ Good ☐ Fair ☐ Poor Describe _____

Control Valve? ☐ Yes ☐ No Pressure Gauge: ☐ Yes ☒ No

Condition of Piping and Valving Good

Auger to a depth of _____ ft. Evidence of Annular Seal ☐ Yes ☐ No

Are there obvious construction problems that may be a source for contamination or waste of water?

☐ Yes ☒ No (Describe in Remarks and Attach Photo - On Reverse)

6. HYDROLOGIC INFORMATION:

Depth to Static Water 12 ft. Water Temperature 57 °F

Flowing Artesian ☐ Yes ☒ No Pressure: _____ (psi)

Water Sample Taken? ☐ Yes ☐ No If yes, describe purpose _____

Water Quality Measurements/Observations (Describe) _____

7. WELL USE:

☐ Domestic ☒ Irrigation ☐ Stock
☐ Test ☐ Municipal ☐ Industrial
☐ Abandoned ☐ Waste Disposal/Injection ☐ Not Used
☐ Other: _____

31 1994

8. **POSSIBLE CONTAMINATION SOURCES:**

Is there evidence of Chemigation? ☐ Yes ☐ No

If yes, is there a check-valve present? ☐ Yes ☐ No

Is there a possible source of contamination nearby? ☐ Yes ☒ No

If yes, what Type? _____


How far away from the well is this source? _____

9. **REMARKS:** _____

Dave Long 08-24-93 _____
Signature of Dept. Representative & Title Inspection Date


PHOTOS, DRAWINGS, OTHER ATTACHMENTS:

RECEIVED
OCT 31 1994



View of the P/U. : THE
10" IRRIGATION WELL. VIEW IS
to the East. THE WELL OPEN
DISCHARGES INTO THE DITCH. TUBES
ARE USED TO PUMP WATER IN
CORRIDGES. WATER IS REUSED
THROUGHOUT THE DITCH SYSTEM.

PHOTO ONE-



View of the domestic well. Well is located
on the W/E side of the Domestic
& VERY NEAR THE IRRIGATION WELL
Well is USED IN THE LAWN (IN THE
HOME).


RECEIVED
OCT 31 1994

PHOTO TWO-

Permit 67-67711

Photos taken 624-93

to 2 1-2



View of Plu to the South
All fields ARE IRRIGATED IN THIS
MANNER. With tubes & CORRIGATES.

PHOTO THREE-

>

PHOTO FOUR-

RECEIVED
OCT 31 1994



CECIL D. ANDRUS
Governor

State of Idaho
DEPARTMENT OF WATER RESOURCES
WESTERN REGION, 2735 Airport Way, Boise, Idaho 83705 • (208) 334-2190

R. KEITH HIGGINSON
Director

October 10, 1988

67-7711
Maurice Syme
952 Eaton Rd.
Weiser, ID 83672

Dear Applicant(s):

We acknowledge receipt of your statement submitted as proof as beneficial use for the above-referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department. A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office.

Sincerely,

Judy Pense
Secretary

/jdp




OCT 31 1994

OCT 03 1966

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources
within 30 days after the completion or abandonment of the well.

93

1. WELL OWNER Name <u>MAURICE SYME</u> Address <u>RT.1 BOX 100 WEISER, ID 83672</u> Owner's Permit No. _____ 2. NATURE OF WORK ☒ New well ☐ Deepened ☐ Replacement ☐ Abandoned (describe abandonment procedures such as materials, plug depths, etc. in lithologic log) 3. PROPOSED USE ☐ Domestic ☒ Irrigation ☐ Test ☐ Municipal ☐ Industrial ☐ Stock ☐ Waste Disposal or Injection ☐ Other _____ (specify type) 4. METHOD DRILLED ☒ Rotary ☒ Air ☐ Hydraulic ☐ Reverse rotary ☐ Cable ☐ Dug ☐ Other _____ 5. WELL CONSTRUCTION Casing schedule: ☒ Steel ☐ Concrete ☐ Other _____ Thickness Diameter From To <u>.250</u> inches <u>10</u> inches + <u>2</u> feet <u>82</u> feet _____ inches _____ inches _____ feet _____ feet _____ inches _____ inches _____ feet _____ feet _____ inches _____ inches _____ feet _____ feet Was casing drive shoe used? ☒ Yes ☐ No Was a packer or seal used? ☐ Yes ☒ No Perforated? ☒ Yes ☐ No How perforated? ☐ Factory ☐ Knife ☒ Torch Size of perforation <u>1/8</u> inches by <u>5</u> inches Number From To <u>100</u> perforations <u>68</u> feet <u>80</u> feet _____ perforations _____ feet _____ feet _____ perforations _____ feet _____ feet Well screen installed? ☐ Yes ☒ No Manufacturer's name _____ Type _____ Model No. _____ Diameter Slot size Set from feet to feet Diameter Slot size Set from feet to feet Gravel packed? ☒ Yes ☐ No ☐ Size of gravel <u>1/4</u> minus Placed from <u>20</u> feet to <u>80</u> feet Surface seal depth <u>18'</u> Material used in seal: ☐ Cement grout ☒ Bentonite ☐ Puddling clay ☐ _____ Sealing procedure used: ☐ Slurry pit ☐ Temp. surface casing ☒ Overbore to seal depth Method of joining casing: ☐ Threaded ☒ Welded ☐ Solvent Weld ☐ Cemented between strata Describe access port _____	7. WATER LEVEL Static water level <u>12</u> feet below land surface. Flowing? ☐ Yes ☐ No G.P.M. flow _____ Artesian closed-in pressure _____ p.s.i. Controlled by: ☐ Valve ☐ Cap ☐ Plug Temperature <u>57</u> °F. Quality <u>GOOD</u> <i>Describe artesian or temperature zones below.</i> 8. WELL TEST DATA ☐ Pump ☐ Bailer ☒ Air ☐ Other _____<table border="1" style="width:100%; border-collapse: collapse;"><thead><tr><th>Discharge G.P.M.</th><th>Pumping Level</th><th>Hours Pumped</th></tr></thead><tbody><tr><td><u>300 +</u></td><td><u>100</u></td><td><u>6</u></td></tr><tr><td> </td><td> </td><td> </td></tr><tr><td> </td><td> </td><td> </td></tr></tbody></table> 9. LITHOLOGIC LOG<table border="1" style="width:100%; border-collapse: collapse;"><thead><tr><th rowspan="2">Bore Diam.</th><th colspan="2">Depth</th><th rowspan="2">Material</th><th colspan="2">Water</th></tr><tr><th>From</th><th>To</th><th>Yes</th><th>No</th></tr></thead><tbody><tr><td><u>16</u></td><td><u>0</u></td><td><u>15</u></td><td><u>BROWN CLAY (STICKY)</u></td><td> </td><td> </td></tr><tr><td><u>16</u></td><td><u>15</u></td><td><u>19</u></td><td><u>SAND & SPARSE GRAVEL</u></td><td><u>XX</u></td><td> </td></tr><tr><td><u>16</u></td><td><u>19</u></td><td><u>24</u></td><td><u>GRAVEL & SAND</u></td><td><u>XX</u></td><td> </td></tr><tr><td><u>16</u></td><td><u>24</u></td><td><u>35</u></td><td><u>BROWN CLAY</u></td><td> </td><td> </td></tr><tr><td><u>16</u></td><td><u>35</u></td><td><u>68</u></td><td><u>BLACK SAND & GRAVEL</u></td><td><u>XX</u></td><td> </td></tr><tr><td><u>10</u></td><td><u>68</u></td><td><u>78</u></td><td><u>BLACK GRAVEL & SAND</u></td><td><u>XX</u></td><td> </td></tr><tr><td><u>10</u></td><td><u>78</u></td><td><u>103</u></td><td><u>BLUE CLAY</u></td><td> </td><td> </td></tr></tbody></table>    Department of Water Resources	Discharge G.P.M.	Pumping Level	Hours Pumped	<u>300 +</u>	<u>100</u>	<u>6</u>							Bore Diam.	Depth		Material	Water		From	To	Yes	No	<u>16</u>	<u>0</u>	<u>15</u>	<u>BROWN CLAY (STICKY)</u>			<u>16</u>	<u>15</u>	<u>19</u>	<u>SAND & SPARSE GRAVEL</u>	<u>XX</u>		<u>16</u>	<u>19</u>	<u>24</u>	<u>GRAVEL & SAND</u>	<u>XX</u>		<u>16</u>	<u>24</u>	<u>35</u>	<u>BROWN CLAY</u>			<u>16</u>	<u>35</u>	<u>68</u>	<u>BLACK SAND & GRAVEL</u>	<u>XX</u>		<u>10</u>	<u>68</u>	<u>78</u>	<u>BLACK GRAVEL & SAND</u>	<u>XX</u>		<u>10</u>	<u>78</u>	<u>103</u>	<u>BLUE CLAY</u>		
Discharge G.P.M.	Pumping Level	Hours Pumped																																																															
<u>300 +</u>	<u>100</u>	<u>6</u>																																																															
Bore Diam.	Depth		Material	Water																																																													
	From	To		Yes	No																																																												
<u>16</u>	<u>0</u>	<u>15</u>	<u>BROWN CLAY (STICKY)</u>																																																														
<u>16</u>	<u>15</u>	<u>19</u>	<u>SAND & SPARSE GRAVEL</u>	<u>XX</u>																																																													
<u>16</u>	<u>19</u>	<u>24</u>	<u>GRAVEL & SAND</u>	<u>XX</u>																																																													
<u>16</u>	<u>24</u>	<u>35</u>	<u>BROWN CLAY</u>																																																														
<u>16</u>	<u>35</u>	<u>68</u>	<u>BLACK SAND & GRAVEL</u>	<u>XX</u>																																																													
<u>10</u>	<u>68</u>	<u>78</u>	<u>BLACK GRAVEL & SAND</u>	<u>XX</u>																																																													
<u>10</u>	<u>78</u>	<u>103</u>	<u>BLUE CLAY</u>																																																														

MAURICE AND BARBARA SYME
852 EATON ROAD
WEISER, IDAHO 83872



FROM YOUR POSTAGE

EXPRESS
WHEN WE SAY WE SAY IT
WE MEAN IT

*State of Idaho
Dep. of Natural Resources
Water Allocation Section
State House
Boise, Idaho 83720*

OCT 03 1988

S T A T E O F I D A H O
DEPARTMENT OF WATER RESOURCES

- - - - -

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
FEBRUARY 04, 1988

SYME, MAURICE & BARBARA
RT. 1 BOX 100
WEISER, ID 83672

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 67-7711

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

BE SURE TO NOTE THE SPECIAL CONDITION REQUIRING YOU TO INSTALL A MEASURING DEVICE, OR A FLOW MEASUREMENT PORT TO PROVIDE FOR THE INSTALLATION OF MEASURING EQUIPMENT BY THE DEPARTMENT. ENCLOSED PLEASE FIND A LIST OF MEASURING DEVICE OPTIONS, AND SPECIFICATIONS FOR THE INSTALLATION OF THE FLOW MEASUREMENT PORT.

SECTION 42-235, IDAHO CODE, REQUIRES THAT A "DRILLING PERMIT" MUST BE OBTAINED FROM THE DEPARTMENT FOR ALL WELLS CONSTRUCTED AFTER JULY 1, 1987. A DRILLING PERMIT IS A SEPARATE PERMIT THAT MUST BE ISSUED IN ADDITION TO YOUR PERMIT TO APPROPRIATE WATER. COMMENCEMENT OF WELL CONSTRUCTION OR DIVERSION OF WATER UNDER YOUR PERMIT TO APPROPRIATE WATER IS PROHIBITED UNLESS A DRILLING PERMIT IS OBTAINED.

WE HAVE ENCLOSED A FORM ENTITLED "INSTRUCTIONS FOR PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT. ALSO ENCLOSED FOR YOUR CONVENIENCE IS THE STATEMENT OF BENEFICIAL USE FORM THAT MUST BE SUBMITTED WHEN YOUR PROJECT IS COMPLETED.

SINCERELY,

GARY SPACKMAN
SUPERVISOR, WATER ALLOCATION SECTION

GS: SC
ENCLOSURES

RECEIVED

OCT 05 1988

No 998

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO, } ss.
County of Washington

Dorothy A. Booth, being duly sworn,
deposes and says:

That he is the Clerk of
THE WEISER SIGNAL, a weekly newspaper published at
Weiser, in the County of Washington and State of Idaho; that
said paper has been and is in general circulation in the
county aforesaid, and in the vicinity of Weiser; that the ad-
vertisement, a copy of which is attached hereto, was pub-
lished in said newspaper once a week for Five consecu-
tive weeks in the regular and entire issue of said paper dur-
ing the period and time of publication, and was published in
the newspaper proper and not in a supplement; that said
paper has been established and regularly published for more
than seventy-eight consecutive weeks prior to the date of
first publication of said advertisement.

Such notice was published in the issue beginning with
April 16, 1987, and ending
with the issue of April 23, 1987

Dorothy A. Booth

Fees, \$ 31.46

RECEIVED

OCT 05 1988

Subscribed and sworn to before me this 23
day of April, 1987

[Signature]
Notary Public, Residing at Weiser, Idaho.

My Commission Expires 1-1, 1993

NOTICE OF APPLICATION FOR WATER RIGHT

The following application has been filed to appropriate the
public waters of the State of Idaho:

67-7711

SYME, MAURICE &/or BARBARA

RT. 1 BOX 100, WEISER, ID 83672

Source: GROUNDWATER

Diversion Pt. SWNE NWSE Sec 17 T 11N R 06W

Use: IRRIGATION (2.0 CFS)

DOMESTIC (0.040 CFS)

Date Filed: 03/20/1987

In: SENE NWSE Sec 17 T. 11N R 06W NWNE SWNE Sec 20
T 11N R 06W FOR 110 ACRES

The permit will be subject to all prior water rights. Protests
must be filed with the Director, Dept. of Water Resources,
Western Region, Statehouse, Boise, Idaho 83720 on or before
MAY 4, 1987.

KEN DUNN, Dir.

Published 04/16 & 04/23/87

RECEIVED

APR 23 1987

Department of Water Resources
Western Regional Office

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Western Region

Statehouse
Boise, Idaho 83720
(208) 334-2190

APRIL 8, 1987

The Weiser Signal
Box 709
Weiser, ID 83672

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before MAY 4, 1987.

Yours truly,

JUDY PENSE
Secretary

Encl.

RECEIVED
OCT 05 1988

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Western Region, Statehouse, Boise, Idaho 83720 on or before MAY 4, 1987.

KEN DUNN, Dir.

MICROFILMED

Published 04/16 & 04/23/87.

OCT 03 1988

67-7711

SYME, MAURICE &/or BARBARA

RT. 1 BOX 100, WEISER, ID 83672

Source: GROUNDWATER

Diversion Pt: SWNE NWSE Sec 17 T 11N R 06W

Use: IRRIGATION (2.0 CFS)
DOMESTIC (0.040 CFS)

Date Filed: 03/20/1987

In: SENE NWSE Sec 17 T 11N R 06W NWNE SWNE Sec 20 T 11N R 06W
FOR 110 ACRES

MICROFILMED

OCT 05 1988