

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

Hand-drawn map on a grid showing Township 10 North, Range 5 West, and Section 8. A wellsite is marked with an 'X' and labeled 'wellsite NE SE'. A pipeline system is labeled 'T8N R5W Sec 8 pipeline system'.

Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.


(Applicant)

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO, }
County of Washington } ss.

Dorothy A. Barth, being duly sworn,
deposes and says:

That he is the Clark of
THE WEISER SIGNAL, a weekly newspaper published at
Weiser, in the County of Washington and State of Idaho; that
said paper has been and is in general circulation in the
county aforesaid, and in the vicinity of Weiser; that the ad-
vertisement, a copy of which is attached hereto, was pub-
lished in said newspaper once a week for Two consecu-
tive weeks in the regular and entire issue of said paper dur-
ing the period and time of publication, and was published in
the newspaper proper and not in a supplement; that said
paper has been established and regularly published for more
than seventy-eight consecutive weeks prior to the date of
first publication of said advertisement.

Such notice was published in the issue beginning with
October 2, 1986, and ending
with the issue of October 9, 1986.

Dorothy A. Barth
Fees, \$ 28.96

Subscribed and sworn to before me this 9
day of October, 1986

Notary Public
Notary Public, Residing at Weiser, Idaho.

My Commission Expires 5-1, 1991

No. 984 NOTICE OF APPLICATION FOR WATER RIGHT

The following application has been filed to appropriate the
public waters of the State of Idaho:

67-7709 ✓JP

ODOMS, LES
RT. 3 BOX 210A, WEISER, ID 83672
Source: GROUNDWATER
Diversion Pt: NESE Sec 08 T 10N R 05W
Use: IRRIGATION (0.260 CFS)
Date Filed: 09/03/1986
In: NESE Sec 08 T 10N R 05W FOR 13 ACRES

The permit will be subject to all prior water rights. Protests
must be filed with the Director, Dept. of Water Resources,
Western Region, Statehouse, Boise, Idaho 83720 on or before
OCTOBER 20, 1986.

KEN DUNN, Dir.
Published 10/02 and 10/09/86.


62-2S

MICROFILMED

RECEIVED
OCT 17 1986

Department of Water Resources
Western Regional Office

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = NTS

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☒ Aerial Photo Attached (required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
#1 (irr)		7.5			
#2 (irr)	GE	3	SK0224XA49A		
(house)	STA-RITE	1.5	C56M2S100		

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS None


1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

MICROFILMED

AUG 20 1937



#67-7709
ODOMS

7.3 acres
4.0 acres
#2 plu

Scale
1:24,000

MICROFILMED
AUG 20 1937



Point of diversion for 7.3 acre field

7.3 acres

Point of diversion for 4.0 acre field

4.0 acres

Places of use

Odoms
67-07709
Re-exam date: 4/15/97
Photocopy of NAPP photo dated 7/13/87
Enlarged to show detail; scale 1:24,000

AUG 20 1997




Photo #1

Point of diversion
for North field




Photo #2

Place of use, North field

Permit No. 67-07709
B/U Field Report
April 15, 1997


APPROVED
AUG 20 1997



Well house with 6" well

Photo #3

Wellhouse



2" discharge
to 4.0 acre
field

to domestic pump

3 HP pump

6" well

Photo #4

Point of diversion
for south field



6" well

4.0 acre field south of house

Photo #5

Place of use, south field

Permit No. 67-07709
B/U Field Report
April 15, 1997

10000-21-11
AUG 20 1997

RECEIVED
OCT 18 1993

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT Department of Water Resources

A. GENERAL INFORMATION


Permit No. 67-7709
Phone No. 208-549-2415
1. Owner: LES Odams
Current Address: RT. 3 Box 210 A WEISER ID. 83672
2. Accompanied by: KENNETH Odams EXAM. DATE: _____
Address: WEISER ID. 83672 Phone No. 549-0269
Relationship to Permit Holder: FATHER
3. Source: GROUNDWATER tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: _____
_____ ☐ Copies Attached
2. Other water rights with same point of diversion: _____
_____ ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION


1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = NO SCALE

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required). ☐ Aerial Photo Attached
(required for irrigation of 10 acres or more)
☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater.)

MICROFILMED
AUG 20 1997




#67-7709
ODOMS

67-7709

CRAIG RD

KROUSE RD

MICROFILMED
AUG 20 1937



CLABBY Rd.

P/u

P/D

Krouse Rd.

SE 1/4 Sec. 9
Twp. 10N R. 5W

#67-7709
ABDOOMS
1937

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 67-07709

Priority: September 3, 1986

Maximum Diversion Rate: 0.22 CFS
Maximum Diversion Volume: 49.5 AF

This is to certify, that LES ODOMS
427 KRAUSE RD
WEISER ID 83672

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated September 3, 1986; and has submitted Proof of Beneficial Use on July 21, 1987. An examination indicates that the works have a diversion capacity of 0.440 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.22 CFS	49.5 AF

LOCATION OF POINT(S) OF DIVERSION: NWSE , Sec. 9, Township 10N, Range 05W
WASHINGTON County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
10N	05W	9	NWSE	11		11

Total number of acres irrigated: 11

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount that can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 4.5 afa per acre for the lands above.
6. Two points of diversion are located within NWSE, S9, T10N, R05W.

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 67-07709

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 30TH
day of June, 1997.


Acting for KARL J. DREHER Director



State of Idaho
Department of Water Resources

RECEIVED

JUN 30 1997

Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 67-07709

Date of Priority: September 3, 1986

Maximum Diversion Rate: 0.22 CFS

Maximum Diversion Volume: 49.5 AF

Comes now LES ODOMS

427 KRAUSE RD

WEISER ID 83672

and represents to the Director of the

Idaho Department of Water Resources:

That he is the owner and holder of Permit to appropriate the Public Waters of the State of Idaho No. 67-07709, and requests that the permit be changed as follows:

Source: GROUNDWATER

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.22 CFS	49.5 AF

LOCATION OF POINT(S) OF DIVERSION: NWSE , Sec. 9, Township 10N, Range 05W
WASHINGTON County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
10N	05W	9	NWSE	11		11

Total number of acres irrigated: 11

Permit holder asserts that no one will be injured by such change and that such change will be made at permit holder's own risk.

Signed at Weiser, Id, this 26th day of June, 1997.

Les Odoms
(Signature)

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 67-07709

FOR DEPARTMENT USE ONLY

Preliminary check by SWT Fee = 5000 Receipted by LS # 0084588 Date 6/30/97

ACTION OF THE DEPARTMENT OF WATER RESOURCES

I, Karl J. Dreher, of the Department of Water Resources hereby approve the
above Application for Amendment for Permit No. 67-07709 with the following;

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount that can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 4.5 afa per acre for the lands above.
6. Two points of diversion are located within NWSE, S9, T10N, R05W.

Witness my hand this 30TH day of June, 1997.


KARL J. DREHER, Director

100-1-12

885-10-100

RECEIVED
JUL 21 1987

RECEIVED
JUN 17 1987

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

Department of Water Resources

PROOF OF BENEFICIAL USE

For Office Use Only
Fee Received \$100.00
Date 7-22-87
Receipt # 44050
Receipt by [Signature]
Reviewed by [Signature]
Sent to region 8/5/87

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 87-7709

Name(s) of Permit Holder: Leslie Odams

Post Office Address: Rt # 3 Box 210A, Weiser, Id 83672

Telephone No. 208-549-2415

Source of Water: ground water

Extent of Use:

Domestic _____ (number of households) Stockwater _____ (number and type of stock)
Irrigation 13 (acres) Other/Remark _____

Total rate and/or volume for which proof is submitted 26 cubic feet per second cfs _____ acre-feet

Show the date water was first diverted and beneficially used under this permit: 1986

Measuring Device: Required? ☐ Yes ☐ No
Installed? ☐ Yes ☐ No

Fee enclosed \$ 100.00
(See License Examination Fee Schedule)

Flow Measurement Port: Required? ☐ Yes ☐ No
Installed? ☐ Yes ☐ No

fee was to be determined when inspection is done according to Mike Stubbfield, as of 6/22/87

Person to contact to accompany the Department representative during the field examination:

Kenneth Odams
Leslie K. Odams
Donna Odams (Name)

549-0269

549-2415 (hm)

889-6473-(work)

Teton
Pargette

1301 W 5th Street Weiser, Id
Rt #3 Box 210A, Weiser, Id

(Address)

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

MicroFILMED

AUG 21 1987

December 15, 1986

Date

Leslie K. Odams
Signature of Permit Holder (and title, if appropriate)

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

RECEIVED
SEP 3 1986

APPROVED

To appropriate the public waters of the State of Idaho

Department of Water Resources

1. Name of applicant Las Odems Phone 549-2415
Post office address Rt 3 Box 210 A Ureider, Ida 83672
2. Source of water supply groundwater which is a tributary of _____
3. Location of point of diversion is _____ 1/4 of NE 1/4 of SE 1/4, Govt. Lot _____
Sec. 8 Township 10 N Range 5 W B.M. Washington County; additional
points of diversion if any: _____
4. Water will be used for the following purposes:
Amount .26 for irrigation purposes from 9/15 to 11/15 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) .26 (13 acres) and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. well, pump, pipeline
(basic)

☒ Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.
c. Proposed well diameter is 8 1/2 inches; proposed depth of well is 60' feet.
d. Is ground water with a temperature of greater than 90°F being sought? no
7. Time required for the completion of the works and application of the water to the proposed beneficial use is
1 years (minimum 1 year).
time of completion of well.

8. Description of proposed uses (if irrigation only go to item 9):

- a. Hydropower; show total feet of head and proposed capacity in KW. _____
- b. Stockwatering; list number and kind of livestock. _____
- c. Municipal; show name of municipality. _____
- d. Domestic; show number of households. _____
- e. Other; describe fully. _____

9. Description of place of use:

- a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- b. If water is used for other purposes, place a symbol of the use (example: *D* for *Domestic*) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
10N	5W	8													13				13 acres

Total number of acres to be irrigated 13 acres

10. Describe any other water rights used for the same purposes as described above. none

11. a. Who owns the property at the point of diversion? Les Odems

b. Who owns the land to be irrigated or place of use? Les Odems

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

12. Remarks: _____

RECEIVED MAY 10

Hand-drawn map on a grid showing Township 10 North, Range 5 West, and Section 8. A wellsite is marked with an 'X' and labeled 'wellsite NE SE'. A pipeline system is indicated by a line across the section.


(Applicant)

Received by SL Date 9-3-86 Time 4:30 pm Proposed Priority 9/3/86
Fee \$ 45.00 Receipted by JP # 40572 Date 9/9/86
Publication prepared by JP Date 9-17-86 Published in Weiser Signal
10-2 & 10-9-86
Publication approved SL Date 10/20/86

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 67-7709, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before December 1, 19 87.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.
- e. Other:

Witness my hand this 6th day of November, 1986.

H. Glen Saxton
Chief, Operations Bureau



3513
4/1986

HRR156

IDAH0 DEPARTMENT OF WATER RESOURCES
WATER RIGHTS BY PLACE OF USEPAGE 3528
06/24/1986

HRR1

TNSHP	RNG	SEC	TRACT	LOT	ACRES	USES	WATER RIGHT NUMBER	LAST NAME	OWNER CODE	STAGE	PRIORITY DATE	SOURCE OF WATER
10N	05W	08	MMNH	10	01		03-2036	HACKAY	C	L	03-08-1955	SHAKE RIVER
			MMNH	04	01		67-2226	INADA	C	L	12-15-1952	GROUNDWATER
			MMNH	03	01		03-2032	INADA	C	L	12-15-1952	SHAKE RIVER
			SENH	36	01		03-2032	INADA	C	L	12-15-1952	SHAKE RIVER
			SENH	35	01		67-2226	INADA	C	L	12-15-1952	GROUNDWATER
			MESE	13	01		03-2029	MARY	C	L	09-15-1978	SHAKE RIVER
			MESE	27	01		03-2032	ANDERSON	C	L	12-15-1952	SHAKE RIVER
			MESE	20	01		67-2226	INADA	C	L	12-15-1952	GROUNDWATER
			MESE	18	01		67-2226	INADA	C	L	12-15-1952	GROUNDWATER
			MESE	12	01		03-2032	INADA	C	L	12-15-1952	SHAKE RIVER
			SESH	24	01		03-2032	E. H. LONG & SONS	C	L	07-17-1947	SHAKE RIVER
			SESH	04	01		03-2032	INADA	C	L	12-15-1952	SHAKE RIVER
			SESH	34	01		67-2185	WHITTET	C	L	02-07-1948	GROUNDWATER
			SESH	34	01		67-2396	HACKAY	C	L	03-07-1957	UNNAMED SLOUGH
			MESE	15	01		03-7008	ANDERSON	C	L	09-08-1972	SHAKE RIVER
			MESE		43		67-4251	QUIGLEY	C	S	06-01-1940	GROUNDWATER
			MESE		06	01	67-4252	QUIGLEY	C	S	06-01-1942	GROUNDWATER
			MMSE		32	01	03-2029	MARY	C	L	09-15-1970	SHAKE RIVER
			MMSE		06	01	67-4518	ANDERSON	C	S	07-01-1910	GROUNDWATER
			SHSE		20	01	67-2185	WHITTET	C	L	02-07-1948	GROUNDWATER
			SHSE		08	01	67-2396	HACKAY	C	L	03-07-1957	UNNAMED SLOUGH
			SHSE			43	67-4195	KYLE	C	S	06-01-1917	GROUNDWATER
			SHSE		12	01.04	67-4196	KYLE	C	S	06-01-1948	GROUNDWATER
			SHSE			43	67-7328	KYLE	C	P	07-10-1977	GROUNDWATER
			SESE		30	01	67-4424	OLSON	C	S	06-01-1928	GROUNDWATER
			SESE		15	01	67-4518	WHITSLON	C	S	07-01-1910	GROUNDWATER
			SESE		30	01	67-7574	WHITSLON	C	P	06-24-1982	GROUNDWATER
			MESE		38	01	65-0165X	LOMER PAYETTE DITC	C	D	06-01-1882	PAYETTE RIVER
			MESE		38	01	65-0165X	LOMER PAYETTE DITC	C	D	06-01-1882	PAYETTE RIVER
			SENE		36	01	65-0165X	LOMER PAYETTE DITC	C	D	06-01-1882	PAYETTE RIVER
			SENE		37	01	65-0165X	LOMER PAYETTE DITC	C	D	06-01-1882	PAYETTE RIVER
			SENE		10	01	67-7184	BLUM	C	L	06-12-1972	GROUNDWATER
			SENE		24	01	65-0165X	LOMER PAYETTE DITC	C	D	06-01-1882	PAYETTE RIVER
			MESE		20	01	67-2249	WETTRICK	C	L	06-27-1955	GROUNDWATER
			MESE		02	01	67-4578	BILLON	C	S	04-01-1955	GROUNDWATER
			MMNH		37	01	65-0165X	LOMER PAYETTE DITC	C	D	06-01-1882	PAYETTE RIVER
			MMNH			01	67-4269	ANDERSON	C	S	01-01-1945	GROUNDWATER

B 3

3514
4/1986

HRR156

IDAH0 DEPARTMENT OF WATER RESOURCES
WATER RIGHTS BY PLACE OF USEPAGE 3529
06/24/1986

HRR1

TNSHP	RNG	SEC	TRACT	LOT	ACRES	USES	WATER RIGHT NUMBER	LAST NAME	OWNER CODE	STAGE	PRIORITY DATE	SOURCE OF WATER	
10N	05W	09	SHNH		01		67-4269	ANDERSON	C	S	01-01-1945	GROUNDWATER	
			SHNH		43		67-7125	CHAMPION HOME	BUIL	C	L	01-11-1973	GROUNDWATER
			SENH		15	01	65-0165X	LOMER PAYETTE DITC	C	D	06-01-1882	PAYETTE RIVER	
			SENH		43		67-7124	CHAMPION HOME	BUIL	C	L	02-01-1973	GROUNDWATER
			SENH		43		67-7126	CHAMPION HOME	BUIL	C	L	01-11-1973	GROUNDWATER
			SENH		43		67-7128	CHAMPION HOME	BUIL	C	L	02-18-1973	GROUNDWATER
			SENH		49		67-7225	CHAMPION HOME	BUIL	C	L	09-12-1974	GROUNDWATER
			SESH		38	01	67-2184	HARRER	C	L	12-29-1947	GROUNDWATER	
			SESH		28	01	67-2293	CAIN	C	L	09-14-1961	GROUNDWATER	
			SESH		05	01.43	67-4425	NEWMAN	C	S	06-01-1939	GROUNDWATER	
			SESH		20	01	67-2184	HARRER	C	L	12-29-1947	GROUNDWATER	
			SESE		36	01	65-0165X	LOMER PAYETTE DITC	C	D	06-01-1882	PAYETTE RIVER	
			MMSE		12	01.43	67-2159	KLOTZ	C	L	01-22-1932	GROUNDWATER	
			MMSE		10	01	67-4000	BERGQUIST	C	S	08-01-1937	GROUNDWATER	
			MMSE		05	01.43	67-4474	ODONS	C	S	01-01-1949	GROUNDWATER	
			MMSE		10	01	67-7626	MOORE	C	P	05-12-1980	GROUNDWATER	
			MMSE		10	01.43	67-2374	WRIGHT	C	L	02-18-1963	GROUNDWATER	
			MMSE		18	01	67-7214	SKON	C	L	07-15-1974	GROUNDWATER	
			MMSE		05	01.04.43	67-7334	BURBICK	C	P	06-08-1977	GROUNDWATER	
			SESE		16	01	67-4000	BURBICK	C	S	08-01-1937	GROUNDWATER	
			SESE		40	01	67-2200	BERGQUIST	C	S	08-01-1937	GROUNDWATER	
			SENE		40	01	67-2204	FORD, JR.	C	L	09-19-1950	WEISER RIVER	
			SENE		28	01	67-4504	FORD, JR.	C	L	07-11-1951	WEISER RIVER	
			SENE		37	01	67-2200	JUST RITE FARMS	C	L	04-01-1947	WEISER RIVER	
			SENE		37	01	67-2200	FORD, JR.	C	L	09-19-1950	WEISER RIVER	
			SENE		40	01	67-4504	FORD, JR.	C	L	07-11-1951	WEISER RIVER	
			SENE		04	01	65-0165X	LOMER PAYETTE DITC	C	D	06-01-1882	PAYETTE RIVER	
			SENE		24	01	67-4504	JUST RITE FARMS	C	L	04-01-1947	WEISER RIVER	
			SENE		24	01	67-4504	JUST RITE FARMS	C	L	04-01-1947	WEISER RIVER	
			SENE		24	01	65-0165X	LOMER PAYETTE DITC	C	D	06-01-1882	PAYETTE RIVER	
			SENE		07	01	67-2200	FORD, JR.	C	L	09-19-1950	WEISER RIVER	
			SENE		07	01	67-2204	FORD, JR.	C	L	07-11-1951	WEISER RIVER	
			SENE			43	67-4126	STURTEVANT	C	L	07-11-1951	GROUNDWATER	

Nº 984

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO, } ss.
County of Washington

Dorothy A. Barth, being duly sworn,
deposes and says:

That he is the Clerk of
THE WEISER SIGNAL, a weekly newspaper published at
Weiser, in the County of Washington and State of Idaho; that
said paper has been and is in general circulation in the
county aforesaid, and in the vicinity of Weiser; that the ad-
vertisement, a copy of which is attached hereto, was pub-
lished in said newspaper once a week for Two consecu-
tive weeks in the regular and entire issue of said paper dur-
ing the period and time of publication, and was published in
the newspaper proper and not in a supplement; that said
paper has been established and regularly published for more
than seventy-eight consecutive weeks prior to the date of
first publication of said advertisement.

Such notice was published in the issue beginning with
October 2, 1986, and ending
with the issue of October 9, 1986

Dorothy A. Barth
Fees, \$ 28.96

Subscribed and sworn to before me this 9
day of October, 1986

Notary Public
Notary Public, Residing at Weiser, Idaho.

My Commission Expires 5-1, 1991

NOTICE OF APPLICATION FOR WATER RIGHT

The following application has been filed to appropriate the
public waters of the State of Idaho:

67-7709 ✓ JP

ODOMS, LES
RT. 3 BOX 210A, WEISER, ID 83672
Source: GROUNDWATER
Diversion Pt: NESE Sec 08 T 10N R 05W
Use: IRRIGATION (0.260 CFS)
Date filed: 09/03/1986
In: NESE Sec 08 T 10N R 05W FOR 13 ACRES

The permit will be subject to all prior water rights. Protests
must be filed with the Director, Dept. of Water Resources,
Western Region, Statehouse, Boise, Idaho 83720 on or before
OCTOBER 20, 1986.

Tom Dunn, Dir.
Public ID 422 and 10-10-86 62-25

Department of Water Resources
Western Region
Boise, Idaho



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. BOX 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

July 1, 1997

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

LES ODOMS
427 KRAUSE RD
WEISER ID 836720000

RE: WATER RIGHT NO. 67-07709

Dear Water Right Holder(s):

The Department of Water Resources (the Department) has issued the enclosed license confirming that a water right has been established in accordance with the permit referenced above. The license is a preliminary order issued by the Department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department unless a party petitions for reconsideration or files an exception and/or brief as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the Department within fourteen (14) days of the service date of this order. The Department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See section 67-5243(3), Idaho Code.

EXCEPTIONS AND BRIEFS

Within twenty-one (21) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding. Otherwise, this preliminary order will become a final order of the Department.

If any party appeals or takes exceptions to this preliminary order, opposing parties shall have twenty-one (21) days to respond to any party's appeal. Written briefs in support of or taking exceptions to the preliminary order shall be filed with the Department. The Department retains the right to review the preliminary order on its own motion.

RECORDED

AUG 20 1997

ORAL ARGUMENT

If the Department grants a petition to review the preliminary order, the Department shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Department will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Department orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Department in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with Rules of Procedure 302 and 303.

FINAL ORDER

The Department will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Department may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The Department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

For your records I have also enclosed a copy of your Application for Amendment of Permit, which was approved.

Sincerely,

A handwritten signature in cursive script that reads "Shelley W. Keen". The signature is written in dark ink and is positioned above the typed name.

Shelley W. Keen
Water Rights Supervisor

SK:klt

Enclosure

CERTIFICATE OF MAILING

I hereby certify that on the 1st day of July, 1997, I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER (Approved License) to the person(s) listed below:

Water Right No. 67-07709

LES ODOMS
427 KRAUSE RD
WEISER ID 836720000


Kari Lynn Townsend
Secretary

AUG 29 1997



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. BOX 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

June 24, 1997

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

LES ODOMS
427 KRAUSE RD
WEISER ID 836720000

RE: WATER RIGHT NO. 67-07709

Dear Permit Holder(s):

I previously forwarded to you an Application for Amendment so that you could amend your permit to depict your water right as it has been actually developed. I have not yet received the amendment. If I do not receive it within fourteen days, I will assume you no longer have any interest in the permit and cancellation proceedings will begin.

Enclosed for your convenience is another amendment form. Please note that the filing fee for this amendment is \$50.00. If you have any questions, please call me at (208) 327-7946.

Sincerely,

Shelley W. Keen
Water Rights Supervisor

SK:klt

Enclosure

11/17/97
AUG 20 1997



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

June 3, 1997

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

LES ODOMS
427 KRAUSE RD
WEISER ID 836720000

RE: WATER RIGHT NO. 67-07709

Dear Permit Holder(s):

The above referenced water right is in the process of being licensed. However, before a license can be issued, your permit must be amended to depict your water right as it has actually been developed.

The enclosed Application for Amendment contains information that will be included on the license when it is issued. The amendment reflects a change in the location of the point(s) of diversion and the place(s) of use description. Please review carefully and if you concur, sign the amendment and return it with the \$50.00 filing fee within 14 days.

The last page of the Application for Amendment form contains a list of Conditions of Approval and Remarks proposed for the license when it is issued. These conditions of approval and remarks may be modified upon further administrative review.

If you do not concur, or if you have any questions about this information, please contact me as soon as possible. My telephone number is (208) 327-7946.

Sincerely,

Shelley W. Keen
Water Rights Supervisor

SK:ph

Enclosure

RECEIVED

AUG 20 1997

LICENSE REVIEW CHECKLIST

PERMIT NO. 67-07709

DATE 5/20/97

REVIEWER: SHARLA

NAME	Change <u>—</u>	OK <u>✓</u>	Address Change <u>yes</u>
SOURCE	<u>—</u>	<u>✓</u>	Is change/clarification of originally intended source? <u>—</u>
POINT OF DIV	<u>✓</u>	<u>—</u>	If not, prepare Notice of Intent to Void <u>—</u>
PLACE OF USE	<u>✓</u>	<u>—</u>	Amendment required <u>yes</u>

Does map agree with written description? ✓ yes — no

OVERLAPS — P/D — P/U

RATE OF DIV

Permitted Rate	<u>.26</u> cfs
Fee limit	<u>1.0</u> cfs \$100 ⁰⁰
Measured	<u>—</u> cfs
Theoretical	<u>.44</u> cfs (irrig)

Recommended Total Div Rate .23 cfs

ANNUAL VOLUME/
NATURE OF USES —

Use ✓

Volume Calculation	<u>11.3</u> x <u>4.5</u> = <u>af</u>
	<u>af</u>
	<u>af</u>
	<u>af</u>
SUBTOTAL	<u>50.9</u> af

Flow rate .23 cfs X 246 days X 1.98 = 112.2 af

Total volume recommended 50.9 af

(SUBTOTAL or Flow Rate, whichever is less)

REMARKS

2 pld

CONDITIONS — Watermaster Control WD# —

— GW Measurement/Measuring Device

P32 Overlap

— Use-specific conditions

Advancement of Priority Date Required — yes ✓ no

SRBA Claim Filed ✓
Adjustment Memo —

1st Amend Letter P37 P38
2nd Amend Letter P47

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
MAY 20 1997

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 67-07709

1. Owner: LES ODOMS Phone No. 208/642-9344 (DOTTIE'S WORK)

Current Address: 427 KRAUSE RD WEISER ID 83672

2. Accompanied by: DOTTIE ODOMS EXAM DATE: 4/15/97

Address: 427 KRAUSE RD WEISER 83672 Phone No. SAME

Relationship to Permit Holder: WIFE

3. Source: GROUNDWATER tributary to _____

B. OVERLAP REVIEW

1. Other water rights with the same place of use: NONE

2. Other water rights with the same point of diversion: A67-11009 (1 of 2 p/d's)

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion: (2 p/d's)

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			NW	SE	09	10N	05W	WASH.	TOPOGRAPHIC MAP

2. Place(s) of Use:


Indicate Method of Determination ASC AERIAL

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
10N	05W	09														11.3			11.3

UNRECORDED

AUG 20 1997

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate well size/ditch size/pipe I.d. as applicable.



Scale: 1" = NTS

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☒ Aerial Photo Attached (required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
#1 (irr)		1.5			
#2 (irr)	GE	3	SK0224XA49A		
(house)	STA-RITE	1.5	CS6M2S100		

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS *None*

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

MICROFILMED

AUG 20 1937

E. NARRATIVE/REMARKS/COMMENTS

The purpose of this examination is to verify the number of irrigated acres developed under this permit. An examination conducted Quentin Nesbitt on 8/22/88 identified 7.0 acres of irrigation in a field located north of the house. The right holder maintains more acres are irrigated than identified by the examiner in 1988.

I conducted a re-examination on April 15, 1997 accompanied by Dottie Odoms, wife of the right holder. Mrs. Odoms showed me two wells. The wells are not interconnected.

An 8 inch well with a submersible 7.5 HP pump (see photo #1) located northwest of the house supplies water to irrigate the 7.0 acre field north of the house (see photo #2). The system was not operating at the time of this exam. However, the main line was in place in the field and hand lines were stacked in the corner of the field.

A 6 inch well located in the wellhouse (see photo #3) south of the house has two pumps. Both pumps are in a 6 foot culvert buried vertically approximately 20 feet. The well is located at the bottom of the culvert. Approximately 2 feet above the well is a 3.0 HP General Electric pump (see photo #4). This pump supplies water to irrigate the 4.0 acre field south of the house (see photo #5). The system was not operating at the time of this exam. However, the main line was in place in the field and hand lines were stacked in the corner of the field.

Approximately 3 feet above the irrigation pump in the wellhouse is a 1.5 HP pump supplying domestic water to 1 home with lawn and to stock troughs located west of the house. Domestic and stockwater uses are claimed under A67-11009.

Mrs. Odoms verified the location of the two wells and two fields on the photocopy of the aerial photo attached to this exam. Mrs. Odoms agreed that an amendment was necessary to add the second point of diversion and correct the legal description of the permitted place of use and point of diversion.

Mrs. Odoms confirmed that groundwater is the sole source of water used to irrigate these lands. This area is not served by any canal or irrigation district.

THEORETICAL CAPACITY FOR IRRIGATION USES:

$$\text{Well \#1: } \frac{8.8 \times 0.7 \times 7.5}{20 + (2.31 \times 59)} = \frac{46.2}{156.29} = 0.30 \text{ cfs}$$

$$\text{Well \#2: } \frac{8.8 \times 0.7 \times 3.0}{20 + (2.31 \times 50)} = \frac{18.48}{135.5} = 0.14 \text{ cfs}$$

$$\begin{aligned} \text{Total combined irrigation capacity} &= \text{Well \#1} + \text{Well \#2} \\ &= 0.30 + 0.14 \\ &= 0.44 \text{ cfs} \end{aligned}$$

Have conditions of permit approval been met? ☒ yes ☐ no

MICROFILMED

AUG 20 1997

F. FLOW CALCULATIONS

Measured Method:

____ Additional Computation Sheets Attached

NORTH WELL MEASURED IN EXAM CONDUCTED 8/22/88.

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 11.3 \times 4.5 = 50.85 \approx 50.9 \text{ AF}$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 0.23 \times 246 \times 1.9835 = 112.2$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 50.9 \text{ AF}$$

2. Volume Calculations for Other Uses:

N/A

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
IRRIGATION	3/15	11/15	0.23	50.9
Totals:			0.23	50.9

2. Recommended Amendments


☒ Change P.D. as reflected above ☒ Add P.D. as reflected above ☐ None
☒ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other


I. AUTHENTICATION

Field Examiner's Name Cindy Zimmerman Date 4/15/97

Reviewer _____ Date _____

SEAL



An aerial photograph showing a river on the left and a grid of agricultural fields on the right. Two points of diversion are marked with arrows pointing from the river to the fields. A label 'Places of use' with an arrow points to the right side of the image.

Point of diversion for 7.3 acre field

Point of diversion for 4.0 acre field

Places of use

Odoms

67-07709

Re-exam date: 4/15/97

Photocopy of NAPP photo dated 7/13/87

Enlarged to show detail; scale 1:24,000




Photo #1

Point of diversion
for North field




Photo #2

Place of use, North field

Permit No. 67-07709
B/U Field Report
April 15, 1997

Photo #3

Wellhouse

Well house with 6" well

2" discharge
to 4.0 acre
field

Photo #4

Point of diversion
for south field

to domestic pump

3 HP pump

6" well

6" well

Photo #5

Place of use, south field

Permit No. 67-07709
B/U Field Report
April 15, 1997

field south of house

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

OCT 18 1993

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 67-7709

1. Owner: LES Odams
Current Address: RT. 3 Box 210 A WEISER ID. 83672

Phone No. 208-549-2415

2. Accompanied by: KENNETH Odams EXAM. DATE: _____

Address: WEISER ID. 83672 Phone No. 549-0269

Relationship to Permit Holder: FATHER

3. Source: GROUNDWATER tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: _____

☐ Copies Attached


2. Other water rights with same point of diversion: _____

☐ Copies Attached

☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = NO SCALE

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).

☐ Aerial Photo Attached
(required for irrigation of 10 acres or more)

☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater.)

REC'D
OCT 20 1993
44970137

System Description (continued)

3. **Narrative:** Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

SYSTEM HAS A 8" CASED WELL 60 FT DEEP WITH A
7 HP SUBMERSIBLE PUMP. A 3" DISCHARGE LINE GOES
DIRECTLY TO 3" SPRINKLER MAINLINE. PORTABLE HANDLINES
ARE USED TO IRRIGATE THE LAND.

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	UNKNOWN	7	UNKNOWN	UNKNOWN	3" DISCHARGE

*Code to correspond with No. on map and aerial photo

5. **Point(s) of Diversion:**

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			NW	SE	9	10N	5W	WASHINGTON	USGS QUAD

6. **Place(s) of Use:**

Indicate Method of Determination _____

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
10N	5W	9													7.3				7.3 Ac.

Do not use this space

AUG 20 1937

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
WELL PROBE		Olympic			350'	
MANOMETER		IDWIZ			6'	
COX/HALL METER			ST 1D. #	120381	2-5"	
SPRINKLER GAUGE						

2. Measurements:

- 20 FT TO WATER WHILE PUMP WAS PUMPING (DYNAMIC HEAD)
 - 59 psi @ COX/HALL METER
 - SEE COX/HALL SUPPLEMENT SHEET
 - SPRINKLERS → 55 psi 17 HEADS #30's (DRILLED OUT NOZZLES. ESTIMATE → 8 G.P.M./HEAD ⇒ .303 cfs x .33 cfs

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method: COX/HALL METER: .33 cfs 7.3 ac. x .02 cfs = .146 cfs
 SPRINKLER: .303 cfs
 2. Alternate Method for Checking Purposes: THEORETICAL: $\frac{7 \text{ HP} \times 8.8 \times .8}{(2.31 \times 59 \text{ psi}) + 20 \text{ FT}} = .32 \text{ cfs}$

F. PUMP EFFICIENCY DATA (Optional)

N/A < 25 HP

.32 cfs x .303 cfs x .32 cfs

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3)

: Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 7.3 \text{ ac} \times 4.5 \text{ cfs/ac} = 32.9 \text{ AFA}$

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = .15 \text{ cfs} \times 245 \text{ days} \times 1.9835 = 72.9 \text{ AFA}$

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 32.9 \text{ AFA}$

2. Volume Calculations for Other Uses:

APR 20 1987

H. REMARKS AND OVERLAP REVIEW ANALYSIS

- THE LEGAL DESCRIPTION FOR THIS PROPERTY ON THE PERMIT, IS
IN THE WRONG SECTION AND WRONG 1/4'N SO I RECOMMEND
THE PERMIT BE AMENDED.

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
IRRIGATION	3/15	11/15	.15 CFS	32.9 AFA
Totals:			.15 CFS	32.9 AFA

2. Recommended Amendments

☒ Change P.D. as reflected above

☐ Add P.D. as reflected above

☐ None

☒ Change P.U. as reflected above

☐ Add P.U. as reflected above

☐ Other

J. AUTHENTICATION

Field Examiner's Name

QUENTIN NESBITT

JFW 1/22/93

Signature

Quentin Nesbitt


Certification Date

Field Report Preparation Date

8-22-88

CONSULTANT SEAL

K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.





#67-7709

ODOMS



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

January 2, 1997

DOTTIE ODOMS
427 KRAUSE RD
WEISER ID 83672

RE: Water Right No. 67-07709

Dear Dottie:

Thank you for calling me to discuss the information I sent you last month. I understood you to say that you agree that the place of use and point of diversion location for Water Right 67-07709 should be amended to the NW $\frac{1}{4}$ SE $\frac{1}{4}$, Section 9, T10N, R5W. I also understood you to say that four acres of irrigation located south of your house should be added to the licensing recommendation for Right 67-07709.

Because our field report does not include a description of your water use on the four acres, I would appreciate the opportunity to conduct a re-examination to ensure that your water right license, when it is issued, accurately depicts the water right that you have developed. As we discussed, the key issue is not simply that you are irrigating the four acres, but also that you have been doing so since July 22, 1987, the date you submitted your Proof of Beneficial Use statement for this permit.

I have asked Cindy Zimmerman, a Water Resource Agent with IDWR, to contact you within the next couple of months to schedule an appointment for a re-examination. At that time, she can also collect the information required for verification of Snake River Basin Adjudication Claim A67-11009, which you filed for the use of groundwater for domestic and stockwater purposes.

I appreciate your diligence in trying to get this matter resolved. As I indicated above, I think a re-examination is the appropriate way to ensure that your water right is licensed accurately. If you have any questions, please contact me at 208-327-7946.

Respectfully,

Shelley Walter Keen
Water Rights Supervisor

399 20 1997



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

December 12, 1996

DOTTIE ODOMS
427 KRAUSE RD
WEISER ID 83672

RE: Water Right No. 67-07709

Dear Dottie:

Thank you for calling this morning to discuss your water rights. As we agreed, I have enclosed some additional information for you to review. I have included the following items.

- A photocopy of the Application for Permit for Right 67-07709.
- A photocopy of the map submitted by the field examiner for Right 67-07709.
- A printout showing the information on Snake River Basin Adjudication (SRBA) Claim No. A67-11009.

Based on our discussion, I think the most important question is whether the Section 9 description of your property is correct or incorrect. If it is correct, the Application for Amendment for Right 67-07709 must be completed before a license can be issued. Your SRBA claim should also be amended. There is no fee for amending a domestic claim to correct the point of diversion and place of use.

Another question that should be addressed is the total number of irrigated acres. The application for Right 67-07709 indicated that you intended to irrigate 13 acres, but the examiner found only 7.3 acres. Today you told me that you irrigate the 7.3 acre parcel and a four-acre parcel. If the four-acre parcel was being irrigated from groundwater as of July 22, 1987, which is the date you submitted your proof of beneficial use statement, it may be possible to include the additional four acres on Right 67-07709.

Please contact me within fourteen days to discuss your findings. If you have any questions, please contact me at 208-327-7946.

Respectfully,

Shelley Walter Keen
Water Rights Supervisor

Enclosures
KANAMELTRS\ODOMS.DOC

RECEIVED

AUG 28 1997



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

November 21, 1996

LES ODOMS
RT 3 BOX 210A
WEISER ID 836720000

RE: WATER RIGHT NO. 67-07709

Dear Water Right Holder(s):

The above referenced water right is in the process of being licensed. However, before a license can be issued, your permit must be amended to depict your water right as it has actually been developed.

The enclosed Application for Amendment contains information that will be included on the license when it is issued. The amendment reflects a change in the location of the point(s) of diversion and the place(s) of use description. Please review carefully and if you concur, sign the amendment and return it with the \$50.00 filing fee within 14 days.

The last page of the Application for Amendment form contains a list of Conditions of Approval and Remarks proposed for the license when it is issued. These conditions of approval and remarks may be modified upon further administrative review.

If you do not concur, or if you have any questions about this information, please contact me as soon as possible. My telephone number is (208) 327-7946.

Sincerely,

Shelley W. Keen
Water Rights Supervisor

SK:ph

Enclosure

RECEIVED
AUG 20 1997

LICENSE REVIEW CHECKLIST

PERMIT NO. 67-07709 DATE 11/20/96 REVIEWER: S H A R L A

NAME Change OK Address Change No
 SOURCE Change OK Is change clarification of originally intended source? Yes
 If not, prepare Notice of Intent to Void
 POINT OF DIV ✓ Amendment required Yes
 PLACE OF USE ✓ Amendment required

Does map agree with written description? ✓ yes no

OVERLAPS P/D P/U

RATE OF DIV

Permitted Rate .26 cfs
 Fee limit 1.0 cfs \$100⁰⁰
 Measured .33 cfs
 Theoretical .32 cfs

Recommended Total Div Rate .15 cfs

ANNUAL VOLUME/ NATURE OF USES

<u>✓</u>	Use <u>Div.</u>	Volume Calculation <u>7.3 X 4.5 = 32.9</u> af
<u> </u>	<u> </u>	<u> </u> af
<u> </u>	<u> </u>	<u> </u> af
<u> </u>	<u> </u>	<u> </u> af
<u> </u>	<u> </u>	<u> </u> af
SUBTOTAL		<u>32.9</u> af

Flow rate .15 cfs X 245 days X 1.98 ~~af~~ = 72.8 af
 Total volume recommended 32.9 af
 (SUBTOTAL or Flow Rate, whichever is less)

REMARKS

CONDITIONS Watermaster Control WD#
 GW Measurement/Measuring Device
R32 Overlap

 Use-specific conditions
 Advancement of Priority Date Required yes ✓ no

SRBA Claim Filed ✓
 Adjustment Memo

1st Amend Letter P37, P38
 2nd Amend Letter P47

7/87

State of Idaho
DEPARTMENT OF WATER RESOURCES
SUPPLEMENTAL FIELD REPORT FOR COX/HALL MEASUREMENT

Measured by: QUENTIN NESBITTDate 8-4-88Owner: LES ODENSPermit No. 67-7709

Description of well &/or measuring site

- Include any clarifications of the sketch
- Include legal description if more than one p.d. is described in the Field Report

MEASURED INSIDE PIPE RADIUS IN INCHES (IR)

CIR = Pipe Circumference in Inches = _____

T = Pipe Thickness in Inches = _____

IR = [(0.1592 X CIR) - T] = ... 1.5DIFFERENTIAL PRESSURE READING IN INCHES OF H₂O (H)High Reading = 47.7Low Reading = 28.7High - Low = H = ... 19

COX/HALL DESCRIPTION & FACTOR DETERMINATION (H#)

State ID No. 120331Size of tip used 3"Number of holes in
meter taped or blocked 2

To determine Cox/Hall Factor (H#) use table to the right.
Using the Differential Pressure Reading (H) find appropriate
Row and Column to determine (H#).
(example: H = 12.4 then H# = 17.0)

Determine (H#) and enter here: 21.3

CALCULATION OF DISCHARGE IN CFS (Q)

$$Q = \frac{(3.1416) (IR)^2 (H\#)}{(448.8)}$$

$$Q = \frac{(3.1416) (1.5)^2 (21.3)}{(448.8)} = \underline{\underline{150.5}}$$

SKETCH (If not shown on Field Report)

.33 cfs

16.8 INCHES

59 PSI

20 FT TO WATER

	.0	.1	.2	.3	.4	.5	.6	.7	.8	.9
0	0.0	0.8	1.3	1.8	2.2	2.5	2.9	3.3	3.7	4.0
1	4.3	4.5	4.8	5.0	5.2	5.4	5.6	5.8	6.0	6.2
2	6.3	6.5	6.7	6.9	7.0	7.2	7.3	7.5	7.6	7.7
3	7.9	8.0	8.2	8.3	8.5	8.6	8.7	8.8	9.0	9.1
4	9.3	9.4	9.5	9.6	9.7	9.8	10.0	10.1	10.2	10.3
5	10.4	10.5	10.6	10.7	10.9	11.0	11.1	11.2	11.3	11.4
6	11.5	11.6	11.7	11.8	11.9	12.0	12.1	12.2	12.3	12.4
7	12.5	12.6	12.7	12.8	12.9	13.0	13.1	13.2	13.3	13.4
8	13.5	13.5	13.6	13.7	13.8	13.9	14.0	14.0	14.1	14.2
9	14.3	14.4	14.5	14.5	14.6	14.7	14.8	14.9	15.0	15.0
10	15.1	15.2	15.3	15.4	15.5	15.5	15.6	15.7	15.8	15.9
11	15.9	16.0	16.1	16.2	16.3	16.3	16.4	16.5	16.5	16.6
12	16.7	16.7	16.8	16.9	17.0	17.0	17.1	17.2	17.3	17.3
13	17.4	17.5	17.5	17.6	17.7	17.8	17.8	17.9	18.0	18.1
14	18.1	18.2	18.3	18.3	18.4	18.5	18.5	18.6	18.7	18.7
15	18.8	18.9	18.9	19.0	19.1	19.1	19.2	19.3	19.3	19.4
16	19.5	19.5	19.6	19.6	19.7	19.7	19.8	19.9	19.9	20.0
17	20.1	20.1	20.2	20.2	20.3	20.4	20.4	20.5	20.5	20.6
18	20.7	20.7	20.8	20.9	20.9	21.0	21.0	21.1	21.2	21.2
19	21.3	21.3	21.4	21.4	21.5	21.6	21.6	21.7	21.7	21.8
20	21.9	21.9	22.0	22.0	22.1	22.2	22.2	22.3	22.3	22.4
21	22.4	22.5	22.5	22.6	22.6	22.7	22.7	22.8	22.9	22.9
22	23.0	23.0	23.1	23.1	23.2	23.2	23.3	23.4	23.4	23.5
23	23.5	23.6	23.6	23.7	23.7	23.8	23.8	23.9	23.9	24.0
24	24.0	24.1	24.2	24.2	24.3	24.3	24.4	24.4	24.5	24.5
25	24.6	24.6	24.7	24.7	24.8	24.8	24.9	24.9	25.0	25.0
26	25.1	25.1	25.2	25.2	25.3	25.3	25.4	25.4	25.5	25.5
27	25.6	25.6	25.7	25.7	25.8	25.8	25.9	25.9	26.0	26.0
28	26.1	26.1	26.2	26.2	26.3	26.3	26.4	26.4	26.5	26.5
29	26.6	26.6	26.7	26.7	26.8	26.8	26.9	26.9	27.0	27.0
30	27.0	27.1	27.1	27.2	27.2	27.3	27.3	27.4	27.4	27.5
31	27.5	27.5	27.6	27.6	27.7	27.7	27.8	27.8	27.9	27.9
32	28.0	28.0	28.0	28.1	28.1	28.2	28.2	28.3	28.3	28.4
33	28.4	28.5	28.5	28.5	28.6	28.6	28.7	28.7	28.8	28.8
34	28.9	28.9	29.0	29.0	29.0	29.1	29.1	29.2	29.2	29.2
35	29.3	29.3	29.3	29.4	29.4	29.5	29.5	29.5	29.6	29.6
36	29.7	29.7	29.8	29.8	29.9	29.9	30.0	30.0	30.0	30.1
37	30.1	30.2	30.2	30.3	30.3	30.4	30.4	30.5	30.5	30.5
38	30.6	30.6	30.7	30.7	30.8	30.8	30.8	30.9	30.9	31.0
39	31.0	31.0	31.1	31.1	31.2	31.2	31.2	31.3	31.3	31.4
40	31.4	31.5	31.5	31.5	31.6	31.6	31.7	31.7	31.7	31.8
41	31.8	31.9	31.9	31.9	32.0	32.0	32.1	32.1	32.2	32.2
42	32.2	32.3	32.3	32.3	32.4	32.4	32.5	32.5	32.5	32.6
43	32.6	32.6	32.7	32.7	32.7	32.8	32.8	32.9	32.9	33.0
44	33.0	33.0	33.1	33.1	33.2	33.2	33.2	33.3	33.3	33.4
45	33.4	33.5	33.5	33.5	33.6	33.6	33.7	33.7	33.7	33.8
46	33.8	33.9	33.9	33.9	34.0	34.0	34.1	34.1	34.1	34.2
47	34.2	34.2	34.2	34.3	34.3	34.4	34.4	34.5	34.5	34.5
48	34.6	34.6	34.6	34.7	34.7	34.8	34.8	34.8	34.9	34.9

AUG 18 1988



State of Idaho
DEPARTMENT OF WATER RESOURCES
Western Region

CECIL D. ANDRUS
Governor

2735 Airport Way
Boise, Idaho 83705
(208) 334-2190

R. KEITH HIGGINSON
Director

October 15, 1987

67-7769
CECIS, LES
RT. 3 BOX 210A
WEISER, ID 83672

Dear Applicant(s):

We acknowledge receipt of your statement submitted as proof as beneficial use for the above-referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department. A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office.

Sincerely,

Judy Pense
Secretary

/jp

NOT RECORDED

AUG 20 1987

July 15, 1987

Les Odoms
Rt. 3 Box 210A
Weiser, ID 83672

Dear Mr. Odoms:

RE: Permit No. 67-7709

Returned is the proof of beneficial use form submitted to this office on June 17, 1987.

Before the department will accept the proof and conduct the field inspection, a fee determined by the rate of flow must be submitted. Based on the amount indicated on the proof form, the fee would be \$100.00.

I see on you proof a note about submitting a fee at the time the field inspection is complete. Unfortunately, that is not accurate advise.

If you have any questions concerning this matter, please feel free to contact this office.

Sincerely,

RITA I. FLECK
Secretary/Records Manager

Enclosure

RECEIVED

AUG 21 1987

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

- - - - -

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
NOVEMBER 11, 1986

ODOMS, LES
RT. 3 BOX 210A
WEISER, ID 83672

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 67-7709

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

YOU SHOULD BE AWARE THAT THE GROUNDWATER YOU PROPOSE TO DIVERT IS LOCATED WITHIN A DRAINAGE BASIN WHERE SURFACE WATERS ARE REGULATED DURING THE MONTHS OF LOW FLOW. IT IS POSSIBLE THAT DIVERSION OF GROUNDWATER MAY HAVE AN ADVERSE IMPACT ON THESE SURFACE WATER FLOWS. INFORMATION AVAILABLE TO US AT THIS TIME DOES NOT WARRANT REFUSING TO ISSUE PERMITS IN YOUR AREA, BUT WE DO CAUTION THAT DIVERSIONS OF GROUNDWATER ARE NOT ALLOWED TO DEplete FLOWS AVAILABLE FOR SURFACE WATER USERS WITH EARLIER PRIORITY DATES. SITING YOUR WELL AS FAR FROM SURFACE SOURCES AS POSSIBLE AND CASING OUT UPPER WATER PRODUCING ZONES MAY REDUCE THE POTENTIAL OF INTERFERENCE.


WE HAVE ENCLOSED A FORM ENTITLED "INSTRUCTIONS FOR PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT. ALSO ENCLOSED FOR YOUR CONVENIENCE IS THE STATEMENT OF BENEFICIAL USE FORM THAT MUST BE SUBMITTED WHEN YOUR PROJECT IS COMPLETED.

SINCERELY,

GARY SPACKMAN
SUPERVISOR, WATER ALLOCATION SECTION

GS: SC
ENCLOSURES

RECEIVED
NOV 11 1986





State of Idaho
DEPARTMENT OF WATER RESOURCES
WESTERN REGION, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-2190

September 24, 1986

Les &/or Dottie Odams
Rt. 3 Box 210 A
Weiser, ID 83672

Re: Application for Permit No. 67-7709

Dear Water Right Applicant:

The Department of Water Resources acknowledges receipt of your water right application for permit. The application has been assigned identification no. 67-7709. Please refer to this number in all further correspondence.

This office is currently in the process of advertising the application in the The Weiser Signal on 10/2 & 10/9/86. The advertisement will be published for two weeks, and a period of ten days following the second publication will be allowed for the submittal of protests.

If the application is protested, you will be sent a copy of the protest. The protest must be resolved before the application is approved or denied. If the protest is not resolved voluntarily, this Department will conduct a conference and/or hearing on the matter.

If the application is not protested, it will be forwarded to our state office in about five weeks. State office personnel will conduct a complete review prior to final processing of the application and will notify you of the outcome of this review. When a permit is issued, you will be sent a copy. A typical processing time for an unprotested application is about eight weeks.

Enclosed please find your receipt no. 40572 for the amount of \$ 45.00.

Please feel free to contact this office if you have any questions regarding this procedure.

Sincerely,

DAVID R. TUTHILL, JR., P. E.
Manager, Western Regional Office

DRT:jp

Enclosure:

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Western Region

Statehouse
Boise, Idaho 83720
(208) 334-2190

SEPTEMBER 24, 1986

The Weiser Signal
Box 709
Weiser, ID 83672

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before OCTOBER 20, 1986.

Yours truly,

JUDY PENSE
Secretary

Encl.

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Western Region, Statehouse, Boise, Idaho 83720 on or before OCTOBER 20, 1986.

KEN DUNN, Dir.

Published 10/02 & 10/09/86.



67-7709

ODOMS, LES

RT. 3 BOX 210A, WEISER, ID 83672

Source: GROUNDWATER

Diversion Pt: NESE Sec 08 T 10N R 05W

Use: IRRIGATION (0.260 CFS)

Date Filed: 09/03/1986

In: NESE Sec 08 T 10N R 05W FOR 13 ACRES