

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

T
14
N

9



R2W


Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.


Ronald S. Beigh
(Applicant)

MICROFILMED

SYSTEM DESCRIPTION
ATTACHMENT TO FIELD EXAM FORM



AUG 10 1994



2913

2

BM
2770

BM
2753

River

BM
2730

BM
2714

2698

9

10

11

CANAL

Weiser

↑
PM PKL

PERMIT 67-7700 INIT D91
T. R. S. Q/Q
P/D 14r 2w 9 SWSW
SCALE _____
PHOTO ID. _____

15

23

AUG 10 1994



View of well; located on
the west-side of
the property

PHOTO ONE-



View of Miller
pasture. The main
side of the field
the view is
the fence and
the side of the barn

PHOTO TWO-

RECEIVED
AUG 10 1994



View of P/W to the
SW.

PHOTO THREE-



View of stock tank
located on the
SW side of the
road. The
are of the
tank.

PHOTO FOUR-

PROPERTY PHOTO

AUG 10 1994



bag of water -
a lot of water
over the
right side of
the stream

PHOTO FIVE-

>

PHOTO SIX-

AMERICAN
AUG 10 1994

Form 238-7
9/82

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
WELL DRILLER'S REPORT

USE TYPEWRITER OR
BALLPOINT PEN

State law requires that this report be filed with the Director, Department of Water Resources
within 30 days after the completion or abandonment of the well.

1. WELL OWNER

Name DON BEIGH
Address RT. 1 BOX 138
CAMBRIDGE, IDAHO 83610
Owner's Permit No. _____

7. WATER LEVEL

Static water level 0 feet below land surface.
Flowing? ☒ Yes ☐ No G.P.M. flow _____
Artesian closed-in pressure _____ p.s.i.
Controlled by: ☐ Valve ☐ Cap ☐ Plug
Temperature 58 °F. Quality GOOD
Describe artesian or temperature zones below

2. NATURE OF WORK

☒ New well ☐ Deepened ☐ Replacement
☐ Abandoned (describe abandonment procedures such as
materials, plug depths, etc. in lithologic log)

8. WELL TEST DATA

☐ Pump ☐ Baller ☒ Air ☐ Other _____
Discharge G.P.M. _____ Pumping Level _____ Hours Pumped _____
40 210 4

3. PROPOSED USE

☐ Domestic ☐ Irrigation ☐ Test ☐ Municipal
☐ Industrial ☒ Stock ☐ Waste Disposal or Injection
☐ Other _____ (specify type)

4. METHOD DRILLED

☒ Rotary ☒ Air ☐ Hydraulic ☐ Reverse rotary
☐ Cable ☐ Dug ☐ Other _____

5. WELL CONSTRUCTION

Casing schedule: ☒ Steel ☐ Concrete ☐ Other
Thickness .250 inches Diameter 6 inches From 2 feet To 158 feet
_____ inches _____ inches _____ feet _____ feet
_____ inches _____ inches _____ feet _____ feet
_____ inches _____ inches _____ feet _____ feet

Was casing drive shoe used? ☒ Yes ☐ No
Was a packer or seal used? ☐ Yes ☒ No
Perforated? ☐ Yes ☒ No

How perforated? ☐ Factory ☐ Knife ☐ Torch
Size of perforation _____ inches by _____ inches

Number _____ From _____ feet To _____ feet
perforations _____ feet _____ feet
perforations _____ feet _____ feet
perforations _____ feet _____ feet

Well screen installed? ☐ Yes ☐ No

Manufacturer's name _____ Model No. _____
Type _____ Diameter _____ Slot size _____ Set from _____ feet to _____ feet
Diameter _____ Slot size _____ Set from _____ feet to _____ feet

Gravel packed? ☐ Yes ☒ No ☐ Size of gravel _____ feet
Placed from _____ feet to _____ feet

Surface seal depth 40 Material used in seal: ☐ Cement grout
☒ Bentonite ☐ Puddling clay ☐ _____


Sealing procedure used: ☐ Slurry pit ☐ Temp. surface casing
☒ Overbore to seal depth ☐ _____

Method of joining casing: ☐ Threaded ☒ Welded ☐ Solvent
Weld _____

Describe access port 6" Panga
☐ Cemented between strata

6. LOCATION OF WELL

Sketch map location must agree with written location.



Subdivision Name _____

Lot No. _____ Block No. _____

County WASHINGTON

SW $\frac{1}{4}$ SW $\frac{1}{4}$ Sec. 9 T. 14 N. S. R. 2 E. W.

10. Work started 4/26/85 finished 4/28/85

11. DRILLERS CERTIFICATION


I/We certify that all minimum well construction standards were
complied with at the time the rig was removed.

DALLAS DRILLING & PUMP CO.
Firm Name 605 So. 18th St. Firm No. #224
PAYETTE, IDAHO 83661

Address _____ Date 5/13/85

Signed by (Firm Official) JOHN L. GOFF
and _____
(Operator) [Signature]

USE ADDITIONAL SHEETS IF NECESSARY - FORWARD THE WHITE COPY TO THE DEPARTMENT



Affidavit of Publication:

STATE OF IDAHO }
County of Washington } ss.

Stuart Dopf, being duly sworn deposes and says he is the publisher of the Upper Country News-Reporter, a weekly newspaper published at Cambridge, in the County of Washington, State of Idaho; that said newspaper is in general circulation in the county of aforesaid and is a legal newspaper; that the annexed, a printed copy of which is attached hereto and made a part hereof, was published in said newspaper once a week for 2 consecutive weeks in the regular and entire issue of every number thereof during the period of time of publication, and was published in the newspaper proper and not in a supplement; and that publication of such notice began Sept. 26, 1985 and ended Oct. 3, 1985

Stuart Dopf

Subscribed and sworn to before me

this 12TH day of
DECEMBER, 1985

B. J. Soules

Notary Public in and for the State of Idaho, residing at Cambridge, Idaho 83610.

19
NOTICE OF CORRECTION
Notice is hereby given that notice of Application for a Water Right Permit No. 67-7700 in the name of Donald S. Beigh was published in error on 9/5 and 9/12/85.

The place of use was listed as within the SWSW Sec 9 T 14N R 4W for 20 acres.

WHEREAS, the actual place of use is within the SWSW Sec 9 T 14 N R 2W. for 20 acres.

The permit will be subject to all prior water rights. Protests must be filed with the Director, Department of Water Resources, Western Region, Statehouse, Boise, ID 83720 on or before October 14, 1985.

Ken Dunn, Director
Published in the Upper Country News-Reporter September 26 & October 3, 1985

RECEIVED
DEC 16 1985

Department of Water Resources
Western Regional Office

MICROFILMED

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 67-07700

Priority: September 30, 1985

Maximum Diversion Rate:

0.37 CFS

Maximum Diversion Volume:

65.9 AF

This is to certify, that DONALD S BEIGH

RT 1 BOX 138

CAMBRIDGE ID 83610

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated August 2, 1985; and has submitted Proof of Beneficial Use on March 1, 1993. An examination indicates that the works have a diversion capacity of .700 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/01 to 10/31	0.32 CFS	64.0 AF
STOCKWATER	01/01 to 12/31	0.01 CFS	0.7 AF
DOMESTIC	01/01 to 12/31	0.04 CFS	1.2 AF
	Totals	0.37 CFS	65.9 AF

LOCATION OF POINT(S) OF DIVERSION:

SWSW , Sec. 9, Township 14N, Range 02W
WASHINGTON County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
14N	02W	9	SWSW	15.6		15.6

Total number of acres irrigated: 15.6

PLACE OF USE:

STOCKWATER, same as IRRIGATION use

PLACE OF USE:

DOMESTIC, same as IRRIGATION use

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.

AUG 10 1994

State of Idaho
Department of Water Resources


WATER RIGHT LICENSE

WATER RIGHT NO. 67-07700

CONDITIONS/REMARKS:

5. Return flow if discharged to a subsurface system must be authorized by a separate injection well permit, and return flow if discharged to a surface water system shall meet Idaho Water Quality Standards.
6. Stockwater use is for 50 range cattle.
7. Domestic use for 1 home also includes heating with a heat pump.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 22ND day of April, 1994.

Acting for  R. Keith Higginson, Director

AUG 10 1994

BEFORE THE DEPARTMENT OF WATER RESOURCES

OF THE STATE OF IDAHO

IN THE MATTER OF PERMIT NO. 67-07700

IN THE NAME OF DONALD S. BEIGH

)
) ORDER OF
) REINSTATEMENT
)

WHEREAS, the Department issued the above-captioned permit with the condition that proof of construction of works and application of water to beneficial use (proof of beneficial use) be submitted on or before January 1, 1993; and,

WHEREAS, the Department notified the permit holder by certified mail that proof was due and instructed the permit holder of the steps to be taken to submit the proof of beneficial use; and,


WHEREAS, the Department notified the permit holder that the permit had lapsed for failure to submit the proof of beneficial use; and,

WHEREAS, Section 42-218a of the Idaho Code provides that a permit may be reinstated upon a showing of reasonable cause within sixty days of the date of the notice of lapsing; and,

WHEREAS, the permit holder has provided a reasonable showing why the permit should be reinstated by submitting proof of beneficial use on March 1, 1993;

IT IS, THEREFORE, HEREBY ORDERED that Permit No. 67-07700 be REINSTATED with an advance in priority to September 30, 1985.

Dated this 3rd day of March, 1993.



L. GLEN SAXTON

Chief, Water Allocation Bureau

RECEIVED

MAY 21 1993

RECEIVED

MAR 1 1993

Department of Water Resources

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

OFFICE USE ONLY

Amt. of Fee \$ 100.00

Date 3-1-93

Receipt No. CODE 875

Receipt by [Signature]

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 67-07700 Telephone No. 208-257-3545

2. Name(s) of Permit Holder(s): Donald S. Beigh

3. Mailing Address: Rt. 1 Box 138 Cambridge, Idaho 83610

4. Source of Water: Artesian Well

If GROUNDWATER, Well Driller's Name: Dallas Drilling Date Drilled: 4/26/1985
7/26/1985
10/10&11/1985

OPTIONAL:

Pump horsepower: _____ Pressure (psi): _____ Dynamic pumping level (ft.): _____

5. Extent of Use (as authorized by the permit):

Domestic 1 household (No. of households) Stockwater 50 head of beef (No. and type of stock)

Irrigation 20 A (No. of acres) Other _____

6. Total rate and/or volume for which proof is submitted 0.50 cfs OR 50 acre/feet

7. Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? _____ Yes x No Installed? _____ Yes _____ No

OR

Flow Measurement Port: Required? _____ Yes x No Installed? _____ Yes _____ No

8. Fee Enclosed: \$ 100.00 (See License Fee Schedule on back of Instruction Sheet)

9. Person to contact to accompany the Department representative during field examination of the water system.

Donald S. Beigh 257-3545
Name Telephone No.

Rt. 1 Box 138 Cambridge, ID 83610
Address

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

MAY 21 1993

2/26/93
Date

Donald S. Beigh
Signature (and title, if on behalf of a company or organization)

STATE OF IDAHO

For Office Use Only
\$15 FEE Received by 1.2
Date 2/25/91
Receipt # CO18734

DEPARTMENT OF WATER RESOURCES

RECEIVED

FEB 25 1991

REQUEST FOR EXTENSION OF TIME

TO PROVIDE ADDITIONAL TIME IN WHICH TO SUBMIT PROOF OF
BENEFICIAL USE FOR A WATER RIGHT PERMIT

The Idaho Department of Water Resources will consider this form as a request that the permit holder(s) be granted an additional period of time in which to complete development of a water right under the provisions of Section 42-204, Idaho Code.

Permit No. 67-7700

Name(s) of Permit Holder: Donald S Beigh

Post Office Address: R1 Box 138 Cambridge Idaho 83610

Telephone No. (208) 257-3545

Date Proof is Due: March 1, 1991

Describe what work has been completed toward the development of this water right: Permit # 67-07700
(This must be filled out! If no work has been completed, show "none".)

¹⁹⁸⁵
Cost of well and pipe buried 7714.52 - 180' - 6" x 30' x 30' gate pipe \$242.45
120' - 4" Pvc pipe \$141.56 - 870' 4" Alum pipe 45 and 90' elbow 1591.10
Irrigated 20 Acres, Watered up to 72 head cattle. Melt snow with 70' water in driveway and walkways. Costing \$ 9812.13

The permit holder(s) has been unable to complete the remainder of the work for the following reasons:

Had Money to Build another dwelling and put water heat in present house + New building. Will place for Rural Fire Dept to fill firewagons when streams are frozen. Has been impossible previous to get man to build, that knew to plan house for water heat.

Permit holder(s) request an extension to Dec 31, 1993 (1 yr. minimum) Don Beigh (Signature)*

FEE: \$15.00 CH#5224

*IF OTHER THAN PERMIT HOLDER,
POWER OF ATTORNEY MUST BE SUPPLIED.

ACTION OF THE DEPARTMENT OF WATER RESOURCES

IT IS HEREBY ORDERED that the above request for extension of time be APPROVED and the time within which to submit proof of beneficial use is extended to January 1, 1993.

Signed this 22nd day of March, 19 91.

J. Shu Saxton
Chief, Water Allocation Bureau

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant Donald S Beigh Phone (208) 257-3545
Post office address R1 Box 138 Cambridge Idaho 83610
2. Source of water supply Well-Ground Water which is a tributary of _____
3. Location of point of diversion is SW $\frac{1}{4}$ of SW $\frac{1}{4}$ of Section 9 Township 14N
Range R2W B.M. Washington County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount .40 Cfs for Irrigation purposes from 3/15 to 11/15 (both dates inclusive)
(cfs or acre-feet per annum)
Amount .02 Cfs for Stockwater purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount .08 Cfs for Domestic purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. .50 Cfs. _____ cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

- a. Description of ditches, flumes, pumps, headgates, etc. Artesian well, 6 in. Casing, 360 ft. Depth, with 70° Water flowing estimated 1000 GPM. Will use pipelines to places of use.
b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____
Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)
c. Proposed well diameter is 6 inches; proposed depth of well is 360 feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 5 years (minimum 1 year - maximum 5 years).

8. Description of proposed uses:

- a. If water is not for irrigation:
(1) Give the place of use of water: SW $\frac{1}{4}$ of SW $\frac{1}{4}$ of Section 09 Township 14N
Range 02 W B.M.
(2) Amount of power to be generated: _____ horsepower under _____ feet of head.
(3) List number of each kind of livestock to be watered 26-50 Range
(4) Name of municipality to be served _____, or number of families to be supplied with domestic water Two.
(5) If water is to be used for other purposes describe: Domestic will include heating of the homes with the utilization of heat pumps.

APPROVED


b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

Total number of acres to be irrigated 20

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing _____

10. Remarks _____

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Ronald S. Beigh
(Applicant)

MICROFILMED

Proposed Priority 8/2/85

MICROFILMED

Received by SEL Date 8/2/85 Time 4:45 P.M.

Preliminary check by _____ Fee \$ 45⁰⁰/₁₀₀

Receipted by SR Date 8/2/85 # 36123

Publication prepared by SP Date 8/1/85

Published in Upper County News Reporter correction

Publication dates 9/5¹/_E, 9/12/85 9/21⁸/_E & 10/3/85

Publication approved SP Date 9/18/85

Protests filed by: none

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by Dr. L.W.

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 67-7700, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before March 1, 19 91.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other: Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.

Return flow if discharged to a subsurface system must be authorized by a separate injection well permit, and return flow if discharged to a surface water system shall meet Idaho Water Quality Standards.

Witness my hand this 27th day of March, 1986.

J. Glen Saxton
Chief, Operations Bureau



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

April 22, 1994

DONALD S BEIGH
RT 1 BOX 138
CAMBRIDGE ID 83610

RE: WATER RIGHT NO. 67-07700

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit. If you have any questions, please contact me within 10 days of receipt of this license.

Sincerely,

A handwritten signature in black ink, appearing to read 'Jim Johnson', written over the typed name.

JIM JOHNSON
Water Rights Supervisor

JJ:dc

Enclosure

AUG 10 1994

LARY C. WALKER

Attorney at Law

232 East Main Street

Post Office Box 828

Weiser, Idaho 83672

Telephone (208) 549-0390

FAX (208) 549-0404

April 6, 1994

RECEIVED
APR 11 1994
BY: [illegible]

Karen L. Gustofson
IDAHO DEPARTMENT WATER RESOURCES
1301 North Orchard Street
Statehouse Mail
Boise, ID 83720-9000

RE: Permit No. 67-07700

Dear Karen:

Please be advised that I represent the Donald S. Beigh estate.

We find among Mr. Beigh's papers a letter from your department dated March 5, 1993, in reference to his permit acknowledging receipt of the information for the proving up on beneficial use. You indicate in that letter that the next step is for the water department to run a field examination to determine and confirm the use made of the water. We find no further record in our file as to whether or not you have made that field examination and whether or not you have sent to Mr. Beigh a permit authorizing him the use of said water.

Mr. Beigh has passed away, and we are trying to finalize matters in order to settle the estate, among which would be to sell the property in reference to this water right. I would appreciate an updated letter from you indicating the status of this permit and of your field examination.

Sincerely,

WALKER LAW OFFICE

Lary C. Walker
Lary C. Walker

RECEIVED

AUG 10 1994

LCW:plb

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
JUL 09 1993
Department of Water Resources

A. GENERAL INFORMATION

Permit No. 67-7700

1. Owner: DONALD S. BEIGHT Phone No. 257-3455

Current Address: Rt. 1 Box 138 CARLISLE, ID. 83610

2. Accompanied by: Don Beight EXAM DATE: 6-16-93

Address: SAME Phone No. SAME

Relationship to Permit Holder: SAME

3. Source: GROUNDWATER tributary to -NA-

B. OVERLAP REVIEW

1. Other water rights with the same place of use: A67-00488B, A67-01479, A67-00487, etc. *SEE REMARKS

2. Other water rights with the same point of diversion: NONE

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			SW	SW	9	14N	2W	WASH.	Quads, Aerials, Ground Id.


2. Place(s) of Use:

Indicate Method of Determination

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
4N	2W	9											15.6						15.6

AUG 10 1994

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe I.d. as applicable.



Scale: 1" = _____

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☒ Aerial Photo Attached (required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
NONE (ARTESIAN)					

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
NONE						

2. Measurements: Spurline Head → 3/16" heads @ 55 psi / 25 to 40 at a time

JUL 22 1983

DECLINED

E. NARRATIVE/REMARKS/COMMENTS

This system uses a 360' well that has a 6" casing. The well is Artesian and capped. The well irrigates through underground lines. A mandrel with risers is used and also various spigots located around the barn/barn area. The system is also used to water 50 range cattle. The stock tank is filled by hoses from the spigots. The water is also 70° and is used in the house for domestic activities.

* contrary to the application, only one home was using this well. I asked the owner twice; he stated that only this home used the well. So I recommended .04 for Domestic; not .08 cfs.

* There are no overlaps or same kind as per same P/d. Owner owns two water rights in different section and all other overlaps are neighbors in same 1/4 1/4.

Have conditions of permit approval been met? ☒ yes ☐ no

APPROVED
AUG 10 1994

F. FLOW CALCULATIONS

Additional Computation Sheets Attached

Measured Method:

Sprinkler Head = 40 3/4" heads @ 55 psi (Exhibit 9)

$$\frac{40 \times 7.77}{448.8} = \text{gpm}$$

.7 cfs system capacity

need
100 16 acres x .02 p/acre
= .32 cfs

stock TABLE 6

50 head = .02 cfs

Domestic = .04 only 1 head

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{LR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 16 \times 4 = 64 \text{ AFA}$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = .32 \times 245 \times 1.9835 = 156 \text{ AFA}$$

$$V = \text{Smaller of } V_{LR} \text{ and } V_{D.R.} = 64 \text{ AFA}$$

2. Volume Calculations for Other Uses:

stock - (TABLE 6)
50 head = .7 AFA

Domestic with lawn & 1/2 acre
= 1.2 AFA

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Irrigation	3/15	11/15	.32 cfs	64 AFA
Stockwater	1-1	12-31	.02 cfs	.7 AFA
Domestic	1-1	12-31	.04 cfs	1.2 AFA
Totals:			.38 cfs	65.9 AFA

2. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

I. AUTHENTICATION


Field Examiner's Name [Signature] Date 7-2-93

Reviewer _____ Date _____

SEAL

AUG 10 1993

SYSTEM DESCRIPTION
ATTACHMENT TO FIELD EXAM FORM



AUG 10 1994

2913

2

BM
2770

BM
2753

BM

2730

BM

2714

9

10

11

CANAL

Weiser

River

↑
PM PH


PERMIT 6-1-7700 INIT 91
T. R. S. Q/Q
P/D 4m 2m 9 Supplies
SCALE _____
PHOTO ID. _____

15

23

AUG 10 1994

Q-9



IDAHO DEPARTMENT OF WATER RESOURCES

WELL INSPECTION FORM

1. DRILLING PERMIT NO: _____ OTHER APPLICABLE NO: 67-7700
2. OWNER: Ronald S. Bigh Phone: 257-3545
Address: Rt Box 138 Cambridge Id 83616
3. WELL LOCATION: Twp 4n, Rge. 2w, Sec. 9, Sw 1/4 Sw 1/4
County WASHINGTON (Provide sketch map and photo on reverse.)
4. DRILLER: Dallas Drilling Lic. No. _____
When Drilled? 1985
5. WELL CONSTRUCTION:
Casing Diameter 6" inches Water tight cap? ☒ Yes ☐ No Access Port: ☒ Yes ☐ No
Casing $\geq$ 12 inches above ground? ☒ Yes ☐ No - Describe _____
Depth of Casing 360' ft. Method Drilled _____
Condition of Well Casing: ☒ Good ☐ Fair ☐ Poor Describe _____
Control Valve? ☐ Yes ☐ No Pressure Gauge: ☐ Yes ☐ No
Condition of Piping and Valving _____
Auger to a depth of _____ ft. Evidence of Annular Seal ☐ Yes ☐ No
Are there obvious construction problems that may be a source for contamination or waste of water?
☐ Yes ☒ No (Describe in Remarks and Attach Photo - On Reverse)
6. HYDROLOGIC INFORMATION:
Depth to Static Water Artesian ft. Water Temperature 70 °F
Flowing Artesian ☒ Yes ☐ No Pressure: 28 (psi)
Water Sample Taken? ☐ Yes ☒ No If yes, describe purpose _____
Water Quality Measurements/Observations (Describe) _____
7. WELL USE:
☒ Domestic ☒ Irrigation ☐ Stock
☐ Test ☐ Municipal ☐ Industrial
☐ Abandoned ☐ Waste Disposal/Injection ☐ Not Used
☐ Other: _____

AUG 10 1994

8. **POSSIBLE CONTAMINATION SOURCES:**

Is there evidence of Chemigation? ☐ Yes ☐ No


If yes, is there a check-valve present? ☐ Yes ☐ No

Is there a possible source of contamination nearby? ☐ Yes ☐ No

If yes, what Type? _____

How far away from the well is this source? _____

9. **REMARKS:** _____

 7-2-93
Signature of Dept. Representative & Title

Inspection Date

PHOTOS, DRAWINGS, OTHER ATTACHMENTS:

RECEIVED

AUG 10 1994



View of well; located on
the west side of
the road.

PHOTO ONE-



View of Northern
facies. The main
part of the well
is covered by
the ground.


REPRODUCED

AUG 10 1994



View of Bldg to the
SW

PHOTO THREE-



View of stone tower
and house
from the upper
left corner
of the
field

PHOTO FOUR-

1-11-10

AUG 10 1994



PHOTO FIVE-

>

PHOTO SIX-

RECEIVED
AUG 10 1994

March 5, 1993

DONALD S. BEIGH
RT 1 BOX 138
CAMBRIDGE ID 83610

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 67-07700

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. Enclosed is an order advancing the priority of the permit since the proof was received after the proof due date. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the WESTERN Regional Office in Boise at (208)334-2190.

Sincerely,

Karen L. Gustafson
Secretary/Records Manager

c: IDWR - Region

Enclosure

RECEIVED

MAY 21 1993

ANALYSIS SHEET
FOR
PROOF OF BENEFICIAL USE

Permit No. 67-07700

Reviewed by Klg

Date 3/1/93

GENERAL CONSIDERATIONS

TYPES OF USE

yes Name same as permit?
yes Address same as permit?
no Proof timely received?
If not, complete calculation below.

domestic -1 irrigate -20
stock -50
Correct Uses? yes

SOURCE OF WATER

 Surface water source

✓ Ground water source

NA Drilling permit required?

1985 / Copy in the file? Drilling Permit No.

/ Amount paid for permit Correct?

/ Well log in the file?

LICENSE EXAMINATION FEE

yes Required?
100 Amount Submitted
yes Correct?

MEASURING DEVICE

NA Required?
/ Installed?
/ Waiver requested?

PRIORITY CALCULATION

Date proof received 3/1/93 60
Date proof due 1/1/93 - 1
No. of days late = 59
Priority Date 8/2/85 + 214
New Priority Date 9/30/85 273

~~lapsed~~ ~~1/5/93~~ ~~5~~
~~55~~

DEFICIENCIES OR ACTION ITEMS

proof acceptable

DATA ENTRY
New Address

needs an order
Proof Made ~~3/1/93~~ 3/5/93 Klg



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

February 5, 1993

Donald S Beigh
Rt 1 Box 138
Cambridge, ID 83610

RE: Permit No. 67-07700

Dear Permit Holder:

Enclosed is a copy of the denied request for extension of time which you submitted to the department in connection with the above referenced permit. Section 42-204, Idaho Code, provides that only one extension of time based on due diligence can be granted. Please note that one extension has already been granted on September 14, 1990 for due diligence.

I suggest you file the enclosed proof of beneficial use form on that portion of the permit that is completed. However, since the permit lapsed on January 1, 1993, and in order to be in compliance, you will need to submit the proof on or before March 1, 1993.

Within one year of the time you actually intend to develop and beneficially use the water, I suggest that you file a new application. Since Idaho is now under a mandatory permit procedure to develop a water right, the new application will provide an additional period of time for development, although the priority date will be later in time.

Please feel free to contact any of our regional offices if you wish assistance in completion of the new application.

Sincerely,

L. GLEN SAXTON
Chief, Water Allocation Bureau

Enclosure

C: IDWR - Regional Office

MICROFILMED

MAY 21 1993

RECEIVED

JAN 28 1993

Form 204
11-91

Department of Water Resources

For Office Use Only
\$15 Fee Received by [initials]
Date 1-29-93
Receipt No. C0260621STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

REQUEST FOR EXTENSION OF TIME

TO PROVIDE ADDITIONAL TIME IN WHICH TO SUBMIT PROOF OF
BENEFICIAL USE FOR A WATER RIGHT PERMIT

The Idaho Department of Water Resources will consider this form as a request that the permit holder(s) be granted an additional period of time in which to complete development of water right under the provisions of Section 42-204, Idaho Code.

Permit No. 67-07700Name(s) of Permit Holder: Donald S BeighMailing Address: RI Box 138 Cambridge ID 83610Date Proof is Due Jan 1 1993 Telephone No. 257-3545

Describe what work has been completed toward the development of this water right:

(This must be filled out! If no work has been completed, show "none".)

¹⁹⁹²
Have ~~run~~ ditches and have 2000 ft + of 5/8" hose
for fire protection + irrigation. Also have used the water
to beneficial use by melting on driveway to buildings
and snow by buildings. Costing \$

The permit holder(s) has been unable to complete the remainder of the work for the following reasons:

My Wife has been doctoring and in hospital
several time since the 2nd of Jan 1992 for
Cancer. Made use of water all Summer and Fall

Permit holder(s) request an extension to Jan. 1 1994 OR 19 95 if possible

FEE: \$15.00

CK #5453
1-25-93Donald S Beigh
(Signature)*

*If other than permit holder, Power of Attorney must be supplied.

ACTION OF THE DEPARTMENT OF WATER RESOURCES

IT IS HEREBY ORDERED that the above request for extension of time be DENIED
pursuant to Section 42-204, Idaho Code, which only allows for
one extension of time based on due diligence.

MAY 21 1993

Signed this 3rd day February, 19 93

[Signature]
R. Keith Higgins, Director

**ANALYSIS SHEET
FOR
EXTENSION OF TIME**

Permit No. 67-07700 Reviewed by KQ Date 2/1/93

BASIC INFORMATION

1/28/93 Date stamp received
no Extension received timely
yes Fee received and receipted
yes Name and signature same as permit
no Address Change

BASIS FOR EXTENSION REQUEST

_____ Has adequate work been completed to demonstrate due diligence?
_____ Has the permit been involved in litigation?
_____ Is supporting documentation needed to complete the file? Requested? _____
_____ Is delay by a government agency?
_____ Is supporting documentation needed to complete the file? Requested? _____
_____ Is the project more than 25,000 acre feet for irrigation or 10,000 acre feet for a reservoir?

ACTION TAKEN

Recommend for denial - Can only grant one extension Based on due diligence

PRIORITY CALCULATION

Date extension received	<u>1/28/93</u>	=	<u>28</u>
Proof due date	<u>1/1/93</u>	=	<u>1</u>
Number of days late		=	<u>27</u>
Priority date		=	
New Priority Date		=	

DATA ENTRY

New Address _____
Change Proof Due Date _____
Change Priority Date _____

RECEIVED

JAN 28 1993

Jan 25, 1993 Department of Water Resources

Dear Sirs:-

Due to the winter and sickness in the family since Jan. 1992 have not had time to do a lot of work on the project.

The water has been a blessing this winter to clear driveway and around building.

Birds, Coon, and other animals ~~are~~ flocked in.

Sincerely
MAY 21 1993

Ken Beigh

P.S. Check for 15⁰⁰ enclosed.

January 5, 1993

DONALD S. BEIGH
RT 1 BOX 138
CAMBRIDGE ID 83610

LAPSE NOTICE

RE: PERMIT NO. 67-07700

Dear Permit Holder:

You are hereby notified that under the provisions of Section 42-218A, Idaho Code, the above referenced permit has lapsed and is of no further force nor effect. The department provided the proper forms to you in our proof due notice dated October 31, 1992. No further construction or additional development is authorized under this permit unless it is reinstated.

The permit can only be reinstated if you submit an acceptable proof of beneficial use or an acceptable request for extension of time to the department within sixty (60) days of the mailing of this lapse notice. An acceptable proof of beneficial use submittal must include the examination fee or a completed field examination report. A request for extension of time must be accompanied by a fifteen dollar (\$15) fee.

Enclosed again for your use are a proof of beneficial use form and a request for extension of time form. Please note that only one extension of time can be granted unless the project has not been completed because of lack of a necessary approval by a government agency or by litigation which may bring title to the water in question.

L. GLEN SAXTON
Chief, Water Allocation Bureau

Enclosures

CERTIFICATION OF MAILING

I hereby certify that on 1/5/93
~~a copy~~ an original of this document was
deposited in the United States mail,
postage prepaid addressed to the
individual(s) named above.

MICROFILMED

MAY 21 1993

October 31, 1992

DONALD S. BEIGH
RT 1 BOX 138
CAMBRIDGE ID 83610

PROOF DUE NOTICE

RE: PERMIT NO. 67-07700

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before January 1, 1993. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.


If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Karen L. Gustafson
Secretary/Records Manager

Enclosures



MICROFILMED

MAY 21 1993

April 22, 1991

DONALD S. BEIGH
ROUTE 1 BOX 138
CAMBRIDGE, ID 83610

Dear Mr. Beigh:

Re: Permit No. 67-7700

Enclosed is a copy of the approved request for extension of time. The time within which to submit proof of beneficial use is extended to January 1, 1993.

In your letter of February 25, 1991, you ask if you should make a new filing. Your permit was issued for the maximum diversion rate of 0.50 cfs - approximately 225 gpm - for the uses proposed under the permit. If you intend to expand the uses to include more irrigation, stockwater or domestic uses, then it would be appropriate to file another application to cover the additional diversion of water.

If you have more questions, please contact this office or the Western Regional office at 334-2190.


Sincerely,

RITA I. FLECK
Secretary/Records Manager

Enclosure

RECEIVED

JUN 10 1991



Department of Water Resources

Feb 22 1991

State of Idaho

Dept. of Water Resources

I have wondered if I
Should make a New Filing.
The drillers Estimated a flow of
1000 G.P.M. I Filed on that.

On 11/18/85 Lawson Howland a
Watermaster for Water Resources
measured the flow over a cement
measuring gate in a cement ditch
To be 62" of water or 558 gal.p.m.

With 33 P.S.I. at well I can only
open to 20 P.S.I. and still have enough
pressure to the house. It is better
to only open to 25 P.S.I.

For irrigation the well has been
most helpful in Early Spring and late
fall after and before we have water
in ditches. Especially in drought years.

Don Beigh

STAFF REVIEW SHEET - EXTENSION OF TIME

Permit No. 67-7700

Reviewed by [Signature]

Date 3-22-91

BASIC INFORMATION

2 Date stamp received
2 Extension received timely (not too early not too late)
2 Fee received and receipted
2 Name and signature same as permit
2 Address change

BASIS FOR EXTENSION REQUEST

2 Has adequate work been completed to demonstrate due diligence?
2 Has the cost incurred been adequate to demonstrate an intent to complete the project?

Has the permit been involved in litigation?

a. Swan Falls _____ Dismissed from Swan Falls _____
 Other _____ Identify _____

b. Is supporting documentation needed to complete the file? _____
 Requested _____

c. Calculate the period of delay

Date litigation completed _____

Date litigation began _____

Total period of delay = _____

Present proof due date + _____

NEW PROOF DUE DATE = _____

Is delay by a government agency?

Is supporting documentation needed to complete the file? _____
 Requested? _____

ACTION TAKEN

Recommend approval to Jan 1, 1993 - based on due diligence

2 Reinstate Date extension received _____ = _____
 Proof due date _____ = -
 No. of days late _____ = _____
 Priority date _____ = +
 ADJUSTED PRIORITY DATE _____ = _____

DATE ENTRY

2 Change proof due date _____ Address change
2 Priority date change _____

DONALD S. BEIGH
RT 1 BOX 138
CAMBRIDGE, ID 83610

138939
December 31, 1990

PROOF DUE NOTICE

RE: PERMIT NO. 67-07700

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before March 1, 1991. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Rita Fleck
Secretary/Records Manager

Enclosures

RECEIVED
JUN 10 1991

April 14, 1986

RE: Permit No. 67-7700

Donald S. Beigh
Rt. 1, Box 138
Cambridge, ID 83610

Dear Permit Holders:

Enclosed is a copy of your approved Application for Permit. We direct your attention to the conditions of approval on the fourth page.

In an earlier telephone conversation you indicated that the well is capped when not in use. Under Idaho law, artesian wells are required to be capped in such a manner that water flowing from the well is only used for beneficial purposes such as ones identified on this permit and is not allowed to be wasted.

You should be aware that the groundwater you propose to divert is located within a drainage basin where surface waters are regulated during the months of low flow. It is possible that diversion of groundwater may have an adverse impact on these surface water flows. Information available to us at this time does not warrant refusing to issue permits in your area, but we do caution that diversions of groundwater are not allowed to deplete flows available for surface water users with earlier priority dates. Siting your well as far from surface sources as possible and casing out upper water producing zones may reduce the potential of interference.

Please note the requirement that as a permit holder you must commence the excavation or construction of diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The enclosed blue card must be completed and returned to this office as soon as you commence construction, no later than one year from the date the permit was approved.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit into a license.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc
Enclosure

WATER FILMED

3/17/86

To: File 67-7700

From Tol Beal

Based upon the owner letter Rec 8/28/86 and the two well logs we have on file, I think this well is adequately constructed.

The Drillers log indicates a surface seal 120' deep. A well pressure of 35 psi @ 70°F.

Based on the log I would say the 1500 gpm flow is not just artesian flow but also with air test ~~water~~. Casing appears to be driven in to rock at 350' which should isolate the flow from the upper zones.

Conditions

Put in
COVER LETTER
J.S.

1. Well shall be provided with a valve or cap capable of stopping all flow.

2. O.P.C.

RECEIVED

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

WELL OWNER

Name DON BEIGH
RT. 1 BOX 138
 Address CAMBRIDGE, IDAHO 83610
 Owner's Permit No. _____

NATURE OF WORK

☐ New well ☒ Deepened ☐ Replacement
☐ Abandoned (describe abandonment procedures such as materials, plug depths, etc. in lithologic log)

PROPOSED USE

☒ Domestic ☐ Irrigation ☐ Test ☐ Municipal
☐ Industrial ☐ Stock ☐ Waste Disposal or Injection
☐ Other _____ (specify type)

METHOD DRILLED

☒ Rotary ☒ Air ☐ Hydraulic ☐ Reverse rotary
☐ Cable ☐ Dug ☐ Other _____

WELL CONSTRUCTION


Casing schedule: ☒ Steel ☐ Concrete ☐ Other _____
 Thickness 250 inches Diameter 6 inches From 160 feet To 354 feet
 inches inches feet feet
 inches inches feet feet
 inches inches feet feet
 Was casing drive shoe used? ☒ Yes ☐ No *See previous log filed 4/28/85*
 Was a packer or seal used? ☐ Yes ☒ No
 Perforated? ☐ Yes ☒ No
 How perforated? ☐ Factory ☐ Knife ☐ Torch
 Size of perforation _____ inches by _____ inches
 Number From To
 _____ perforations _____ feet _____ feet
 _____ perforations _____ feet _____ feet
 _____ perforations _____ feet _____ feet

Well screen installed? ☐ Yes ☐ No
 Manufacturer's name _____
 Type _____ Model No. _____
 Diameter _____ Slot size _____ Set from _____ feet to _____ feet
 Diameter _____ Slot size _____ Set from _____ feet to _____ feet
 Gravel packed? ☐ Yes ☒ No ☐ Size of gravel _____
 Placed from _____ feet to _____ feet
 Surface seal depth 20 Material used in seal: ☐ Cement grout
☒ Bentonite ☐ Puddling clay ☐ _____
 Sealing procedure used: ☐ Slurry pit ☐ Temp. surface casing
☒ Overbore to seal depth
 Method of joining casing: ☐ Threaded ☒ Welded ☐ Solvent
 Weld
☐ Cemented between strata

Describe access port wellhead

LOCATION OF WELL

Sketch map location must agree with written location.



Subdivision Name _____

Lot No. _____ Block No. _____

County WASHINGTON

W 1/4 SW 1/4 Sec. 9 T. 14N N/S, R. 2W E/W.

7. WATER LEVEL

Static water level 0 feet below land surface.
 Flowing? ☒ Yes ☐ No G.P.M. flow 1500
 Artesian closed-in pressure 35 p.s.i.
 Controlled by: ☒ Valve ☐ Cap ☐ Plug
 Temperature 70 °F. Quality good
 Describe artesian or temperature zones below.

8. WELL TEST DATA

☐ Pump ☐ Bailor ☒ Air ☐ Other artesian

Discharge G.P.M.	Pumping Level	Hours Pumped
<u>1500</u> <i>est.</i>	<u>370</u>	<u>1</u>

9. LITHOLOGIC LOG

Bore Diam.	Depth		Material	Water	
	From	To		Yes	No
*****DEEPENING INFORMATION					
NOTICENOTICE***NOTICE*****					
PLEASE BE ADVISED, THIS WELL REPORT PERTAINS TO THE DEEPENING OF AN EXISTING WELL, REPORT PREVIOUSLY FILED. SAME LEGAL DESCRIPTION, SAME OWNER. DATE OF WORK PREVIOUSLY COMPLETED ON EXISTING WELL - 4/28/85. SAME DRILLING CO. AS REPORT PREVIOUSLY FILED.					
6	215	235	GRAY HEAVING SAND	X	
6	235	240	BLUE SHALE		
6	240	245	GRAY SHALE		
6	245	255	BLUE SHALE		
6	255	261	SILTY BROWN CLAY		
6	261	268	BLUE CLAY		
6	268	275	BROWN CLAY		
6	275	351	BROWN SHALE		
6	351	355	BLACK ROCK		
6	355	360	BROKEN BLACK ROCK	X	
6	360	370	BROKEN BLACK ROCK	X	
MICROFILMED					
MICROFILMED					

10. Work started 7/26/85 finished 10-12-85

11. DRILLERS CERTIFICATION

I/We certify that all minimum well construction standards were complied with at the time the rig was removed.

Firm Name DALLAS DRILLING & PUMP CO., INC.
505 So. 18th St. #224
 Address PAYETTE, IDAHO 83661 Date _____

Signed by (Firm Official) Johnny L. Goff
 and Johnny L. Goff Pres.
 (Operator)

Form 100-1
100-1

1. GENERAL INFORMATION

Name RON BRIN
Address RT. 1 BOX 114
CAMBRIDGE, IOWA 52002

Owner's Permit No. _____

2. NATURE OF WORK

☒ New well ☐ Deepened ☐ Reconstructed
☐ Abandoned (describe abandonment: _____
materials, plug details, etc. in Remarks)

3. PROPOSED USE

Use _____
Remarks _____

County WASHINGTON

SW 1/4 Sec. 9 T. 14 S. 2 E. W

DATE 12/13/85
L. GIFF
(Operator)

USE ADDITIONAL SHEETS IF NECESSARY - FORWARD THE WHITE COPY TO THE DEPARTMENT

Jan 18, 1986

Mr. Jim Johnson

Water Rights Supervisor

Statehouse - Boise Id.

Dear Mr. Johnson:-

RECEIVED

JAN 23 1986

Department of Water Resources

In regards to the log for 6" Arterion Well for Application for permit #67700 Will send a copy of the first drilling log dated 5-13-85. There was two additional drilling started on 7-19 and 10-9-85

I have requested a log by mouth, telephone, and letter. Have received no answer

Will send a separate sheet of the daily data that I kept that may give and idea of what happened.

Still have work to do around the the well. Need dirt fill around the well that washed away with the overflow.

Can not open to full flow as the rubber ring pipe separates at full flow Will complete as soon as weather permits.

Hope this will help.

Sincerely
Kleon Beigh.

RECEIVED

Dallas Well drillers at Don Beighs
April 26-27-28. Drilled 215'; 160' of 6" casing 1" in ground. Flowing with 0 pressure.

5/1-6/6 Capped well and ran water and sand free flowing (Continued to flow sand)

6/6 - Put Pump in and pumped water and sand until 7/19. Still pumping a lot of sand.

7/19 - Well drillers redrilled to 215' and blew sand all over the Area with no let up.

7/24 - Drove casing to 200'. Drilled thru Clay to 300'

7/25 - No Water. Drilled to 350'. Drove 100' casing

Hit rock at 350'. Some water before hit rock.

7/26. Drove 40' casing. Then drilled and well blew in about 2:00 PM. Well drillers estimated 60-70 # pressure and 1000 gal per min. ?

7/27 - Capped Well - But with gate open clay chunks up to 4 1/4 # would float up.

10/10 - Drove Jack pine plug in casing and welded 13'-6" casing and drove approx 1' into rock.

10/11 Capped Well. Lost pressure and flow. ?

Have 33 # pressure and will get flow when weather permits. Temperature of water is 70°

Can divert water to Woods or Anderson and Ward ditch which has a cement ditch liner. Perhaps someone from there could measure the flow next spring when up this way. ?

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

USE ADDITIONAL SHEETS IF NECESSARY - FORWARD THE WHITE COPY TO THE DEPARTMENT





State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

January 10, 1986

RE: Application for Permit No. 67-7700

Donald S. Beigh
Rt. 1, Box 138
Cambridge, ID 83610

Dear Mr. Beigh:

A review of our records shows that a well log prepared by the well driller for your 6-inch artesian well has not been submitted to our office.

We will not take any further action towards approving your application for water permit until said well log is received.

If you have any questions on this matter, please let me know.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

MICROFILMED

Affidavit of Publication:

STATE OF IDAHO }
County of Washington } ss.

Stuart Dopf, being duly sworn deposes and says he is the publisher of the Upper Country News-Reporter, a weekly newspaper published at Cambridge, in the County of Washington, State of Idaho; that said newspaper is in general circulation in the county of aforesaid and is a legal newspaper; that the annexed, a printed copy of which is attached hereto and made a part hereof, was published in said newspaper once a week for.....2..... consecutive weeks in the regular and entire issue of every number thereof during the period of time of publication, and was published in the newspaper proper and not in a supplement; and that publication of such notice began Sept. 26....., 1985 and ended Oct. 3....., 1985



Stuart Dopf

Subscribed and sworn to before me

this 12TH day of
DECEMBER, 1985

B. B. Soules

Notary Public in and for the State of Idaho, residing at Cambridge, Idaho 83610.



Department of Water Resources
Boise Regional Office

MICROFILMED

September 19, 1985

Upper County News Reporter
P.O. Box 98
Cambridge, ID 83610

Re: Application for Permit - Donald S. Beigh - 67-7700

Dear Legal Department:

Enclosed is a copy of the original notice for the above referenced application and the affidavit of publication received by our office. Note that there is a discrepancy in the two notices.

We are requesting that you publish the enclosed correction notice at your expense.

Upon receipt of an affidavit of publication for the correction notice, we will forward the bill for the first publication to our accounting section.

Your cooperation in this matter is greatly appreciated.

Sincerely,

Judy Pense
Secretary

JP

Enc: copy of original notice
copy of affidavit
legal notice (correction)

MICROFILMED

NOTICE OF CORRECTION

Notice is hereby given that notice of Application for a Water Right Permit No. 67-7700 in the name of Donald S. Beigh was published in error on 9/05 and 09/12/85.

The place of use was listed as within the SWSW Sec 9 T 14N R 4W for 20 acres

WHEREAS, the actual place of use is within the SWSW Sec 9 T 14N R 2W. for 20 acres

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Department of Water Resources, Western Region, Statehouse, Boise, ID 83720 on or before October 14, 1985

Ken Dunn, Director

Published in The Upper County News
September 26 & October 3, 1985

MICROFILMED

Affidavit of Publication.

STATE OF IDAHO }
County of Washington } ss.

Stuart Dopf, being duly sworn deposes and says he is the publisher of the Upper Country News-Reporter, a weekly newspaper published at Cambridge, in the County of Washington, State of Idaho; that said newspaper is in general circulation in the county of aforesaid and is a legal newspaper; that the annexed, a printed copy of which is attached hereto and made a part hereof, was published

in said newspaper once a week for 2 consecutive weeks in the regular and entire issue of every number thereof during the period of time of publication, and was published in the newspaper proper and not in a supplement; and that publication of such notice began September 5, 1985 and ended September 12, 1985

Stuart Dopf

Subscribed and sworn to before me
this 16TH day of

September, 1986
B. G. Soules

Notary Public in and for the State of Idaho, residing at Cambridge, Idaho 83610.

STATE OF IDAHO DEPARTMENT OF WATER RESOURCES

The following application has been filed to appropriate the public waters of the State of Idaho:

67-7700

BEIGH, DONALD S.
RT. 1 BOX 138,
CAMBRIDGE, ID 83610
Source: GROUNDWATER
Date Filed: 8/2/1985
Diversion Pt: SWSW Sec 9 T 14N R 2W
Use: IRRIGATION (0.40 CFS)
STOCKWATER (0.02 CFS)
DOMESTIC: (0.08 CFS)
In: SWSW Sec 9 T 14N R 4W
FOR 20 ACRES.

The permit will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Western Region, Statehouse, Boise, Idaho 83720 on or before SEPTEMBER 23 1985.

KEN DUNN, Dir.
Published 9/5 & 9/12/85.

RECEIVED
SEP 17 1985

Department of Water Resources
Western Regional Office

MICROFILMED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Western Region

Statehouse
Boise, Idaho 83720
(208) 334-2190

AUGUST 29, 1985

Upper County News Reporter
Box 98
Cambridge, ID 83610

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before SEPTEMBER 23, 1985.

Yours truly,

JUDY PENSE
Secretary

Encl.

MICROFILMED

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Western Region, Statehouse, Boise, Idaho 83720 on or before SEPTEMBER 23, 1985.

KEN DUNN, Dir.

Published 09/05 & 09/12/85.

RECEIVED
SEP 12 1985

62-2200-

BEIGH, DONALD S.

RT. 1 BOX 138, CAMBRIDGE, ID 83610

Source: GROUNDWATER

Date Filed: 08/02/1985

Diversion Pt: SWSW Sec 09 T 14N R 02W

Use: IRRIGATION	(0.40 CFS)
STOCKWATER	(0.02 CFS)
DOMESTIC	(0.08 CFS)

In: SWSW Sec 09 T 14N R 02W FOR 20 ACRES

MICROFILMED