

Hand-drawn diagram on graph paper showing a rectangular area with dimensions 10 by 10. The area is divided into four quadrants by a vertical line at $x=5$ and a horizontal line at $y=5$. The top-left quadrant is labeled 'T', the top-right 'R', the bottom-left 'N', and the bottom-right 'W'. The number '10' is written in the top-left and top-right quadrants. The letters 'R 3 W' are written in the bottom-right quadrant. The number '8' is written in the top-right quadrant.

Feb 24

(Applicant)

MICROFILMED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
MAR 21 1995
Department of Water Resources

A. GENERAL INFORMATION


Permit No. 67-7697
1. Owner: PEPE SKOW Phone No. 549-2859
Current Address: RT. 2 Box 41, WEISER IDAHO 83672
2. Accompanied by: SAME EXAM. DATE: 7-30-87
Address: _____ Phone No. _____
Relationship to Permit Holder: _____
3. Source: SPRING tributary to SINKS

B. OVERLAP REVIEW

1. Other water rights with same place of use: NONE ☐ Copies Attached
2. Other water rights with same point of diversion: NONE ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = _____

2. ☒ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required). ☐ Aerial Photo Attached (required for irrigation of 10 acres or more).
☒ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater).

RECEIVED
MAY 18 1995

67-7697



P.U.

MAY 1967

67-7697



P.D.



P.U.

RECORDED
MAY 18 1995

Nº 1206

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO, }
County of Washington } ss.

Donath & Bob, being duly sworn,
deposes and says:

That he is the Clark of THE
WEISER AMERICAN, a weekly newspaper published at
Weiser, in the County of Washington and State of Idaho; that
said paper has been and is in general circulation in the coun-
ty aforesaid, and in the vicinity of Weiser; that the adver-
tisement, a copy of which is attached hereto, was published

in said newspaper once a week for 2 consecutive
weeks in the regular and entire issue of said paper during the
period and time of publication, and was published in the
newspaper proper and not in a supplement; that said paper
has been established and regularly published for more than
seventy-eight consecutive weeks prior to the date of first
publication of said advertisement.

Such notice was published in the issue beginning with

July 16, 1984, and ending
with the issue of July 23, 1984

Fees, \$ 25.18

Subscribed and sworn to before me this 23

day of July, 1984

Donath & Bob
Notary Public, Residing at Weiser, Idaho.

My Commission Expires 1-1, 1987

No. 1206

NOTICE OF APPLICATION FOR WATER RIGHT

The following application has been filed to appropriate the
public waters of the State of Idaho:

67-7697 WSP

SKOW, PETE

RT. 2, BOX 41, WEISER, ID 83672

Source: SPRING TRIB. to SINKS

Date filed: 06/26/1984

Diversion Pt: NWNE Sec 10 T 10N R 03W

Use: STOCKWATER

(0.14 CFS)

In: NWNE Sec 10 T 10N R 03W

The permit will be subject to all prior water rights. Protests
must be filed with the Director, Dept. of Water Resources,
Western Region, Statehouse, Boise, Idaho 83720 on or before
AUGUST 6, 1984.

KEN DUNN, Dir.
39-2a

RECEIVED
AUG 1 1984

Department of Water Resources
Western Regional Office

MICROFILMED

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 67-07697

Priority: June 26, 1984

Maximum Diversion Rate:

0.02 CFS

Maximum Diversion Volume:

6.7 AF

This is to certify, that PETE SKOW
2475 COVE RD

WEISER ID 83672

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated June 26, 1984; and has submitted Proof of Beneficial Use on June 26, 1994. An examination indicates that the works have a diversion capacity of 0.020 cfs of water from:

SPRING

tributary to SINKS

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
STOCKWATER	01/01 to 12/31	0.02 CFS	6.7 AF

LOCATION OF POINT(S) OF DIVERSION:

NWNWNE , Sec. 10, Township 10N, Range 03W
WASHINGTON County

PLACE OF USE: STOCKWATER

TWN RGE SEC

10N 03W 10

NWNE

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Stockwater use is for 500 range cattle.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.

Witness the seal and signature of the Director, affixed at Boise, this 2ND
day of MAY, 1995.

Acting for R. Keith Higginson, Director

MAY 18 1995

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

APPROVED

1. Name of applicant Pete Skow Phone 549-2859
Post office address Rt. 2, Box 41, Weiser, Idaho 83672
2. Source of water supply spring which is a tributary of sinks
3. Location of point of diversion is NW $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 10 Township 10N
Range 3W B.M. Washington County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount .14 for Stockwater purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. .14 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. spring box, pipe, trough

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 1 years (minimum 1 year — maximum 5 years).

8. Description of proposed uses:

a. If water is **not** for irrigation:

(1) Give the place of use of water: NW $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 10 Township 10N
Range 3W B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered 500⁺ head range

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water _____.

(5) If water is to be used for other purposes describe: _____

MICROFILMED

MICROFILMED

Total number of acres to be irrigated

c. Describe any other water rights used for the same purposes as described above.


9. a. Who owns the property at the point of diversion Applicant

b. Who owns the land to be irrigated or place of use Applicant

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing

10. Remarks / in no way relinquish a prior right / may claim to the waters of this spring. Said right dates from 1970 for the same purposes as this application.

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

MICROFILMED

Pete Shaw

(Applicant)

RECEIVED

Proposed Priority 6/26/84

Received by RS Date 6/26/84 Time 12:30 pm
Preliminary check by 6HS Fee \$ 30- # 34493
Receipted by RS Date 6/26/84
Publication prepared by ds jp-- Date 7/12/84
Published in The Weiser Signal
Publication dates 7/19 & 7/26/84
Publication approved ls Date 8/11/84
Protests filed by: none

Copies of protests forwarded by _____
Hearing held by _____ Date _____
Recommended for approval denial by OBS kw

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 67-7697, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before September 1, 19 85.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other:

Witness my hand this 9th day of August, 1984.

J. Glen Saxon
Chief, Operations Bureau



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000
Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

May 3, 1995

PETE SKOW
2475 COVE RD
WEISER ID 83672

RE: WATER RIGHT NO. 67-07697

Dear Water Right Holder(s):

Enclosed is a copy of the Water Right License issued on the above referenced permit. If you have any questions, please contact me within 10 days of receipt of this license.

Sincerely,

A handwritten signature in cursive script that reads "Shelley W. Keen".

Shelley W. Keen
Water Rights Supervisor

SK:rl

Enclosure

MAILED
MAY 10 1995

LICENS. REVIEW CHECKLIST



PERMIT NO. 67-07697 DATE 4-19-95

NAME Change OK ☒ Or Address Change? Updated

PRIORITY DATE ☒ Advance? Advanced to:
 Order to reinstate needed?
 Incorrect fee for rate recommended? NA

SOURCE ☒ Changes or just clarification of originally intended source?
 Notice of Intent to Void necessary?

POINT OF DIV ☒ Amendment needed?
 ☒ Overlaps?

PLACE OF USE ☒ Amendment needed?
 ☒ Overlaps?

DIV RATE ☒ Permit/fee limits: .14 CFS
 Meas Q = Theo Q = Recommend: .02
from a spring - .02 is a standard rate for 100+ head off cattle
STOCKWATER FOR 500 HEAD / 24 hr spring / .02 OK
 Combined rates exceed capacity

ANNUAL VOLUME ☒ Volume Limit: Season: 1-1 to 12-31
 ☒ Calculations: 500 head x .0134 = 6.7 gF
 Flow limit: cfs x x 1.9835 =
 Combined volumes exceed capacity/allowable

USES ☒ Change in Nature of Use or additional uses?
 Amendment necessary?

ADDITIONAL INFO Supplemental Groundwater PPU Scenario
 Irr/Dom Combination Shared G/W System

NEW REMARKS ☒ Multiple p/d(s) in 1/4 1/4?
WO2 Other 500 head

NEW CONDITIONS ☒ Watermaster control - District
 ☒ Measuring/Locking Devices
 ☒ Irrigation Overlap
 Other
 Water Quality Heat/Cool/Fish verified

COMMENTS: REDUCE RATE

RECOMMENDATION	CFS	VOLUME	SRBA Claim Filed	<u>NO</u>
<u>Stock water</u>	<u>.02</u>	<u>6.7</u>	Adjustment Memo Needed	<u>NO</u>
<u> </u>	<u> </u>	<u> </u>	LICENSE	<u>✓</u>
<u> </u>	<u> </u>	<u> </u>	1ST AMEND LETTER	<u> </u>
<u> </u>	<u> </u>	<u> </u>	2ND AMEND LETTER	<u> </u>

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

Staff Analysis Sheet
for
Beneficial Use Field Report

67-7697
Permit No.

NWNE 4

10N 3W

RECEIVED

MAR 2 1988

Department of Water Resources

A. Prior to Conducting the Exam, the File Contains:

- ☒ Blank Field Report Form
☒ Copy of Permit
☒ Copies of any Amendments/Orders with conditions of approval

~~NO~~ ☐ Computer Data Proof Report

☒ Copy of U.S.G.S. Quad

☒ Check for Government Lots. If so, make a copy of Government Plat

Check of P/D index QN 7-27-87 (Initial and date)

Overlap? ☐ yes ☒ no If yes: ☐ copy of exam(s) attached?

Type of Overlap? ☐ Add acres or uses to existing system

☐ Increase rate of flow or volume

☐ Other: _____

Check of P/U index QN 7-27-87 (Initial and date)

Overlap? ☐ yes ☒ no If yes: ☐ copy of water right(s) attached?

Type of Overlap? ☐ Increase rate of flow or volume

☐ Add P/D's

☐ Increase number of acres within tracts

☐ Other: _____

Aerial Photo

Required? ☐ yes ☒ no If yes: ☐ copy attached?

Scheduling Letter sent? QN 7-23-87 (Initial and date)

☒ Appointment made and telephone conversation memo attached

No claim
reg'd
for what
is being
recommended
for licensing

B. After Conducting the Exam, the File Contains:

☒ Fully completed and signed Field Report Form

☒ Photographs of Point of Diversion and Place of Use

~~NO~~ ☐ Corrected Computer Data Proof Report with recommended license information, and date and signature of examiner.

C. Review and Processing:

Exam Completed Quinn 8-12-87 (Signature of examiner and date)

Exam Reviewed by Senior Water Resource Agent BO 8/14/87 (Initial and date)

Exam Reviewed by Manager of Regional Office DAS 2/29/88 (Initial and date)

Exam Date Entered in Computer _____ (Initial and date)

Exam sent to State Office HL 3/10/88 (Initial and date)

Copy of Staff Analysis Sheet sent to Manager of Regional Office and Original
Refiled in White File _____ (Initial and date)

TUES. AFTERNOON
MORNING ON
LARRY SIMONSEN
347-2115
DEL GEODES

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
MAR 21 1995
Department of Water Resources

A. GENERAL INFORMATION

Permit No. 67-7697

1. Owner: PETE SKOW Phone No. 549-2859

Current Address: RT. 2 BOX 41, WEISER IDAHO 83672

2. Accompanied by: SAME EXAM. DATE: 7-30-87

Address: _____ Phone No. _____

Relationship to Permit Holder: _____

3. Source: SPRING tributary to SINKS

B. OVERLAP REVIEW

1. Other water rights with same place of use: NONE

☐ Copies Attached


2. Other water rights with same point of diversion: NONE

☐ Copies Attached

☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = _____

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).

☒ Photo of Diversion and System Attached

(required for all but single household domestic groundwater, and stockwater.

☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).

MAY 18 1995

System Description (continued)

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

THIS SPRING WAS DEVELOPED BY DIGGING
BACK HOE TRENCH ABOUT 35 FT LONG ALONG
BOTTOM OF WHERE SPRING WAS COMING OUT, THE
ROCK WAS PUT IN & 4" PERFORATED PLASTIC PIPE
PUT IN TRENCH AND FILLED IN, THE 1 1/2" (?)
PLASTIC PIPE HOOKED ONTO THAT WHICH RUNS
DOWN TO STICK TANK 120 FT AWAY.

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
N/A					

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
		NW	NW	NE	10	10N	3W	WASHINGTON	USGS QJAP

6. Place(s) of Use:

Indicate Method of Determination

Twp.	Rge.	Sec.	NE¼				NW¼				SW¼				SE¼				Totals
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
10N	3W	10		X															

Do not use this space

MODIFIED

MAY 18 1995

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

43 PAGES FROM TANK TO P.D.

MEASURED 1 1/2 GALLONS OF WATER IN 55 sec.

1.5 gal / 55 sec = 1.64 G.P.M. = .004 cfs → NOTE (DRY PART OF YEAR)

* SEE REMARKS

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

2. Alternate Method for Checking Purposes:

F. PUMP EFFICIENCY DATA (Optional) N/A

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) ; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation: N/A

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ _____

2. Volume Calculations for Other Uses:

STOCK WATER

500 X .0134 = 6.7 cfs

OR

.02 cfs X 1.98 X 365 DAYS = 14.45 cfs

USE 6.7 cfs

RECEIVED

MAY 18 1995

H. REMARKS AND OVERLAP REVIEW ANALYSIS

.004 cfs is what I measured, but it was in the middle of summer in a dry year, so I do not believe it would be right to limit them to that, but they applied for .14 cfs which would be way more than they could even get out of the pipe, (they applied for that amt. because that is what is on the chart for 500 head, but they have more than this source of water) so I recommend that the amt. that I measured ~~be used~~ x 4 would be a maximum flow
.004 cfs $\approx$.02 cfs

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
STOCK WATER	1/1	12/31	.02 cfs	6.7 afa
Totals:			.02 cfs	6.7 afa

2. Recommended Amendments


- ☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

J. AUTHENTICATION

Field Examiner's Name QUENTIN NESBITT
Signature Quentin Nesbitt
Certification Date _____
Field Report Preparation Date 8-12-87


CONSULTANT SEAL

K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.



PROCESSED


MAY 18 1995



67-7697



P.D.



P.U.

UNRECORDED
MAY 18 1995

MEMORANDUM

TO: File 67-7697

FROM: Sharla

DATE: March 21, 1991

RE: Returned Field Exam

On this date, the field exam report for the above referenced file was returned to the region. According to the date proof of beneficial use was filed for this right, an adjudication claim is needed and has not yet been filed.

The region will solicit the claim and based upon response, either the field exam will be returned with the claim after being reviewed by the region for discrepancies, or the right will be disallowed in the Director's Report for failure of the holder to submit the claim.

MICROFILMED

MAY 18 1995

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Western Region

Statehouse
Boise, Idaho 83720
(208) 334-2190

OCTOBER 22, 1984

PETE SKOW
RT. 2 BOX 41
WEISER ID 83672

RE: Permit No. 67-7697

Dear Permit Holder:

We acknowledge receipt of your statement submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this department.

A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office by phone at 334-2190 or in person in the third floor State Towers Building, 450 West State Street, Boise.

Sincerely,
s/Judy Pense
Secretary

RECEIVED
MAY 18 1995

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has requested development to the extent shown below. Permit No. 67-7697

Name(s) of Permit Holder: Pete Skew

Post Office Address: Rt 2 BOX 41

Weiser Idaho Tel. No. 549-2859

Source of Water:

Extent of Use: ☐ Domestic (number of households)
☒ Stockwater 500+ (number and type of stock)
☐ Irrigation (acres)
☒ Other wild life

Measuring Device: Required? ☐ Yes ☒ No Installed? ☐ Yes ☒ No
 Access Port: Required? ☐ Yes ☒ No Installed? ☐ Yes ☒ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

June 26, 81 Date **MICROFILMED** Pete Skew Signature of Permit Holder



PLACE
CENT
STAMP
HERE



*rec'd w/submittal
of app.
6/26/84*

IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

MICROFILMED

August 20, 1984

RE: Permit No. 67-7697

Pete Skow
Rt. 2, Box 41
Weiser, ID 83672

Dear Permit Holder:

Enclosed is a copy of your approved Application for Permit. We direct your attention to the conditions of approval on the fourth page.

Sincerely,

DAVID R. TUTHILL, JR., P.E.
Supervisor, Water Allocation Section

DRT:sc
Enclosures

MICROFILMED

Nº 1206

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO, }
County of Washington } ss.

Pete Skow, being duly sworn,
deposes and says:

That he is the Pete Skow of THE
WEISER AMERICAN, a weekly newspaper published at
Weiser, in the County of Washington and State of Idaho; that
said paper has been and is in general circulation in the coun-
ty aforesaid, and in the vicinity of Weiser; that the adver-
tisement, a copy of which is attached hereto, was published

in said newspaper once a week for 2 consecutive
weeks in the regular and entire issue of said paper during the
period and time of publication, and was published in the
newspaper proper and not in a supplement; that said paper
has been established and regularly published for more than
seventy-eight consecutive weeks prior to the date of first
publication of said advertisement.

Such notice was published in the issue beginning with

July 16, 1984, and ending
with the issue of July 23, 1984

Fees, \$ 25.18

Subscribed and sworn to before me this 23

day of July, 1984

[Signature]
Notary Public, Residing at Weiser, Idaho.

My Commission Expires 1-1, 1987

NOTICE OF APPLICATION FOR WATER RIGHT

The following application has been filed to appropriate the
public waters of the State of Idaho: ✓
67-7697

SKOW, PETE

RT. 2, BOX 41, WEISER, ID 83672

Source: SPRING TRIB. to SINKS

Date filed: 06/26/1984

Diversion Pt: NWNE Sec 10 T 10N R 03W

Use: STOCKWATER

(0.14 CFS)

In: NWNE Sec 10 T 10N R 03W

The permit will be subject to all prior water rights. Protests
must be filed with the Director, Dept. of Water Resources,
Western Region, Statehouse, Boise, Idaho 83720 on or before
AUGUST 6, 1984.

DUNN, Dir.
39-2a

RECEIVED
AUG 1 1984

Department of Water Resources
Western Regional Office

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Western Region

Statehouse
Boise, Idaho 83720
(208) 334-2190

JULY 12, 1984

The Weiser Signal
Box 709
Weiser, ID 83672

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before AUGUST 6, 1984.

Yours truly,

JUDY PENSE
Secretary

Encl.

100-100000-100000

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Western Region, Statehouse, Boise, Idaho 83720 on or before AUGUST 6, 1984.

KEN DUNN, Dir.

Published 7/19 & 7/26/84.

6Z-269Z

SKOW. PETE

RT. 2. BOX 41. WEISER. ID 83672

Source: SPRING trib. to SINKS

Date Filed: 06/26/1984

Diversion Pt: N4NE Sec 10 T 10N R 03W

Use: STOCKWATER (0.14 CFS)

In: N4NE Sec 10 T 10N R 03W