


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

APPROX 460 FT EAST + 200 FT South of Section Corner



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Donna M. Fields
(Applicant)

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

MAR 25 1993

Department of Water Resources

A. GENERAL INFORMATION


1. Owner: Elmer Fields Permit No. 67-7695
Current Address: Box 347 Cambridge ID 83610 Phone No. 257-3501
2. Accompanied by: Elmer Fields EXAM. DATE: 7-9-91
Address: Same Phone No. _____
Relationship to Permit Holder: _____
3. Source: Groundwater tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: No overlap ☐ Copies Attached
2. Other water rights with same point of diversion: No overlap ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION


1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = 100'

2. ☒ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required). ☐ Aerial Photo Attached (required for irrigation of 10 acres or more).
☒ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater).


RECEIVED
DEC 03 1993



PERMIT 67-2095 INIT WOS
T. R. S. Q/Q
P/D 400 360 13 Also 400
SCALE _____
PHOTO ID. _____

RECEIVED
DEC 03 1993

67-7695



#1.

Pump located
inside well housing.
6" well



#2.

Lower and home.
Garden to left
and well housing
in background

WINDFELMER
DEC 03 1993



#3

Lawn in Front
of house.



#4

Garden beside
the house.

MICROFILMED

DEC 03 1993

Affidavit of Publication:

STATE OF IDAHO }
County of Washington } ss.

Stuart Dopf, being duly sworn deposes and says he is the publisher of the Upper Country News-Reporter, a weekly newspaper published at Cambridge, in the County of Washington, State of Idaho; that said newspaper is in general circulation in the county of aforesaid and is a legal newspaper; that the annexed, a printed copy of which is attached hereto and made a part hereof, was published in said newspaper once a week for.....²

consecutive weeks in the regular and entire issue of every number thereof during the period of time of publication, and was published in the newspaper proper and not in a supplement; and that publication of such notice began June 21⁴, 198⁴ and ended June 28⁴, 198⁴

Stuart Dopf

Subscribed and sworn to before me

this 2nd day of

July, 198⁴

B. J. Soules
Notary Public in and for the State of Idaho, residing at Cambridge, Idaho 83610.

Public Notices

NOTICE OF APPLICATION FOR WATER RIGHT

The following application has been filed to appropriate the public waters of the State of Idaho.

67-7695 ✓SP

FIELDS, ELMER &/OR
DONNA M.
P.O. BOX 347, CAMBRIDGE,
IDAHO 83610

Source: GROUNDWATER

Date Filed: 5/22/1984

Diversion Pt. NWNW Sec 13 T
14N R 3W

Use IRRIGATION (0.02 CFS);
DOMESTIC (0.04 CFS)

In: NWNW Sec 13 T 14N R 3W
FOR 1 ACRE

The permit will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Western Region, Statehouse, Boise, Idaho 83720 on or before JULY 9, 1984.

KEN DUNN, Dir.

Published 6/21 & 6/28/84.

RECEIVED
JUL 3 1984

Department of Water Resources
Western Regional Office

RECEIVED

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 67-07695

Priority: May 22, 1984

Maximum Diversion Rate:

0.04 CFS

Maximum Diversion Volume:

3.8 AF

This is to certify, that ELMER FIELDS
RT 1 BOX 53

CAMBRIDGE ID 83610 has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated May 22, 1984; and has submitted Proof of Beneficial Use on June 16, 1989. An examination indicates that the works have a diversion capacity of .040 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/01 to 10/31	0.02 CFS	3.2 AF
DOMESTIC	01/01 to 12/31	0.04 CFS	0.6 AF
	Totals	0.04 CFS	3.8 AF

LOCATION OF POINT(S) OF DIVERSION:

NWNW , Sec. 13, Township 14N, Range 03W
WASHINGTON County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
14N	03W	13	NWNW	0.8		0.8

Total number of acres irrigated: 0.8

PLACE OF USE: DOMESTIC, same as IRRIGATION use

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 4.0 afa per acre for the lands above.

RECEIVED

DEC 03 1993

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 67-07695

CONDITIONS/REMARKS:

6. Domestic use is for 1 home.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 16th
day of NOVEMBER, 1993.


Acting for R. Keith Higginson, Director

FILED
NOV 13 1993

Form 21
03/88

RECEIVED

JUN 16 1989

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

Department of Water Resources

PROOF OF BENEFICIAL USE

For Office Use Only
Fee Received 20.00
Date 6/16/89
Receipt # 250.00007581
Received by C. J. V.
Reviewed by _____
Sent to region _____

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 67-07695

Name(s) of Permit Holder: Salmon Fields

Post Office Address: Rt. 1 - Box 53 Cambridge, Idaho 83610

Telephone No. 257-3501

Source of Water: ground water, well 97 ft deep, pump, large electric motor

Extent of Use:

Domestic One (number of households) Stockwater Occasional (number and type of stock)

Irrigation Small, narrow + good (acres) Other/Remark I have no livestock but

feed much as do try and get a few stacks to eat down small portions

Total rate and/or volume for which proof is submitted 0 - 20.04 cfs 0 - 20 acre-feet

Show the date water was first diverted and beneficially used under this permit: May 6 - 1984

Measuring Device: Required? Yes No
Installed? Yes No

Fee enclosed \$ 30.00
(See License Examination Fee Schedule)

Flow Measurement Port: Required? Yes No
Installed? Yes No

Person to contact to accompany the Department representative during the field examination:

Salmon Fields
(Name)

257-3501
(Telephone Number)

Rt. 1 - Box 53 Cambridge, Idaho 83610
(Address)

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

June 16, 1989
Date

Salmon Fields
Signature of Permit Holder (and title, if appropriate)

MICROFILMED

SEP 08 1989

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

APPROVED

1. Name of applicant ELMER & DONNA M. FIELDS Phone 257-3501

Post office address Box 347 CAMBRIDGE ID. 83610

2. Source of water supply GROUND WATER which is a tributary of N/A

3. Location of point of diversion is NW $\frac{1}{4}$ of NW $\frac{1}{4}$ of Section 13 Township 14N

Range 3W B.M. WASHINGTON County, additional points of diversion if any: A

well 97 feet deep, 6 inch diameter pumped by electric motor

4. Water will be used for the following purposes:

Amount 0.04 for Domestic purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum) Allow 3/15 to 11/15*

Amount 0.02 for irrigation purposes from 5/1 to 8/31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 0.06 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. SEE ITEM 3.

b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet; materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial

use is 5 years (minimum 1 year - maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: NW $\frac{1}{4}$ of NW $\frac{1}{4}$ of Section 13 Township 14N

Range 3W B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water 1.

(5) If water is to be used for other purposes describe: Domestic purposes, but not limited to - Household use one family - watering stock - irrigation garden Fruit trees - small pasture

المجلس

[illegible]

Total number of acres to be irrigated 1 1/3 acres

c. Describe any other water rights used for the same purposes as described above. NONE

9. a. Who owns the property at the point of diversion APPLICANT

b. Who owns the land to be irrigated or place of use _____ //

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing

10. Remarks

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

APPROX 460 FT EAST + 200 FT SOUTH OF SECTION CORNER

111602 400 ft. East of 200 ft. South of Section Corner

APD. &
Pl. of Use RGE. 34

Twp. 14N 13

Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Donna M Fields
(Applicant)

RECEIVED

Proposed Priority 5/22/84

RECEIVED
JUL 11 1984

Received by nn Date 6-12-84 Time 10:00 am
Preliminary check by JG Fee \$ 30.00 * 34441
Receipted by JP Date 5/22/84
Publication prepared by JP Date 6/14/84
Published in Upper County News Reporter
Publication dates 6/21 & 6/28/84
Publication approved JP Date 7/31/84
Protests filed by: none

Copies of protests forwarded by _____
Hearing held by _____ Date _____
Recommended for approval denial by DBS fw

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 67-7695, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before July 1, 19 89.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other: Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.

Witness my hand this 11th day of July, 1984.

J. Glen Saxton
Chief, Operations Bureau

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
WELL DRILLER'S REPORT

USE TYPEWRITER OR
BALLPOINT PEN

State law requires that this report be filed with the Director, Department of Water Resources
within 30 days after the completion or abandonment of the well.

RECEIVED
MAY 10 1984

1. WELL OWNER Name <u>ELMER field</u> Address <u>Box 347 CAMBRIDGE ID</u> Owner's Permit No. <u>67-84-C-0012-000</u>	7. WATER LEVEL Static water level <u>3</u> feet below land surface. Department of Water Resources Flowing? ☐ Yes ☒ No G.P.M. flow _____ Artesian closed-in pressure _____ p.s.i. Controlled by: ☐ Valve ☐ Cap ☐ Plug Temperature _____ °F. Quality _____ <i>Describe artesian or temperature zones below.</i>																																																																						
2. NATURE OF WORK <u>W.R. 67-07695</u> ☒ New well ☐ Deepened ☐ Replacement ☐ Abandoned (describe abandonment procedures such as materials, plug depths, etc. in lithologic log)	8. WELL TEST DATA ☐ Pump ☒ Bailor ☐ Air ☐ Other _____ <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th>Discharge G.P.M.</th> <th>Pumping Level</th> <th>Hours Pumped</th> </tr> <tr> <td style="text-align: center; font-size: 2em;">30</td> <td style="text-align: center; font-size: 2em;">30</td> <td style="text-align: center; font-size: 2em;">2</td> </tr> </table>	Discharge G.P.M.	Pumping Level	Hours Pumped	30	30	2																																																																
Discharge G.P.M.	Pumping Level	Hours Pumped																																																																					
30	30	2																																																																					
3. PROPOSED USE ☒ Domestic ☐ Irrigation ☐ Test ☐ Municipal ☐ Industrial ☐ Stock ☐ Waste/Disposal or Injection ☐ Other _____ (specify type)	9. LITHOLOGIC LOG <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th rowspan="2">Bore Diam.</th> <th colspan="2">Depth</th> <th rowspan="2">Material</th> <th colspan="2">Water</th> </tr> <tr> <th>From</th> <th>To</th> <th>Yes</th> <th>N</th> </tr> </thead> <tbody> <tr> <td>8</td> <td>0</td> <td>2</td> <td>Topsoil</td> <td></td> <td>✓</td> </tr> <tr> <td>8</td> <td>2</td> <td>10</td> <td>Clay</td> <td></td> <td>✓</td> </tr> <tr> <td>6</td> <td>10</td> <td>13</td> <td>Clay sand</td> <td></td> <td>✓</td> </tr> <tr> <td>6</td> <td>13</td> <td>28</td> <td>SAND & GRAVEL</td> <td></td> <td>✓</td> </tr> <tr> <td>6</td> <td>28</td> <td>36</td> <td>BLACK SAND</td> <td></td> <td>✓</td> </tr> <tr> <td>6</td> <td>36</td> <td>55</td> <td>COARSE GRAVEL SAND</td> <td></td> <td>✓</td> </tr> <tr> <td>6</td> <td>55</td> <td>70</td> <td>CHAY streak of SAND</td> <td></td> <td>✓</td> </tr> <tr> <td>6</td> <td>70</td> <td>85</td> <td>Blue clay streak of SAND</td> <td></td> <td>✓</td> </tr> <tr> <td>6</td> <td>85</td> <td>95</td> <td>yellow Clay</td> <td></td> <td>✓</td> </tr> <tr> <td>6</td> <td>95</td> <td>97</td> <td>BLACK SAND & GRAVEL</td> <td></td> <td>✓</td> </tr> </tbody> </table>	Bore Diam.	Depth		Material	Water		From	To	Yes	N	8	0	2	Topsoil		✓	8	2	10	Clay		✓	6	10	13	Clay sand		✓	6	13	28	SAND & GRAVEL		✓	6	28	36	BLACK SAND		✓	6	36	55	COARSE GRAVEL SAND		✓	6	55	70	CHAY streak of SAND		✓	6	70	85	Blue clay streak of SAND		✓	6	85	95	yellow Clay		✓	6	95	97	BLACK SAND & GRAVEL		✓
Bore Diam.	Depth		Material	Water																																																																			
	From	To		Yes	N																																																																		
8	0	2	Topsoil		✓																																																																		
8	2	10	Clay		✓																																																																		
6	10	13	Clay sand		✓																																																																		
6	13	28	SAND & GRAVEL		✓																																																																		
6	28	36	BLACK SAND		✓																																																																		
6	36	55	COARSE GRAVEL SAND		✓																																																																		
6	55	70	CHAY streak of SAND		✓																																																																		
6	70	85	Blue clay streak of SAND		✓																																																																		
6	85	95	yellow Clay		✓																																																																		
6	95	97	BLACK SAND & GRAVEL		✓																																																																		
4. METHOD DRILLED ☐ Rotary ☐ Air ☐ Hydraulic ☐ Reverse rotary ☒ Cable ☐ Dug ☐ Other _____	RECEIVED MAY 14 1984 Department of Water Resources Western Regional Office MICROFILMED																																																																						
5. WELL CONSTRUCTION Casing schedule: ☒ Steel ☐ Concrete ☐ Other _____ <table border="0" style="width:100%;"> <tr> <td>Thickness</td> <td>Diameter</td> <td>From</td> <td>To</td> </tr> <tr> <td><u>2.50</u> inches</td> <td><u>6</u> inches</td> <td><u>2</u> feet</td> <td><u>55</u> feet</td> </tr> <tr> <td>_____ inches</td> <td>_____ inches</td> <td>_____ feet</td> <td>_____ feet</td> </tr> <tr> <td>_____ inches</td> <td>_____ inches</td> <td>_____ feet</td> <td>_____ feet</td> </tr> <tr> <td>_____ inches</td> <td>_____ inches</td> <td>_____ feet</td> <td>_____ feet</td> </tr> </table> Was casing drive shoe used? ☒ Yes ☐ No Was a packer or seal used? ☐ Yes ☒ No Perforated? ☐ Yes ☒ No How perforated? ☐ Factory ☐ Knife ☐ Torch Size of perforation _____ inches by _____ inches <table border="0" style="width:100%;"> <tr> <td>Number</td> <td>From</td> <td>To</td> </tr> <tr> <td>_____ perforations</td> <td>_____ feet</td> <td>_____ feet</td> </tr> <tr> <td>_____ perforations</td> <td>_____ feet</td> <td>_____ feet</td> </tr> <tr> <td>_____ perforations</td> <td>_____ feet</td> <td>_____ feet</td> </tr> </table> Well screen installed? ☐ Yes ☒ No Manufacturer's name _____ Type _____ Model No. _____ Diameter _____ Slot size _____ Set from _____ feet to _____ feet Diameter _____ Slot size _____ Set from _____ feet to _____ feet Gravel packed? ☐ Yes ☒ No ☐ Size of gravel _____ Placed from _____ feet to _____ feet Surface seal depth <u>18</u> Material used in seal: ☐ Cement grout ☒ Bentonite ☐ Puddling clay ☐ _____ Sealing procedure used: ☒ Slurry pit ☐ Temp. surface casing ☐ Overbore to seal depth Method of joining casing: ☐ Threaded ☒ Welded ☐ Solvent Weld ☐ Cemented between strata Describe access port <u>SANITARY - Well - Seal</u>		Thickness	Diameter	From	To	<u>2.50</u> inches	<u>6</u> inches	<u>2</u> feet	<u>55</u> feet	_____ inches	_____ inches	_____ feet	_____ feet	_____ inches	_____ inches	_____ feet	_____ feet	_____ inches	_____ inches	_____ feet	_____ feet	Number	From	To	_____ perforations	_____ feet	_____ feet	_____ perforations	_____ feet	_____ feet	_____ perforations	_____ feet	_____ feet																																						
Thickness	Diameter	From	To																																																																				
<u>2.50</u> inches	<u>6</u> inches	<u>2</u> feet	<u>55</u> feet																																																																				
_____ inches	_____ inches	_____ feet	_____ feet																																																																				
_____ inches	_____ inches	_____ feet	_____ feet																																																																				
_____ inches	_____ inches	_____ feet	_____ feet																																																																				
Number	From	To																																																																					
_____ perforations	_____ feet	_____ feet																																																																					
_____ perforations	_____ feet	_____ feet																																																																					
_____ perforations	_____ feet	_____ feet																																																																					

6. LOCATION OF WELL Sketch map location <u>must</u> agree with written location. MICROFILMED JAN 12 1998 Subdivision Name _____ Lot No. _____ Block No. _____ County <u>Washington</u> N. 14 W. 1/4 S. 13 T. 14 N. R. 3 E. W.	10. Work started <u>4-26-84</u> finished <u>5-6-84</u> 11. DRILLERS CERTIFICATION <u>DE</u> I/We certify that all minimum well construction standards were complied with at the time the rig was removed. Firm Name <u>Daugherty Well Drilling</u> Firm No. <u>333</u> Address <u>Box 191 - Adrian, Oregon</u> Date <u>5-6-84</u> Signed by (Firm Official) <u>Dwaine Daugherty</u> and (Operator) <u>Dwaine Daugherty</u>
--	--

MEMORANDUM

DATE: November 30, 1993
TO: File No. 67-07695
FROM: Donna Corless
SUBJECT: RETURNED MAIL

=====

The Water Rights License sent to Elmer Fields at Rt. 1 Box 53, Cambridge, ID 83610 was returned to this office by the U.S. Postal Service, as: Forwarding Order Expired.

A call to the Washington County Assessor's Office revealed that there is no forwarding address for Elmer or Donna Fields. The assessor said that the property is so split up the current owner is difficult to assess. It may be a John Sachtjen, of 2757 Burton Lane, Cambridge, but this is unlikely. He did buy some property from Donna Fields in that area in 1984, but Elmer Fields was listed on the 1991 field exam as the current owner at that time.

The Water Right License is being held in file until we receive further contact from Mr. Fields or the current owner of the property.

RECEIVED

DEC 03 1993



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000
Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

November 17, 1993

ELMER FIELDS
RT 1 BOX 53
CAMBRIDGE ID 83610

RE: WATER RIGHT NO. 67-07695

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

A handwritten signature in black ink, appearing to be 'Jim Johnson', written over the printed name.

JIM JOHNSON
Water Rights Supervisor

JJ:dc

Enclosure

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE
WATER RIGHT NO. 67-07695

Priority: May 22, 1984

Maximum Diversion Rate: 0.04 CFS
Maximum Diversion Volume: 3.8 AF

This is to certify, that ELMER FIELDS
RT 1 BOX 53

CAMBRIDGE ID 83610 has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated May 22, 1984; and has submitted Proof of Beneficial Use on June 16, 1989. An examination indicates that the works have a diversion capacity of .040 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/01 to 10/31	0.02 CFS	3.2 AF
DOMESTIC	01/01 to 12/31	0.04 CFS	0.6 AF
	Totals	0.04 CFS	3.8 AF

LOCATION OF POINT(S) OF DIVERSION:

NWNW , Sec. 13, Township 14N, Range 03W
WASHINGTON County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
14N	03W	13	NWNW	0.8		0.8

Total number of acres irrigated: 0.8

PLACE OF USE: DOMESTIC, same as IRRIGATION use

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 4.0 afa per acre for the lands above.

State of Idaho
Department of Water Resources


WATER RIGHT LICENSE

WATER RIGHT NO. 67-07695

CONDITIONS/REMARKS:


6. Domestic use is for 1 home.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 16th
day of NOVEMBER, 1993.


Acting for R. Keith Higginson, Director



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
1301 NORTH ORCHARD STREET
BOISE, IDAHO 83706-2237



67-7695

RECEIVED
NOV 23 1993
Department of Water Resources

*Final
order
expired*

NOV 23 1993
67-7695

67-07695
ELMER FIELDS
RT 1 BOX 53
CAMBRIDGE ID 83610



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

November 17, 1993

ELMER FIELDS
RT 1 BOX 53
CAMBRIDGE ID 83610

RE: WATER RIGHT NO. 67-07695

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

A handwritten signature in black ink, appearing to read 'Jim Johnson', with a long horizontal stroke extending to the right.

JIM JOHNSON
Water Rights Supervisor

JJ:dc

Enclosure

RECEIVED

DEC 03 1993

WR0749NP
No. L67-07695

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT
(REGIONAL)

DATE: 07/28/93
PAGE: 1

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	ELMER FIELDS RT 1 BOX 53 CAMBRIDGE ID 83610 (208) 257-3501	05/22/1984	IRRIGATION DOMESTIC	04-01 10-31 01-01 12-31	0.02 CFS 0.04 CFS	3.2 AFA 0.6 AFA
TOTAL DIVERSION:					0.04 CFS	3.8 AFA

Water Source: GROUNDWATER

Tributary to:

Stage: LICENSE

Point(s) of Diversion Capacity: 0.04 CFS

Point(s) of Diversion: T14N R03W S13 NW NW

Place of use Legal Description for: IRRIGATION

				NE				NW				SW				SE								
T	R	S	:	NENE	NWNE	ISWNE	SENE	:	NENW	NWNW	SWNW	SENW	:	NESW	NWSW	SWSW	SESW	:	NESE	NWSE	SWSE	SESE	:	SUM
---	---	---	:	Lt	Ac	Lt	Ac	:	Lt	Ac	Lt	Ac	:	Lt	Ac	Lt	Ac	:	Lt	Ac	Lt	Ac	:	---
14N	03W	13	:					:			.8		:					:					:	0.8
TOTAL ACRES																							0.8	

Place of use location for DOMESTIC is the same location as described for: IRRIGATION

Pou County: WASHINGTON

~~Non-Irrigation Uses: D/I HOME~~

Other Water Rights with Same Point(s) of Diversion and Source:
67-07694 67-07695

Other Water Rights Listing Overlapping Place(s) of use:
67-00032A 67-04523 67-07695

Conditions of Approval:

- R31 - This right when combined with all other rights shall provide no
- more than .02 cfs per acre nor more than 4.0 afa per acre for the
- lands above.

Remarks: Domestic use is for 1 home.

Dates: App. Received: 05/22/1984 Priority Date: 05/22/1984
Proof Due Date: 07/01/1989 Proof Made Date: 06/16/1989
Exam Made Date: 07/10/1991 Exam Sent to S.O.: 03/22/1993
Licensed Date:

Misc: Water District Number: Field Exam Fee: N (Not Required)

Audit: 07/28/93 CHAPMAN

LICENSE REVIEW CHECKLIST

Permit # 67-7695

Date 7-28-93

Brenda Chapman

NAME	Yes <u>CHECK</u> No	Or Address Change?
PRIORITY DATE	<u> </u> ☒ Advance? <u> </u> Memo to Advance <u> </u>	
	<u> </u> ☒ Order to Reinstate Needed?	
SOURCE	<u> </u> ☒ Changes? Clarification of Originally	
	<u> </u> ☒ Intended source <u> </u>	
	<u> </u> ☒ Notice of Intent to Void - Source change.	
P/D	<u> </u> ☒ Amendment Needed? <u> </u>	
	<u> </u> ☒ Is Overlap Analysis a Consideration?	
P/U	<u> </u> ☒ Amendment Needed? <u> </u>	
	<u> </u> ☒ Is Overlap Analysis a Consideration?	
TOTAL CFS	<u>-NA-</u> Incorrect Fee for rate recommended? <u>REFUNDED</u>	
	<u> </u> ☒ Disagree/Measurement <u> </u>	
	<u> </u> ☒ Pumping Theoretical $(8.8) \times (.70) \times (.75) = .03$	
	<u> </u> ☒ System Capacity <u>.04</u> $(30 + [2.31 \times 50]) = .04 \text{ at } 40 \text{ psi}$	
	Allowable Amount: <u>DOM = .04 IRR = .02</u>	
TOTAL VOLUME	Rate/ac <u>4.0</u> AFA Irr. Season <u>C</u>	
	<u>4-1 to 10-31</u> Standard Irr. Season	
	<u>STANDARD</u> Season Recommended	
	<u> </u> ☒ Disagree with Examiner's Calculations?	
	<u>.8 acre x 4 = 3.2 AF</u> DOMEST = <u>.6</u>	
	<u> </u> ☒ Flow limit: <u>.02</u> x 214 x 1.9835 = <u>8.4</u>	
USES	<u> </u> ☒ Change(s) in Nature of Use? <u> </u>	
	<u> </u> ☒ Amendment Needed? <u> </u>	
REMARKS	<u> </u> ☒ Multiple P/Ds in 1/4 1/4? <u> </u>	
	<u> </u> ☒ Non-Irr. Uses <u>DOMESTIC</u>	
	<u> </u> ☒ Special Overlap Condition <u> </u>	
	<u> </u> ☒ Other <u> </u>	
CONDITIONS	<u> </u> ☒ Measuring Devices <u> </u> Dates/Misc <u> </u>	
	<u> </u> ☒ W/Master Control <u> </u> ☒ Water Dist <u> </u>	
	<u>R31</u> ☒ Irrigation Overlap <u>5-22-84</u> App Rec'd	
	<u> </u> ☒ Water Quality <u>7-9-91</u> Exam Made	
COMMENTS:	<u>REDUCE ACRES AND RATE</u>	

RECOMMENDED	CFS	VOL
Irrigation	<u>.02</u>	<u>3.2</u>
Domestic	<u>.04</u>	<u>.6</u>
Stockwater	<u> </u>	<u> </u>
<u>TOTAL</u>	<u>.04</u>	<u>3.8</u>

LICENSE ☒

AMEND

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

MAR 25 1993

Department of Water Resources

A. GENERAL INFORMATION


1. Owner: Elmer Fields Permit No. 67-7695
Current Address: Box 347 Cambridge, ID 83610 Phone No. 257-3501
2. Accompanied by: Elmer Fields EXAM. DATE: 7-9-91
Address: Same Phone No. _____
Relationship to Permit Holder: _____
3. Source: Groundwater tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: No overlaps
_____ ☐ Copies Attached
2. Other water rights with same point of diversion: No overlaps
_____ ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = 100'

MINOR RECD
DEC 03 1993

2. ☒ Copy of U.S.G.S. Quadrangle Attached ☐ Aerial Photo Attached
Showing location(s) of point(s) of diversion and (required for irrigation of 10 acres or more).
place(s) of use (required).
☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater.)

System Description (continued)

3. **Narrative:** Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

A 6" well with a 3/4 hp submersible pump supplied water to a home and approx. .8 acres of irrigated land. The pumping level was 30' per owner's well log, and the pressure was at 50 psi. A pasture, lawn and garden were being irrigated, but the 1 1/3 acres as listed on the permit was no longer in use. Total area = $225' \times 160' = 800 \text{ sq. ft.}$ $800 / 43560 = .18 \text{ acres}$ - I considered the home to be a domestic without a lawn, and the total .8 acres as irrigated land at a rate of .03 cfs.

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
		3/4	C48K2EC11	Hydro Glass	1 1/2"

*Code to correspond with No. on map and aerial photo

5. **Point(s) of Diversion:**

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			NW	NW	13	14N	3W	Washington	1:565 Photo Quad

6. **Place(s) of Use:**

Indicate Method of Determination 1:565 Photo Quad/Pacing

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
14N	3W	13						.8											.8

MISSISSIPPI

Do not use this space

DEC 03 1993

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

3/4 hp; 30' dynamic; 50 psi, per pressure gauge

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

$$\left(\frac{.8 \text{ acres} \times .03 \text{ cfs}}{\text{acre}} \right) = .02 \text{ cfs domestic} = .04 \text{ cfs}$$

2. Alternate Method for Checking Purposes:

$$3/4 \times 8.8 \times 70\% = 2.31 \times 50 \text{ psi} \times 30' = .04 \text{ cfs}$$

.03 cfs
allow .04

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) : Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = .8 \times 4.0 = 3.2 \text{ afa}$$
$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = .02 \times 1.9835 \times 245 = 9.7 \text{ afa}$$

44.6 afa
9.7

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 3.2 \text{ afa}$$

2. Volume Calculations for Other Uses:

.6 afa for domestic, no lawn

RECEIVED
DEC 03 1993

H. REMARKS AND OVERLAP REVIEW ANALYSIS

No other water rights affect this permit.

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
<i>Domestic</i>	<i>1/1</i>	<i>12/31</i>	<i>.02 .03.04</i>	<i>.6</i>
<i>Irrigation (.8a)</i>	<i>3/15</i>	<i>11/15</i>	<i>.02 .03.02</i>	<i>3.2</i>
Totals:			<i>.04 .03.04</i>	<i>3.8 -</i>

2. Recommended Amendments

- ☐ Change P.D. as reflected above ☐ Add P.D. as reflected above
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above


☒ None

☐ Other

J. AUTHENTICATION

Field Examiner's Name *Mark Soria*
Signature *Mark Soria*
Certification Date _____
Field Report Preparation Date *7-9-91*


6 3/4/92



K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

RECEIVED

DEC 03 1993



MINNESOTA
DEC 03 1993

Department of Water Resources

WELL INSPECTION FORM

If well is associated with water right, provide WR# 67-7695

Otherwise provide legal description and a sketch map and/or address so that the well can be located easily.

1. Legal Description: TWP 14N, Rge 3W, Sec. 13, NW 1/4 NW 1/4 or Lot _____.

2. Owner: Elmer Fields
Address Box 347, City Cambridge, St. IO
83610

3. Casing $\geq$ 12 inches above ground: Yes ☒ No _____

4. Access Port: Yes ☒ No _____ Static Water Level: 6'
Pressure Gauge: Yes ☒ No _____ Casing Diameter: 6"
Flowing: Yes ☒ No _____ Temperature: _____

5. Are there any obvious construction problems that may be a source for contamination or waste of water: Yes _____ No ☒

If answer to Item 5 is Yes, describe in remarks and attach photo.

Remarks: _____

BOB MOYER
DEC 03 1993

67-7695



#1.

Pump located
inside well housing.
6" well



#2

Lawn and house.
Garden to left
and well housing
in background.

NICE FILMED

DEC 03 1993



#3.

Lawn in Front
of house.



#4.

Garden beside
the house.

MICROFILMED
DEC 03 1993

WHITE - State Auditor
YELLOW - Remittance Advice
PINK - State Auditor then Agency
GOLDENROD - Agency Copy

EXPENDITURE VOUCHER

AUDITOR USE

STATE OF IDAHO
Office of State Auditor

AGENCY USE

6410	
Date	08/14/89
Code	193002

VENDOR: If you require additional information regarding this payment, please contact the State agency listed below.

AGENCY NAME: DEPT. OF WATER RESOURCES

Document No.	
Pre-Audit	Date
Warrant No.	

PAY
TO

ELMER FIELDS
RT. 1, BOX 53
CAMBRIDGE, ID 83610

CHECK ONE:

(1) MISCELLANEOUS EXPENDITURE
() STATE CONTRACT

PAYMENT: () PARTIAL () FINAL

Encumbrance Reference No.

() PURCHASE ORDER
() MISCELLANEOUS
ENCUMBRANCE REQUISITION

LINE No.	PROGRAM	FUND	ACCT.		DESCRIPTION	LINE AMOUNT	AGENCY USE
			Maj	Min			
1	06 20 122	1238	8831		PERMIT #67-7695 PER RITA FLECK 7/18/89 30.00	30.00	
						30.00	

MICROFILMED
SEP 08 1989

NOTE: Final payment must be accompanied by a receiving copy

TOTAL

TO STATE AUDITOR

Request is hereby made that a warrant be authorized and drawn in payment of the item or items described above. I hereby certify that the items described were ordered by proper authority; that they are necessary in the public service, that the items have been received and accounted for, and that the account as stated is correct and just.

AUDITOR'S CERTIFICATE

I hereby certify that the above account is in proper form; that totals carried hereon are correct; that receipts when required by law or regulation of the State Board of Examiners covering items for which reimbursement is asked are submitted herewith; and that there are funds in the state treasury and balances in appropriation accounts out of which the same may be lawfully paid.

Date

Head of Agency or Institution

State Auditor

1/88

PROOF OF BENEFICIAL USE

ANALYSIS SHEET

Permit No. 67-7695

Date: 7-18-89

General Considerations:

y Name same as permit
y Signature the same as permit holder
y Address change _____ If yes, prepare a data entry
y Proof received timely _____
_____ Reinstated

Source of Water:

_____ Surface water
y _____ Groundwater
 y 1. well log in file
 y 2. drilling permit
 y A. amount of drilling fee paid for proposed uses

Extent of Use and Rate of Diversion:

y Rate of diversion appropriate for uses
 y Is rate or volume and fee appropriate?
y Has permit holder indicated when water was first put to a beneficial use?

Measuring Device:

NA Is a measuring device or access port required?
NA Has one been installed?
NA Waiver or modification of measuring device requested

Remarks: Proof acceptable

Priority Calculation:

Date proof received _____

Date proof due _____ - _____

No. of days late _____ = _____

Priority date _____ + _____

NEW PRIORITY DATE _____ = _____

SEND FILES TO DATA ENTRY AND THEN TO MICROFILM

July 18, 1989

Elmer Fields
Rt. 1 Box 53
Cambridge, ID 83610

Dear Mr. Fields:

Re: Permit No. 67-7695

I reviewed the proof of beneficial use form submitted to this office on June 16, 1989. The proof seems to be in good order except for the fee.

You indicate that the extent of use consists of one domestic with up to one-half acre of irrigation and some stockwatering. The household use, the irrigation and the stockwater use can be considered as "domestic" for which the department recognizes the diversion rate up to 0.04 cfs (9 gpm or 13,000 gpd). The licensing exam fee is based upon the rate of diversion. For 0.04 cfs, no licensing exam fee is required.

I have contacted our accounting section to prepare a refund for the \$30 send with the proof of beneficial use form. It should reach you in a couple of weeks.

If you have any questions concerning this matter, please feel free to contact this office.

Sincerely,

RITA I. FLECK
Secretary/Records Manager

c: Acct. Sec.

MICROFILMED

SEP 08 1989

MEMORANDUM

DATE: July 18, 1989

TO: ACCOUNTING SECTION - Nancy C.

FROM: Rita Fleck

RE: REFUND - PERMIT NO.

Please prepare a refund of \$30 (receipt No. C007581). Attached is a copy of a letter which explains why a refund is necessary.

Also, please reference the water right identification number on any papers returned to me for the file. Thanks.

Attachments: Letter
Receipt

MICROFILMED

SEP 08 1989

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
WELL DRILLER'S REPORTUSE TYPEWRITER OR
BALLPOINT PENState law requires that this report be filed with the Director, Department of Water Resources
within 30 days after the completion or abandonment of the well.

1. WELL OWNER Name <u>ELMER field</u> Address <u>Box 347 Cambridge IDAHO</u> Owner's Permit No. _____		7. WATER LEVEL Static water level <u>3</u> feet below land surface Flowing? ☐ Yes ☒ No G.P.M. flow _____ Artesian closed-in pressure _____ p.s.i. Controlled by: ☐ Valve ☐ Cap ☐ Plug Temperature _____ OF. Quality _____ Describe artesian or temperature zones below.																																																																							
2. NATURE OF WORK ☒ New well ☐ Deepened ☐ Replacement ☐ Abandoned (describe abandonment procedures such as materials, plug depths, etc. in lithologic log)		8. WELL TEST DATA ☐ Pump ☒ Bailor ☐ Air ☐ Other _____ <table border="1"><thead><tr><th>Discharge G.P.M.</th><th>Pumping Level</th><th>Hours Pumped</th></tr></thead><tbody><tr><td><u>30</u></td><td><u>30</u></td><td><u>2</u></td></tr></tbody></table>		Discharge G.P.M.	Pumping Level	Hours Pumped	<u>30</u>	<u>30</u>	<u>2</u>																																																																
Discharge G.P.M.	Pumping Level	Hours Pumped																																																																							
<u>30</u>	<u>30</u>	<u>2</u>																																																																							
3. PROPOSED USE ☒ Domestic ☐ Irrigation ☐ Test ☐ Municipal ☐ Industrial ☐ Stock ☐ Waste Disposal or Injection ☐ Other _____ (specify type)		9. LITHOLOGIC LOG <table border="1"><thead><tr><th rowspan="2">Bore Diam.</th><th colspan="2">Depth</th><th rowspan="2">Material</th><th colspan="2">Water</th></tr><tr><th>From</th><th>To</th><th>Yes</th><th>No</th></tr></thead><tbody><tr><td>8</td><td>0</td><td>7</td><td>Topsoil</td><td></td><td></td></tr><tr><td>8</td><td>7</td><td>10</td><td>CLAY</td><td></td><td></td></tr><tr><td>6</td><td>10</td><td>13</td><td>CLAY SAND</td><td></td><td></td></tr><tr><td>6</td><td>13</td><td>28</td><td>SAND & GRAVEL</td><td></td><td></td></tr><tr><td>6</td><td>28</td><td>36</td><td>BLACK SAND</td><td></td><td></td></tr><tr><td>6</td><td>36</td><td>55</td><td>COARSE GRAVEL SAND</td><td></td><td></td></tr><tr><td>6</td><td>55</td><td>70</td><td>CLAY with S&G</td><td></td><td></td></tr><tr><td>6</td><td>70</td><td>85</td><td>Blue claystone & S&G</td><td></td><td></td></tr><tr><td>6</td><td>85</td><td>95</td><td>yellow CLAY</td><td></td><td></td></tr><tr><td>6</td><td>95</td><td>97</td><td>BLACK SAND & GRAVEL</td><td></td><td></td></tr></tbody></table>		Bore Diam.	Depth		Material	Water		From	To	Yes	No	8	0	7	Topsoil			8	7	10	CLAY			6	10	13	CLAY SAND			6	13	28	SAND & GRAVEL			6	28	36	BLACK SAND			6	36	55	COARSE GRAVEL SAND			6	55	70	CLAY with S&G			6	70	85	Blue claystone & S&G			6	85	95	yellow CLAY			6	95	97	BLACK SAND & GRAVEL		
Bore Diam.	Depth		Material		Water																																																																				
	From	To		Yes	No																																																																				
8	0	7	Topsoil																																																																						
8	7	10	CLAY																																																																						
6	10	13	CLAY SAND																																																																						
6	13	28	SAND & GRAVEL																																																																						
6	28	36	BLACK SAND																																																																						
6	36	55	COARSE GRAVEL SAND																																																																						
6	55	70	CLAY with S&G																																																																						
6	70	85	Blue claystone & S&G																																																																						
6	85	95	yellow CLAY																																																																						
6	95	97	BLACK SAND & GRAVEL																																																																						
4. METHOD DRILLED ☐ Rotary ☐ Air ☐ Hydraulic ☐ Reverse rotary ☒ Cable ☐ Dug ☐ Other _____		RECEIVED MAY 24 1984 Department of Water Resources Western Regional Office																																																																							
5. WELL CONSTRUCTION Casing schedule: ☒ Steel ☐ Concrete ☐ Other _____ <table border="1"><thead><tr><th>Thickness</th><th>Diameter</th><th>From</th><th>To</th></tr></thead><tbody><tr><td><u>.250</u> inches</td><td><u>6</u> inches</td><td><u>2</u> feet</td><td><u>55</u> feet</td></tr><tr><td>_____ inches</td><td>_____ inches</td><td>_____ feet</td><td>_____ feet</td></tr><tr><td>_____ inches</td><td>_____ inches</td><td>_____ feet</td><td>_____ feet</td></tr><tr><td>_____ inches</td><td>_____ inches</td><td>_____ feet</td><td>_____ feet</td></tr></tbody></table> Was casing drive shoe used? ☒ Yes ☐ No Was a packer or seal used? ☐ Yes ☒ No Perforated? ☐ Yes ☒ No How perforated? ☐ Factory ☐ Knife ☐ Torch Size of perforation _____ inches by _____ inches Number _____ From _____ To _____ _____ perforations _____ feet _____ feet _____ perforations _____ feet _____ feet _____ perforations _____ feet _____ feet Well screen installed? ☐ Yes ☒ No Manufacturer's name _____ Type _____ Model No. _____ Diameter _____ Slot size _____ Set from _____ feet to _____ feet Diameter _____ Slot size _____ Set from _____ feet to _____ feet Gravel packed? ☐ Yes ☒ No ☐ Size of gravel _____ Placed from _____ feet to _____ feet Surface seal depth <u>18</u> Material used in seal: ☐ Cement grout ☒ Bentonite ☐ Puddling clay ☐ _____ Sealing procedure used: ☒ Slurry pit ☐ Temp. surface casing ☐ Overbore to seal depth Method of joining casing: ☐ Threaded ☒ Welded ☐ Solvent Weld _____ ☐ Cemented between strata Describe access port <u>SANITARY - Well - Seal</u>				Thickness	Diameter	From	To	<u>.250</u> inches	<u>6</u> inches	<u>2</u> feet	<u>55</u> feet	_____ inches	_____ inches	_____ feet	_____ feet	_____ inches	_____ inches	_____ feet	_____ feet	_____ inches	_____ inches	_____ feet	_____ feet																																																		
Thickness	Diameter	From	To																																																																						
<u>.250</u> inches	<u>6</u> inches	<u>2</u> feet	<u>55</u> feet																																																																						
_____ inches	_____ inches	_____ feet	_____ feet																																																																						
_____ inches	_____ inches	_____ feet	_____ feet																																																																						
_____ inches	_____ inches	_____ feet	_____ feet																																																																						
6. LOCATION OF WELL Sketch map location must agree with written location. <table border="1"><tr><td>N</td><td>N</td><td></td><td></td><td></td></tr><tr><td>W</td><td></td><td></td><td></td><td>E</td></tr><tr><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td></tr></table> Subdivision Name _____ Lot No. _____ Block No. _____ County <u>Washington</u> <u>N.W. 1/4 N.W. 1/4 Sec. 13 T. 14 N. R. 3 E</u>		N	N				W				E											10. Work started <u>4-26-84</u> finished <u>5-6-84</u>																																																			
N	N																																																																								
W				E																																																																					
11. DRILLERS CERTIFICATION I/We certify that all minimum well construction standards were complied with at the time the rig was removed. Firm Name <u>Daugherty Well Drilling</u> Firm No. <u>333</u> Address <u>Box 191 - MARIAN, IDAHO</u> Date <u>5-6-84</u> Signed by (Firm Official) <u>Dwaine Daugherty</u> and (Operator) <u>Dwaine Daugherty</u>		11. <u>DRILLER'S CERTIFICATION</u>																																																																							

RECEIVED

JUN 16 1989

Cambridge, Ida.
June 14-1989

Department of Water Resources

Idaho Department of Water Resources,
1301 North Orchard Street,
Baise, Ida.,

Dear Sir:

Due to a divorce this property has been divided. So what this permit covers is just a little over three fourths of an acre. at present time. With one household and the lawn and a small garden it would be under one half acre. I have no stock at present time but try and get a few head some time during the summer to eat down small pasture. But would want stock water considered.

Sincerely
Elmer Fields

MICROFILMED

SEP 08 1989

ELMER FIELDS
DONNA M. FIELDS
P.O. BOX 347
CAMBRIDGE, ID 83610

April 30, 1989

138207

PROOF DUE NOTICE

RE: PERMIT NO. 67-07695

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before July 1, 1989. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Rita Fleck
Secretary/Records Manager

Enclosures

MICROFILMED

SEP 08 1989

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
COMMENCEMENT OF WORKS

Permit No. 67-7695
Name(s) of Permit Holder(s): ELMER & DONNA M. FIELDS
Post Office Address: Box 347
CAMBRIDGE Id. 83610 Tel. No. 257-3501

☐ I hereby certify that construction of diversion works for the above referenced permit began on _____ (date). I understand that I must continue to develop the water system with due diligence to maintain a valid permit.

☒ I hereby certify that construction of diverting works on the above referenced project has not yet begun due to the following reason beyond my control*:

I HAD A HEART ATTACK MAY 2ND - 84

*Note: A financing difficulty is not an acceptable reason.



7-23-84

Date

Elmer Fields

Signature of Permit Holder

Elmer H. Fields
Box 347
Cambridge, Ida. 83610



RECEIVED

JUL 24 1984



MICROFILMED
SEP 08 1989

IDAHO DEPARTMENT OF WATER RESOURCES
Department of Water Resources
STATEHOUSE
BOISE, IDAHO 83720

July 16, 1984

RE: Permit No. 67-7695

Elmer & Donna M. Fields
Box 347
Cambridge, ID 83610

Dear Permit Holder:

Enclosed is a copy of your approved Application for Permit. We direct your attention to the conditions of approval on the fourth page.

You should be aware that the groundwater you propose to divert is located within a drainage basin where surface waters are regulated during the months of low flow. It is possible that diversion of groundwater may have an adverse impact on these surface water flows. Information available to us at this time does not warrant refusing to issue permits in your area, but we do caution that diversions of groundwater are not allowed to deplete flows available for surface water users with earlier priority dates. Siting your well as far from surface sources as possible and casing out upper water producing zones may reduce the potential of interference.

The 1982 Idaho Legislature added a requirement that as a permit holder you must commence the excavation or construction of diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The enclosed blue card must be completed and returned to this office as soon as you commence construction, no later than one year from the date the permit was approved.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit into a license.

Sincerely,

DAVID R. TUTHILL, JR., P.E.
Supervisor, Water Allocation Section

DRT:sc
Enclosures

RECEIVED
JUL 17 1984
WATER ALLOCATION SECTION

Affidavit of Publication:

STATE OF IDAHO }
County of Washington } ss.

Stuart Dopf, being duly sworn deposes and says he is the publisher of the Upper Country News-Reporter, a weekly newspaper published at Cambridge, in the County of Washington, State of Idaho; that said newspaper is in general circulation in the county of aforesaid and is a legal newspaper; that the annexed, a printed copy of which is attached hereto and made a part hereof, was published in said newspaper once a week for 2 consecutive weeks in the regular and entire issue of every number thereof during the period of time of publication, and was published in the newspaper proper and not in a supplement; and that publication of such notice began June 21, 1984 and ended June 28, 1984

Stuart Dopf

Subscribed and sworn to before me

this 2ND day of July, 1984

B. G. Soules
Notary Public in and for the State of Idaho, residing at Cambridge, Idaho 83610.

Public Notices

NOTICE OF APPLICATION FOR WATER RIGHT

The following application has been filed to appropriate the public waters of the State of Idaho.

67-7695 ✓

FIELDS, ELMER &/OR
DONNA M.
P.O. BOX 347, CAMBRIDGE,
IDAHO 83610

Source: GROUNDWATER

Date Filed: 5/22/1984

Diversion Pt. NWNW Sec 13 T
14N R 3W

Use IRRIGATION (0.02 CFS);
DOMESTIC (0.04 CFS)

In: NWNW Sec 13 T 14N R 3W
FOR 1 ACRE

The permit will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Western Region, Statehouse, Boise, Idaho 83720 on or before JULY 9, 1984.

KEN DUNN, Dir.
Published 6/21 & 6/28/84.

RECEIVED
JUL 3 1984

Department of Water Resources
Western Regional Office

RECORDED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Western Region

Statehouse
Boise, Idaho 83720
(208) 334-2190

JUNE 14, 1984

Upper County News Reporter
Box 98
Cambridge, ID 83610

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before JULY 9, 1984.

Yours truly,

JUDY PENSE
Secretary

Encl.

RECEIVED
JUN 15 1984

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Western Region, Statehouse, Boise, Idaho 83720 on or before JULY 9, 1984.

KEN DUNN, Dir.

Published 06/14 & 06/21/84.

RECEIVED



State of Idaho
DEPARTMENT OF WATER RESOURCES
WESTERN REGION, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-2190

May 29, 1984

Elmer & Donna M. Fields
Box 347
Cambridge, ID 83610

Dear Mr. & Mrs. Fields:

We are in receipt of the application for permit submitted on your domestic well in Section 13, Twp. 14N, Rge. 3W, B.M.

However, the amount you have filed on is in excess of the Department's recommended amounts for single family domestic use which includes up to one-half acre of irrigation. The Department recommends 0.04 cubic feet per second or 18 gallons per minute. Under Item 8a(5) you mention that the water will be used for irrigation of lawn, fruit trees and a small pasture. If the entire area being irrigated is more than $\frac{1}{2}$ acre, then the number of acres need to be listed under Item No. 8b and the amount and use shown on Item No. 4. For the amount of water for irrigation the maximum that can be filed on is 0.02 cubic feet per second per acre. This is the same as 1" of water per acre or 9 gallons per minute per acre.

Please initial the change made on Item No. 4, and if there is more than $\frac{1}{2}$ acre of irrigation then Item No. 8b should also be completed. If you have any questions, do not hesitate to contact us. As soon as your application is received processing will continue.

Sincerely,

JAN GROVER
Senior Water Resource Agent

JG:ns

Enclosure

RECEIVED
JUN 1 1984

62-2695

FIELDS, ELMER &/or DONNA M.

P.O. BOX 347, CAMBRIDGE, ID 83610

Source: GROUNDWATER

Date Filed: 05/22/1984

Diversion Pt: NWNW Sec 13 T 14N R 03W

Use: IRRIGATION (0.02 CFS)
DOMESTIC (0.04 CFS)

In: NWNW Sec 13 T 14N R 03W FOR 1 ACRES

RECEIVED
MAY 24 1984