


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Soyel A. Beaudoff
(Applicant)

Affidavit of Publication:

STATE OF IDAHO }
County of Washington } ss.

Stuart Dopf, being duly sworn deposes and says he is the publisher of the Upper Country News-Reporter, a weekly newspaper published at Cambridge, in the County of Washington, State of Idaho; that said newspaper is in general circulation in the county of aforesaid and is a legal newspaper; that the annexed, a printed copy of which is attached hereto and made a part hereof, was published

in said newspaper once a week for 2 consecutive weeks in the regular and entire issue of every number thereof during the period of time of publication, and was published in the newspaper proper and not in a supplement; and that publication of such notice began Oct. 13, 1983 and ended Oct. 20, 1983

Stuart Dopf

Subscribed and sworn to before me

this 25th day of October, 1983

John C. Hummer
Notary Public in and for the State of Idaho, residing at Cambridge, Idaho 83610.

NOTICE OF APPLICATION FOR WATER RIGHT

The following application has been filed to appropriate the public waters of the State of Idaho:

67-7671 ✓JP

DEARDORFF, LOYAL A.

HC 70 BOX 2350,

MIDVALE, ID 83645

Source: UNNAMED STREAM

Trib. to NORTH CRANE CREEK

Date Filed: 9/16/1983

Diversion Pt: SESE NENE Sec 22 T 12N R 1W

Use: STOCKWATER STORAGE (7.5 AF); STOCKWATER FROM STORAGE (7.5 AF)

In: SESE NENE Sec 22 T 12N R 1W

The permit will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Western Region, Statehouse, Boise, Idaho 83720 on or before OCTOBER 31, 1983.

KEN DUNN, Dir

Published 10/13 & 10/20/83.

NOTICE OF PROPOSED CHANGE OF WATER RIGHT

No. 67-2220

Notice is hereby given that Loyal A. Deardorff of Midvale, ID has applied to the Department of Water Resources for a change of point of diversion and place of use of the water of North Crane Creek and Spring Creek. The right sought to be changed is evidenced by License No. 67-2220 and is recorded as follows:

Amount 0.72 cfs

Priority: 7/14/1952

Point of diversion: NE $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 23 Twp. 12N, Rge 1W, B.M. NE $\frac{1}{4}$ SE $\frac{1}{4}$, Sec 23 Twp 12N, Rge 1W, B.M.

The water is used for Irrigation purposes within the SW $\frac{1}{4}$, Sec 14; NE $\frac{1}{4}$, Sec 15; SWNE, E $\frac{1}{2}$ NW $\frac{1}{4}$, E $\frac{1}{2}$ SW $\frac{1}{4}$, NWSE, S $\frac{1}{2}$ SE $\frac{1}{4}$, Sec 23, NWNW, Sec 25; & and the NENE, Sec 26, Twp 12N, Rge 1W.

TO BE CHANGED AS FOLLOWS
Amount: 0.69 cfs

Point(s) of Diversion: NE $\frac{1}{4}$ NE $\frac{1}{4}$ Sec 15; SW $\frac{1}{4}$ SE $\frac{1}{4}$, Sec 23; T 12N, R 1W. The water will be used for Irrigation purposes within the NWSW, S $\frac{1}{2}$ SW $\frac{1}{4}$, Sec. 14, NE $\frac{1}{4}$, Sec. 15; SWNE, E $\frac{1}{2}$ NW $\frac{1}{4}$, E $\frac{1}{2}$ SW $\frac{1}{4}$, NWSE, S $\frac{1}{2}$ SE $\frac{1}{4}$, Sec. 23; NWNW, SEC. 25; NENE, Sec. 26, Twp. 12N, Rge. 1W, B.M.

Any protest against approval of the proposed change of water right application must be filed with the Department of Water Resources, Statehouse, Boise, ID 83720 on or before October 31, 1983.

Ken Dunn, Director

Published in the Upper Country News Reporter on 10/13 &

MICROFILMED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION


1. Owner: Loyal A. Deardorff Permit No. 67-7671
Current Address: Hc 70 Box 2350 Phone No. 355-2494
Midvale, Id. 83645
2. Accompanied by: Lucille Same Deardorff EXAM. DATE: 9/24/87
Address: Same Phone No. Same
Relationship to Permit Holder: Spouse
3. Source: Unnamed stream tributary to North Crane Creek

B. OVERLAP REVIEW

1. Other water rights with same place of use: NONE
☐ Copies Attached
2. Other water rights with same point of diversion: NONE
☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = NOT TO SCALE

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required). ☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).
☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).

67-7671



P/O, P/U #1:

Deardorff Lower
Reservoir, looking
SE.

Known as 7671B
in dam safety file.



P/O, P/U #2:

Deardorff upper
Reservoir, looking
N., downstream.
Dam is seen just
behind pools.

Known as 7671A
in dam safety files.

MICROFILMED

APR 19 1990

Reservoirs are approx. 6 miles E. of Crane Ck. Reservoir.

A $\approx$ B refer to Dam Safety files, not to BOR Numbers

122-130-5.22

8/10, 8/16 #22

#1 p/d, p/v

67-7671 B

67-7671A



Uninterrupted

APR 19 1990

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 67-07671

Priority: September 16, 1983 Maximum Storage Volume: 7.5 AF

This is to certify, that LOYAL A. DEARDORFF

HC 70 BOX 2350

MIDVALE, ID 83645

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated September 16, 1983; and has submitted Proof of Beneficial Use on September 16, 1983. An examination indicates that the works have a storage capacity of 20.000 af of water from:

UNNAMED STREAM

tributary to **NORTH CRANE CREEK**

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
STOCKWATER STORAGE	01/01 to 12/31		7.5 AF
STOCKWATER FROM STORAGE	01/01 to 12/31		7.5 AF
	Totals		7.5 AF

LOCATION OF POINT(S) OF DIVERSION:

SESE , Sec. 22, Township 12N, Range 01W
NENE , Sec. 22, Township 12N, Range 01W
WASHINGTON County

PLACE OF USE: STOCKWATER STORAGE

TWN RGE SEC

12N 01W 22 NENE SESE

PLACE OF USE: STOCKWATER FROM STORAGE, same as STOCKWATER STORAGE use

CONDITIONS/REMARKS:

1. This water right is appurtenant to the described place of use.
2. This right is subject to all prior water rights and may be forfeited by five years of non-use.
3. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
4. Use of water under this water right is subject to control by the watermaster of State Water District No. 67
5. Stockwater storage is for 250 range cattle.

MICROFILMED

APR 19 1990

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 67-07671

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 2ND
day of APRIL, 1990.

Acting for

R. Keith Higginson, Director

MICROFILMED

APR 19 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

APPROVED

1. Name of applicant Loyal A. Deardorff Phone 355-2494

Post office address HC 70, Box 2350 Midvale, ID 83645

2. Source of water supply Unnamed Stream which is a tributary of North Crane Creek

3. Location of point of diversion is SE $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 22 Township 12N

Range 1W B.M. Washington County, additional points of diversion if any:

NENE, S. 22, T 12 N, R 1W.

4. Water will be used for the following purposes:

Amount 7.5 AF for Storage for purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum) Stockwater

Amount 7.5 AF for Storage from purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum) Stockwater

Amount for purposes from to (both dates inclusive)
(cfs or acre-feet per annum)

Amount for purposes from to (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. cubic feet per second and/or b. 7.5 AF acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. 2 existing on stream dams

b. Height of storage dam about 18 feet, active reservoir capacity 7.5 acre-feet; total reservoir capacity 7.5 acre-feet, materials used in storage dam: Earth

Period of year when water will be diverted to storage 1/1 to 12/31 inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is inches; proposed depth of well is feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 1 years (minimum 1 year — maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: SE $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 22 Township 12N
Range 1W B.M.

(2) Amount of power to be generated: horsepower under feet of head.

(3) List number of each kind of livestock to be watered 250 Range

(4) Name of municipality to be served , or number of families to be supplied with domestic water .

(5) If water is to be used for other purposes describe:

RECEIVED

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

[illegible]

Total number of acres to be irrigated

c. Describe any other water rights used for the same purposes as described above. NONE


9. a. Who owns the property at the point of diversion _____ Applicant

b. Who owns the land to be irrigated or place of use	Applicant
--	-----------

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing

10. Remarks

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Soyel H. Brandoff
(Applicant)

Proposed Priority 9/16/83

Received by DS Date 9/16/83 Time 2:30 PM

Preliminary check by JS Fee \$ 30

Received by DS Date 9/16/83 # 32438

Publication prepared by JP Date 10/6/83

Published in Upper County News Register

Publication dates 10/13 & 10/20/83

Publication approved JP Date 10/23/83

Protests filed by: none

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by DSS KW

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 67-7671, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before December 1, 19 84.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other:

The storage of water is contingent upon certification by the Department of Water Resources, of the applicant's dam under the dam safety provisions of the Idaho Code, authorizing storage.

Use of water under this permit is subject to control by the watermaster of State Water District No. 67, Weiser River.

Witness my hand this 18 day of November, 1983.

David R. Tuttle
ACTING Chief, Operations Bureau

Affidavit of Publication:

STATE OF IDAHO }
County of Washington } ss.

Stuart Dopf, being duly sworn deposes and says he is the publisher of the Upper Country News-Reporter, a weekly newspaper published at Cambridge, in the County of Washington, State of Idaho; that said newspaper is in general circulation in the county of aforesaid and is a legal newspaper; that the annexed, a printed copy of which is attached hereto and made a part hereof, was published

in said newspaper once a week for 2 consecutive weeks in the regular and entire issue of every number thereof during the period of time of publication, and was published in the newspaper proper and not in a supplement; and that publication of such notice began Oct. 13, 1983 and ended Oct. 20, 1983

Stuart Dopf

Subscribed and sworn to before me

this 25th day of October, 1983

William C. Hummer
Notary Public in and for the State of Idaho, residing at Cambridge, Idaho 83610.

NOTICE OF APPLICATION FOR WATER RIGHT

The following application has been filed to appropriate the public waters of the State of Idaho:

67-7671 ✓

DEARDORFF, LOYAL A.

HC 70 BOX 2350,

MIDVALE, ID 83645

Source: UNNAMED STREAM

Trib. to NORTH CRANE CREEK

Date Filed: 9/16/1983

Diversion Pt: SESE NENE Sec

22 T 12N R 1W

Use: STOCKWATER STORAGE

(7.5 AF); STOCKWATER FROM

STORAGE (7.5 AF)

In: SESE NENE Sec 22 T 12N R

1W

The permit will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Western Region, Statehouse, Boise, Idaho 83720 on or before OCTOBER 31, 1983.

KEN DUNN, Dir

Published 10/13 & 10/20/83.

NOTICE OF PROPOSED CHANGE OF WATER RIGHT

No. 67-2220

Notice is hereby given that Loyal A. Deardorff of Midvale, ID has applied to the Department of Water Resources for a change of point of diversion and place of use of the water of North Crane Creek and Spring Creek. The right sought to be changed is evidenced by License No. 67-2220 and is recorded as follows:

Amount 0.72 cfs

Priority: 7/14/1952

Point of diversion: NE $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 23 Twp. 12N, Rge 1W, B.M. NE $\frac{1}{4}$ SE $\frac{1}{4}$, Sec 23 Twp 12N, Rge 1W, B.M.

The water is used for Irrigation purposes within the SW $\frac{1}{4}$, Sec 14; NE $\frac{1}{4}$, Sec 15; SWNE, E $\frac{1}{2}$ NW $\frac{1}{4}$, E $\frac{1}{2}$ SW $\frac{1}{4}$, NWSE, S $\frac{1}{2}$ SE $\frac{1}{4}$, Sec 23, NWNW, Sec 25; & and the NENE, Sec 26, Twp 12N, Rge 1W.

TO BE CHANGED AS FOLLOWS

Amount: 0.69 cfs

Point(s) of Diversion: NE $\frac{1}{4}$ NE $\frac{1}{4}$ Sec 15; SW $\frac{1}{4}$ SE $\frac{1}{4}$, Sec 23; T 12N, R 1W. The water will be used for Irrigation purposes within the NWSW, S $\frac{1}{2}$ SW $\frac{1}{4}$, Sec. 14, NE $\frac{1}{4}$, Sec. 15; SWNE, E $\frac{1}{2}$ NW $\frac{1}{4}$, E $\frac{1}{2}$ SW $\frac{1}{4}$, NWSE, S $\frac{1}{2}$ SE $\frac{1}{4}$, Sec. 23; NWNW, SEC. 25; NENE, Sec. 26, Twp. 12N, Rge. 1W, B.M.

Any protest against approval of the proposed change of water right application must be filed with the Department of Water Resources, Statehouse, Boise, ID 83720 on or before October 31, 1983.

Ken Dunn, Director

Published in the Upper County News Reporter on 10/13 & 10/20/83.

April 5, 1990

LOYAL A. DEARDORFF
HC 70 BOX 2350
MIDVALE, ID 83645

RE: PERMIT NO. 67-07671

Dear Permit Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MICROFILMED

APR 19 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION


1. Owner: Loyal A. Deardorff Permit No. 67-7671
Current Address: Hc 70 Box 2350 Phone No. 355-2494
Midvale, Id. 83645
2. Accompanied by: Lucille Same Deardorff EXAM. DATE: 9/24/87
Address: Same Phone No. Same
Relationship to Permit Holder: Spouse
3. Source: UNNAMED stream tributary to NORTH CRANE CREEK

B. OVERLAP REVIEW

1. Other water rights with same place of use: NONE
☐ Copies Attached
2. Other water rights with same point of diversion: NONE
☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = NOT TO SCALE

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required). ☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).
☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).

System Description (continued)

3. **Narrative:** Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

Two dams on an unnamed intermittent stream store a maximum of 20 AF combined (each at 10 AF). The earthen dams are 12-13 ft. high. No developed controls are found for regulating inflow/outflow of water. Use is for 250 cattle for about 9 months a year.

☐ See Remarks on page 4 for continuation

- 4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	N/A				

*Code to correspond with No. on map and aerial photo

5. **Point(s) of Diversion:**

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
01			NE	NE	22	12N	1W	Washington	USGS 7 1/2' QUAD and county map
02			SE	SE					

6. **Place(s) of Use:**

Indicate Method of Determination Same as in P/D

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
12N	1W	22	S															S	—

MICROFILMED

APR 19 1980

Do not use this space

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
NONE						

2. Measurements:

NONE

Dam safety file : Res. #1 (lower, B) has 10 AF capacity.
Res. #2 (upper, A) has 10 AF capacity.

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method: N/A

2. Alternate Method for Checking Purposes: N/A

F. PUMP EFFICIENCY DATA (Optional) N/A

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) ; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation: N/A

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ _____

2. Volume Calculations for Other Uses:

CATTLE : 250

USE OCCURS April to December = 275 days

$$\frac{250 \times 12 \times 275}{325,850} = 2.5 \text{ AFA}$$

However, allow 7.5 AF for WR as described on permit

MICROFILMED

APR 19 1990

H. REMARKS AND OVERLAP REVIEW ANALYSIS

NO FEE FOR STOCKWATER.

System capacity is 20 AF but permit limits license to 7.5 AF.

Requirements for measuring device (waiver request attached) and lockable controlling works should be removed. Rate of flow into storage on these on-stream reservoirs cannot be measured. Outflow works are not present* (control valves, adjustable spillway, etc.). Therefore, these requirements do not ~~make sense~~ mesh with the conditions found.

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Stockwater storage	1/1	12/31	N/A	7.5
Stockwater from storage	1/1	12/31	N/A	7.5
Totals:			N/A	7.5

2. Recommended Amendments

☐ Change P.D. as reflected above

☐ Add P.D. as reflected above

☐ None

☐ Change P.U. as reflected above

☐ Add P.U. as reflected above

☐ Other

J. AUTHENTICATION

Field Examiner's Name Steven Lester

Signature Steven Lester

Certification Date 2/12/88

Field Report Preparation Date 9/24/87

CONSULTANT SEAL

K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

MICROFILMED

APR 19 1990



9/24/87

I request that the measuring device requirement
on permit 67-7671 be removed. Water is used
for stockwater storage in two on-stream ponds.

owner : Lucille Deardorff (for Loyal Deardorff)

witness : Stan Leste
Water Resource agent

RECEIVED

APR 10 1990

67-7671

P/O, P/u #1:

Deardorff Lower
Reservoir, looking
SE.

Known as 7671B
in dam safety file.

P/O, P/u #2:

Deardorff upper
Reservoir, looking
N., downstream.

Dam is seen just
behind pools.

Known as 7671A
in dam safety files.

MicroFILMED

APR 19 1990

Reservoirs are approx. 6 miles E. of Crane Ck. Reservoir.

67-7671-22

A & B Refer to
Dam Safety files, not
to WDR Numbers

12N-1 W-5-22


Pl. No. #2

Pl. No. #1

67-7671A

67-7671B

ENCLOSURE



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Western Region

Statehouse
Boise, Idaho 83720
(208) 334-2190

APRIL 25, 1984

LOYAL A. DEARDORFF
HC 70 BOX 2350
MIDVALE ID 83645

RE: Permit No. 67-7671

Dear Permit Holder:

We acknowledge receipt of your statement submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this department.

A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office by phone at 334-2190 or in person in the third floor State Towers Building, 450 West State Street, Boise.

Sincerely,
s/Judy Pense
Secretary

MICROFILMED

APR 19 1980

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has consented development to the extent shown below of Permit No. 67-7671.

Name(s) of Permit Holder: LOYAL A. DEARDORFF

Post Office Address: HC 70, Box 2350

MIDVALE, ID 83645

Tel. No. 355-2494

Source of Water:

Extent of Use:

- ☐ Domestic
☒ Stockwater
☐ Irrigation
☐ Other

(number of households)

250 RAN (number and type of stock)

(acres)

Measuring Device:

Access Port:

Required?
 Required?

☐ Yes ☒ No
☐ Yes ☒ No

Installed?
 Installed?


☐ Yes ☐ No
☐ Yes ☐ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

9/16/83
 Date

Loyal A. Deardorff
 Signature of Permit Holder

MICROFILMED



PLACE
13 CENT
STAMP
HERE



IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

S T A T E O F I D A H O
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440

DEARDORFF, LOYAL A.
HC 70 BOX 2350
MIDVALE, ID 83645

DECEMBER 20, 1983

RE: PERMIT NO. 67-7671

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

IF THE DIVERSION DAM IS 10 FEET OR MORE IN HEIGHT, OR HAS AN IMPOUNDING CAPACITY OF 50 ACRE-FEET OR MORE, CERTAIN DAM SAFETY REQUIREMENTS MUST BE MET. PLEASE CONTACT THE REGIONAL OFFICE NEAREST YOU FOR DETAILS.

SINCERELY,

DAVID R. TUTHILL, JR., P.E.
SUPERVISOR, WATER ALLOCATION SECTION

ENCLOSURE

UNRECORDED

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: Jan Brown

APPLICATION NUMBER: 67-7671

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.
☐ Yes ☒ No Field check required.
☐ Yes ☒ No Critical groundwater area.
☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☐ No* In form to receipt.

Field check by: _____

Date: _____

Comments: _____

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☒ Idaho State Health Department.
☒ Idaho Fish and Game Department.
☒ Idaho Department of Lands.
☒ U.S. Bureau of Land Management.
☒ U.S. Forest Service.
☒ Other _____

Copies sent by: _____

Date: _____

PROCESSING:

- ☐ Yes ☒ No
☐ Yes ☒ No

Platted by: _____ Map No. _____

Other rights on same place of use. _____

- ☒ Yes ☐ No*

In form for advertising.

Final date for protests: 10/31/83

- ☐ Yes ☐ No

Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 10/20/83
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application. 30/32428 10/13 & 10/20/83
☒ Publication dates and paper, recorded on application. Cambridge & Upper County Leader
☒ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.
☐ Yes ☐ No Measuring device required.
☐ Yes ☒ No Access port required.
☒ Yes ☐ No Will water be delivered by watermaster? If yes, what district? 67
☒ 9/16/83 Date of priority recommended.
Special conditions of approval or cover letter. _____

By: DBS

Date: 10/31/83

STATE OFFICE REVIEW:

209

10/18/83 05 (67, Weiser River)

- ☐ See attached sheet for more information.

By: CW

Date: 11/9/83

POINT OF DIVERSION AND STREAM INDEX INFORMATION

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
-----	-----	-----	-----	-----	-----	-----
IDAHO STREAM CODE INDEX						

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
-----	-----	-----	-----	-----	-----	-----
IDAHO STREAM CODE INDEX						

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
-----	-----	-----	-----	-----	-----	-----
IDAHO STREAM CODE INDEX						

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
-----	-----	-----	-----	-----	-----	-----
IDAHO STREAM CODE INDEX						

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
-----	-----	-----	-----	-----	-----	-----
IDAHO STREAM CODE INDEX						

S T A T E O F I D A H O
DEPARTMENT OF WATER RESOURCES
Western Region

Statehouse
Boise, Idaho 83720
(208) 334-2190

OCTOBER 6, 1983

Upper County News Reporter
Box 98
Cambridge, ID 83610

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billings to this office before OCTOBER 31, 1983.

Yours truly,

JUDY PENSE
Secretary

Encl.

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Western Region, Statehouse, Boise, Idaho 83720 on or before OCTOBER 31, 1983.

KEN DUNN, Dir.

Published 10/13 & 10/20/83.

MICROFILMED

62-2621-

DEARDORFF, LOYAL A.

HC 70 BOX 2350, MIDVALE, ID 83645

Source: UNNAMED STREAM trib. to NORTH CRANE CREEK

Date Filed: 09/16/1983

Diversion Pt: SESE NENE Sec 22 T 12N R 01W

Use: STOCKWATER STORAGE (7.5 AF)
STOCKWATER FROM STORAGE (7.5 AF)

In: SESE NENE Sec 22 T 12N R 01W

MICROFILMED