


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Midvale School District #433

By:

Joe M. Whitten

(Applicant)

BM ①
328'

NW Cor: SE $\frac{1}{4}$ SW $\frac{1}{4}$

*Note
BM ②

43,560 SqFT = Acre

300' N 89° 45' 53" E

200'

83'

7.576 A.

592'

784'

313'

N 0° 06' 08" W
208'

200'

BM ②

SW Cor: SE $\frac{1}{4}$ SW $\frac{1}{4}$
Sec 3; T13N; R3W

423'

N 89° 45' 53" E

110'

②
BM
SE Cor SE $\frac{1}{4}$ SW $\frac{1}{4}$

MICROFILMED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT Department of Water Resources

RECEIVED
APR 15 1992

A. GENERAL INFORMATION


1. Owner: Midvale School Dist Permit No. 67-7650
Current Address: P.O. Box 130, Midvale, Id. 83645 Phone No. 355-2234
2. Accompanied by: David Christman EXAM. DATE: 8-23-91
Address: same Phone No. same
Relationship to Permit Holder: School maintenance man
3. Source: unnamed drain tributary to Weiser River

B. OVERLAP REVIEW

1. Other water rights with same place of use: 67-4434, 67-7590 ☐ Copies Attached
2. Other water rights with same point of diversion: None ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☒ Alternative diagram attached




Scale: 1" = _____

2. ☐ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).
☐ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater.)
☐ Aerial Photo Attached (required for irrigation of 10 acres or more).

MICROFILMED

SEP 15 1992

67-7650 System Diagram



1" = 200'

RECEIVED
SEP 15 1992

PHOTO ID. 45

P14

SEP 15 1992

67-7650



#1
PID - 48" diameter
sump, pump, motor
and discharge.
4" steel pipe
delivers water to
67-7650 P14.



#2.
3" surface mainline
that supplies water
to sprinkler system.

MICROFILMED

SEP 15 1992

67-7650



#3.

P/U looking SW
toward school



#4

P/U looking South
at field behind
school.

MICROFILMED

SEP 15 1992

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 67-07650

Priority: September 1, 1983

Maximum Diversion Rate:

0.13 CFS

Maximum Diversion Volume:

17.2 AF

This is to certify, that SCHOOL DISTRICT NO 433

PO BOX 130

MIDVALE ID 83645

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated June 14, 1983; and has submitted Proof of Beneficial Use on December 19, 1988. An examination indicates that the works have a diversion capacity of .130 cfs of water from:

UNNAMED DRAIN

tributary to WEISER RIVER

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/01 to 10/31	0.13 CFS	17.2 AF

LOCATION OF POINT(S) OF DIVERSION:

NESW , Sec. 8, Township 13N, Range 03W
WASHINGTON County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
13N	03W	8	SESW	4.3		4.3

Total number of acres irrigated: 4.3

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. The issuance of this right in no way grants any right-of-way or easement across the land of another.
6. Use of water under this water right will be regulated by the watermaster of State Water District No. 67.

MICROFILMED

SEP 15 1992

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 67-07650

CONDITIONS/REMARKS:

7. This right when combined with all other rights shall provide no more than .03 cfs per acre nor more than 4.0 afa per acre for the lands above.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 27TH day of AUGUST, 1992.

Acting for R. Keith Higginson, Director

MICROFILMED

SEP 15 1992

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE STATE OF IDAHO

IN THE MATTER OF PERMIT NO. 67-7650 IN THE
NAME OF MIDVALE SCHOOL DIST.

)
) ORDER OF REINSTATEMENT
)
)

WHEREAS, the Department issued the above-captioned permit with the condition that proof of construction of works and application of water to beneficial use (proof of beneficial use) be submitted on or before October 1, 1988; and,

WHEREAS, the Department notified the permit holder by certified mail that proof was due and instructed the permit holder of the steps to be taken to submit the proof of beneficial use; and,

WHEREAS, on October 1, 1988 the permit lapsed for failure of the permit holder to submit proof of beneficial use; and,

WHEREAS, Section 42-218a of the Idaho Code provides that a permit may be reinstated upon a showing of reasonable cause within sixty days of the date of lapsing; and,


WHEREAS, the permit holder has provided a reasonable showing why the permit should be reinstated by submitting proof of beneficial use on December 19, 1988;

IT IS, THEREFORE, HEREBY ORDERED that Permit No. 67-7650 be REINSTATED and the priority advanced to September 1, 1983.

Dated this 22nd day of December, 1988.

MICROFILMED

FEB 09 1989


L. GLEN SAXTON, Chief
Water Allocation Bureau

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho **APPROVED**

1. Name of applicant Midvale School Dist. #433 Phone 355-2234
Post office address Midvale, Idaho 83645
2. Source of water supply Waste Ditch which is a tributary of Water originally from Weiser River
3. Location of point of diversion is NE $\frac{1}{4}$ of SW $\frac{1}{4}$ of Section 8 Township 13N
Range 3W B.M. Washington County, additional points of diversion if any: None

4. Water will be used for the following purposes:

Amount .39 cfs for irrigation purposes from April 1 to Oct. 31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

- a. .39 cfs at pump cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

- a. Description of ditches, flumes, pumps, headgates, etc. pump and pipeline

- b. Height of storage dam n/a feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

- c. Proposed well diameter is n/a inches; proposed depth of well is _____ feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 5 years (minimum 1 year — maximum 5 years).

8. Description of proposed uses:

- a. If water is **not** for irrigation:
- (1) Give the place of use of water: n/a $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____
Range _____ B.M.
- (2) Amount of power to be generated: _____ horsepower under _____ feet of head.
- (3) List number of each kind of livestock to be watered _____
- (4) Name of municipality to be served _____, or number of families to be supplied with domestic water _____.
- (5) If water is to be used for other purposes describe: _____

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
13 N	3W	8											7.5						7.5

Total number of acres to be irrigated 7.5

c. Describe any other water rights used for the same purposes as described above.

a) City of Midvale - 1 sprinkler only

b) 13/40 share Middle Valley Ditch Corporation-no available ditch

9. a. Who owns the property at the point of diversion Philip Horton

b. Who owns the land to be irrigated or place of use Midvale School District #433


c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing N/A

10. Remarks For two years we have had a pump lifting drainage water from a drain ditch just prior to its intersection with the Weiser River. The water is waste water from farm irrigation. The pump delivers 175 gal. per min. at 50 lbs. for 120 ft. head. There is 628 ft. of 3 in. line and up to 600 ft. of 3 in. irrigation line reducing the pressure substantially.

The waste water is from the Middle Valley Ditch Corporation project of which we have 13/40 of a share. The ditches are no longer serviceable and it is easier to pump the water than build new ones.

The Midvale City system can not meet our needs as the system is old and has very low pressure

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Midvale School District #433

By:

Joe M. Whitten
(Applicant)

Proposed Priority 6/14/83

Received by SRC Date 6-15-83 Time 3:00 pm
Preliminary check by GLS Fee \$ 45.00 + 310.34
Receipted by JP Date 6/15/83
Publication prepared by JP Date 9/11/83
Published in Upper County News
Publication dates 9/8 & 9/15/83
Publication approved JP Date 9/23/83
Protests filed by: none

Copies of protests forwarded by _____
Hearing held by _____ Date _____
Recommended for approval denial by OBS KW

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 67-7650, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before October 1, 19 88.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other: Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.
The issuance of this permit in no way grants any right-of-way or easement across the land of another.
Use of water under this permit is subject to control by the watermaster of State Water District No. 67, Weiser River.

Witness my hand this 18th day of October, 1983.

A. Glen Saxton
Chief, Operations Bureau

BM ① NW Cor: SE ¼ SW ¼
328'

*Note
BM ②
43,560 sq ft = Acre

UNFILED

320' N 87° 45' 53" E

200'

83'

7.576 A.

1320

784'

592'

313'

N 0° 06' 08" W
208'

200'

BM ② 313'

423' N 87° 45' 53" E

SW Cor: SE ¼ SW ¼
Sec 3; T13N; R3W

SE Cor SE ¼ SW ¼
BM ②

Affidavit of Publication:

STATE OF IDAHO }
County of Washington } ss.

Stuart Dopf, being duly sworn deposes and says he is the publisher of the Upper Country News-Reporter, a weekly newspaper published at Cambridge, in the County of Washington, State of Idaho; that said newspaper is in general circulation in the county of aforesaid and is a legal newspaper; that the annexed, a printed copy of which is attached hereto and made a part hereof, was published

in said newspaper once a week for 2 consecutive weeks in the regular and entire issue of every number thereof during the period of time of publication, and was published in the newspaper proper and not in a supplement; and that publication of such notice began Sept. 8 1983 and ended Sept. 15 1983

Stuart Dopf

Subscribed and sworn to before me

this 22nd day of September, 1983

William Conway
Notary Public in and for the State of Idaho, residing at Cambridge, Idaho 83610.

NOTICE OF APPLICATION FOR WATER RIGHT

The following applications have been filed to appropriate the public waters of the State of Idaho:

67-7549
U.S. DEPT. OF INTERIOR,
BUREAU OF LAND MGMT.,
IDAHO STATE OFFICE, 3380
AMERICANA TERRACE,
BOISE, ID 83706

Source: UNNAMED
STREAM trib. to NORTH
CRANE CREEK

Date Filed: 7/8/1983

Diversion Pt: NWNW Sec. 19
T 11N R 1E

Use: STOCKWATER STORAGE (0.2 AF); STOCKWATER FROM STORAGE (0.2 AF); WILDLIFE STORAGE (0.2 AF); WILDLIFE FROM STORAGE (0.2 AF).

In: NWNW Sec. 19 T 11N R 1E

67-7650 ✓
MIDVALE SCHOOL DIST.
NO. 433

MIDVALE, ID 83645

Source: WASTE WATER
TRIB. TO WEISER RIVER

Date Filed: 8/14/1983

Diversion Pt: NESW Sec 8 T
13N R 3W

Use: IRRIGATION (0.39
CFS)

In: SESW Sec. 8 T 13N R 3W
FOR 8 ACRES

The permits will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Western Region, Statehouse, Boise, Idaho 83720 on or before SEPT-TEMBER 26, 1983.

KEN DUNN, Director
Published 9/8 and 9/15/83.

RECEIVED
SEP 23 1983

Department of Water Resources
Western Regional Office

August 4, 1992

SCHOOL DISTRICT NO 433
PO BOX 130
MIDVALE ID 83645

RE: WATER RIGHT NO. 67-07650

Dear Water Right Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

Sincerely,

PAMELA SKAGGS
Water Resource Agent

PS:cz

Enclosure

SEP 15 1992

August 31, 1992

SCHOOL DISTRICT NO 433
PO BOX 130
MIDVALE ID 83645

RE: WATER RIGHT NO. 67-07650

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

PAMELA SKAGGS
Water Resource Agent

PS:cz

Enclosure

MIDVALE ID
SEP 15 1992

LICENSE REVIEW CHECKLIST

Permit # 67-7650

Date 7-31-92
28

	Yes	No	
NAME	☐	☒	Address Change?
PRIORITY DATE	☐	☒	Advance? _____
	☐	☒	Memo to Advance _____
	☐	☒	Order to Reinstate Needed? <u>DONE</u>
TOTAL CFS	☐	☒	Incorrect Fee for rate recommended?
	☐	☒	Disagree with Actual Measurement? _____
			<u>4.3 x .03 = .1292 .13 cfs (IRR)</u>
	☐	☒	Disagree with Theoretical? _____
	☐	☒	Limited by Capacity? <u>.13 cfs (measured)</u>
TOTAL VOLUME			Rate/ac <u>4.0</u> AFA Irr. Season <u>C</u>
			<u>4-1 to 10-31</u> Standard Irr. Season
			<u>Same Per Permit</u> Season Recommended
	☐	☒	Disagree with Examiner's Calculations? _____
			<u>4.3 x 4.0 = 17.2 afa (IRR)</u>
	☐	☒	Limited by Flow? <u>.13 x 213 x 1.9835 = 54.9 > 17.2</u>
SOURCE	☐	☒	Changes? Clarification of <u>Originally</u>
			<u>Intended</u> source <u>Waste Water to Unnamed Drain</u>
	☐	☒	Notice of Intent to Void.
P/D			Verify with Map
	☐	☒	Amendment Needed? _____
	☐	☒	Is Overlap Analysis a Consideration?
P/U			Verify with Map
	☐	☒	Amendment Needed? _____
	☐	☒	Is Overlap Analysis a Consideration?
USES	☐	☒	Change(s) in Nature of Use? _____
	☐	☒	Amendment Needed? _____
REMARKS	☐	☒	Multiple P/Ds in 1/4 1/4? _____
	☐	☒	Non-Irr. Uses _____
	☐	☒	Special Overlap Condition _____
	☐	☒	Other _____
CONDITIONS	☐	☒	Measuring Device
	<u>R04</u>	☐	W/Master Control
	<u>RS1</u>	☐	Overlap
	☐	☒	Water Quality
			DATES/MISC
			<u>67</u> Water Dist.
		☒	App Rec'd
		☒	Exam Made

COMMENTS/MEMOS NEEDED: Reduced Acres + rate

License ☐ 10-Day ☒ 15-Day ☐ Special Correspondence _____

WR0749NP
No. L67-07650

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT
(REGIONAL)

DATE: 07/31/92
PAGE: 1

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	SCHOOL DISTRICT NO 433 PO BOX 130 MIDVALE ID 83645	09/01/1983	IRRIGATION	04-01 10-31	0.13 CFS	17.2 AFA
TOTAL DIVERSION:					0.13 CFS	17.2 AFA

Water Source: UNNAMED DRAIN

Tributary to: WEISER RIVER

Stage: LICENSE

Point(s) of Diversion Capacity: 0.13 CFS

Point(s) of Diversion: T13N R03W S08 NE SW

Place of use Legal Description for: IRRIGATION

NE				NW				SW				SE												
T	R	S	:	NENE	NWNE	SWNE	SENE	:	NENW	NWNW	SWNW	SENW	:	NESW	NWSW	SWSW	SESW	:	NESE	NWSE	SWSE	SESE	:	SUM
---	---	---	:	Lt	Ac	Lt	Ac	:	Lt	Ac	Lt	Ac	:	Lt	Ac	Lt	Ac	:	Lt	Ac	Lt	Ac	:	---
13N	03W	8	:					:					:					:					:	4.3
TOTAL ACRES																							4.3	

Pou County: WASHINGTON

Other Water Rights Listing Overlapping Place(s) of use:
67-04434 67-07650

Conditions of Approval:

- 004 - The issuance of this right in no way grants any right-of-way or easement across the land of another.
- R04 - Use of water under this water right will be regulated by the watermaster of State Water District No. 67.
- R51 - This right when combined with all other rights shall provide no more than .03 cfs per acre nor more than 4.0 afa per acre for the lands above.

Dates:	App. Received:	06/14/1983	Priority Date:	09/01/1983	(Priority Date Advanced.)
	Proof Due Date:	10/01/1988	Proof Made Date:	12/19/1988	(Proof Received Late.)
	Exam Made Date:	08/23/1991	Exam Sent to S.O.:	04/10/1992	
	Licensed Date:				

Misc: Water District Number: 67 Field Exam Fee: R (Received)

Audit: 07/31/92 SKAGGS

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
APR 15 1992

Department of Water Resources

A. GENERAL INFORMATION


Permit No. 67-7650
Phone No. 355-2234
1. Owner: Midvale School Dist
Current Address: P.O. Box 130, Midvale, Id. 83645
2. Accompanied by: David Christman EXAM. DATE: 8-23-91
Address: same Phone No. same
Relationship to Permit Holder: School maintenance man
3. Source: unnamed drain tributary to Weiser River

B. OVERLAP REVIEW

1. Other water rights with same place of use: 67-4434, 67-7590 ☐ Copies Attached
2. Other water rights with same point of diversion: None ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☒ Alternative diagram attached



Scale: 1" = _____

2. ☐ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).
☐ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).

☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).

MICROFILMED

SEP 15 1992

System Description (continued)

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

A 7.5 Hp centrifugal pump draws water from a 48" diameter metal sump located on the edge of an unnamed waste ditch. The pump discharges to a 4" buried steel pipe that goes south approx. 1/4 mile to a user. At the user, a 3" surface aluminum mainline supplies water to 3" aluminum ~~pipe~~ ^{handlines} used to sprinkle irrigate a large lawn area. At the time of exam a line with 14-24 sprinklers were being used that averaged 46 psi.

☒ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	Century	7.5	6-332988-03	Cornell	1 1/4, 28798

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			NESW		8	13N	3W	Washington	Ortho photo quad map

6. Place(s) of Use:

Indicate Method of Determination *pacing*

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
13N	3W	8												4.3					4.3

SEP 15 1992

Do not use this space

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
<i>spinkler gauge with pitot tube</i>						

2. Measurements:

7 spinkler head pressure readings taken at various locations on handline with 14 spinklers with 3/4 nozzle. Average was 46 psi.

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

46 psi @ 3/4" = 4,000 gpm x 14 = 56,000 gpm = .13 cfs.

2. Alternate Method for Checking Purposes:

theoretical $\frac{7.5 \times 8.8 \times 1}{5 + (2.3 \times 60)} = .32 \text{ cfs}$ - prior to friction loss

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3)

: Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 4.3 \times 4.0 = 17.2 \text{ afa}$

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = .13 \times 246 \times 1.9835 = 63.43$

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 17.2$

2. Volume Calculations for Other Uses:

NA

MICROFILMED
SEP 15 1992

H. REMARKS AND OVERLAP REVIEW ANALYSIS

At the pump a valve can divert water to a 4" aluminum pipe that delivers water North to another user

67-7590 is a permit for a proposed dam in 11N, 4W. 67-4434 is a statutory right for Middle Valley Ditch. The owners of this permit own a 13/40 share but are not able to obtain delivery of water.

recommend standard irrig. season

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Irrigation	3-15	11-15	.13 cfs	17.2 afa
Totals:			.13 cfs	17.2 afa

2. Recommended Amendments

☐ Change P.D. as reflected above

☐ Add P.D. as reflected above

☐ None

☒ Change P.U. as reflected above

☐ Add P.U. as reflected above

☐ Other

J. AUTHENTICATION

Field Examiner's Name

Melvin T. Schulte

Signature


Melvin T. Schulte

Certification Date

3/17/92

Field Report Preparation Date


11-6-91



K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

SEP 15 1992

67-7650 System Diagram



1" = 200'

6300-1
5 1992

PERMIT 67-7650 INIT
T. R. S. Q/Q
P/D 13N 3W 8 NESW
SCALE
PHOTO ID. 85

P/D

P14


67-7650



#1

P/D - 48" diameter
sump, pump, motor
and discharge.

4" steel pipe
delivers water to
67-7650 P/U.



#2.

3" surface mainline
that supplies water
to sprinkler system.

MICROFILMED


SEP 15 1992

67-7650



#3.

P14 looking SW
toward school



#4

P14 looking South
at field behind
school.

MICROFILMED
SEP 15 1992

May 19, 1992

SCHOOL DISTRICT NO. 433
P.O. BOX 130
MIDVALE ID 83645

RE: Water Right No. 67-07650

Dear Water Right Holder(s):

Department water right records show that you divert water from the Snake River or its tributaries under a water right that has a priority date later than December 29, 1976. This is the priority of the established minimum stream flow of the Snake River at the Weiser Gage (Weiser) in the amount of 4,750 cubic feet per second.

Because of the continuing drought conditions in the Snake River Basin, department hydrologists project that during 1992, there could be periods when the required minimum flow will not be satisfied due to low flows of the Snake River. The department urges you to not divert at a higher rate than authorized by your water right and to not use your right in any manner different than authorized. In addition, when the minimum flow will not be satisfied or is not being satisfied, you are required to cease diverting water under your water right, because your right is of later priority than the minimum stream flow at Weiser.

If the department determines the minimum flow will not be satisfied, the department will advise you and will provide as much lead time as possible in requiring that you temporarily cease your diversion of water. The greatest likelihood for this to occur is during a period from mid-June to late June.

While the department expects good cooperation from junior water right holders, water users should be aware that Section 42-352, Idaho Code, provides for penalties of up to \$100 per day for unauthorized diversions of water.

The department has contacted both the Idaho Power Company and the U.S. Bureau of Reclamation with respect to the timing of storage releases from upstream reservoirs for flow enhancement purposes. This type of coordination could minimize the impact on

MISSOURI

SEP 15 1992

existing water users and reduce the need to curtail diversions.

The department has scheduled public information meetings relative to this potential regulation as follows:

Mountain Home - June 4, 1992 - 10:00 a.m. - gymnasium at
North Elementary School, 290 E. 12th N.

Caldwell - June 4, 1992 - 7:00 p.m. - Ballroom in the
Student Union Building, Albertson College of Idaho,
2112 Cleveland

If you have questions concerning this letter or wish to provide the name of a different contact person or address to receive department correspondence, please contact the department.

Sincerely,

L. GLEN SAXTON
Chief, Water Allocation Bureau

LGS:klg

RECEIVED
JUN 15 1992

1/88

PROOF OF BENEFICIAL USE

ANALYSIS SHEET

Permit No. 67-7650

Date: 12-21-88

General Considerations:

Y Name same as permit
Y Signature the same as permit holder
Y Address change _____ If yes, prepare a data entry
N Proof received timely
Y Reinstated

Source of Water:

Y Surface water
_____ Groundwater
_____ 1. well log in file
_____ 2. drilling permit
_____ A. amount of drilling fee paid for proposed uses

Extent of Use and Rate of Diversion:

Y Rate of diversion appropriate for uses
Y Is rate or volume and fee appropriate?
Y Has permit holder indicated when water was first put to a beneficial use?

Measuring Device:

N/A Is a measuring device or access port required?
N/A Has one been installed?
N/A Waiver or modification of measuring device requested

Remarks:

Proof acceptable
Reinstated

Y Priority Calculation:
Date proof received Dec. 19, '88 353
Date proof due Oct. 1, '88 - 274
No. of days late = 79
Priority date June 14, '83 + 165
NEW PRIORITY DATE Sept. 1, '83 = 244

SEND FILES TO DATA ENTRY AND THEN TO MICROFILM

RECEIVED

AUG 18 1988

STATE OF IDAHO

DEC 19 1988

For Office Use Only
Fee Received \$100.00
Date 12/20/88
Receipt # 0004208
Receipt by CP
Reviewed by JH
Sent to region

710 # 2111
Department of Water Resources
Department of Water Resources
PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 67-07650

Name(s) of Permit Holder: Midvale School Dist. #433

Post Office Address: P.O. Box 130, Midvale, IDAHO 83645

Telephone No. (208) 355-2234

Source of Water: Weiser River (lost lake Reservoir)
(Middle Valley Ditch Corporation)

Extent of Use:

Domestic (number of households) Stockwater (number and type of stock)

Irrigation School yard 2043 (acres) Other/Remark

Total rate and/or volume for which proof is submitted 12/40 share 0.39 cfs acre-feet

Show the date water was first diverted and beneficially used under this permit: 1983

Measuring Device: Required? Yes No
Installed? Yes No
Fee enclosed \$ 100.00
(See License Examination Fee Schedule)

Flow Measurement Port: Required? Yes No
Installed? Yes No

Person to contact to accompany the Department representative during the field examination:

Jim Kambola, Supt. 355-2234
(Name) (Telephone Number)

P.O. Box 130, Midvale, ID. 83645
(Address)

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

FEB 09 1989

8-3-88
Date
James E. Kambola Supt.
Signature of Permit Holder (and title, if appropriate)

November 21, 1988

Midvale School District #433
P. O. Box 130
Midvale, ID 83645

Gentlemen:

Re: Permit No. 67-7650

Returned is the proof of beneficial use form submitted to this office on August 18, 1988. Before the department accepts the form, additional information is requested.

Enclosed is a copy of the permit. If the school is diverting and putting the water to a beneficial use as described by the permit, then the proof of beneficial use form must be submitted to the department with the appropriate licensing exam fee. Note the enclosed instruction sheet/fee schedule. If the school district is not using the water, then the permit should probably lapse.

Please advise the department on this matter within thirty days. Feel free to contact the department if you have questions.

Sincerely,

RITA I. FLECK
Secretary/Records Manager

Enclosures

MICROFILMED
FEB 09 1989

S T A T E O F I D A H O
D E P A R T M E N T O F W A T E R R E S O U R C E S

Statehouse
Boise, Idaho 83720
(208) 334-7900
Certified Mail
July 31, 1988

138246

MIDVALE SCHOOL DIST. NO. 433
MIDVALE, ID 83645

P R O O F D U E N O T I C E

RE: PERMIT NO. 67-07650

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before October 1, 1988. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Rita Fleck
Secretary/Records Manager

Enclosures

MICROFILMED

FEB 09 1989

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
COMMENCEMENT OF WORKS

Permit No. 67-7650
Name(s) of Permit Holder(s): Midvale School Dist. #433
Post Office Address: Midvale, Idaho 83645
Tel. 355-2234

☒ I hereby certify that construction of diversion works for the above referenced permit began on Completed (date). I understand that I must continue to develop the water system with due diligence to maintain a valid permit.

☐ I hereby certify that construction of diverting works on the above referenced project has not yet begun due to the following reason beyond my control*:

*Note: A financing difficulty is not an acceptable reason.

10-31-83
Date

Jan M. Whitten, Sup't.
Signature of Permit Holder


Midvale School
Midvale, Ida. 83645

MICROFILMED

FEB 09 1989



**IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720**



1 1983

Department of Water Resources

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440

MIDVALE SCHOOL DIST. NO. 433
MIDVALE, ID 83645

OCTOBER 25, 1983

RE: PERMIT NO. 67-7650

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

THE 1982 IDAHO LEGISLATURE ADDED A REQUIREMENT THAT AS A PERMIT HOLDER YOU MUST COMMENCE THE EXCAVATION OR CONSTRUCTION OF DIVERTING WORKS WITHIN ONE YEAR OF THE DATE THE PERMIT WAS ISSUED, AND YOU MUST PROCEED DILIGENTLY UNTIL THE PROJECT IS COMPLETED. THE ENCLOSED BLUE CARD MUST BE COMPLETED AND RETURNED TO THIS OFFICE AS SOON AS YOU COMMENCE CONSTRUCTION, NO LATER THAN ONE YEAR FROM THE DATE THE PERMIT WAS APPROVED.

WE HAVE ENCLOSED INSTRUCTIONS ENTITLED "MAKING PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT INTO A LICENSE.

SINCERELY,

DAVID R. TUTHILL, JR., P.E.
SUPERVISOR, WATER ALLOCATION SECTION

ENCLOSURE

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: 6LS

APPLICATION NUMBER: 67-7650

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.

Field check by: _____

Date: _____

Comments: This diversion rate is excessive but we have allowed schools this excess because of the way the schools yards are used they only fur. at night

- ☐ Yes ☒ No Field check required.
☐ Yes ☒ No Critical groundwater area.
☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☐ No* In form to receipt.

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☐ Idaho State Health Department.
☐ Idaho Fish and Game Department.
☐ Idaho Department of Lands.
☐ U.S. Bureau of Land Management.
☐ U.S. Forest Service.
☐ Other _____

Copies sent by: _____

Date: _____

PROCESSING:

- ☐ Yes ☐ No Platted by: _____ Map No. _____
☒ Yes ☐ No Other rights on same place of use. Middle Valley ditch & city of Midvale see Bc
☒ Yes ☐ No* In form for advertising.
Final date for protests: 9/26/83
☐ Yes ☐ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 9/27/83
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application. 45⁰⁰ # 31034 6/15/83
☒ Publication dates and paper, recorded on application. Upper County News 9/8/83 9/15/83
☒ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.
☐ Yes ☒ No Measuring device required.
☐ Yes ☒ No Access port required.
☒ Yes ☐ No Will water be delivered by watermaster? If yes, what district? 67
6/14/83 Date of priority recommended.

Special conditions of approval or cover letter. Right-of-way clause

(26) Weiser River letter

By: DIBS

Date: 9/26/83

STATE OFFICE REVIEW:

see Sec's note above for excessive amount.
LIT 26 04 05 (67, Weiser River)

- ☐ See attached sheet for more information.

By: KW

Date: 10/13/83

POINT OF DIVERSION AND STREAM INDEX INFORMATION

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH

IDAHO STREAM CODE INDEX						

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH

IDAHO STREAM CODE INDEX						

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH

IDAHO STREAM CODE INDEX						

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH

IDAHO STREAM CODE INDEX						

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH

IDAHO STREAM CODE INDEX						

62-2650-

MIDVALE SCHOOL DIST. NO. 433

MIDVALE, ID 83645

Source: WASTE WATER trib. to WEISER RIVER

Date Filed: 06/14/1983

Diversion Pt: NESW Sec 08 T 13N R 03W

Use: IRRIGATION (0.39 CFS)

In: SESW Sec 08 T 13N R 03W FOR 8 ACRES

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Western Region

Statehouse
Boise, Idaho 83720
(208) 334-2190

SEPTEMBER 1, 1983

Upper County News Reporter
Box 98
Cambridge, ID 83610

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before SEPTEMBER 25, 1983.

Yours truly,

JUDY PENSE
Secretary

Encl.

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Western Region, Statehouse, Boise, Idaho 83720 on or before SEPTEMBER 25, 1983.

KEN DUNN, Dir.

Published 09/08 & 09/15/83.