

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

12N

20


1E

Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Charles B. Jones Acting Adm
(Applicant)

MICROFILMED



SCHMATIC DIAGRAM OF SYSTEM

(Include distance from pump to measuring device, if applicable.)

Point(s) of diversion: ✓ NENE, S.20, T. 12N, R. 1E.

Place(s) of Use ✓

TWP.	RGE.	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
12N	1E	20	✗																

Recommended Amendments:

☐ Change P.D. as reflected above

☐ Add P.D. as reflected above

☒ None

☐ Change P.U. as reflected above

☐ Add P.U. as reflected above

☐ Other

Examiner's Signature Jan Skute

Checked by 6LS

Approved by Kay Walker

Date 1/17/86

Date 2/24/86

Date 7-18-86




Illustration 1

NOTES:

1. Pit & Embankment Slopes & Dimensions Shall Be As Shown On The Work Summary Chart.
2. Embankment May Be "U" Or "L" Shape Or Straight Line. Construct As Indicated On The Work Summary Chart.

ALWAYS THINK SAFETY

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT	
DIVISION OF ENGINEERING DENVER SERVICE CENTER	
TYPICAL	
WATER RETENTION PIT	
DESIGNED <i>James C. Vary</i>	
REVIEWED <i>John E. Smith</i>	
APPROVED <i>Richard L. Grew</i>	
DRAWN JOSE DILLO	SCALE NONE
DATE APRIL 12, 1983	SHEET OF
DRAWING NO. 02204-1	

BLM MANUAL

NOTE: PIT RESERVOIRS ARE USED IN FLAT AREAS WHERE THERE IS A LOW SPOT IN THE TERRAIN. THE WATER COLLECTED IS MAINLY RAINFALL, MAYBE SOME RUN-OFF.

10/27/83



WATER RIGHT LICENSE

License No. 67-7646 Priority 07/08/1983 Amount n/a CFS 0.2 AF

THIS IS TO CERTIFY, that U.S. Dept. of Interior, Bureau of Land Mgmt.

of Boise, Idaho, has complied with the terms and conditions of Permit No. 67-7646 issued pursuant to Application for Permit dated 07/08/1983, and has submitted proof to the Department of Water Resources on 07/08/1983, that he has applied water to a beneficial use; and examination by the Department indicates that the works have a capacity for the storage of 0.2 af of water from an unnamed stream tributary to North Crane Creek, and that the permit holder has applied to a beneficial use and established a right to use water as follows:

RATE OF DIVERSION	VOLUME	BENEFICIAL USE	PERIOD OF USE
n/a	0.2 af	Storage for Stockwater	01/01 - 12/31
n/a	0.2 af	Stockwater from Storage	01/01 - 12/31
n/a	0.2 af	Storage for Wildlife	01/01 - 12/31
n/a	0.2 af	Wildlife from Storage	01/01 - 12/31

Location of point of diversion: NENE, Sec. 20, Twp 12N, Rge 1E, Washington Co.

Location of place of use:

TWP.	RGE.	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
12N	1E	20	X																

Total number of acres irrigated _____

Use of water under this license is subject to control by the watermaster of State Water District No. 67, Weiser River. Also known as AI Reservoir No. 3.

Subject to all prior water rights.

MICROFILMED

NOTE: Modifications to or variance from the use of water as shown on this license must be made in accordance with Section 42-222, Idaho Code, or the applicable Idaho law. This right may be forfeited by five years of non-use.

The right to the use of the water hereby confirmed is restricted and appurtenant to the lands or place of use herein described, as provided by the laws of Idaho.

Witness the seal and signature of the Director, affixed at Boise, Idaho this 25TH day of July, 1986.

Norman C. Young
Acting for the Director

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

JUL 8 1983

APPROVED

To appropriate the public waters of the State of Idaho
U.S.D.I.

Department of Water Resources

1. Name of applicant Bureau of Land Management
Boise District Office Phone 334-1582
Post office address 3948 Development Ave.
Boise, Idaho 83705
2. Source of water supply Unpaired tributary stream which is a tributary of North Crane Cr
3. Location of point of diversion is NE % of NE % of Section 20 Township 12N
Range 1E B.M. Washington County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

- Amount .2 af for Storage for purposes from 1/1 to 12/31 (both dates inclusive)
(acre-feet per annum) stockwater
- Amount .2 af for from storage purposes from 1/1 to 12/31 (both dates inclusive)
(acre-feet per annum) stockwater
- Amount .2 for Storage for purposes from " to " (both dates inclusive)
(acre-feet per annum) wildlife
- Amount .2 for from storage purposes from " to " (both dates inclusive)
(acre-feet per annum) wildlife

5. Total quantity to be appropriated:

- a. _____ cubic feet per second and/or b. 0.2 acre-feet per annum.

6. Proposed diverting works:

- a. Description of ditches, flumes, pumps, headgates, etc. Stock pond to control
and store run-off & snowmelt
- b. Height of storage dam 6 feet, active reservoir capacity .2 acre-feet; total reservoir capacity .2 acre-feet, materials used in storage dam: earthen
Period of year when water will be diverted to storage 1/1 to 12/31 inclusive.
(Month/Day) (Month/Day)
- c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 1 years (minimum 1 year - maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

- (1) Give the place of use of water: NE % of NE % of Section 20 Township 12N
Range 1E B.M.
- (2) Amount of power to be generated: _____ horsepower under _____ feet of head.
- (3) List number of each kind of livestock to be watered Cattle - 10
- (4) Name of municipality to be served _____, or number of families to be supplied with domestic water _____
- (5) If water is to be used for other purposes describe: wildlife

MICROFILMED

b. If water is for irrigation, indicate acreage in each subdivision in the calculation below:

[illegible]**Total number of acres to be irrigated**

c. Describe any other water rights used for the same purposes as described above.

9. a. Who owns the property at the point of diversion U.S. Govt

b. Who owns the land to be irrigated or place of use U.S. Govt

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing _____.

10. Remarks Applicants include the B.L.M. and permittees in:
Allotments: Sheep Creek Common (0006)

AL Cattle Co.

Robert Bray

Bill Davis

498 Substation Rd

Box 27

Ola, ID

Ennett, ID.

O/a, ID

Project # 6259 AL Reservoir # 3

UNPROFITABLE

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

[illegible]

Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Charles B. Jones Acting AM
(Applicant)

Proposed Priority 7/8/83

7-13-83

3:00 pm

Received by CW

Date

7-9-83

Time

2:57

Preliminary check by CLS

Fee \$ 90

ID-910-BP9-0003

Receipted by tg

Date

9-2-83

#32644

Publication prepared by gp

Date

8/4/83

Published in upper county

Publication dates 8/11 & 8/18/83

Publication approved see

Date

8/24/83

Protests filed by: none

Copies of protests forwarded by _____

Hearing held by _____

Date _____

Recommended for approval

denial

by CLS CW

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 67-7646, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before March 1, 19 85.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other: Use of water under this permit is subject to control by the watermaster of State Water District No. 67, Weiser River.

Witness my hand this 16th day of February, 1984.

J. Glen Saxton
Chief, Operations Bureau

RECEIVED

Affidavit of Publication:

STATE OF IDAHO }
County of Washington } ss.

Stuart Dopf, being duly sworn deposes and says he is the publisher of the Upper Country News-Reporter, a weekly newspaper published at Cambridge, in the County of Washington, State of Idaho; that said newspaper is in general circulation in the county of aforesaid and is a legal newspaper; that the annexed, a printed copy of which is attached hereto and made a part hereof, was published

in said newspaper once a week for.....2..... consecutive weeks in the regular and entire issue of every number thereof during the period of time of publication, and was published in the newspaper proper and not in a supplement; and that publication of such notice began Aug. 11, 1983 and ended Aug. 18, 1983

Stuart Dopf

Subscribed and sworn to before me

this 19th day of AUGUST, 1983

B. J. Soules

Notary Public in and for the State of Idaho, residing at Cambridge, Idaho 83610.

Public Notices

NOTICE OF APPLICATION FOR WATER RIGHT

The following applications have been filed to appropriate the public waters of the State of Idaho:

67-7642

U.S. DEPT. OF INTERIOR
BUREAU OF LAND MGMT.,
IDAHO STATE OFFICE, 3380
AMERICANA TERRACE,
BOISE, ID. 83706

Source: FAIRCHILD CREEK
TRIB. TO DEER CREEK
Date Filed: 7/8/1983

Diversion Pt.: NENE Sec 10 T 14N R 4W

Use: STOCKWATER STORAGE (1.0 AF); STOCKWATER FROM STORAGE (1.0 AF); WILDLIFE FROM STORAGE (1.0 AF)
In: NENE Sec 10 T 14N R 4W

67-7643

U.S. DEPT. OF INTERIOR
BUREAU OF LAND MGMT.,
IDAHO STATE OFFICE, 3380
AMERICANA TERRACE,
BOISE, ID 83706

Source: UNNAMED STREAM
trib. to NORTH CRANE CREEK
Date Filed: 7/8/1983

Diversion Pt: SENE Sec 32 T 12N 41E

Use: STOCKWATER STORAGE (0.2 AF); STOCKWATER FROM STORAGE (0.2 AF); WILDLIFE FROM STORAGE (0.2 AF); WILDLIFE FROM STORAGE (0.2 AF)
In: SENE Sec 32 T 12N R 1E

67-7645

U.S. DEPT. OF INTERIOR
BUREAU OF LAND MGMT.,
IDAHO STATE OFFICE, 3380
AMERICANA TERRACE,
BOISE, ID 83706

Source: UNNAMED STREAM
trib. to SHEEP CREEK
Date Filed: 7/8/1983

Diversion Pt: NENE Sec 28 T 12N R 1E

Use: STOCKWATER STORAGE (0.2 AF); STOCKWATER FROM STORAGE (0.2 AF); WILDLIFE FROM STORAGE (0.2 AF); WILDLIFE FROM STORAGE (0.2 AF)

In: NENE Sec 28 T 12N R 1E

67-7646

U.S. DEPT. OF INTERIOR
BUREAU OF LAND MGMT.,
IDAHO STATE OFFICE, 3380
AMERICANA TERRACE,
BOISE, ID 83706

Source: UNNAMED STREAM
trib. to NORTH CRANE CREEK
Date Filed: 7/8/1983
Diversion Pt: NENE Sec 20 T 12N R 1E

Use: STOCKWATER STORAGE (0.2 AF); STOCKWATER FROM STORAGE (0.2 AF); WILDLIFE FROM STORAGE (0.2 AF)

In: NENE Sec 20 T 12N R 1E

67-7647

U.S. DEPT. OF INTERIOR
BUREAU OF LAND MGMT.,
IDAHO STATE OFFICE, 3380
AMERICANA BLDG., BOISE,
ID 83706

Source: UNNAMED STREAM
trib. to NORTH CRANE CREEK
Date Filed: 7/8/1983

Diversion Pt: SWSE Sec 23 T 12N R 1E

Use: STOCKWATER STORAGE (0.2 AF); STOCKWATER FROM STORAGE (0.2 AF); WILDLIFE FROM STORAGE (0.2 AF)

In: SWSE Sec 23 T 12N R 1E

67-7648

STEPHENS, RALPH G.
MIDVALE, ID 83645

Source: NORTH CRANE CREEK
trib. to CRANE CREEK
Date Filed: 6/21/1983

Diversion Pt: SENE Sec 4 T 12N R 1W

Use: IRRIGATION (2.00 CFS)
In: NWNW SWNW Sec 3 T 12N R 1W NENE SENE Sec 4 T 12N R 1W FOR 160 ACRES

The permits will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Western Region, Statehouse, Boise, Idaho 83720 on or before AUGUST 29, 1983.

KEN DUNN, Dir.

Published 8/11 & 8/18/83.

RECEIVED

AUG 22 1983

Department of Water Resources
Western Regional Office

Department of Water Resources
Western Regional Office

AUG 22 1983



State of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

July 28, 1986

RE: Permit Nos. 37-8048/8164, 51-7182/7184/7187/7210/7216/7220/7230/
7235, 55-7195/7196, 55-7213 thru 55-7217, 55/7224
7237/7280/7291/7302/7333, 57-7163/7164/7321/7329/
7341/7344, 61-7453/7454, 63-9755, 63-10174 thru
63-10180, 63-10196/10199/10200/10201, 65-12673
thru 65-12680, 65-12682 thru 65-12686, 65-12689,
67-7642 thru 67-7647, 67-7653, 67-7657 thru
67-7665, 67-7670, 67-7672 thru 67-7675, 69-7078,
82-7138, 85-7403 thru 85-7407

U.S. Dept. of Interior
Bureau of Land Mgmt.
Idaho State Office
3380 Americana Terrace
Boise, ID 83706

Gentlemen:

Enclosed herewith are copies of the Water Right Licenses issued on the
above referenced permits.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosures

MICROFILMED

State of Idaho
DEPARTMENT OF WATER RESOURCES
WATER RIGHT BENEFICIAL USE FIELD REPORT

RECEIVED

67-7646
Permit No.

CONTACT WITH PERMIT HOLDER

DATE _____

INITIALS

FEB 26 1986 REMARKS

- ☐ Appointment letter mailed:
- ☒ Telephone call made
(List Telephone No. used)
- ☒ Appointment scheduled for:
(Date, time, location)

~~Department of Water Resources~~

4/26/84 Jp
334-1582
4/26/84 Jp
Boise Dist. Off. - Cascade Res. Area

KEYPUNCHED

EXAMINATION

Date 4/26/84 Accompanied by Gene Decker Total Q measured .2sf - 1st.
Source Quinn Stream Tributary to N. Platte Ch. Supp. annubar measurement sheet used?
If source is surface water, estimate total flow of source
Methods of measurement estimation Meets permit requirements?

Measurement calculations:

Stor. - stock/wildlife - 2 aff/ann.

[illegible]

System Description Small earth dam collects & stores
snowmelt & rain fall.

***Code with map on reverse side. Disregard code if only one.**

RECOMMENDED AMOUNTS

Irrigation requirement = **AFA/Acre**

USE

Q (cfs)

V (afa)

FROM

TO

USE	Q (cfs)	V (afa)	FROM	TO
Stor. for stock/wildlife ✓		.2 a/y ✓	1-1	12-31
stock/wildlife from Stor. ✓		.2 a/y ✓	1-1	12-31

Total

Remarks AKA AL RES. #3, Reg. # 0254 Total N/A

MICROFILMED

MICROFILMED

[illegible]

(Include distance from pump to measuring device, if applicable.)

Point(s) of diversion: WENE, J-20, T. 62N, R. 12E.

Place(s) of Use

[illegible]

☐ Change P.D. as reflected above

☐ Change P.U. as reflected above

☐ Add P.D. as reflected above

☐ Add P.U. as reflected above

☒ No
☐ Other

Examiner's Signature

Checked by

Approved by _____

Date _____

Date _____

Date _____




Illustration 1

NOTES:

1. Pit & Embankment Slopes & Dimensions Shall Be As Shown On The Work Summary Chart.
2. Embankment May Be "U" Or "L" Shape Or Straight Line. Construct As Indicated On The Work Summary Chart.



ALWAYS THINK SAFETY

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT DIVISION OF ENGINEERING DENVER SERVICE CENTER	
TYPICAL WATER RETENTION PIT	
DESIGNED <i>Forrest C. Viny</i>	
REVIEWED <i>Forrest C. Viny</i>	
APPROVED <i>Richard L. Green</i>	
DRAWN J. SEDILLO	SCALE NONE
DATE APRIL 12, 1983	SHEET OF
DRAWING NO. 02204-1	MICROFILMED

BLM MANUAL

NOTE: PIT RESERVOIRS ARE USED IN FLAT AREAS WHERE THERE IS A LOW SPOT IN THE TERRAIN. THE WATER COLLECTED IS MAINLY RAINFALL. MAYBE SOME RUN-OFF.

10/27/83

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Western Region

Statehouse
Boise, Idaho 83720
(208) 334-2190

MAY 5, 1984

BUREAU OF LAND MGMT. U.S. DEPT. OF INTERIOR
IDAHO STATE OFFICE
3380 AMERICANA TERRACE
BOISE ID 83706

RE: Permit No. 67-7646

Dear Permit Holder:

We acknowledge receipt of your statement submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this department.

A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office by phone at 334-2190 or in person in the third floor State Towers Building, 450 West State Street, Boise.

Sincerely,
s/Judy Pense
Secretary

MICROFILMED

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as evidence that the permit holder(s) has conducted development to the extent shown below of Permit No. 67-7646

Bureau of Land Management

Name(s) of Permit Holder: Boise District Office

Post Office Address: 3948 Development Ave.
Boise, Idaho 83705

Tel. No. 334-1582

Source of Water: Unnamed stream Proj. # 6259

Extended Use: ☐ Domestic (number of households)
☒ Stockwater Cattle - 10 (number and type of stock)
☐ Irrigation (acres)
☒ Other Wildlife

Measuring Device: Required? ☐ Yes ☒ No Installed? ☐ Yes ☐ No
Access Port: Required? ☐ Yes ☒ No Installed? ☐ Yes ☐ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

5/10/83
Date

Michael B. [Signature]
Signature of Permit Holder

PLACE
TEN CENT
STAMP
HERE

Department of Water Resources
Western Regional Office

JUL 13 1983



IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

RECEIVED

RECEIVED

RECEIVED



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS

Governor

A. KENNETH DUNN

Director

Mailing address:

Statehouse

Boise, Idaho 83720

(208) 334-4440

March 1, 1984

RE: Permit Nos. 65-12680/12673/12674/12675/12683/12684/12685/12686/
12689, 67-7642/7644/7645/7646/7647

Bureau of Land Management
Idaho State Office
3380 Americana Terrace
Boise, ID 83706

Gentlemen:

Enclosed are copies of your approved Applications for Permit. We direct your attention to the conditions of approval on the fourth pages.

Please note on Permit No. 65-12680 if the diversion dam is 10 feet or more in height, or has an impounding capacity of 50 acre-feet or more, certain dam safety requirements must be met. Please contact the regional office nearest you for details.

Sincerely,

JIM JOHNSON
Water Distribution Supervisor

JJ:sc

Enclosures

RECEIVED
MAR 1 1984
BOISE, IDAHO

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: 665 APPLICATION NUMBER: 67-7646

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☐ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.

Field check by: _____

Date: _____

Comments: _____

☐ Fee.

☐ Yes ☒ No

Field check required.

☐ Yes ☒ No

Critical groundwater area.

☐ Yes ☒ No

Request dam safety information. Sent by: _____ Date: _____

☒ Yes ☐ No*

In form to receipt.

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☐ Idaho State Health Department.
☐ Idaho Fish and Game Department.
☐ Idaho Department of Lands.
☐ U.S. Bureau of Land Management.
☐ U.S. Forest Service.
☐ Other _____

Copies sent by: _____ Date: _____

PROCESSING:

☐ Yes ☐ No

Platted by: _____ Map No. _____

☐ Yes ☒ No

Other rights on same place of use. _____

☒ Yes ☐ No*

In form for advertising.

Final date for protests: August 29, 1983

☐ Yes ☐ No

Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

☒ Affidavit of publication received. Date: 8/22/83

☒ Application published correctly. If not, record action taken: _____

☒ Fee amount, receipt date & number, recorded on application. 201

☒ Publication dates and paper, recorded on application. Carroll County 8/11/ + 8/10/83

☒ Protests, dates, withdrawal, etc., recorded on application. Upper County News Reporter

☒ Recommendation & initial, recorded on application.

☐ Yes ☒ No

Measuring device required.

☐ Yes ☒ No

Access port required.

☒ Yes ☐ No Will water be delivered by watermaster? If yes, what district? 67

☒ 7/8/83 Date of priority recommended.

Special conditions of approval or cover letter. 05

Bert: Make sure Fee is in

By: 665 Date: 2/2/84

STATE OFFICE REVIEW:

05 (67, Weiser River)

☐ See attached sheet for more information.

By: EW Date: 2-15-84

FEB 07 1984

POINT OF DIVERSION AND STREAM INDEX INFORMATION

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX



United States Department of the Interior

BUREAU OF LAND MANAGEMENT

Idaho State Office
3380 Americana Terrace
Boise, Idaho 83706

IN REPLY
REFER TO:

7250 (931)

July 6, 1983

CERTIFIED--RETURN RECEIPT REQUESTED

Water Allocation Division
Department of Water Resources
Statehouse
Boise, Idaho 83720

Gentlemen:

Enclosed for processing are 17 water right applications and 1 amended water right application. Billing is to be made through order number ID-910-PH3-0003.

Please return approved applications to the following address:

State Hydrologist
Bureau of Land Management
Idaho State Office
3380 Americana Terrace
Boise, Idaho 83706

Thank you for your cooperation.

Sincerely yours,

Karl Gebhardt

Karl Gebhardt
Hydrologist

Enclosures as stated

RECEIVED
JUL 13 1983

Department of Water Resources
Western Regional Office

MICROFILMED

6Z-2646_

U.S. DEPT. OF INTERIOR

BUREAU OF LAND MGMT., IDAHO STATE OFFICE, 3380 AMERICANA TERRACE,
BOISE, ID 83706

Source: UNNAMED STREAM trib. to NORTH CRANE CREEK

Date Filed: 07/08/1983

Diversion Pt: NENE Sec 20 T 12N R 01E

Use: STOCKWATER STORAGE	(0.2 AF)
STOCKWATER FROM STORAGE	(0.2 AF)
WILDLIFE STORAGE	(0.2 AF)
WILDLIFE FROM STORAGE	(0.2 AF)

In: NENE Sec 20 T 12N R 01E

RECEIVED
JUL 11 1983
BUREAU OF LAND MANAGEMENT
IDAHO STATE OFFICE
BOISE, IDAHO

