

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Carol A. Adams
(Applicant)

MICROFILMED

MEMORANDUM


TO: File 67-07628
FROM: Brenda Chapman
DATE: April 21, 1993
RE: Licensing Review Information

=====

The dimensions on the field exam diagram conflicts with those used to calculate the acreage, cfs, and volume requirements.

The examiner calculated the requirements based on the area in question having equal lengths and widths; however, the diagram does not reflect that.

Examiner's calculations:




$$\begin{aligned}\text{TOTAL AREA} &= 525 \times 385 = 202,125 \\ \text{MINUS CUT OUT} &= 115 \times 235 = 175,000 \\ \text{MINUS DWELLING} &= (4,164) = 170,936 \\ &\quad \text{DRIVEWAY} \\ &\quad \text{SHED}\end{aligned}$$

$$170,936 \div 43,560 = 3.92 \text{ acres}$$

My calculations:

* NOT same DISTANCE



$$\begin{aligned}115 \times 290 &= 33,350 \\ 200 \times 525 &= 105,000 \\ \hline &138,350 \\ \text{minus HOUSE} &4,164 \\ \text{etc} &\hline &134,186\end{aligned}$$

$$134,186 \div 43,560 = 3.08 \text{ acres}$$

Recommend: Reduce acres to 3.1 instead of 4.

MICROFILMED

MAY 21 1993

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
MAR 25 1993
Department of Water Resources

A. GENERAL INFORMATION


1. Owner: Leonard & Carol Adams Permit No. 67-7628
Current Address: P.O. Box 9 Weiser, Idaho 83672 Phone No. 549-1650
2. Accompanied by: Leonard Adams EXAM. DATE: 7-22-91
Address: Same Phone No. Same
Relationship to Permit Holder: owner
3. Source: groundwater tributary to -NA-

B. OVERLAP REVIEW

1. Other water rights with same place of use: 67-04415 Sunnyside Ditch 67-07629 P.K.
no problem exist. ☐ Copies Attached
2. Other water rights with same point of diversion: same ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached




MICROFILMED

Scale: 1" = Not to scale

MAY 21 1993

2. ☒ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required). ☐ Aerial Photo Attached (required for irrigation of 10 acres or more).
☒ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater).



WEISER

Plu
Ph

PERMIT 67-7629 INIT
T. R. S. Q/Q
P/D 10n 5w 11 more
SCALE
PHOTO ID. MAY 21 1993

FELTHAM

67-7628



view of well,
well lies on
south west of
property. Located
on East/south side
of field area.



pasture land
irrigated from
well. Sprinkler
heads visible.
View from south
of field.

MICROFILMED

MAY 21 1993

67-7628



picture of house.
house is on east
of property.



view from
south east corner
of property.

UNION

MAY 21 1993

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 67-07628

Priority: June 2, 1983

Maximum Diversion Rate: 0.10 CFS
Maximum Diversion Volume: 14.0 AF

This is to certify, that LEONARD D ADAMS
CAROL A ADAMS

PO BOX 9
WEISER ID 83672

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated June 2, 1983; and has submitted Proof of Beneficial Use on July 29, 1988. An examination indicates that the works have a diversion capacity of .110 cfs of water from a **GROUNDWATER** source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
-----------------------	----------------------	--------------------------	----------------------

IRRIGATION	03/15 to 11/15	0.10 CFS	14.0 AF
------------	----------------	----------	---------

LOCATION OF POINT(S) OF DIVERSION:

NENE , Sec. 11, Township 10N, Range 05W
WASHINGTON County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
10N	05W	11	NENE	3.1		3.1

Total number of acres irrigated: 3.1

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than .03 cfs per acre nor more than 4.5 afa per acre for the lands above.

MICROFILMED

MAY 21 1993

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 67-07628

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 28TH
day of April, 1993.

Acting for R. Keith Higginson, Director

RECEIVED

MAY 21 1993

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant Leonard D. & Carol A. Adams Phone 549-1650 office
549-1937 home

Post office address P.O. Box 9 Weiser, Idaho 83672

2. Source of water supply well which is a tributary of _____

3. Location of point of diversion is NE $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 11 Township 10 N

Range 5 W B.M. Washington County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount .12 for irrigation purposes from April 1 to October 15 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. .12 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. 3 HP pump in 105' well into 3"
mainline to valves for sprinkler irrigation

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir
capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial
use is 5 years (minimum 1 year - maximum 5 years).

8. Description of proposed uses:

a. If water is **not** for irrigation:

(1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____
Range _____ B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered one to six steers

(4) Name of municipality to be served N/A, or number of families to be
supplied with domestic water one.

(5) If water is to be used for other purposes describe: raising of hay

MICROFILMED

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
10N	5 W	11	4																4

Total number of acres to be irrigated 4

c. Describe any other water rights used for the same purposes as described above. None

9. a. Who owns the property at the point of diversion Leonard D. & Carol A. Adams

b. Who owns the land to be irrigated or place of use Leonard D. & Carol A. Adams

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing

10. Remarks Domestic use and irrigation of 4 acres pasture. 8" well, 105' deep, drilled 3/79. 3 H.P. pump

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

Scale: 2 inches equal 1 mile.

MICROFILMED

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Carol A. Adams
(Applicant)

Proposed Priority 6/2/1983

Received by mr Date 6/2/83 Time 9:00 am

Preliminary check by CLS Fee \$ 30.00 + 28930

Received by SR Date 6/3/83

Publication prepared by SR Date 6/9/83

Published in The Wenatchee Signal

Publication dates 6/16 & 6/23/83

Publication approved ma Date 7/5/83

Protests filed by: none

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by DBS

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 67-7628, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before August 1, 19 88.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other:

Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.

Witness my hand this 26th day of August, 1983.

J. Glen Saxton
Chief, Operations Bureau

No. 798

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO, } ss.
County of Washington }

Doreen Booth, being duly sworn,
deposes and says:

That he is the clerk of
THE WEISER SIGNAL, a weekly newspaper published at
Weiser, in the County of Washington and State of Idaho; that
said paper has been and is in general circulation in the
county aforesaid, and in the vicinity of Weiser; that the ad-
vertisement, a copy of which is attached hereto, was pub-

lished in said newspaper once a week for 2 consecu-
tive weeks in the regular and entire issue of said paper dur-
ing the period and time of publication, and was published in
the newspaper proper and not in a supplement; that said
paper has been established and regularly published for more
than seventy-eight consecutive weeks prior to the date of
first publication of said advertisement.

Such notice was published in the issue beginning with
June 16, 1983, and ending
with the issue of June 23, 1983.

Booth
Fees, \$ 41.50

Subscribed and sworn to before me this 23
day of June, 1983

Notary Public, Residing at Weiser, Idaho.

My Commission Expires 1-1, 1987

No. 798

NOTICE OF APPLICATION FOR WATER RIGHT

The following applications have been filed to appropriate the public
waters of the State of Idaho:

67-7625

BARNES, JAMES OLIVER
526 EAST 12TH ST., WEISER, ID 83672
Source: SPRING trib. to SINKS
Date Filed: 06/07/1983
Diversion Pt: NWNE Sec 25 T 11N R 06W
Use: STOCKWATER (0.04 CFS)
In: NWNE Sec 25 T 11N R 06W

67-7626

MOORE, CHARLES RAY
P.O. BOX 509, WEISER, ID 83672
Source: GROUNDWATER
Date Filed: 04/22/1983
Diversion Pt: NWSE Sec 09 T 10N R 05W
Use: IRRIGATION (0.20 CFS)
In: NWSE Sec 09 T 10N R 05W FOR 10 ACRES

67-7628

ADAMS, LEONARD D. & CAROL A.
P.O. BOX 9, WEISER, ID 83672
Source: GROUNDWATER
Date Filed: 06/02/1983
Diversion Pt: NENE Sec 11 T 10N R 05W
Use: IRRIGATION (0.12 CFS)
In: NENE Sec 11 T 10N R 05W FOR 4 ACRES

The permits will be subject to all prior water rights. Protests must be
filed with the Director, Dept. of Water Resources, Western Region,
Statehouse, Boise, Idaho 83720 on or before JULY 5, 1983.

KEN DUNN, Dir.
Published 06/16 & 06/23/83

30-25

MICROFILMED



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000
Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

April 30, 1993

LEONARD D ADAMS
CAROL A ADAMS
PO BOX 9
WEISER ID 83672

RE: WATER RIGHT NO. 67-07628

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

A handwritten signature in cursive script, appearing to read 'Jim Johnson', written over the typed name and title.

JIM JOHNSON
Water Rights Supervisor

JJ:cz

Enclosure

RECEIVED
MAY 21 1993

MEMORANDUM


TO: File 67-07628
FROM: Brenda Chapman
DATE: April 21, 1993
RE: Licensing Review Information

=====

The dimensions on the field exam diagram conflicts with those used to calculate the acreage, cfs, and volume requirements.

The examiner calculated the requirements based on the area in question having equal lengths and widths; however, the diagram does not reflect that.

Examiner's calculations:




$$\begin{aligned}\text{TOTAL AREA} &= 525 \times 385 = 202,125 \\ \text{MINUS CUT OUT} &= 115 \times 235 = 175,000 \\ \text{MINUS DWELLING} &= (4,164) = 170,936 \\ &\quad \text{DRIVEWAY} \\ &\quad \text{SHED}\end{aligned}$$

$$170,936 \div 43,560 = 3.92 \text{ acres}$$

My calculations:

* NOT same DISTANCE



$$\begin{aligned}115 \times 290 &= 33,350 \\ 200 \times 525 &= 105,000 \\ \hline &138,350 \\ \text{minus HOUSE} &4,164 \\ \text{etc} &\hline &134,186\end{aligned}$$

$$134,186 \div 43,560 = 3.08 \text{ acres}$$

Recommend: Reduce acres to 3. instead of 4.

MICROFILMED

MAY 21 1993

LICENSE REVIEW CHECKLIST

Permit # 107-7628

Date 4-20-93

NAME	<u>Yes</u>	<u>No</u>	Address Change?
PRIORITY DATE	<u>Yes</u>	<u>No</u>	Advance?
	<u>Yes</u>	<u>No</u>	Memo to Advance
	<u>Yes</u>	<u>No</u>	Order to Reinstate Needed?
TOTAL CFS	<u>Yes</u>	<u>No</u>	Incorrect Fee for rate recommended?
	<u>NA</u>	<u>Yes</u>	Disagree/Measurement <u>NONE DONE</u>
	<u>Yes</u>	<u>No</u>	Pumping Theoretical $\frac{(8.8) \times (.7) \times (3)}{(75 + [2.31 \times 40])} = .11 \text{ CFS}$
	<u>Yes</u>	<u>No</u>	System Capacity <u>.11</u>
	<u>Yes</u>	<u>No</u>	Allowable Amount: <u>3.1 .03 = .10 CFS</u>
TOTAL VOLUME	<u>Yes</u>	<u>No</u>	Rate/ac <u>4.5</u> AFA Irr. Season <u>D</u>
	<u>Yes</u>	<u>No</u>	<u>3-15 to 11-15</u> Standard Irr. Season
	<u>Yes</u>	<u>No</u>	<u>Standard</u> Season Recommended
	<u>Yes</u>	<u>No</u>	Disagree with Examiner's Calculations?
	<u>Yes</u>	<u>No</u>	<u>3.1 X 4.5 = 13.95</u>
	<u>Yes</u>	<u>No</u>	Flow limit: <u>.11</u> x <u>246</u> x <u>1.9835</u> = <u>53.67</u> <u>13.95</u>
SOURCE	<u>Yes</u>	<u>No</u>	Changes? Clarification of <u>Originally</u>
	<u>Yes</u>	<u>No</u>	<u>Intended</u> source
	<u>Yes</u>	<u>No</u>	Notice of Intent to Void.
P/D	<u>Yes</u>	<u>No</u>	Amendment Needed?
	<u>Yes</u>	<u>No</u>	Is Overlap Analysis a Consideration?
P/U	<u>Yes</u>	<u>No</u>	Amendment Needed?
	<u>Yes</u>	<u>No</u>	Is Overlap Analysis a Consideration?
USES	<u>Yes</u>	<u>No</u>	Change(s) in Nature of Use?
	<u>Yes</u>	<u>No</u>	Amendment Needed?
REMARKS	<u>Yes</u>	<u>No</u>	Multiple P/Ds in 1/4 1/4?
	<u>Yes</u>	<u>No</u>	Non-Irr. Uses
	<u>Yes</u>	<u>No</u>	Special Overlap Condition
	<u>Yes</u>	<u>No</u>	Other
CONDITIONS	<u>Yes</u>	<u>No</u>	Measuring Devices
	<u>Yes</u>	<u>No</u>	W/Master Control
	<u>AS2</u>	<u>Yes</u>	Overlap
	<u>Yes</u>	<u>No</u>	Water Quality
	<u>Yes</u>	<u>No</u>	Dates/Misc
	<u>Yes</u>	<u>No</u>	Water Dist
	<u>Yes</u>	<u>No</u>	App Rec'd
	<u>Yes</u>	<u>No</u>	Exam Made

COMMENTS: REDUCE ACRES TO 3.1 from 4; reduce rate

LICENSE ✓ AMEND SPECIAL PARAGRAPH

11 STATIONS

$\frac{5}{32} \text{ HEADS} = \frac{4.61 \text{ gpm} \times 11}{448.8 \text{ gpm}} = .11 \text{ CFS}$
 @ 40 PSI

NOTE: Dimensions do not coincide.

A. GENERAL INFORMATION

Permit No. 67-7628

1. Owner: Leonard & Carol Adams

Phone No. 549-1650

Current Address: P.O. Box 9 Newer, Idaho 83672

2. Accompanied by: Leonard Adams

EXAM. DATE: 7-22-91

Address: Same

Phone No. 444-4444

Relationship to Permit Holder: owner

3. Source: groundwater tributary to -1A-

B. OVERLAP REVIEW

1. Other water rights with same place of use: 67-04415 Swamy side Bldg 67-07639 P.Kc

no problem cost

☐ **Copies Attached**

2. Other water rights with same point of diversion:


none

☐ Copies Attached

☐ **Copies of Field Exam's Attached**

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = Not to scale

MAY 21 1993

2. ☒ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required). ☐ Aerial Photo Attached (required for irrigation of 10 acres or more).
☒ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater).

System Description (continued)

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

The system uses a 3hp pump through a 8" casing well. The well is 125' deep, and pulls from a 45' static level. The discharge is a 5" line with gate valves for sprinkler irrigation. 10 to 12 sprinklers run at a time.

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
Submersible	-NA-	3hp	-NA-	-NA-	3"

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			ne	ne	11	10n	5w	Washington	Quads / Verified

6. Place(s) of Use:

Indicate Method of Determination

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
10n	5w	11	4																4 Ac.

MICROFILMED

MAY 21 1993

Do not use this space

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
NONE						

2. Measurements:

Theoretical; $3 \text{ hp} \times 8.8 \times .70 \text{ eff} = 18.48$
 $75 \text{ dyn} \div (2.3 \times 40) = 1.67$
 $18.48 - 1.67 = 16.81$
 $16.81 \div 1.5 = 11.2 \text{ cfs}$
 found from well logs in same 1/4, 1/4
 Total Output

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

Sprinkler head:

2. Alternate Method for Checking Purposes:

Theoretical: .11 cfs

irrigation = $\frac{5}{32}$ heads, 40 psi, 11 pipes

$\frac{4.61 \times 11}{4488} = .113 \text{ cfs}$

Permit
 $.03 \times 4 \text{ acres} = .12 \text{ cfs}$

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3)

; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

-NA-

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = \frac{175100 \text{ sgft} - 4164 \text{ ft}}{43560} = 3.92 \text{ Acres}$

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = .11 \times 245 \times 1.9835 = 53.5 \text{ AFA}$

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 18.0 \text{ AFA}$

2. Volume Calculations for Other Uses:

MICROFILMED

MAY 21 1993

H. REMARKS AND OVERLAP REVIEW ANALYSIS

There are no overlapping rights or conflicts in
P/d or P/u.

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
IRRIGATION	3/15	11/15	.11 cfs	18.0 afa
Totals:			.11 cfs	18.0 afa

2. Recommended Amendments

☐ Change P.D. as reflected above

☐ Add P.D. as reflected above

☒ None

☐ Change P.U. as reflected above

☐ Add P.U. as reflected above

☐ Other

J. AUTHENTICATION

Field Examiner's Name

JFW 4/7/92

Signature

Certification Date


Field Report Preparation Date

DAVID GRAY

David Gray

7-23-91

8-08-91



K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

RECEIVED

MAY 21 1993

WEISER

← P1u
P1

PERMIT _____ INIT _____
T. R. S. QAL
P/D _____
SCALE _____
PHOTO ID. _____ MAY 1 1993

14

Department of Water Resources

WELL INSPECTION FORM

If well is associated with water right, provide WR# 67-07628

Otherwise provide legal description and a sketch map and/or address so that the well can be located easily.

1. Legal Description: TWP 10N, Rge 5W, Sec. 11, NE 1/4 NE 1/4 or Lot _____.

2. Owner: Leonard ; Carol Adams
Address P.O. Box 9, City Albion, St. Idaho

3. Casing $\geq$ 12 inches above ground: Yes ☒ No _____

4. Access Port: Yes _____ No ☒ Static Water Level: 75'
Pressure Gauge: Yes _____ No ☒ Casing Diameter: 8"
Flowing: Yes _____ No ☒ Temperature: NA-

5. Are there any obvious construction problems that may be a source for contamination or waste of water: Yes _____ No ☒

If answer to Item 5 is Yes, describe in remarks and attach photo.


Remarks: The well looks to be in fine shape

RECEIVED

MAY 21 1993



top of well,
well lies on
south west of
property. Located
on east/south side
of field area.



pasture land
irrigated from
well. Sprinkler
heads visible.
view from south
of field.

MICROFILMED

MAY 21 1993

07-513



picture of house,
house is on east
of property



view from
south east corner
of property

ALION MED

MAY 21 1993



State of Idaho

DEPARTMENT OF WATER RESOURCES

WESTERN REGION, 2735 Airport Way, Boise, Idaho 83705 • (208) 334-2190

CECIL D. ANDRUS
Governor

R. KEITH HIGGINSON
Director

November 19, 1988

67-7628
Leonard/Carol Adams
P.O. Box 9
Weiser, ID 83672

Dear Applicants(s):

We acknowledge receipt of your statement submitted as proof as beneficial use for the above-referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department. A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office.

Sincerely,

Judy Pense
Secretary

/jp

RECEIVED

MAY 21 1993

1/88

PROOF OF BENEFICIAL USE

ANALYSIS SHEET

Permit No. 67-7628

Date: 10/13/88

General Considerations:

Y Name same as permit
Y Signature the same as permit holder
N Address change _____ If yes, prepare a data entry
Y Proof received timely _____
_____ Reinstated

Source of Water:

Y Surface water
Y Groundwater
N 1. well log in file Not found, due to age of well
N/A 2. drilling permit
_____ A. amount of drilling fee paid for proposed uses

Extent of Use and Rate of Diversion:

Y Rate of diversion appropriate for uses
Y Is rate or volume and fee appropriate?
Y Has permit holder indicated when water was first put to a beneficial use?

Measuring Device:

N/A Is a measuring device or access port required?
N/A Has one been installed?
_____ Waiver or modification of measuring device requested

Remarks:

Proof acceptable

N/A

Priority Calculation:

Date proof received	_____	_____
Date proof due	_____	_____
No. of days late	_____	_____
Priority date	_____	+
NEW PRIORITY DATE	_____	_____

SEND FILES TO DATA ENTRY AND THEN TO MICROFILM

RECEIVED

JUL 29 1988

For Office Use Only
Fee Received \$50.00
Date 8/1/88
Receipt # 0002086
Receipt by CP
Reviewed by JS
Sent to region

STATE OF IDAHO Department of Water Resources

DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 67-7628

Name(s) of Permit Holder: LEONARD D & CAROL A ADAMS

Post Office Address: PO Box 9

WEISER IDAHO 83672 Telephone No. 549-1650

Source of Water: 105' WELL, 3HP PUMP

Extent of Use:

Domestic 1 (number of households) Stockwater 6 STAGS, 1 HAIF (number and type of stock)
Irrigation 4 1/2 ACRES (acres) Other/Remark RAISE HAY

Total rate and/or volume for which proof is submitted 15.12 cts acre-feet

Per App. for Permit. Letter 10/1/88

Show the date water was first diverted and beneficially used under this permit: MARCH, 1979

Measuring Device: Required? Yes X No
Installed? Yes No

Fee enclosed \$50
(See License Examination Fee Schedule)

Flow Measurement Port: Required? Yes X No
Installed? Yes No

Person to contact to accompany the Department representative during the field examination:

LEONARD D ADAMS 549-1650
(Name) (Telephone Number)

RT & Box 19 WEISER IDAHO
(Address)

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

RECEIVED

OCT 14 1988

7/28/88
Date

Leonard Adams, owner
Signature of Permit Holder (and title, if appropriate)

October 7, 1988

Leonard D. and Carol A. Adams
P. O. Box 9
Weiser, ID 83672

RE: Permit No. 67-7628

Dear Permit Holders:

The department has received your proof of beneficial use form submitted to this office on July 29, 1988, requesting water use at a rate of 0.15 cfs.

Please note the enclosed copy of your application for permit, the maximum amount of water use approved is 0.12 cfs.

In compliance with the statutes, a water right license could not be issued for a rate greater than the permit approval. Your proof of beneficial use form has been amended by showing 0.12 cfs as the maximum rate of diversion for the permit.

The department will continue processing the proof by notifying the regional office that a field inspection is needed.

If you have any questions concerning this matter, please feel free to contact this office.

Sincerely,

RITA I. FLECK
Secretary/Records Manager

Enclosures

c: W. Region

MICROFILMED

OCT 14 1988

To: File 67-7628

From: Groundwater Protection

Date: 10/7/88

Drilling Permit: ☒ Not Applicable
☐ Found and in file
☐ Not Found

Well Drillers Report:
☒ Not found, due to reported age of well
probably not available
☐ Found and is in file
☐ Not found

Follow-up
☐ Request from permit holder the well
drillers report and/or the name of the
well driller.
☐ Ask permit holder when well was drilled
and notify holder of drilling permit
requirement if after July 01, 1987.

Mr. H. H. H. (driller) is
deceased. His records
are not available.

No further action recommended.
OK

JB.

MICROFILMED

OCT 14 1988



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720 - (208) 334-7900

CECIL D. ANDRUS
GOVERNOR
R. KEITH HIGGINSON
DIRECTOR

RECEIVED

OCT 03 1988

September 23, 1988

Department of Water Resources

Leonard D. and Carol A. Adams
P. O. Box 9
Weiser, ID 83672

RE: Permit No. 67-7628

Dear Permit Holder:

The department received your Proof of Beneficial Use form, however, before completing processing, additional information is needed.

If you have a well driller's report, please send a copy to the department. If you do not have one, please let me know who drilled the well and when it was drilled.

Please remit the requested information by October 23, 1988 to keep your permit in good standing.

If you have any questions, feel free to call me.

Sincerely,

RITA I. FLECK
Secretary/Records Manager

c: W. Region

I DON'T HAVE A COPY OF "WELL DRILLER'S REPORT"
WILL THE ENCLOSED INVOICE FROM HOLLOWAY SUFFICE?

RECEIVED

OCT 14 1988

1/4 — 1/4 — 1/5 — STATEMENT 10/23 1979
 Ontario, Oregon, Bud Adams
8" well

In Account With
HOLLOWAY DRILLING CO.
 MAX HOLLOWAY
 DOMESTIC — COMMERCIAL — IRRIGATION
 6 TO 24 INCH



80 Hillcrest Drive

Phone 889-5529

75'	8" Cased hole at 16 ⁰⁰ per ft.	1200 ⁰⁰
30'	8" open hole at 8 ⁰⁰ per ft.	240 ⁰⁰
1'	8" drive shoe at 50 ⁰⁰	50 ⁰⁰
105'	8" well complete	1490 ⁰⁰
static water level 75'		
well pumped 50 gal per minute		
with the pump set at 97' deep		
from top of casing		
Paid 3/27/79 # 3714		

Our Most Valued Bit of Advertising is Customer Satisfaction.
 We Won't Tell You — You Tell Us.
 Max of the Holloway Drilling Co.



OCT 14 1980

L.D. Adams
P.O. Box 9
Weiser, ID 83672



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
1301 N. ORCHARD STREET
STATEHOUSE MAIL
BOISE, IDAHO 83720

ATTN: RITA FLECK

September 23, 1988

Leonard D. and Carol A. Adams
P. O. Box 9
Weiser, ID 83672

RE: Permit No. 67-7628

Dear Permit Holder:

The department received your Proof of Beneficial Use form, however, before completing processing, additional information is needed.

If you have a well driller's report, please send a copy to the department. If you do not have one, please let me know who drilled the well and when it was drilled.

Please remit the requested information by October 23, 1988 to keep your permit in good standing.

If you have any questions, feel free to call me.

Sincerely,

RITA I. FLECK
Secretary/Records Manager

c: W. Region

RECORDED

OCT 14 1988

To: File 67-86 28

From: Groundwater Protection

Date: 9/20/88

Drilling Permit: ☒ Not Applicable
☐ Found and in file
☐ Not Found

Well Drillers Report:

☒ Not found, due to reported age of well
probably not available
☐ Found and is in file
☒ Not found

Follow-up

☒ Request from permit holder the well
drillers report and/or the name of the
well driller.
☐ Ask permit holder when well was drilled
and notify holder of drilling permit
requirement if after July 01, 1987.

923

RECEIVED

OCT 14 1988

138768
CERTIFIED MAIL
May 31, 1988

ADAMS, LEONARD D. & CAROL A.
P.O. BOX 9
WEISER, ID 83672

PROOF DUE NOTICE

RE: Permit No. 67-7628

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before August 1, 1988. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a completed field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this Department on or before the above described proof due date, or the permit will no longer be of any force nor effect.

Sincerely,

RITA FLECK
Secretary/Records Manager

Enclosures

MICROFILMED


OCT 14 1988

Leonard A. Adam
Signature of Permit Holder

ADAMS

PO Box 9

WEISER IDAHO 836700



OCT 14 1988



IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440

ADAMS, LEONARD D. & CAROL A.
P.O. BOX 9
WEISER, ID 83672

SEPTEMBER 14, 1983

RE: PERMIT NO. 67-7628

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

THE 1982 IDAHO LEGISLATURE ADDED A REQUIREMENT THAT AS A PERMIT HOLDER YOU MUST COMMENCE THE EXCAVATION OR CONSTRUCTION OF DIVERTING WORKS WITHIN ONE YEAR OF THE DATE THE PERMIT WAS ISSUED, AND YOU MUST PROCEED DILIGENTLY UNTIL THE PROJECT IS COMPLETED. THE ENCLOSED BLUE CARD MUST BE COMPLETED AND RETURNED TO THIS OFFICE AS SOON AS YOU COMMENCE CONSTRUCTION, NO LATER THAN ONE YEAR FROM THE DATE THE PERMIT WAS APPROVED.

WE HAVE ENCLOSED INSTRUCTIONS ENTITLED "MAKING PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT INTO A LICENSE.

SINCERELY,

DAVID R. TUTHILL, JR., P.E.
SUPERVISOR, WATER ALLOCATION SECTION

ENCLOSURE

MICROFILMED

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: 6LS

APPLICATION NUMBER: 67-7628

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.
☐ Yes ☒ No Field check required.
☐ Yes ☒ No Critical groundwater area.
☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☐ No* In form to receipt.

Field check by: _____

Date: _____

Comments: _____

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☐ Idaho State Health Department.
☐ Idaho Fish and Game Department.
☐ Idaho Department of Lands.
☐ U.S. Bureau of Land Management.
☐ U.S. Forest Service.
☐ Other _____

Copies sent by: _____ Date: _____

PROCESSING:

- ☐ Yes ☐ No Platted by: _____ Map No. _____
☐ Yes ☒ No Other rights on same place of use. None

- ☒ Yes ☐ No* In form for advertising.
Final date for protests: July 5, 1983 ✓
☐ Yes ☒ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 7-18-83 ✓
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application. 30, 28932
☒ Publication dates and paper, recorded on application. The Wainwright, Signal
☒ Protests, dates, withdrawal, etc., recorded on application. 6/16 & 6/27/83
☒ Recommendation & initial, recorded on application.
☐ Yes ☒ No Measuring device required.
☐ Yes ☒ No Access port required.
☐ Yes ☒ No Will water be delivered by watermaster? If yes, what district? _____
✓ 6/2/83 Date of priority recommended.
Special conditions of approval or cover letter. I.P. Gwiltner

By: OBS Date: 8/22/83

STATE OFFICE REVIEW: return receipt

SLW/LIT 26
☐ See attached sheet for more information.
By: [Signature] Date: 8/24/83

RECEIVED

AUG 23 1983

Department of Water Resources

UNOFFICIAL

POINT OF DIVERSION AND STREAM INDEX INFORMATION

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
IDAHO STREAM CODE INDEX						

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
IDAHO STREAM CODE INDEX						

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
IDAHO STREAM CODE INDEX						

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
IDAHO STREAM CODE INDEX						

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
IDAHO STREAM CODE INDEX						

62-7628-

ADAMS, LEONARD D. &/or CAROL A.

P.O. BOX 9, WEISER, ID 83672

Source: GROUNDWATER

Date Filed: 06/02/1983

Diversion Pt: NENE Sec 11 T 10N R 05W

Use: IRRIGATION (0.12 CFS)

In: NENE Sec 11 T 10N R 05W FOR 4 ACRES

RECEIVED
JUN 17 1983

3/79

IDENT. NO. 67-7628

I D A H O D E P A R T M E N T O F W A T E R R E S O U R C E S

WATER RIGHT
DATA ENTRY LOG

[illegible]