


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

David L. Erickson

(Applicant)

Affidavit of Publication:

STATE OF IDAHO }
County of Washington } ss.

Stuart Dopf, being duly sworn deposes and says he is the publisher of the Upper Country News-Reporter, a weekly newspaper published at Cambridge, in the County of Washington, State of Idaho; that said newspaper is in general circulation in the county of aforesaid and is a legal newspaper; that the annexed, a printed copy of which is attached hereto and made a part hereof, was published in said newspaper once a week for 2 consecutive weeks in the regular and entire issue of every number thereof during the period of time of publication, and was published in the newspaper proper and not in a supplement; and that publication of such notice began March 4, 1982 and ended March 11, 1982

Stuart Dopf

Subscribed and sworn to before me

this 15th day of

MARCH, 1982

W. H. Lipe

Notary Public in and for the State of Idaho, residing at Cambridge, Idaho 83610.

NOTICE OF APPLICATION FOR WATER HT

Notice is hereby given that the following application has been submitted for permit to appropriate the public waters of the State of Idaho:

67-7561 ✓

DICKERSON, DAVID F.
STAR RT. CAMBRIDGE, ID
83610

Source: GROUNDWATER

Date Filed: 2/3/1982

Amount: 2.00 CFS

Diversion Point: NWNW Sec. 14
T 14N R 2W, WASHINGTON Co.

Use: IRRIGATION (2.00 CFS)
from 4/1 to 11/30

Place of Use: NWNE SWNE
NENW NWNW Sec 14 T 14N R 2W
NESW SWSW SESW SWSE Sec 11
T 14N R 2W FOR 272 ACRES

Diversion Means: WELL &
PUMP

If issued, the permit will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 92 S. Cole Road, Boise, Idaho 83709 on or before MARCH 22, 1982.

A. KENNETH DUNN
Director


Published 3/4 & 3/11/82.

RECEIVED


MAR 16 1982

Department of Water Resources
Western Regional Office

RECEIVED




Ditch Pumps
Permit No.
67-7489
67-7312



Well
Permit No.
67-7561

NOT RECORDED
JUN 10 1991.



RECEIVED
JUN 10 1991

HOLLADAY ENGINEERING CO.			
DAVE DICKERSON			
JOB NO. 030488			
DN	CG	CK	DC

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 67-07561

Priority: November 4, 1982

Maximum Diversion Rate: 1.00 CFS
Maximum Diversion Volume:¹ 486.8 AF

This is to certify, that DAVID F. DICKERSON
STAR RT.

CAMBRIDGE, ID 83610

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated February 3, 1982; and has submitted Proof of Beneficial Use on March 31, 1982. An examination indicates that the works have a diversion capacity of 1.000 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/01 to 11/01	1.00 CFS	486.8 AF

LOCATION OF POINT(S) OF DIVERSION: NWNW , Sec. 14, Township 14N, Range 02W
WASHINGTON County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
14N	02W	11	NESW 12	SWSW 30	SESW 40	122
		14	SWSE 40	SWNE 40	NENW 40	150
			NWNE 40			
			NWNW 30			

Total number of acres irrigated: 272

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 4.0 afa per acre for the lands above.

MICROFILMED

JUN 10 1991

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 67-07561

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 26TH
day of April, 1991.

Acting for

R. Keith Higginson, Director

RECEIVED
JUN 10 1991

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

RECEIVED

APPROVED

APPLICATION FOR PERMIT

FEB 3 1982

To appropriate the public waters of the State of Idaho

Department of Water Resources

1. Name of applicant David F. Dickerson Phone 257-3581

Post office address Star Route, Cambridge, ID 83610

2. Source of water supply Groundwater which is a tributary of _____

3. Location of point of diversion is NW $\frac{1}{4}$ of NW $\frac{1}{4}$ of Section 14 Township 14N

Range 2W B.M. Washington County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 2.0 for irrigation purposes from 4-1 to 11-30 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 2.0 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. well and pump

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is 8 inches; proposed depth of well is 300 feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial

~~Existing~~ use is 1 years (minimum 1 year — maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____

Range _____ B.M. _____

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water _____

(5) If water is to be used for other purposes describe: _____

RECEIVED

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
14N	2W	14		40	40		40	30											150
		11									12		30	40			40		122

Total number of acres to be irrigated 272

c. Describe any other water rights used for the same purposes as described above. _____
 Permit No. 67-7312, replacement for 67-7458 - Lapsed

9. a. Who owns the property at the point of diversion Applicant


b. Who owns the land to be irrigated or place of use Applicant

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing _____

10. Remarks _____

RECEIVED
 07-11-2010

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

David L. Culhane
(Applicant)

Proposed Priority 2/3/1982

Received by JP Date 2-3-82 Time 8:30

Preliminary check by JP Fee \$ 65.00 # 21915

Received by JP Date 2/9/82

Publication prepared by JP Date 2/25/82

Published in Upper County News Reporter

Publication dates 3/4 & 3/11/82

Publication approved JP Date 4/6/82

Protests filed by: None

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by GLS RC

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 67-7561, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before May 1, 19 83.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. Other: An access port or other device as specified by this Department shall be installed by the permit holder to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department.

Witness my hand this 28th day of April, 1982.

J. Glen Sayton
Chief, Operations Bureau

APR 15 1982

Affidavit of Publication:

STATE OF IDAHO
County of Washington

ss.

Stuart Dopf, being duly sworn deposes and says he is the publisher of the Upper Country News-Reporter, a weekly newspaper published at Cambridge, in the County of Washington, State of Idaho; that said newspaper is in general circulation in the county of aforesaid and is a legal newspaper; that the annexed, a printed copy of which is attached hereto and made a part hereof, was published in said newspaper once a week for 2 consecutive weeks in the regular and entire issue of every number thereof during the period of time of publication, and was published in the newspaper proper and not in a supplement; and that publication of such notice began March 4, 1982 and ended March 11, 1982

Stuart Dopf

Subscribed and sworn to before me

this 15th day of MARCH, 1982

W. H. Liker

Notary Public in and for the State of Idaho, residing at Cambridge, Idaho 83610.

NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following application has been submitted for permit to appropriate the public waters of the State of Idaho:

67-7561

DICKERSON, DAVID F.
STAR RT. CAMBRIDGE, ID
83610

Source: GROUNDWATER

Date Filed: 2/3/1982

Amount: 2.00 CFS

Diversion Point: NWNW Sec. 14
T 14N R 2W, WASHINGTON Co.

Use: IRRIGATION (2.00 CFS)
from 4/1 to 11/30

Place of Use: NWNE SWNE
NENW NWNW Sec. 14 T 14N R 2W
NESW SWSW SESW SWSE Sec 11
T 14N R 2W FOR 272 ACRES

Diversion Means: WELL &
PUMP

If issued, the permit will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 92 S. Cole Road, Boise, Idaho 83709 on or before MARCH 22, 1982.

A. KENNETH DUNN
Director

Published 3/4 & 3/11/82.

RECEIVED

MAR 16 1982

Department of Water Resources
Western Regional Office

April 29, 1991

DAVID F. DICKERSON
STAR RT.
CAMBRIDGE, ID 83610

RE: WATER RIGHT NO. 67-07561

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:blm

Enclosure

JUN 10 1991

April 3, 1991

DAVID F. DICKERSON
STAR RT.
CAMBRIDGE, ID 83610

RE: WATER RIGHT NO. 67-07561

Dear Water Right Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

Please note that the date of priority of this right has been advanced due to late submittal of the examination fee &/or exam fee information sheet.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

Sincerely,

SHARLA CURTIS
Technical Records Specialist

SC:blm

Enclosure

RECEIVED
JUN 10 1991

OK w/ standard overlap condition

WR0722NP
(00-22)

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHTS BY POINT OF DIVERSION

DATE: 03/29/91
PAGE: 1

WATER RIGHT NO.	LAST NAME	STG	PRIORITY DATE	WATER SOURCE	WATER USE	RATE cfs	CAPACITY	TWP	RNG	SECT	TRACT	LOT
~~67-07561~~	~~DICKERSON~~	P	02/03/1982	GROUNDWATER	IRR	2.00		14N	02W	14		NNNW
L67-07561	DICKERSON	L	11/04/1982	GROUNDWATER	IRR	1.00	1.00	14N	02W	14		NNNW

RECEIVED

JUN 10 1991

BENEFICIAL USE FIELD REPORT REVIEW

TO: TO FILE 67-7561

FROM: ROXANNE MCCARTHY

RE: PRIORITY ADVANCE REVIEW

DATE: 6-DEC-1988

=====

This review memo is prepared to show the process for determining what elements were involved in advancement of the priority.

	<u>DATE</u>	<u>JULIAN</u>
PERMIT		
Permit priority Date:	OCTOBER 05 1981	278
EXAM FEE NOTICE		
Exam Fee Notice Date:	APRIL 10 1987	100
Exam Fee/Info Sheet Received Date:	APRIL 06 1988	461
Exam Fee or Info Due Date:	JUNE 09 1987	160
Days Late:		301 DAY(S)
CERTIFIED EXAM		
Exam Received Date:	MAY 26 1988	146
Exam by Examiner Due Date:	APRIL 10 1988	100
Days Late:		46 DAY(S)
NEW PRIORITY DATE		
Orginal Priority Date:	OCTOBER 05 1981	278
Total Days Late:		347 DAY(S)
New Priority Date:	SEPTEMBER 17 1982	260

RECEIVED

JUN 10 1991

MEMORANDUM

TO: FILE

FROM: JIM JOHNSON

RE: CERTIFIED EXAM REVIEW

DATE: 24-OCT-1988

=====

OVERVIEW

Rights 67-7312, 67-7489, 67-7561 all use the same delivery system to irrigate 512 acres.

Right 67-7561 uses groundwater and is interconnected to the pipe net work used by the other two rights which have a source of Little Weiser River. (See schematic in Field Report)

The total rate of flow diverted by the surface water system is 3.8 cfs and the well was measured diverting 1.00 cfs.

The permit holder can divert water to either an open ditch system or to an enclosed sprinkler system.

Any combination of 3 pumps can be turned at any time depending on the need.

The lands are located on the most part above an existing canal and receive water via the pumping station. Some of the water diverted into the sprinkler network is, at times, diverted onto land irrigated below the canal, which also receives water under the right holders decreed rights from the same source.

OVERLAP ANALYSIS

The most straight forward right was rt. 67-7561 which is for groundwater. The rate of flow and volume used reflects the maximum capacities and condition R31 was added which is standardly used on this type of overlap.

The Surface water rights, however, were more complex.

RECEIVED

JUN 10 1991

As a system, a total of 3.8 cfs of surface water is diverted over an area of 512 acres. The permit holder has the option of flood irrigation or sprinkler irrigation any combination of acres depending on type of crops.

Each of the two permits contain partial overlapping place of use descriptions.

The current Draft Administrative Memorandum did not have an directive for this specific type of overlap.

RECOMMENDED LICENSE

Adjustment was made to the place of use description on the second or junior right removing all of the land areas overlapping the first right. This reduced the right from 484 acres to 212 acres.

The rate of flow on the first right was left at 2.00 cfs but the volume was left blank and a special condition was put on the license. See explanation in following paragraphs.

The rate of flow on the second right was limited to the capacity of the two pumps (3.8 cfs) and a condition was put on the license limiting the combined rate of diversion of the two rights to 3.8 cfs.

The rate of flow diverted from the source did not produce sufficient volume to supply total irrigation requirements to the entire 512 acres. Therefore, a condition was added to each right limiting the volume diverted under the combined rights to 1846.6 acre feet.

Due to the source being the Little Weiser River, it is doubtful that these licenses will be allowed to divert any where near this volume.

JUN 10 1997



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720 - (208) 334-7900

CECIL D. ANDRUS

GOVERNOR

R. KEITH HIGGINSON

DIRECTOR

August 1, 1988

RE: Permit Nos. 67-7312, 67-7489, 67-7561

Holladay Engineering Co.
Attn: Darrel Clapp
P.O. Box 211
Payette, ID 83611

Dear Darrel:

We are in the process of reviewing the certified examination report submitted by you for the above referenced permits. Before we can proceed with this review and the eventual license issuance, several areas are lacking in sufficient information to satisfy requirements of the Beneficial Use Examination Rules and Regulations. Therefore, the report is being returned to you for additional information in the following areas:

Rule 5,1,2 - Permitted uses partially developed by the permit holder need to be described. Any uses determined to exist which are not authorized by the permit need to be noted.

1. Each permit must have its own Beneficial Report. Sources or points of diversion from other permits should not be included item 5.

2. Item 6. cannot include land irrigated in excess of acres identified on the permit.

3. Item I. should only contain the use authorized by the permit. Amounts for other permits should not be included.

Rule 5,2,1 - The field report must be properly endorsed with an engineer or geologist seal and signature.

Rule 6,4 - Theoretical diversion rates or capacities are not acceptable except for some systems where an exemption is granted by the director including systems not requiring a measuring device, access port or certified water measurement.

The use of Velocity Probe in lieu of an installed measuring device for permits 67-7489 and 67-7312 is not acceptable.

JUN 10 1991

Page 2

Rule 5,1,6 - Compliance with any conditions of approval of the permit must be shown on the field report.


Permits 67-7489 and 67-7312 required the installation of a measuring device. Please identify if condition has been met by describing type of measuring device installed.

Rule 5,2,3 - If a field report is returned to the certified examiner for more information and the information is not received within 30 days or the time specified in the notice, the priority date of the permit will be advanced one day for each day the information submittal is late.

Please submit the above requested information within 30 days of receipt of this letter in so that licensing can proceed.

If you have any questions on this, please feel free to contact us.

Sincerely,


JIM JOHNSON
Water Rights Supervisor

JJ:sc

cc: Dave Dickerson

0 1991

CERTIFIED EXAM REVIEW

TO: FILE 67-7561

FROM: JIM JOHNSON

RE: PRIORITY ADVANCE

DATE: 8-1-88

=====

This document is prepared to show the review process for determination of the advancement of priority of the water right.

A. PERMIT

Proof Due Date:	05-01-1983 ✓
Proof Received Date:	03-31-1982 ✓
(No Priority Advance Required)	

B. EXAM FEE NOTICE

Exam Fee Due Date:	06-09-1987
Notice of Certified Examiner Due:	06-09-1987 ✓
Notice of Certified Examiner Received:	04-06-1988 ✓
Number of Days Late:	350

C. CERTIFIED EXAMINER

Exam By Certified Examiner Due Date:	04-10-1988
Exam Received From Examiner Date:	05-26-1988 ✓
Number of Days Late:	45

D. CALCULATE NEW PRIORITY DATE

Priority Date of Permit:	10-05-1981
Plus Number of Days Late:	395 ✓
(Sum of Items A,B,C)	
New Priority Date:	11-04-1982

=====

JUN 10 1991

RECEIVED

SEP 09 1988

RECEIVED

MAY 26 1988

Form 219
86

Department of Water Resources

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

Department of Water Resources
Western Regional Office

BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION

Permit No. 67-7561

1. Owner: Dave Dickerson

Phone No. 257-3581

Current Address: Star Route, Cambridge, Id 83610

2. Accompanied by: D. Clapp

EXAM. DATE: 4/6/88

Address: 1050 Lower Crane, Weiser, Id

Phone No. 642-3304

Relationship to Permit Holder: None

3. Source: Little Weiser tributary to Weiser ✓

SOURCE:
GROUNDWATER

B. OVERLAP REVIEW


1. Other water rights with same place of use: 67-7489, 67-7312, 67-048

2. Other water rights with same point of diversion: _____

☐ Copies Attached ☐ Copies of field exams Attached

C. SYSTEM DESCRIPTION

1. Diversion System Diagram: Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = _____

2. ☐ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).

☒ Aerial Photo Attached
(required for irrigation of 10 acres or more).

☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).

10 1991

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
Velocity Probe	2 Range	MEAD	HP-302	3846	5/10 f/s	7/86

2. Measurements:

Well 4.8 ft/sec 8" al. 4.5" water = 1.0 cfs
 Total 10.1cfs

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

Propeller Flow meter using table T-4 on page 7-30 Handbook of Hydraulics by King and Brater - 5th ed.

2. Alternate Method for Checking Purposes:

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3); Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 272 \times 5 \text{ acre ft/acre} = 1360$

$V_{DR} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 21 \text{ cfs} \times 150 \text{ day} \times 1.9835 = 297.5$

$V = \text{Smaller of } V_{IR} \text{ and } V_{DR} = 297.5 \text{ acre ft (VIR.)}$

2. Volume Calculations for Other Uses:

RECEIVED
JUN 10 1991

System Description (continued)

3. **Narrative:** Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

[illegible]

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
Well	GE	30	BRJ221271	Johnson	6" 27220

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

[illegible]

6. Place(s) of Use:


Indicate Method of Determination

[illegible]


Do not use this space

[illegible]

JUN 10 1991




Ditch Pumps
Permit No.
67-7489
67-7312



Well
Permit No.
67-7561

MI 00 FILMED

JUN 10 1991





DITCH PUMPS & MOTORS

[Handwritten signature]

JUN 10 1991

HOLLADAY ENGINEERING CO.			
DAVE DICKERSON			
JOB NO. 030488			
DN	CG	CK	DC



May 11, 1988

David F. Dickerson
Star Rt.
Cambridge, ID 83610

RE: PERMITS 67-7312, 67-7489 AND 67-7561

Dear Mr. Dickerson:

LAPSE NOTICE

The department has reviewed your letter dated April 5, 1988 which advised that the beneficial use examination in connection with the above referenced permits will be conducted by Holladay Engineering. Your letter also requested additional time in which to conduct the examination and to submit the completed examinations to the department.

There is not a procedure by which the department can grant an extension of time for this purpose. The examinations can, however, be conducted in the time frame you suggest, but you need to be aware that the permits are losing one day of priority for each day after June 9, 1987 (not 1988) that the submittal is late.

This letter will also serve as notice that the permits have lapsed for failure to timely submit the completed beneficial use field examinations. This essentially means that the completed field examinations need to be received by the department in acceptable form within sixty (60) days of the date of this letter or the permits will become of no further force nor effect.

Please feel free to contact the department if you have questions.

Sincerely,

L. GLEN SAXTON
Chief, Operations Bureau

c: W. Region

5-12-1988

JUN 10 1988

Ben Fleck

April 5, 1988

RECEIVED

APR 06 1988

Idaho Department of Water Resources

Statehouse

Boise Id 83720

Department of Water Resources

RE: 67-7312
67-7489
67-7561✓

Mesdames &
Gentlemen:

I have been advised that the proof of beneficial use field exams are due to be conducted on the above-referenced permits no later than April 10, 1988.

The purpose of this letter is to request an extension of time for the conduct of the examinations, because my irrigation systems are not yet operational for the 1988 season. I hereby request an extension of 60 days for the purpose of conducting these examinations. The examinations are to be conducted and reported by Holladay Engineering.

JUN 10 1991

Sincerely,

David F. Dickerson



State of Idaho
DEPARTMENT OF WATER RESOURCES
Western Region

Cecil D. Andrus
Governor

2735 Airport Way
Boise, Idaho 83705
(208) 334-2190

67-7561
DICKERSON, DAVID F.
STAR RT.
CAMBRIDGE, ID 83610

138291

April 10, 1987

CERTIFIED MAIL

EXAMINATION FEE NOTICE

Dear Permit Holder:

Department records show that proof of beneficial use has been submitted for the above-referenced permit, but that a field examination has not yet been conducted to determine the extent of beneficial use of the water for licensing purposes.

House Bill 671 (effective April 4, 1986) enacted by the 1986 Idaho Legislature requires the payment of a fee before this department can conduct the field examination needed to issue a license confirming use of water under the permit. This letter is notification that the license examination fee is due within sixty (60) days of the date of this letter. The examination fee information sheet (enclosed) must be returned with the fee.

As an alternative to submitting the fee, the department will accept a field examination report completed by a certified water right examiner from the private sector. If you choose to have the examination done by a certified water right examiner, you need not submit the license examination fee to the department, but you must within sixty (60) days of the date of this letter return to the department, the examination fee information sheet showing appropriate information together with a statement from the certified examiner to verify that you have retained a certified examiner to conduct the field examination. If you choose this alternative, a completed field examination report must be submitted within one year of the date of this letter. You cannot later change your decision to use this alternative and submit the fee needed for the department to conduct the field examination, but you may change to another certified examiner.

RECEIVED

JUN 10 1987



State of Idaho

DEPARTMENT OF WATER RESOURCES

WESTERN REGION, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-2190

David J. Anderson
Box 2444
Coeur d'Alene, ID 83814

Re: 07-4561

Dear Mr. Anderson:

We acknowledge receipt of your statement submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department.

☐

A field examination of your system has been scheduled for _____.

If this time and date is not convenient for you, please contact this office as soon as possible.

☐

A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office.

Sincerely,

Judy Pense

Judy Pense
Secretary



RECEIVED

JUN 10 1991

DAVID F. DICKERSON

H.V. STAR

CAMBRIDGE, IDAHO 83610



RECEIVED



MAR 31 1982

IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

JUN 10 1981

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card a statement that the permit holder(s) has completed development to the extent shown below of Permit No. 67-7561.

Name(s) of Permit Holder: David F. Dickerson

Post Office Address: Star Rt Camb, Idaho

Tel. No. 237-3581

Source of Water: Ground water

Extent of Use:

☐ Domestic

(number of households)

☐ Stockwater

(number and type of stock)

☒ Irrigation

272

(acres)

☐ Other

JUN 10 1991

Measuring Device:

Required?

☐ Yes

☐ No

Installed?

☐ Yes

☐ No

Access Port:

Required?

☒ Yes

☐ No

Installed?

☐ Yes

☐ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

3/29/82
Date

David F. Dickerson
Signature of Permit Holder

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440

DICKERSON, DAVID F.
STAR RT.
CAMBRIDGE, ID 83610

MAY 26, 1982

RE: PERMIT NO. 67-7561

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

BE SURE TO NOTE THE SPECIAL CONDITION REQUIRING YOU TO INSTALL A MEASURING DEVICE, OR AN ACCESS PORT TO PROVIDE FOR THE INSTALLATION OF MEASURING EQUIPMENT BY THE DEPARTMENT. ENCLOSED PLEASE FIND A LIST OF MEASURING DEVICE OPTIONS, AND SPECIFICATIONS FOR THE INSTALLATION OF THE ACCESS PORT.

WE HAVE ENCLOSED A FORM ENTITLED "MAKING PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT INTO A LICENSE.

SINCERELY,

DAVID R. TUTHILL, JR., P.E.
SUPERVISOR, WATER ALLOCATION SECTION

ENCLOSURE

RECEIVED
MAY 27 1982

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: Jan Graver

APPLICATION NUMBER: 107-7561

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.
☐ Yes ☒ No
☐ Yes ☒ No
☐ Yes ☒ No
☒ Yes ☐ No*

Field check by: _____
Date: _____
Comments: _____

Field check required.

Critical groundwater area.

Request dam safety information. Sent by: _____ Date: _____

In form to receipt.

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☐ Idaho State Health Department.
☐ Idaho Fish and Game Department.
☐ Idaho Department of Lands.
☐ U.S. Bureau of Land Management.
☐ U.S. Forest Service.
☐ Other _____

Copies sent by: _____ Date: _____

PROCESSING:

- ☐ Yes ☒ No
☐ Yes ☒ No
☒ Yes ☐ No*
☐ Yes ☐ No

Platted by: _____ Map No. _____

Other rights on same place of use. SURFACE WTR. RIGHTS ONLY

In form for advertising.

Final date for protests: 3/22/82 ✓

Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 3/16/82 ✓
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application. 65.00/21915
☒ Publication dates and paper, recorded on application. 3/4 & 3/11/82 Upper County
☒ Protests, dates, withdrawal, etc., recorded on application. revised Report
☒ Recommendation & initial, recorded on application.
☐ Yes ☐ No
☐ Yes ☐ No
☐ Yes ☒ No
✓ 2/3/82 Date of priority recommended.
Special conditions of approval or cover letter. IP letter OIC

By: 625 Date: 4/14/82

STATE OFFICE REVIEW:

return receipt w/cover letter

5/4/83 OIC

☐ See attached sheet for more information.

By: Kolym Date: 4-22-82

RECEIVED
APR 14 1982

POINT OF DIVERSION AND STREAM INDEX INFORMATION

300-100000-01 (15) 11/60

USE 1 & 1035

WEGMAN

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
IDAHO STREAM CODE INDEX						

IDAHO STREAM CODE INDEX

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
IDAHO STREAM CODE INDEX						

IDAHO STREAM CODE INDEX

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
IDAHO STREAM CODE INDEX						

IDAHO STREAM CODE INDEX

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
IDAHO STREAM CODE INDEX						

IDAHO STREAM CODE INDEX

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
IDAHO STREAM CODE INDEX						

IDAHO STREAM CODE INDEX

DEPARTMENT OF WATER RESOURCES
Western Region

FEBRUARY 25, 1982

Upper County News Reporter
Box 98
Cambridge, ID 83610

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before MARCH 22, 1982.

Yours truly,

HELEN L. HARRINGTON
Secretary

Encl.

מחשבות

NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

If issued, the permit(s) will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 92 S. Cole Road, Boise, Idaho 83709 on or before MARCH 22, 1982.

R. KENNETH DUNN

Director

Published 3/4 & 3/11/82.

RECEIVED
MARCH 11 1982

6Z-2561

DICKERSON, DAVID F.

STAR RT., CAMBRIDGE, ID 83610

Source: GROUNDWATER

Date Filed: 02/03/1982

Amount: 2.00 CFS

Diversion Point: NWNW Sec 14 T 14N R 02W, WASHINGTON Co.

Use: IRRIGATION (2.00 CFS) from 04/01 to 11/30

Place of Use: NWNE SWNE NENW NWNW Sec 14 T 14N R 02W NESW SWSW SESW SWSE
Sec 11 T 14N R 02W FOR 272 ACRES

Diversion Means: WELL & PUMP

RECEIVED
MARCH 11 1982