


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

X Walter H. Kittann
(Applicant)

No 659

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO, } ss.
County of Washington }

Dorothy A. Booth, being duly sworn,
deposes and says:

That ^She is the Clerk of
THE WEISER SIGNAL, a weekly newspaper published at
Weiser, in the County of Washington and State of Idaho; that
said paper has been and is in general circulation in the
county aforesaid, and in the vicinity of Weiser; that the ad-
vertisement, a copy of which is attached hereto, was pub-

lished in said newspaper once a week for 2 consecu-
tive weeks in the regular and entire issue of said paper dur-
ing the period and time of publication, and was published in
the newspaper proper and not in a supplement; that said
paper has been established and regularly published for more
than seventy-eight consecutive weeks prior to the date of
first publication of said advertisement.

Such notice was published in the issue beginning with

Jan. 28, 1982, and ending
with the issue of Feb. 4, 1982

Dorothy A. Booth
Fees, \$ 30.50

Subscribed and sworn to before me this 4

day of Feb., 1982

[Signature]
Notary Public, Residing at Weiser, Idaho.

My Commission Expires 1-2, 1983

No. 659

NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following application has been
submitted for permit to appropriate the public waters of the State of
Idaho:

67-7555

KITTAMS, WALTER H. &/or ELIZABETH D.

1690 W. 7TH ST., WEISER, ID 83672

Source: GROUNDWATER

Date Filed: 01/12/1982

Amount: 0.10 CFS

Diversion Point: NWSE Sec 30 T 11N R 05W, WASHINGTON Co.

Use: IRRIGATION (0.06 CFS) from 03/15 to 11/15

HEATING (0.04 CFS) from 01/01 to 12/31

DOMESTIC (0.04 CFS) from 01/01 to 12/31

Place of Use: NWSE Sec 30 T 11N R 05W FOR 2 ACRES

Diversion Means: WELL, PUMP & PIPELINE

If issued, the permit will be subject to all prior water rights. Protests
against the granting of any permit must be filed with the Director of
the Idaho Department of Water Resources, 92 S. Cole Road, Boise,
Idaho 83709 on or before FEBRUARY 15, 1982.

A. KENNETH DUNN

Director

Published 1/28 & 2/4/82.

94-25

RECEIVED

MAR 1 1982

Department of Water Resources
Western Regional Office

MICROFILMED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION


Permit No. 67-7555
KITTAMS
1. Owner: WALTER H. AND/OR ELIZABETH D. ↑ Phone No. 549-0597
Current Address: 1690 W. 7th ST. WEISER ID. 83672
2. Accompanied by: WALTER KITTAMS EXAM. DATE: 7/30/87
Address: SAME Phone No. _____
Relationship to Permit Holder: _____
3. Source: GROUNDWATER tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: THEY USED TO USE WATER OUT
OF GALLOWAY CANAL BUT NOT ANYMORE + 67-4067- NEIGHBOR'S WELL ☐ Copies Attached
2. Other water rights with same point of diversion: _____
_____ ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



MICROFILMED

FEB 28 1990

Scale: 1" = _____

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required). ☐ Aerial Photo Attached
(required for irrigation of 10+ acres or more).
☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).

67-1555



P.D.



P.U.

FEB 28 1990

MAILED


67-1555



HEAT
PUMP.

INDEXED

FEB 28 1990



Mapped, edited and published by the Geological Survey
Control by USGS and USC&GS


Topography from aerial photographs by multiplex methods
Aerial photographs taken 1951. Field check 1953

Polyconic projection. 1927 North American datum
10,000-foot grid based on Idaho coordinate system, west zone

Red tint indicates areas in which only landmark buildings are shown
Dashed land lines indicate approximate locations



APPROXIMATE MEAN
DECLINATION, 1953



THIS MAP COMPLIES WITH
FOR SALE BY U. S. GEOLOGICAL SURVEY, FEDERAL
A FOLDER DESCRIBING TOPOGRAPHIC

MICROFILMED
(MOORE'S HOLLOW)

FEB 28 1990

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 67-07555

Priority: January 12, 1982

Maximum Diversion Rate: 0.08 CFS
Maximum Diversion Volume:¹ 7.6 AF

This is to certify, that WALTER H. KITTAMS
ELIZABETH D. KITTAMS

1690 W. 7TH ST.
WEISER, ID 83672

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated January 12, 1982; and has submitted Proof of Beneficial Use on January 8, 1987. An examination indicates that the works have a diversion capacity of .080 cfs of water from a **GROUNDWATER** source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.04 CFS	6.4 AF
HEATING	01/01 to 12/31	0.02 CFS	0.6 AF
DOMESTIC	01/01 to 12/31	0.02 CFS	0.6 AF
	Totals	0.08 CFS	7.6 AF

LOCATION OF POINT(S) OF DIVERSION:

NWSE , Sec. 30, Township 11N, Range 05W
WASHINGTON County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
11N	05W	30	NWSE	1.4		1.4
Total number of acres irrigated:						1.4

PLACE OF USE: HEATING, same as IRRIGATION use

PLACE OF USE: DOMESTIC, same as IRRIGATION use

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to reflect cropping patterns or acceptable standards of water delivery efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Domestic use is for 1 home.

MICROFILMED

FEB 28 1990


State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 67-07555

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 28TH
day of NOVEMBER, 1989.

Acting for


R. Keith Higginson, Director

MICROFILMED

FEB 28 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant WALTER H. AND/OR ELIZABETH D. KITTAMS Phone 549-0597
Post office address 1690 W. 7th St., Weiser, ID 83672

2. Source of water supply groundwater which is a tributary of _____

3. Location of point of diversion is NW $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 30 Township 11N
Range 5W B.M. Washington County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount .06 for irrigation purposes from 3/15 to 11/15 (both dates inclusive)
(cfs or acre-feet per annum)

Amount .04 for domestic purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount .04 for heating purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. .10 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. 6 inch well, 28 ft. deep with
1 hp submersible pump and pipeline

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir
capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial
use is 5 years (minimum 1 year — maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: NW $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 30 Township 11N
Range 5W B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be
supplied with domestic water _____

(5) If water is to be used for other purposes describe: Heating house thru heat pump

RECEIVED

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
11N	5W	30														2			2

Total number of acres to be irrigated 2

c. Describe any other water rights used for the same purposes as described above. Galloway ditch water

9. a. Who owns the property at the point of diversion Applicant

b. Who owns the land to be irrigated or place of use Applicant

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing

10. Remarks

MICROFILMED

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

The map is drawn on a grid. A small square is drawn in the center, with the number '30' written inside it. To the right of the square, the text 'pd + place of use' is written. The grid is labeled 'Twp 11N' on the left side and 'Rge. 5W' on the top side.

Scale: 2 inches equal 1 mile.

BEFORE KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

X Walter H. Sittman
(Applicant)

Proposed Priority 1/12/1982

Received by GLS Date 1/12/82 Time 10:45
Preliminary check by JG Fee \$ 30.00
Receipted by JG Date 1/12/82 # 21430
Publication prepared by JE Date 1/21/82
Published in The Signal American
Publication dates 1/28 & 2/4/82
Publication approved JE Date 3/2/82
Protests filed by: _____

Copies of protests forwarded by _____
Hearing held by _____ Date _____
Recommended for approval denial by DBS gvr

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 67-7555, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before March 1, 19 87.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other: Return flow if discharged to a subsurface system must be authorized by a separate injection well permit, and return flow if discharged to a surface water system shall meet Idaho Water Quality Standards.

Witness my hand this 26th day of March, 1982.

J. Glen Saxton
Chief, Operations Bureau

RECEIVED
MARCH 1982

No 659

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO, } ss.
County of Washington

Dorothy A. Booth, being duly sworn,
deposes and says:

That he is the Clear of
THE WEISER SIGNAL, a weekly newspaper published at
Weiser, in the County of Washington and State of Idaho; that
said paper has been and is in general circulation in the
county aforesaid, and in the vicinity of Weiser; that the ad-
vertisement, a copy of which is attached hereto, was pub-
lished in said newspaper once a week for 2 consecu-
tive weeks in the regular and entire issue of said paper dur-
ing the period and time of publication, and was published in
the newspaper proper and not in a supplement; that said
paper has been established and regularly published for more
than seventy-eight consecutive weeks prior to the date of
first publication of said advertisement.

Such notice was published in the issue beginning with
Jan 28, 1982, and ending
with the issue of Feb 4, 1982

Dorothy A. Booth
Fees, \$ 30.50

Subscribed and sworn to before me this 4
day of Feb, 1982
[Signature]
Notary Public, Residing at Weiser, Idaho.
My Commission Expires 1-2, 1983

No. 659

NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following application has been
submitted for permit to appropriate the public waters of the State of
Idaho:

67-7555

KITTAMS, WALTER H. &/or ELIZABETH D.
1690 W. 7TH ST., WEISER, ID 83672
Source: GROUNDWATER

Date Filed: 01/12/1982

Amount: 0.10 CFS

Diversion Point: NWSE Sec 30 T 11N R 05W, WASHINGTON Co.

Use: IRRIGATION (0.06 CFS) from 03/15 to 11/15

HEATING (0.04 CFS) from 01/01 to 12/31

DOMESTIC (0.04 CFS) from 01/01 to 12/31

Place of Use: NWSE Sec 30 T 11N R 05W FOR 2 ACRES

Diversion Means: WELL, PUMP & PIPELINE

If issued, the permit will be subject to all prior water rights. Protests
against the granting of any permit must be filed with the Director of
the Idaho Department of Water Resources, 92 S. Cole Road, Boise,
Idaho 83709 on or before FEBRUARY 15, 1982.

A. KENNETH DUNN

Director

Published 1/28 & 2/4/82.

94-2S

RECEIVED

MAR 1 1982

Department of Water Resources
Western Regional Office

RECEIVED

November 28, 1989

WALTER H. KITTAMS
ELIZABETH D. KITTAMS
1690 W. 7TH ST.
WEISER, ID 83672

RE: PERMIT NO. 67-07555

Dear Permit Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

INDEXED
FEB 28 1990

March 27, 1989

WALTER H. KITTAMS
ELIZABETH D. KITTAMS
1690 W. 7TH ST.
WEISER, ID 83672

RE: PERMIT NO. 67-07555

Dear Permit Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MicroFILMED

FEB 28 1990

MEMORANDUM

TO:FILE 67-7555

FROM:JOHN MCLEOD

RE: CHANGE IN EXAMINER RECOMMENDATION

DATE: 20-JAN-1989

=====

Recommended volume should be 7.6 afa, not 7.5 as recommended by examiner. The difference is accounted for by a rounding error; volume for irrigation should be 6.4 afa (rounded from 6.39 afa), not 6.3 as reported.

MICROFILMED

FEB 28 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

Staff Analysis Sheet
for
Beneficial Use Field Report

67-7555
Permit No.

NW SE 30 11N SW

RECEIVED
FEB - 3 1987

A. Prior to Conducting the Exam, the File Contains:

- ☒ Blank Field Report Form
☒ Copy of Permit
☐ Copies of any Amendments/Orders with conditions of approval
NO ☐ Computer Data Proof Report
☒ Copy of U.S.G.S. Quad
☒ Check for Government Lots. If so, make a copy of Government Plat
Check of P/D index QA 7-27-87 (Initial and date)
Overlap? ☐ yes ☒ no If yes: ☐ copy of exam(s) attached?
Type of Overlap? ☐ Add acres or uses to existing system
☐ Increase rate of flow or volume
☐ Other: _____
Check of P/U index _____ (Initial and date)
Overlap? ☒ yes ☐ no If yes: ☐ copy of water right(s) attached?
Type of Overlap? ☐ Increase rate of flow or volume
☐ Add P/D's
☐ Increase number of acres within tracts
☐ Other: _____
Aerial Photo
Required? ☐ yes ☒ no If yes: ☐ copy attached?
Scheduling Letter sent? QA 7-23-87 (Initial and date)
☒ Appointment made and telephone conversation memo attached

Department of Water Resources

B. After Conducting the Exam, the File Contains:

- ☒ Fully completed and signed Field Report Form
☒ Photographs of Point of Diversion and Place of Use
NO ☐ Corrected Computer Data Proof Report with recommended license information, and date and signature of examiner.

C. Review and Processing:

Exam Completed Quentin Nesbitt 8-18-87 (Signature of examiner and date)
Exam Reviewed by Senior Water Resource Agent RD 8/18/87 (Initial and date)
Exam Reviewed by Manager of Regional Office DR 1/28/88 (Initial and date)
Exam Date Entered in Computer ✓ (Initial and date)
Exam sent to State Office 9/2/88 (Initial and date)
Copy of Staff Analysis Sheet sent to Manager of Regional Office and Original
Refiled in White File _____ (Initial and date)

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION

KITTAMS

Permit No. 67-7555

1. Owner: WALTER H. AND/OR ELIZABETH D. ↑

Phone No. 549-0597

Current Address: 1690 W. 7th ST. WEISER ID. 83672

2. Accompanied by: WALTER KITTAMS

EXAM. DATE: 7/30/87

Address: SAME

Phone No. _____

Relationship to Permit Holder: _____

3. Source: GROUNDWATER tributary to _____


B. OVERLAP REVIEW

1. Other water rights with same place of use: THEY USED TO USE WATER OUT
OF GALLOWAY CANAL BUT NOT ANYMORE + 67-4067- NEIGHBORS WELL ☐ Copies Attached

2. Other water rights with same point of diversion: _____
_____ ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = _____

2. ☒ Copy of U.S.G.S. Quadrangle Attached ☐ Aerial Photo Attached
Showing location(s) of point(s) of diversion and (required for irrigation of 10+ acres or more).
place(s) of use (required).
☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).

System Description (continued)

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

6" WELL 28 FT DEEP WITH 1 HP SUBMERSIBLE PUMP
1 1/2" PIPE LINE FROM WELL TO HOUSE, AND
TO OTHER IRRIGATION LINE

✓ FRIEDRICH HEAT PUMP CO.
MODEL 805 0368H DH0725

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
		1		JACUZZI	
WELL TROL - RESERVE TANK					
MODEL	WX-251				

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			NW	SE	30	11N	5W	WASHINGTON	USGS QUAD + COUNTY MAP

6. Place(s) of Use:

Indicate Method of Determination

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
11W	5W	30														1.4			1.4

*THIS INCLUDES LAWN

MINUTEMAN

FEB 1971

Do not use this space

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement/Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
NONE						

2. Measurements:

GAUGE READ #0 PSI 4 IN HOUSE
 - SYSTEM WAS NOT RUNNING AT TIME I WAS THERE

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

DOMESTIC IN HOUSE $\rightarrow .02 \text{ cfs}$ + IRRIGATION $.06 \text{ cfs}$ = $.08 \text{ cfs}$

2. Alternate Method for Checking Purposes:

$$\frac{1 \times 8.8 \times .8}{20 + (2.31 \times 30)} = .08 \text{ cfs} = .08 \text{ cfs}$$

O.K. ✓

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3); Flow rate: _____ cfs (4)

Water HP: (3) x (4) $\div$ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 1.48 \times 4.5 = 6.3 \text{ afa}$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = .04 \times 1.98 \times 245 = 19.4 \text{ afa}$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 6.3 \text{ afa}$$

2. Volume Calculations for Other Uses:

MICROFILMED

DOMESTIC
 .6 afa
 FEB 28 1990

HEATING + COOLING
 .6 afa

H. REMARKS AND OVERLAP REVIEW ANALYSIS

* LOT IS 150 FT BY 222.97 FT X 220 FT. AND
~~200~~ BACK PART ABOUT 100 X 200 FT.

* I RECOMMEND THAT THE LICENSE BE GIVEN FOR
~~JUST~~ DOMESTIC, ~~IR~~ IRRIGATION, ~~BEHIND~~ HEATING -
~~ON THE~~ ~~PROPERTY~~. ALSO IF I COUNT
 1/4 ACRES OF IRRIGATION, THIS WOULD TAKE IN
 HIS LAWN TOO, SO I RECOMMEND JUST INSIDE
 DOMESTIC USE.

* RECOMMENDED HEATING TOOPER CONVERSATION WITH BRAD.

8-18-87

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
DOMESTIC	1-1	12-31	.02 cfs	.6 afa
IRRIGATION	3-15	11-15	.04 ~~06~~ cfs	6.3 ~~3~~ afa
HEATING	1-1	12-31	.02 cfs	.6 afa
Totals:			.08 cfs	7.5 afa

2. Recommended Amendments

- ☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

J. AUTHENTICATION

Field Examiner's Name QUENTIN NESBITT

Signature Quentin Nesbitt

Certification Date _____

Field Report Preparation Date 8-18-87


CONSULTANT SEAL

K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

JUN 1/20/89

MICROFILMED


FEB 28 1990



67-1555



P.D.




P.O.

FEB 28 1990

MAILED


67-1555



HEAT
PUMP.

INDEXED

FEB 28 1990



Mapped, edited and published by the Geological Survey
Control by USGS and IUSC&GS

Topography from aerial photographs by multiplex methods
Aerial photographs taken 1951. Field check 1953.


Polyconic projection. 1927 North American datum
10,000-foot grid based on Idaho coordinate system, west zone

Red tint indicates areas in which only landmark buildings are shown


Dashed land lines indicate approximate locations

MICROFILMED
(MOORE'S HOLLOW)

FEB 28 1990



APPROXIMATE MEAN
DECLINATION, 1953



CONTOUR
DATUM IS

THIS MAP COMPLIES WITH
FOR SALE BY U.S. GEOLOGICAL SURVEY, FEDERAL
A FOLDER DESCRIBING TOPOGRAPHIC

FEB 28 1990

RECEIVED

SESH	10	01	01	67-2206	THOMPSON	C	L	07-19-1951	GROUNDWATER
SESH	15	01	01	67-2231	THOMPSON	C	L	06-20-1953	GROUNDWATER
SESH	10	01	01	67-2341	BRECHTEL	C	L	04-28-1960	GROUNDWATER
SESH	30	01	03,02,55	67-20978	IDAHO INDUSTRIAL	C	L	05-11-1918	JENKINS CREEK
SESH	30	01	01,43	67-2169	HEISER IRRIGATION	C	L	12-18-1936	HEISER RIVER
SESH	30	01	01	67-4250	INSTITUTE CANAL CO	C	S	06-01-1918	HEISER RIVER
SESH	40	01	01,43	67-2384A	SNOW	C	L	04-09-1920	CRANE CREEK
SESH	01	01	01	67-2360	HEISER RIVER IRRIG	C	L	09-22-1977	GROUNDWATER
SESH	40	01	01,43	67-2384A	SNOW	C	L	04-09-1920	CRANE CREEK
SESH	02	01	01,04,43	67-4241	LANGLEY	C	S	03-07-1938	SPRINGS
SESH	01	01	01	67-4268	SMITH	C	S	01-01-1940	WASTE WATER
SESH	40	01	01,43	67-2167	HEISER IRRIGATION	C	L	12-18-1936	HEISER RIVER
SESH	40	01	01,43	67-2384A	SNOW	C	L	04-09-1920	CRANE CREEK
SESH	43	43	43	67-4188	HEISER RIVER IRRIG	C	S	01-01-1938	GROUNDWATER
SESH	40	01	01,43	67-2167	HEISER IRRIGATION	C	L	12-18-1936	HEISER RIVER
SESH	40	01	01,43	67-2384A	SNOW	C	L	04-09-1920	CRANE CREEK
SESH	20	01	01,43	67-2384A	SNOW	C	L	04-09-1920	CRANE CREEK
SESH	01	01	01	67-4067	HEISER RIVER IRRIG	C	S	08-10-1973	GROUNDWATER
SESH	05	01	01	67-4250	INSTITUTE CANAL CO	C	S	06-01-1918	HEISER RIVER
SESH	30	01	01,43	67-2384A	SNOW	C	L	04-09-1920	CRANE CREEK
SESH	01	01	01	67-4067	HEISER RIVER IRRIG	C	S	08-10-1973	GROUNDWATER
SESH	02	01	01,22,43	67-7555	KITAHMS	C	P	01-12-1982	GROUNDWATER
SESH	40	01	01,43	67-2169	HEISER IRRIGATION	C	L	12-18-1936	HEISER RIVER
SESH	40	01	01,43	67-2384A	SNOW	C	L	04-09-1920	CRANE CREEK
SESH	04	01	01	67-7022	HEISER RIVER IRRIG	C	L	01-15-1969	GROUNDWATER
SESH	40	01	01,43	67-2169	SCHOOL DISTRICT #4	C	L	12-18-1936	HEISER RIVER
SESH	01	01	01	67-2260	CHANDLER IN	C	L	05-29-1957	GROUNDWATER
SESH	40	01	01,43	67-2384A	SNOW	C	L	04-09-1920	CRANE CREEK
SESH	01	01	01	67-4183	HEISER RIVER IRRIG	C	S	05-01-1966	GROUNDWATER
SESH	01	01	01	67-4183	KRAUTZ	C	S	05-01-1966	GROUNDWATER

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHTS BY PLACE OF USE

PAGE 3589
01/02/1987

NSHP RNC SEC TRACT LOT ACRES USES WATER RIGHT NUMBER LAST NAME OWNER STAGE PRIORITY DATE SOURCE OF WATER

NSH	05H	30	SESE	01	01	67-4535	EDMONDSON	C	5	01-01-1900	GROUNDWATER
			SESE	01	01	67-4563	MURRAY	D	5	01-01-1900	GROUNDWATER
		31	NENE	40	01.43	67-2169	EDMONDSON	C	L	12-18-1936	HEISER RIVER
			NENE	40	01.43	67-2384A	EDMONDSON	C	L	04-09-1920	CRANE CREEK



Cecil D. Andrus
Governor

State of Idaho
DEPARTMENT OF WATER RESOURCES
Western Region

2735 Airport Way
Boise, Idaho 83705
(208) 334-2190

May 8, 1987

67-7555
KITTAMS, WALTER H.
KITTAMS, ELIZABETH D.
1690 W. 7TH ST.
WEISER, ID 83672

Dear Applicant(s):

We acknowledge receipt of your statement of proof of beneficial use for the above-referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department. A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office.

Sincerely,

Judy Pense
Secretary

/jp

RECEIVED

FEB 28 1988

Walter H Kams

1700 West Seventh

Weiser Id 83672

MICROFILMED

FEB 28 1990



IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720



RECEIVED
JUL 1 1993

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
COMMENCEMENT OF WORKS

Permit No. 67-7555
Name(s) of Permit Holder(s): Walter H and/or Elizabeth D Kittams
Post Office Address: 1690 West 7th Weiser ID 83442
Tel. No. 208-335-597

☒ I hereby certify that construction of diversion works for the above referenced permit began on Dec 6, 1981 I understand that I must
(date) continue to develop the water system with due diligence to maintain a valid permit.

☐ I hereby certify that construction of diverting works on the above referenced project has not yet begun due to the following reason beyond my control*:

*Note: A financing difficulty is
not an acceptable reason.

June 29, 1983

Date

Elizabeth D Kittams
Signature of Permit Holder

Form 217
03/86

RECEIVED

JAN 08 1987

Department of Water Resources

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

For Office Use Only

Fee Received \$50.00

Date 1-8-87

Receipt # 40943

Receipt by [Signature]

Reviewed by [Signature]

Sent to region 415-87

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 67-7555

Name(s) of Permit Holder: KITTAMS, Walter H. & Elizabeth D.

Post Office Address: 1690 W. 7th St, Weiser, ID. 83672

Telephone No. (208) 549-0597

Source of Water: Groundwater

Extent of Use:

Domestic _____ (number of households)

Stockwater _____ (number and type of stock)

Irrigation 2 (acres)

Other/Remark Heating house

through heat pump

Total rate and/or volume for which proof is submitted .10 cts _____ acre-feet

Show the date water was first diverted and beneficially used under this permit: 1-12-82

Measuring Device: Required? ☐ Yes ☒ No
Installed? ☐ Yes ☒ No

Fee enclosed \$ 50.00
(See License Examination Fee Schedule)

Flow Measurement Port: Required? ☐ Yes ☒ No
Installed? ☐ Yes ☒ No

Person to contact to accompany the Department representative during the field examination:

KITTAMS, Walter H. (Name) (208) 549-0597 (Telephone Number)

1690 W. 7th, Weiser, ID. 83672 (Address)

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

JAN 08 1987

6 Jan. 87
Date

Walter H. Kittams
Signature of Permit Holder (and title, if appropriate)

ter H Kittams
W 7th
ser ID 83672



Folk Art USA

IDAHO Dept. of Water Resources
Statehouse
Boise, ID 83720

JAN 30 1987

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
CERTIFIED MAIL
DECEMBER 31, 1986

138660

KITTAMS, WALTER H. & ELIZABETH D.
1690 W. 17TH ST.
WEISER, ID 83672

PROOF DUE NOTICE

RE: PERMIT NO. 67-7555

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF THE ABOVE REFERENCED WATER PERMIT WAS THAT PROOF OF THE EXTENT OF YOUR BENEFICIAL USE MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE MARCH 1, 1987. (SEE LAST PAGE OF YOUR APPROVED PERMIT OR YOUR LAST APPROVED EXTENSION REQUEST.) ENCLOSED IS A FORM WHICH WHEN ACCOMPANIED BY THE LICENSE EXAMINATION FEE OR A COMPLETED FIELD EXAMINATION REPORT PREPARED BY A CERTIFIED WATER RIGHT EXAMINER MAY BE USED TO SUBMIT THE REQUIRED PROOF.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU OR A PREVIOUS OWNER OF THIS PERMIT HAVE NOT RECEIVED A PRIOR EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME IF THE DELAY IS FOR REASONABLE CAUSE AS PROVIDED IN SECTION 42-204, IDAHO CODE. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION WHICH MIGHT BRING TITLE TO THE WATER IN QUESTION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED. AN EXTENSION OF TIME REQUEST FORM IS ENCLOSED FOR YOUR CONVENIENCE.

NEITHER AN ACCEPTABLE PROOF OF BENEFICIAL USE SUBMITTAL OR AN ACCEPTABLE REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE DESCRIBED PROOF DUE DATE. IF NEITHER IS RECEIVED, THE DEPARTMENT WILL SEND YOU A LAPSE NOTICE. WITHIN SIXTY (60) DAYS OF THE MAILING OF THE LAPSE NOTICE, THE PERMIT WILL NO LONGER BE OF ANY FORCE NOR EFFECT.

SINCERELY,

RITA FLECK
SECRETARY/RECORDS MANAGER

MICROFILMED

JAN 30 1987

ENCLOSURES

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440

KITTAMS, WALTER H. & ELIZABETH D.
1690 W. 7TH ST.
WEISER, ID 83672

APRIL 07, 1982

RE: PERMIT NO. 67-7555

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

WE HAVE ENCLOSED A FORM ENTITLED "MAKING PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT INTO A LICENSE.

SINCERELY,

DAVID R. TUTHILL, JR., P.E.
SUPERVISOR, WATER ALLOCATION SECTION

ENCLOSURE

ENCLOSURE

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: Jan Grover

APPLICATION NUMBER: 67-7555

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.
☐ Yes ☒ No Field check required.
☐ Yes ☒ No Critical groundwater area.
☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☐ No* In form to receipt.

Field check by: _____
Date: _____
Comments: _____

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☒ Idaho State Health Department.
☐ Idaho Fish and Game Department.
☐ Idaho Department of Lands.
☐ U.S. Bureau of Land Management.
☐ U.S. Forest Service.
☒ Other _____

Copies sent by: _____ Date: _____

PROCESSING:

- ☐ Yes ☒ No Platted by: _____ Map No. _____
☒ Yes ☐ No Other rights on same place of use. Ditch water rights.
☒ Yes ☐ No* In form for advertising.
Final date for protests: 2/15/82
☐ Yes ☒ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 2/1/82
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application. 30.00# 21430
☒ Publication dates and paper, recorded on application. 1/28 & 4/4/82 signed America
☐ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.
☐ Yes ☒ No Measuring device required.
☐ Yes ☒ No Access port required.
☐ Yes ☒ No Will water be delivered by watermaster? If yes, what district? _____
1/12/82 Date of priority recommended.
Special conditions of approval or cover letter. I.P. Gov letter

By: DBS

Date: 3/9/82

STATE OFFICE REVIEW:

OPC

- ☐ See attached sheet for more information.

By: Jan

Date: 3/26/82

RECEIVED
MAR 10 1982

Department of Water Resources

POINT OF DIVERSION AND STREAM INDEX INFORMATION

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

IDENT. NO. 107-7555

WATER RIGHT
DATA ENTRY LOG

[illegible]

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES
Western Region

92 South Cole Road
Boise, Idaho 83709
(208) 334-2190

JANUARY 21, 1982

The Signal American
Box 709
Weiser, ID 83672

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. We have allowed ample time for you to submit a galley proof to this office for review before the first publication date. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before FEBRUARY 15, 1982.

Yours truly,

HELEN L. HARRINGTON
Secretary

Encl.

MICROFILMED

NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

If issued, the permit(s) will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 92 S. Cole Road, Boise, Idaho 83709 on or before FEBRUARY 15, 1982.

A. KENNETH DUNN

Director

Published 1/28 & 2/4/82.

MICROFILMED

62-2555-

KITTAMS, WALTER H. &/or ELIZABETH D.

1690 W. 7TH ST., WEISER, ID 83672

Source: GROUNDWATER

Date Filed: 01/12/1982

Amount: 0.10 CFS

Diversion Point: NWSE Sec 30 T 11N R 05W, WASHINGTON Co.

Use: IRRIGATION	(0.06 CFS)	from 03/15 to 11/15
HEATING	(0.04 CFS)	from 01/01 to 12/31
DOMESTIC	(0.04 CFS)	from 01/01 to 12/31

Place of Use: NWSE Sec 30 T 11N R 05W FOR 2 ACRES

Diversion Means: WELL, PUMP & PIPELINE

RECEIVED