


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

F. Fred Glenister
(Applicant)

MICROFILMED

Affidavit of Publication

State of Idaho, County of Adams, ss:

I, Bert J. Rogers, being first duly sworn upon my Oath, depose and say that I am the publisher of The Adams County

Leader, a newspaper; that a copy of the "Notice of Application

as per clipping
hereto attached, was published in the regular and entire issue
of said newspaper, and not in any supplement thereof, for

two (2) consecutive weeks, the first publication of the

same being made in the issue dated June 25, 1981

and the last in the issue dated July 2, 1981
that said newspaper is of general circulation in Adams County
Idaho, printed and published weekly at Council therein and
that said newspaper has been continuously and uninterrupted-
ly published in said county during a period of more than sev-
enty-eight consecutive weeks prior to the first publication of

said "Notice" as aforesaid.

Bert J. Rogers

Subscribed and sworn to before me this 3rd

day of July, 1981

[Signature]

Notary Public for Idaho,
Residing at Council, Idaho

NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

67-7543

GLEMSEY, FRED
HORNET CREEK, COUNCIL ID
83612

Source: SPRINGS tributary to
SINKS

Date Filed: 06/15/1981

Amount: 2.20 CFS

Diversion Point: SWNE Sec 30 T
7 N R 01W, ADAMS Co.

Use: IRRIGATION (2.20 CFS)
from 04/01 to 11/01

Place of Use: SWNE NESW NW-
SE SESE Sec 30 T 17N R 01W
SWSW SESW SWSE Sec 29, T

17N R 01W FOR 110 ACRES
Diversion Means: PUMP, PIPE-
LINE & SPRINKLERS FROM
STORAGE TANK

If issued, the permit(s) will be
subject to all prior water rights.
Protests against the granting of
any permit must be filed with
the Director of the Idaho De-
partment of Water Resources, 92
S. Cole Road, Boise, Idaho 83709
on or before JULY 13, 1981.

A. KENNETH DUNN

Director

Published 6/25 & 7/2/81.

RECEIVED

JUL 6 1981

Department of Water Resources
Western Regional Office

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT Department of Water Resources

RECEIVED
DEC 18 1992

A. GENERAL INFORMATION


Permit No. 67-7543
1. Owner: Zed Blomser Phone No. 253-6475
Current Address: P.O. Box, M. Council, Moho 83612
2. Accompanied by: Zed Blomser EXAM. DATE: 10-10-91
Address: same Phone No. same
Relationship to Permit Holder: owner
3. Source: Springs tributary to snibs

B. OVERLAP REVIEW

1. Other water rights with same place of use: 67-4120, 67-7016, 67-2035
67-2033, 67-00389 ☒ Copies Attached ^{67-4120 only}
2. Other water rights with same point of diversion: None
☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = Not to scale

2. ☒ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required). ☒ Aerial Photo Attached (required for irrigation of 10 acres or more)
☒ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater.)

MAINTAINED
FEB 04 1993

W

4

F# 231
T-419
GLENSER

E# 164
 17-290
 K. HARRINGTON

F#231
T-419
GLENSER

26A

19	20
30	29

67-7543

FEB 04 1993

PERMIT 67-7543 INIT _____
T. R. S. Q/Q
P/D 17N 1W 30 SWNE
SCALE _____
PHOTO ID. _____

401T
P/D

P/U

EXP 04 1993


Hornet

Creek

RIDGE

R 2 W R 1 W

67-7543



#1
Pumps and
collection sump



#2.
P/D - pond
that collects
spring water

RECEIVED
FEB 04 1993

67-7543



#3

View looking
from pond West
toward area
where perforated
pipe is located
along the base
of the bushes in
the background.



#4

~~Gated~~
~~Perforated~~ pipe
used to irrigate
field shown.

RECEIVED
FEB 04 1993

67-7543



#5
Gated pipe
where measurement
was taken.



#6.

P14

APPROVED
FEB 04 1993

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 67-07543

Priority: August 10, 1981

Maximum Diversion Rate: 0.52 CFS
Maximum Diversion Volume: 104.0 AF

This is to certify, that FRED GLEMSER

PO BOX M

COUNCIL ID 83612

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated June 15, 1981; and has submitted Proof of Beneficial Use on June 28, 1989. An examination indicates that the works have a diversion capacity of .520 cfs of water from:

SPRINGS

tributary to **SINKS**

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/01 to 10/31	0.52 CFS	104.0 AF

LOCATION OF POINT(S) OF DIVERSION:

SWNE , Sec. 30, Township 17N, Range 01W
ADAMS County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
17N	01W	30	SWNE 8	NWSE 18		26

Total number of acres irrigated: 26

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right limited to the amount that can actually be beneficially use used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 4.0 afa per acre for the lands above.

RECEIVED

FEB 04 1993

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 67-07543

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 28TH
day of JANUARY, 1993.

Acting for *Norman C. Young*
R. Keith Higginson, Director

RECEIVED
FEB 04 1993

Adams County Real Estate

Fred Glemser
Broker

MEMBER NAR

208-253-4888

253-6475

P.O. Box M, Council, Idaho 83612-0811

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

REQUEST FOR EXTENSION OF TIME

To provide additional time in which to submit proof
of beneficial use for a water right permit

For Office Use Only

\$15 FEE Received by *af*

Date 9-9-86

Receipt # 38987

RECEIVED

AUG 26 1986

The Idaho Department of Water Resources will consider this form as a request that the permit holder(s) be granted an additional period of time in which to complete development of a water right under the provisions of Section 42-204, Idaho Code.

Department of Water Resources
RECEIVED

SEP 8 1986

Permit No. 67-7543

Name(s) of Permit Holder: F. Fred Glemser

Post Office Address: P. O. Box M, Council, ID 83612

Department of Water Resources

Telephone No. Home 253-6475 Office 253-4888

Date Proof is Due: _____

Describe what work has been completed toward the development of this water right:

(This must be filled out! If no work has been completed, show "none".)

WATER SOURCE established
ground excavated for Pond
Pump and motor purchased, Engineering Assistant
Requested from A.S.C.S. in Council
by KEN SCHWARTZ Costing \$ 285.00

The permit holder(s) has been unable to complete the remainder of the work for the following reasons:

TIME

Permit holder(s) request an extension to Aug 20, 19 86.
(1 yr. minimum)

F. Fred Glemser
(Signature)*

FEE: \$15.00

*IF OTHER THAN PERMIT HOLDER,
POWER OF ATTORNEY MUST BE SUPPLIED.

ACTION OF THE DEPARTMENT OF WATER RESOURCES

IT IS HEREBY ORDERED that the above request for extension of time be APPROVED and the time within which to submit proof of beneficial use is extended to July 1, 1989.

IT IS FURTHER ORDERED that the permit be REINSTATED and the priority date advanced to August 10, 1981, pursuant to Sec. 42-218a, Idaho Code.

Signed this 16th day of September, 19 86.

RECEIVED

J. Glen Sayton
Chief, Operations Bureau

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant Fred Glemser Phone 253-4888

Post office address Hornet Creek, Council, Idaho 83612

2. Source of water supply Springs which is a tributary of Sinks

3. Location of point of diversion is SW $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 30 Township 17N

Range 1W B.M. Adams County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 2.20 for Irrigation purposes from 4/1 to 11/1 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 2.20 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. Pump and pipeline and sprinklers
from storage tank,

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 5 years (minimum 1 year — maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____
Range _____ B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water _____.

(5) If water is to be used for other purposes describe: _____

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
17N	1W	30			14						1					30		5	50
		29											15	30			15		60

Total number of acres to be irrigated 110

c. Describe any other water rights used for the same purposes as described above. none

9. a. Who owns the property at the point of diversion Applicant


b. Who owns the land to be irrigated or place of use Applicant

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing

10. Remarks Irrigation p. vot on Sec. 29

rotary-hydro gun on Sec. 30

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

F. Fred Jensen
(Applicant)

Proposed Priority

6/15/81

Received by mm Date 6-15-81 Time 12:00

Preliminary check by GLS Fee \$ 85.00

Receipted by GLS Date 6/17/81 # 19433

Publication prepared by DBS Date 6/18/81

Published in Adams County Leader

Publication dates 6/25, 7/2/81

Publication approved DBS Date 7/13/81

Protests filed by: _____

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by DBS

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES


This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 67-7543, and said application is hereby approved.

1. Approval of said application is subject to the following limitations and conditions:
 - a. SUBJECT TO ALL PRIOR WATER RIGHTS.
 - b. Proof of construction of works and application of water to beneficial use shall be submitted on or before July 1, 19 86.
 - c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
 - d. Other: The permit shall not be assigned or sold without first securing the written approval of the Department of Water Resources.

An access port or other device as specified by the Department shall be installed by the permit holder to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department.

Witness my hand this 31st day of July, 1981.

L. Glen Saxton
Chief, Operations Bureau



Affidavit of Publication

State of Idaho, County of Adams, ss:

I, Bert J. Rogers, being first duly sworn upon my Oath, depose and say that I am the publisher of The Adams County

Leader, a newspaper; that a copy of the "Notice of Application

as per clipping hereto attached, was published in the regular and entire issue of said newspaper, and not in any supplement thereof, for

two (2) consecutive weeks, the first publication of the

same being made in the issue dated June 25, 1981

and the last in the issue dated July 2, 1981 that said newspaper is of general circulation in Adams County Idaho, printed and published weekly at Council Bluffs therein and that said newspaper has been continuously and uninterruptedly published in said county during a period of more than seventy-eight consecutive weeks prior to the first publication of

said "Notice" as aforesaid.

Bert J. Rogers

Subscribed and sworn to before me this 3rd

day of July, 1981

James J. ...

Notary Public for Idaho,
Residing at Council Bluffs, Idaho

NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

67-7543

GLEMSEY, FRED
HORNET CREEK, COUNCIL BLUFFS
83612

Source: SPRINGS tributary to
SINKS

Date Filed: 06/15/1981

Amount: 2.20 CFS

Diversion Point: SWNE Sec 30 T

17N R 01W, ADAMS Co.

Use: IRRIGATION (2.20 CFS)
from 04/01 to 11/01

Place of Use: SWNE NESW NW-

SE SESE Sec 30 T 17N R 01W

SWSW SESW SWSE Sec 29, T

17N R 01W FOR 110 ACRES

Diversion Means: PUMP, PIPE-

LINE & SPRINKLERS FROM

STORAGE TANK

If issued, the permit(s) will be

subject to all prior water rights.

Protests against the granting of

any permit must be filed with

the Director of the Idaho De-

partment of Water Resources, 92

S. Cole Road, Boise, Idaho 83709

on or before JULY 13, 1981.

A. KENNETH DUNN

Director

Published 6/25 & 7/2/81.

RECEIVED

JUL 6 1981

Department of Water Resources
Western Regional Office



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

January 28, 1993

FRED GLEMSEY
PO BOX M
COUNCIL ID 83612

RE: WATER RIGHT NO. 67-07543

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

A handwritten signature in cursive script that reads 'Pamela Skaggs'.

PAMELA SKAGGS
Water Resource Agent

PS:cz

Enclosure

MAILED

FEB 04 1993



ADAMS COUNTY REAL ESTATE

F. Fred Glemser

Broker

100 Mosher
P.O. Box M
Council, Idaho 83612

Office: 208-253-4888

1-800-525-7129

Fax: 208-253-6894

Res: 208-253-6475

ADAMS COUNTY REAL ESTATE

F. Fred Glemser, Broker



RECEIVED

JAN 13 1993

100 Mosher
P.O. Box M
Council, Idaho 83612

Multiple Listing Service
Office 208-253-4888
Home 208-253-6475

January 12, 1993

PAMELA SKAGGS
Department of Water Resources
1301 N. Orchard Street
Statehouse Mail
Boise, Idaho 83720

Dear Pamela,

This letter is in regard to my waterright # 67-07543, Hornet Creek, Council, Idaho, Area: SWNE Sec. 30 T 17N R1W and NWSE over 26 acres.

Your inspector from Water Resources measured the flow of water in the summer of 1991, and if my memory serves me right, he figured about 125 to 150 gallons per minute. The installation was two 2 horsepower electric pumps, which were represented to me as pumping between 250 to 260 gallons per minute which we needed to successfully irrigate by sprinkler (wheel line) the 26 acres. These pumps are on an automatic switch on and off for water recovery. I have paid for the proper licensing July 26, 1989 and will appreciate that you will promptly issue me the proper indicated amount of water at .52 cfs. without refiling a new water application.

I will make arrangements to change the pump system to deliver the anticipated volume of water 250 gpm rather than 150 gpm for the coming season.

Sincerely,

A handwritten signature in cursive script that reads 'F. Fred Glemser'.
F. Fred Glemser

A faint circular stamp, possibly a library or archival mark, located at the bottom center of the page.

FEB 04 1993



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

December 29, 1992

FRED GLEMSER
PO BOX M
COUNCIL ID 83612

RE: WATER RIGHT NO. 67-07543

Dear Water Right Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

Sincerely,

PAMELA SKAGGS
Water Resource Agent

PS:cz

Enclosure

FEB 04 1993

LICENSE REVIEW CHECKLIST

Permit # 167-07543

Date 12-23-92

38

	<u>Yes</u>	<u>No</u>	
NAME	☐	☒	Address Change?
PRIORITY DATE	☐	☒	Advance? _____
	☐	☒	Memo to Advance
	☐	☒	Order to Reinstate Needed?
TOTAL CFS	☐	☒	Incorrect Fee for rate recommended?
	☐	☒	Disagree with Actual Measurement?
	☐	☒	<u>26 x .02 = .52 / .27 cfs (IRR)</u>
	☒	☐	Disagree with Theoretical? _____
	☒	☐	Limited by Capacity? <u>.27 cfs</u> .52
TOTAL VOLUME			Rate/ac <u>4.0</u> AFA Irr. Season <u>C</u>
			<u>4-1 to 10-31</u> Standard Irr. Season
			<u>Same/Reduced 1 Day</u> Season Recommended
	☐	☒	Disagree with Examiner's Calculations?
	☐	☒	<u>26 x 4.0 = 104 afa (IRR)</u>
	☐	☒	Limited by Flow? <u>.27 x 214 x 1.9835 = 114.6 > 104</u>
SOURCE	☐	☒	Changes? Clarification of <u>Originally</u>
	☐	☒	<u>Intended</u> source
	☐	☒	Notice of Intent to Void.
P/D			Verify with Map
	☐	☒	Amendment Needed? _____
	☐	☒	Is Overlap Analysis a Consideration?
P/U			Verify with Map
	☐	☒	Amendment Needed? <u>drop all but SWNE + NWSE, S30</u>
	☐	☒	Is Overlap Analysis a Consideration?
USES	☐	☒	Change(s) in Nature of Use? _____
	☐	☒	Amendment Needed? _____
REMARKS	☐	☒	Multiple P/Ds in 1/4 1/4? _____
	☐	☒	Non-Irr. Uses _____
	☐	☒	Special Overlap Condition _____
	☐	☒	Other _____
CONDITIONS	☐	☒	Measuring Device
	☐	☒	W/Master Control
	☒	☐	Overlap
	☐	☒	Water Quality
			DATES/MISC
			☐ Water Dist.
			☒ App Rec'd
			☒ Exam Made
COMMENTS/MEMOS NEEDED:	<u>Reduced acre, rate</u>		
	<u>Allow .02 per acre / Measurement difficult</u>		
	<u>to support. Per J.T. 3-14-93</u>		
License	☐ 10-Day	☒ 15-Day	☐ Special Correspondence

DATE: 12/23/92
PAGE: 1

Misc: Water District Number: Field Exam Fee: R (Received)
Audit: 12/23/92 SKAGGS

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

BENEFICIAL USE FIELD REPORT Department of Water Resources

RECEIVED
DEC 18 1992

A. GENERAL INFORMATION


Permit No. 67-7543
Phone No. 253-6475
1. Owner: Zed Glemser
Current Address: P.O. Box, M. Council, Idaho 83612
2. Accompanied by: Zed Glemser EXAM. DATE: 10-10-91
Address: same Phone No. same
Relationship to Permit Holder: owner
3. Source: Springs tributary to snibs

B. OVERLAP REVIEW

1. Other water rights with same place of use: 67-4120, 67-7016, 67-2035
67-2033, 67-00389 ☒ Copies Attached ^{67-4120 only}
2. Other water rights with same point of diversion: None
☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = Not to scale

2. ☒ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required). ☒ Aerial Photo Attached (required for irrigation of 10 acres or more) **FEB 04 1993**
☒ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater.)

System Description (continued)

3. **Narrative:** Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

Springs flow into an excavated pond about 35' x 120' and 8' average depth. From the pond water flows through an 8" buried pipe 170' long where it joins an 8" perforated buried pipe. The perforated pipe is 270' long and flows into a collection sump 30" in diameter and 8' deep made of concrete pipe. From the sump water pumped with two 2 Hp pumps through 2" PCV discharge pipes into 150' of 8" gated pipe to gravity irrigate about 25 acres. 5 gallon bucket

☐ See Remarks on page 4 for continuation

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
H 1	Dayton	2	MOD 94053	TEEL	2" 1P897
H 2	Dayton	2	" "	"	2" "

*Code to correspond with No. on map and aerial photo

5. **Point(s) of Diversion:**

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
		NW	SW	NE	30	17N	1W	Adams	Ortho photo quad map

6. **Place(s) of Use:**

Indicate Method of Determination _____

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
17N	1W	30			8												18		26

RECEIVED

FEB 04 1993

Do not use this space

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
5-gallon bucket						
and stopwatch						

2. Measurements:

A 5-gallon bucket measurement was taken at the end of a 150' gated pipe with all gates closed. All gates were closed except 4 and several two gallon measurements were taken from the 4 open gates. The last one is considered the most accurate of the two measurements.

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

5 gallons in 2 seconds = 150 gpm = .33 cfs
2 gallons in 4 sec = 30 gpm x 4 = 120 gpm = .27 cfs

2. Alternate Method for Checking Purposes:

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3); Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 26 \times 4.0 = 104 \text{ afa.}$
 $V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = .27 \times 246 \times 1.9835 = 131.8$
 $V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 104 \text{ afa.}$

2. Volume Calculations for Other Uses:

NA

RECEIVED

FEB 04 1993

H. REMARKS AND OVERLAP REVIEW ANALYSIS

measurements were taken at the end of the gated pipe and that provided 5 gallons in 2 seconds and by closing all gates but 4 which provided an average of 2 gallons in 4 seconds.

Recommend diversion rate to be flow measured at .27 cfs. Recommend period of use comply with department standards. Size of area irrigated is based on owners estimate but confirmed by a planimeter and ~~also~~ HSCS aerial map. 67-4120 is a claim for Hornet Creek water for the same P/U as this permit. The other rights in same Q's as this permit are Hornet Creek Reservoir water. The combination of this permit and all other rights should not exceed .02 cfs per acre. Recommend a storage component be added by amendment because pond will not fill in 24 hrs under recommended flow rate. (Not needed as a separate parameter - fill occurs in 1.4 days) Drr)

I. RECOMMENDATIONS

1. Recommended Amounts


Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Irrigation	3-15	11-15	.27 cfs	104 afa
Totals:			.27 cfs -	104 afa -

2. Recommended Amendments

- ☒ Change P.D. as reflected above ☐ Add P.D. as reflected above
☒ Change P.U. as reflected above ☐ Add P.U. as reflected above

J. AUTHENTICATION

Field Examiner's Name Melvin T. Schulte
 Signature Melvin T. Schulte
 Certification Date _____
 Field Report Preparation Date 12-18-91



K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

FEB 04 1993

DA
AK

FILED
FEB 23 1964
T-419
GLENSER

EE-H,4
T-290
K. HARRINGTON

F# 231
7-419
GLENSER

67-7543

19	20
30	29

SECRET

PHOTO ID.

P/4

04 1993

Horne

Creek

37

36

539000 E

540

310 000 FEET

R 2 W R 1 W

67-7543



#1

Pumps and
collection sump



#2.

P/D - pond
that collects
spring water


MINOTVED
FEB 04 1993

67-7543



#3

View looking
from pond West
toward area
where perforated
pipe is located
along the base
of the bushes in
the background.



#4
~~Gated~~
~~Perforated~~ pipe
used to irrigate
field shown.

RECEIVED
FEB 04 1993

67-7543



#5
Gated pipe
where measurement
was taken.



#6.

P14

RECEIVED
FEB 04 1993

WHITE -- State Auditor
YELLOW -- Remittance Advice
PINK -- State Auditor Then Agency
GOLDENROD -- Agency Copy

EXPENDITURE VOUCHER

AUDITOR USE

STATE OF IDAHO
Office of State Auditor

AGENCY USE

Date	6455
Code	08/23/89
	193002

VENDOR: If you require additional information regarding this payment, please contact the State agency listed below.

AGENCY NAME: DEPT. OF WATER RESOURCES

Document No.	
Pre-Audit	Date
Warrant No.	

PAY
TO

F. FRED GLEMSER
PO BOX M
COUNCIL, ID 83612

CHECK ONE:

(1) MISCELLANEOUS EXPENDITURE

() STATE CONTRACT

() PURCHASE ORDER

() MISCELLANEOUS
ENCUMBRANCE REQUISITION

PAYMENT: () PARTIAL () FINAL

Encumbrance Reference No.

LINE No.	PROGRAM	FUND	ACCT.		DESCRIPTION	LINE AMOUNT	AGENCY USE
			Maj	Min			
1	06 20 122	1238	8831		REF. #67-7543 PER RITA FLECK 7/27/89 61.00 [REDACTED]	61.00	
TOTAL						61.00	

NOTE: Final payment must be accompanied by a receiving copy

TO STATE AUDITOR

Request is hereby made that a warrant be authorized and drawn in payment of the item or items described above. I hereby certify that the items described were ordered by proper authority; that they are necessary in the public service, that the items have been received and accounted for, and that the account as stated is correct and just.

AUDITOR'S CERTIFICATE

I hereby certify that the above account is in proper form; that totals carried hereon are correct; that receipts when required by law or regulation of the State Board of Examiners covering items for which reimbursement is asked are submitted herewith; and that there are funds in the state treasury and balances in appropriation accounts out of which the same may be lawfully paid.

Date

Head of Agency or Institution

State Auditor

MEMORANDUM

copy

DATE: July 27, 1989

TO: ACCOUNTING SECTION - Nancy C.

FROM: Rita Fleck

RE: REFUND - PERMIT NO. 67-7543

Please prepare a refund of \$61.00 (receipt No. C007870). Attached is a copy of a letter which explains why a refund is necessary.

Also, please reference the water right identification number on any papers returned to me for the file. Thanks.

Attachments: Letter
Receipt

MICROFILMED

SEP 08 1989



July 26, 1989

F. Fred Glemser
P. O. Box M
Council, ID 83612

Dear Mr. Glemser:

Re: Permit No. 67-7543

On June 28, 1989, the department received the proof of beneficial use form for the above-referenced permit. I wish to inform you of several changes I have made to the form.

First, I believe the source of the water is "springs" instead of "sink", so I've change the source to springs.

Second, the maximum diversion rate of water per acre of irrigation is 0.02 cfs (one miner's inch) per acre. The number of irrigated acres (26) times 0.02 cfs equals the diversion rate of 0.52 cfs. The licensing examination fee for the diversion of 0.52 cfs is \$100.00. The fee received and receipted for this proof was \$161.00. Consequently, the department is making you a refund of \$61.00. The refund will be sent to you in a couple of weeks.

If you have any questions concerning this matter, please feel free to contact this office.

Sincerely,

RITA I. FLECK
Secretary/Records Manager

Enclosures

c: Acct. Section

MICROFILMED

SEP 08 1989

1/88

PROOF OF BENEFICIAL USE

ANALYSIS SHEET

Permit No. 67-02543

Date: 7-7-89

General Considerations:

g Name same as permit
g Signature the same as permit holder
g Address change _____ If yes, prepare a data entry
g Proof received timely
g Reinstated

Source of Water:

g Surface water
g Groundwater
N/A 1. well log in file
N/A 2. drilling permit
_____ A. amount of drilling fee paid for proposed uses

Extent of Use and Rate of Diversion:

g Rate of diversion appropriate for uses
N Is rate or volume and fee appropriate?
N Has permit holder indicated when water was first put to a beneficial use?

Measuring Device:

_____ Is a measuring device or access port required?
_____ Has one been installed?
_____ Waiver or modification of measuring device requested

Remarks: Copy acceptable

_____ Priority Calculation:
Date proof received _____
Date proof due _____
No. of days late _____
Priority date _____
NEW PRIORITY DATE Aug. 10, 1981

SEND FILES TO DATA ENTRY AND THEN TO MICROFILM

RECEIVED
JUN 28 1989

Department of Water Resources

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

For Office Use Only

Fee Received 161.00

Date 6/28/89

Receipt # 007870

Receipt by R. Young

Reviewed by [Signature]

Sent to region 9-27-88

Refunded
\$61.00

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 67-07543

Name(s) of Permit Holder: F. FRED and SHIRLEY A. GLEMSE

Post Office Address: P.O. Box M, Council, IDAHO 83612

Telephone No. 208-253-4888

Source of Water: SINK * springs

Extent of Use:

Domestic _____ (number of households) Stockwater _____ (number and type of stock)

Irrigation 26 (acres) Other/Remark _____

0.52 cfs

Total rate and/or volume for which proof is submitted 2.2 cfs 30 acre-feet

Show the date water was first diverted and beneficially used under this permit: _____

Measuring Device: Required? ☐ Yes ☐ No
Installed? ☐ Yes ☐ No

Fee enclosed \$ 161.00
(See License Examination Fee Schedule)

Flow Measurement Port: Required? ☐ Yes ☐ No
Installed? ☐ Yes ☐ No

Person to contact to accompany the Department representative during the field examination:

F. FRED GLEMSE
(Name)

253-6475 / 253-4888
(Telephone Number)

HC 67- Box 2320

Council, Id 83612
(Address)

HORNET CREEK

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

SEP 08 1989

June 27, 1989 F. Fred Glemser owner
Date Signature of Permit Holder (and title, if appropriate)
* See letter dated 7-26-89

FRED GLEMSER
P.O. BOX M
COUNCIL ID 83612

April 30, 1989

138206

PROOF DUE NOTICE

RE: PERMIT NO. 67-07543

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before July 1, 1989. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Rita Fleck
Secretary/Records Manager

Enclosures

Unrecorded

SEP 08 1989

September 16, 1986

F. Fred Glemser
P. O. Box M
Council, ID 83612

Dear Mr. Glemser:

Re: Permit No. 67-7543

Enclosed is a copy of the approved request for extension of time. The time within which to submit proof of beneficial use is extended to July 1, 1989. Note that the permit has been reinstated with an advance in priority.

If you have any questions concerning this matter, please feel free to contact this office.

Sincerely,

~~RIK~~ I. FLECK
Secretary/Records Manager

Enclosure

RECEIVED
SEP 22 1986

STAFF REVIEW SHEET - EXTENSION OF TIME

Permit No. 67-7543Reviewed by [Signature]Date 9-16-1986

BASIC INFORMATION

y Date stamp received
y Extension received timely
(not prior to 6 month before proof due date or after reinstatement period)
y Fee received and receipted
y Name and signature same as permit
y Address change (indicate on coding sheet)

BASIS FOR EXTENSION REQUEST

y Has adequate work been completed to demonstrate due diligence?
y Has the cost incurred been adequate to demonstrate an intent to complete the project?
n/a Has the permit been involved in litigation?
a. Swan Falls _____ Dismissed from Swan Falls _____
Other _____ Identify _____
b. Is supporting documentation needed to complete the file? _____
Requested _____
c. Calculate the period of delay

Date litigation completed _____

Date litigation began _____

Total period of delay = _____

Present proof due date + _____

NEW PROOF DUE DATE = _____

n/a Is delay by a government agency?
Is supporting documentation needed to complete the file? _____
Requested? _____

ACTION TAKEN - Recommend approval for 3 yrs. based on due diligence

Special conditions or remarks:

y Reinstatement Date extension received Aug. 26, 1986 = 238
Proof due date July 1 = -182
No. of days late _____ = 56
Priority date June 15, 1981 = +166
ADJUSTED PRIORITY DATE Aug. 10, 1981 = 222

Prepare coding sheet

Change rolodex card

RECEIVED
SEP 17 1986
FBI - MEMPHIS



State of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

EXTENSION OF TIME

September 9, 1986

F. Fred Glemser
P. O. Box M
Council, ID 83612

PERMIT NO. 67-7543

We are in receipt of the \$15 extension fee for Extension(s) of Time to provide additional time in which to submit proof of beneficial use on a water right permit.

Your request for extension(s) of time is being reviewed by staff. You will be informed of our decision when review has been completed.

Enclosed is our receipt No. 38987.

Roberta Garrett
Records Supervisor

Enclosure

RECEIVED
SEP 11 1986

September 2, 1986

Fred Glemser
P. O. Box M
Council, ID 83612

Dear Mr. Glemser:

RE: Permit No. 67-7543

Returned is the request for extension of time form and your money order (15-800/000) in the amount of \$15.00 received in this office on August 26, 1986.

Please complete the extension by describing what work has been completed toward the development of the water right, the cost incurred so far, and why you have been unable to complete the remainder of the work in the time allowed.

If you have any questions, please contact me. I've enclosed my business card for quick reference.

Sincerely,

RITA I. FLECK
Secretary/Records Manager

Enclosures

cc: Accounting Section

RECEIVED
SEP 11 1986
FBI - BUTTE

INTER-DEPARTMENT MEMO — 1

FROM

Peter Fluck

DATE

8-6-1986

TO

File 67-7543

SUBJECT

*Mr. Glesner called today to discuss the
lapse notice. Apparently, he didn't receive
my letter of June 10th.*

*We discussed his particular situation
and came to the conclusion that he would
request an extension.*

His request & fee should be here soon.

SIGNATURE

MICROFILMED

July 21, 1986

Fred Glemser
Hornet Creek
Council, ID 83612

Dear Mr. Glemser:

Re: Permit No. 67-7543

LAPSE NOTICE

You are hereby notified that under the provisions of Section 42-218a of the Idaho Code, the above referenced permit has lapsed. This office did not receive either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time. You were provided the proper forms in our proof due notice to you dated April 30, 1986 and our letter dated June 10, 1986.

Your permit cannot be reinstated unless you submit the proof of beneficial use or submit an extension of time request showing reasonable cause for delay. Either the completed proof of beneficial use submittal including the examination fee or a completed field examination report or the extension request form together with the \$15 fee must be received by this department within sixty days of the date of mailing of this lapse notice or the permit will no longer be of any force or effect.

A proof of beneficial use form and a request for extension of time form are again enclosed for your use. Please note that only one extension of time can be granted unless the project has not been completed because of lack of a necessary approval by a governmental agency or by litigation which brings title to the water in question.

Sincerely,

L. GLEN SAXTON
Chief, Operations Bureau

Enclosures

CERTIFICATION OF MAILING

I hereby certify that on 7-21-1986
a copy of this document was
deposited in the United States mail,
properly addressed to the
addressee named above.

MAILED
JUL 21 1986

June 10, 1986

F. Fred Glemser
P. O. Box M
Council, ID 83612

Dear Mr. Glemser:

Re: Permit No. 67-7543

Returned is the Proof of Beneficial Use form and also the Request for Extension of Time submitted to this office on May 12, 1986.

Each of these forms serves as documentation for what action the permit holder needs at this stage of his permit processing. If the project is completed, that is in this case, irrigation of 110 acres of land from springs or if the nature of the project has changed, but the project is completed, then the department must be notified that a field examination is needed. The proof of beneficial use form provides this notification. It is your choice whether to submit the fee and have the department conduct the field exam or to retain a certified water right examiner to conduct the field examination.

If the project is not completed, you may wish to submit an extension of time form. This request asks the department to extend the time in which to submit proof due date to allow you more time to develop the water right. Enclosed is a partially completed request which shows your name, address, and proof due date. To complete this form, you need to supply the department with detailed information about the amount of work so far done under this permit and indicate the total amount of expenses incurred while doing the work. The next question is why the work has not been completed. Detail any reasons for the delay. For submittal of an extension request, there is a \$15 filing fee.

RECEIVED

Note that an answer to this letter is due by July 1, 1986. If you have any questions, please feel free to contact me.

Sincerely,

RITA I. FLECK
Secretary/Records Manager

Enclosures

UNPROCESSED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
CERTIFIED MAIL
APRIL 30, 1986

138383

GLENSER, FRED
HORNET CREEK
COUNCIL, ID 83612

PROOF DUE NOTICE

RE: PERMIT NO. 67-7543

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF THE ABOVE REFERENCED WATER PERMIT WAS THAT PROOF OF THE EXTENT OF YOUR BENEFICIAL USE MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE JULY 1, 1986. (SEE LAST PAGE OF YOUR APPROVED PERMIT OR YOUR LAST APPROVED EXTENSION REQUEST.) ENCLOSED IS A FORM WHICH WHEN ACCOMPANIED BY THE LICENSE EXAMINATION FEE OR A COMPLETED FIELD EXAMINATION REPORT PREPARED BY A CERTIFIED WATER RIGHT EXAMINER MAY BE USED TO SUBMIT THE REQUIRED PROOF.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU OR A PREVIOUS OWNER OF THIS PERMIT HAVE NOT RECEIVED A PRIOR EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME IF THE DELAY IS FOR REASONABLE CAUSE AS PROVIDED IN SECTION 42-204, IDAHO CODE. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION WHICH MIGHT BRING TITLE TO THE WATER IN QUESTION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED. AN EXTENSION OF TIME REQUEST FORM IS ENCLOSED FOR YOUR CONVENIENCE.

EITHER AN ACCEPTABLE PROOF OF BENEFICIAL USE SUBMITTAL OR AN ACCEPTABLE REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE DESCRIBED PROOF DUE DATE. IF NEITHER IS RECEIVED, THE DEPARTMENT WILL SEND YOU A LAPSE NOTICE. WITHIN SIXTY (60) DAYS OF THE MAILING OF THE LAPSE NOTICE, THE PERMIT WILL NO LONGER BE OF ANY FORCE NOR EFFECT.

SINCERELY,

RITA FLECK
SECRETARY/RECORDS MANAGER

ENCLOSURES

RECEIVED
MAY 1 1986

WATER RIGHT NUMBER 67-7543

OWNER LAST NAME - GLEMSEY
ADDRESS LINE 1 - HORNET CREEK
ADDRESS LINE 3 -
SOURCE - SPRINGS

FIRST NAME - FRED

ORIG OWNER -

ADDRESS LINE 2 -
CITY - COUNCIL

STATE - ID ZIP CODE - 83612

STAGE - PERMIT

STATUS -

TRIBUTARY OF - SINKS

PRIORITY - 06-15-1981 COUNTY - ADAMS

TOTAL DIV. RATE - 2.2000 -CFS

TOTAL DIV. VOLUME -

.00 AFA TRFR/AMEND -

WATER DIST. -

DLE/CAREY ACT -

RIGHT BASIS -

DIVERSION POINT - SWNE 30 17N 01W LOT REDIV -

0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0

FROM - 04-01 TO - 11-01 USE - IRRIGATION

USE DIV. RATE -

2.2000 CFS

USE DIV. VOLUME - .00 AFA

USE - IRRIGATION

PLACE OF USE - TWN 17N RNG 01W SEC 30

TRACT SWNE LOT

AC 14 TRACT NESW LOT

AC 01

TRACT NWSE LOT

AC 30 TRACT SESE LOT

AC 05

USE - IRRIGATION

PLACE OF USE - TWN 17N RNG 01W SEC 29

TRACT SWSW LOT

AC 15 TRACT SESW LOT

AC 30

TRACT SWSE LOT

AC 15

DECREE NAME -

DATE -

TOTAL ACRES 110

REMARKS - IRRIGATION P. VCT ON SEC. 29 ROTARY-HYDRO GUN ON SEC. 30

NON IRRIG USE -

OTHER RIGHTS FOR SAME USE -

PROOF DUE - 07-01-1986 PERMIT/DENIED - 07-31-1981 PROTESTED -

HEARING -

OLD NO. -

VERIFIED RJM

PROOF MADE - FLD EXAM - COND. OF APPROVAL - 01C 07

DIVERSION MEANS - PUMP, PIPELINE & SPRINKLERS FROM STORAGE TANK

August 31, 1981

Re: Permit No. 67-7543

Fred Glemser
Hornet Creek
Council, ID 83612

Dear Mr. Glemser:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the fourth page.

The exercise of this permit may also be affected by the Supreme Court's review of the case of Idaho Power Company vs. State of Idaho, et al., Ada County Civil No. 62237, currently being appealed to the Supreme Court of Idaho. Since the use of water under your permit may affect the flows in the Snake River between Milner Dam and Hells Canyon the final decision in this case may determine to what extent the exercise of your permit is subject to water rights of Idaho Power. While the Supreme Court is reviewing this case, Idaho Power Company has not filed a specific protest to your permit. However, the Department of Water Resources has been advised that the Power Company is not waiving any of its rights to contest or limit the exercise of your permit or subsequent license.

Be sure to note the special condition requiring you to install a measuring device, or an access port to provide for the installation of measuring equipment by the Department. Enclosed please find a list of measuring device options, and specifications for the installation of the access port.

We have enclosed a form entitled "Making Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit into a license.

Sincerely,

DAVID R. TUTHILL, JR., P.E.
Supervisor, Water Allocation Section

DRT:kw
Enclosures

INTER-DEPARTMENT MEMO — 1

FROM Jim Johnson

DATE 7-30-81

TO File

SUBJECT Special Condition requiring approval of the Department before assignment of permit

Prior to the approval of this permit due to the amount and source a special condition was added to the permit which required the approval of the Department prior to accepting an Assignment of Permit to a new owner. The purpose of this is to protect the new owner from believing that water from an unnamed spring could be used for irrigation of the entire 110 acres.

RECEIVED
JUL 31 1981

SIGNATURE

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: 6/5

APPLICATION NUMBER: 67-7543

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.
☒ Yes ☒ No Field check required. See memo 6/5
☒ Yes ☒ No Critical groundwater area.
☒ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☒ No* In form to receipt.

Field check by: _____

Date: _____

Comments: _____

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☐ Idaho State Health Department.
☐ Idaho Fish and Game Department.
☐ Idaho Department of Lands.
☐ U.S. Bureau of Land Management.
☐ U.S. Forest Service.
☐ Other _____

Copies sent by: _____ Date: _____

PROCESSING:

- ☐ Yes ☒ No Platted by: _____ Map No. _____
☐ Yes ☒ No Other rights on same place of use. None
☒ Yes ☐ No* In form for advertising. 7/13/81 ✓
☐ Yes ☒ No Final date for protests: _____
☐ Yes ☒ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 7/6/81 ✓
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application.
☒ Publication dates and paper, recorded on application.
☒ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.
☐ Yes ☒ No Measuring device required.
☐ Yes ☒ No Access port required.
☐ Yes ☒ No Will water be delivered by watermaster? If yes, what district? _____
☒ 6/15/81 Date of priority recommended.
Special conditions of approval or cover letter. I. P. letter

By: 7/13/81 Date: 0/35

STATE OFFICE REVIEW:

return receipt w/ cover letter
SLW/105,103 OIC

- ☐ See attached sheet for more information.

By: Kelip Date: 7/22/81

To: File 67-7543
From: G.H. Sisco
Subject: Pre permit exam
Date: 6/25/81

Late last Fall the Weiser Watermaster and myself visited Mr. Glemser regarding another water problem, but during that visit he showed me the spring area now applied for under this permit.

The spring areas appear as large wet spots at the base of the foot hill area up Hornet Creek. A clay lense must surface and so does the water trapped beneath it. There are about three spots with the largest being about 20x40 ft in area. This water doesn't flow but will surface and create a boggy area in the fields.

Mr. Glemser has already dug out one of the spots and placed a perforated 55 gallon drum in the boggy and was able to pump a fair amount of water with his tractor.

If the three areas were developed properly some irrigation could occur. I don't think that 2.20 cfs could be pumped especially late in the summer, but several acres could be kept green.

MICROFILMED

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES
Western Region

92 South Cole Road
Boise, Idaho 83709
(208) 334-2190

JUNE 18, 1981

Adams County Leader
Box 23
Council, ID 83612

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. We have allowed ample time for you to submit a galley proof to this office for review before the first publication date. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before JULY 13, 1981.

Yours truly,

HELEN L. HARRINGTON
Secretary

Encl.

MICROFILMED

NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

If issued, the permit(s) will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 92 S. Cole Road, Boise, Idaho 83709 on or before JULY 13, 1981.

A. KENNETH DUNN

Director

Published 6/25 & 7/2/81.

WIDOWED WIFE

GLEMSEY, FRED

HORNET CREEK, COUNCIL, ID 83612

Source: SPRINGS tributary to SINKS

Date Filed: 06/15/1981

Amount: 2.20 CFS

Diversion Point: SWNE Sec 30 T 17N R 01W, ADAMS Co.

Use: IRRIGATION (2.20 CFS) from 04/01 to 11/01

Place of Use: SWNE NESW NWSE SESE Sec 30 T 17N R 01W SWSW SESW SWSE
Sec 29 T 17N R 01W FOR 110 ACRES

Diversion Means: PUMP, PIPELINE & SPRINKLERS FROM STORAGE TANK

MICROFILMED