


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

TWP. 11 - R 4 W.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

San W. Dymoke
(Applicant)

Nº 594

AFFIDAVIT OF PUBLICATION

RECEIVED
JUL 1 1981

Department of Water Resources
Western Regional Office

STATE OF IDAHO, }
County of Washington } ss.

Kenneth A. Dunn, being duly sworn,
deposes and says:

That he is the Clark of
THE WEISER SIGNAL, a weekly newspaper published at
Weiser, in the County of Washington and State of Idaho; that
said paper has been and is in general circulation in the
county aforesaid, and in the vicinity of Weiser; that the ad-
vertisement, a copy of which is attached hereto, was pub-
lished in said newspaper once a week for Two consecu-
tive weeks in the regular and entire issue of said paper dur-
ing the period and time of publication, and was published in
the newspaper proper and not in a supplement; that said
paper has been established and regularly published for more
than seventy-eight consecutive weeks prior to the date of
first publication of said advertisement.

Such notice was published in the issue beginning with
May 28, 1981, and ending
with the issue of June 4, 1981.

Fees, \$ 24.90

Subscribed and sworn to before me this 12
day of June, 1981.

Kenneth A. Dunn
Notary Public, Residing at Weiser, Idaho.

My Commission Expires 5-1, 1985.

No. 594
NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following application has been
submitted for permit to appropriate the public waters of the State of
Idaho:

67-7539
DYMOKE, DAN W. &/or KATHRYN
RT. 2 BOX 91, WEISER, ID 83672
Source: GROUNDWATER
Date Filed: 05/14/1981
Amount: 0.02 CFS
Diversion Point: NWSE Sec 06 T 11N R 04W, WASHINGTON Co.
Use: STOCKWATER (0.02 CFS) from 01/01 to 12/31
Place of Use: NWSE Sec 06 T 11N R 04W
Diversion Means: DRAIN, PIPELINE, CATCH BASIN &
TROUGHES.

If issued, the permit will be subject to all prior water rights. Protests
against the granting of any permit must be filed with the Director of
the Idaho Department of Water Resources, 92 S. Cole Road, Boise,
Idaho 83709 on or before JUNE 15, 1981.

A. KENNETH DUNN
Director
Published 5/28 & 6/4/81.

24-25

ok
jk

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION

Permit No. 67-7539

1. Owner: DAN W. OR KATHRYN DUMKE Phone No. 549-1252

Current Address: RT 2 Box 91 WEISER, IDAHO 83672

2. Accompanied by DAN DUMKE EXAM. DATE: 7-29-87

Address: SAME Phone No. _____

Relationship to Permit Holder: _____

3. Source: GROUNDWATER tributary to MANNE CREEK → OVERFLOW


B. OVERLAP REVIEW

1. Other water rights with same place of use: STOCKWATER - NO OTHERS FROM SPRING ☐ Copies Attached

2. Other water rights with same point of diversion: STOCKWATER - SAME ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



MICROFILMED

JUL 31 1990

Scale: 1" = _____

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).

☒ Photo of Diversion and System Attached

(required for all but single household domestic groundwater, and stockwater.)

☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).

67-7539



P.D.



P.O.

MICROFILMED

JUL 31 1990

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE
WATER RIGHT NO. 67-07539

Priority: May 14, 1981

Maximum Diversion Rate: 0.02 CFS
Maximum Diversion Volume:¹ 0.4 AF

This is to certify, that DAN W. DYMOKE
KATHRYN DYMOKE

1833 JONES RD.
WEISER, ID 83672

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated May 14, 1981; and has submitted Proof of Beneficial Use on June 7, 1982. An examination indicates that the works have a diversion capacity of .020 cfs of water from a **GROUNDWATER** source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
STOCKWATER	01/01 to 12/31	0.02 CFS	0.4 AF

LOCATION OF POINT(S) OF DIVERSION:

SENW , Sec. 6, Township 11N, Range 04W
WASHINGTON County

PLACE OF USE: STOCKWATER

TWN RGE SEC

11N 04W 6 SENW

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Stockwater use is for 28 head.

MICROFILMED

JUL 31 1990

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 87-07535

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 30TH
day of July, 1990.

Acting for

R. Keith Higginson, Director

MICROFILMED

JUL 31 1990

State of Idaho
Department of Water Resources

RECEIVED
JUL 19 1990

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 67-07539

Department of Water Resources

Date of Priority: May 14, 1981

Maximum Diversion Rate: 0.02 CFS
Maximum Diversion Volume: 0.4 AF

Comes now

DAN W. DYMOKE
KATHRYN DYMOKE

RT. 2 BOX 91
WEISER, ID 83672

and represents to the Director of the

Idaho Department of Water Resources:

That he is the owner and holder of Permit to Appropriate the Public Waters of the State of Idaho No. 67-07539, and requests that the permit be changed as follows:

Source: GROUNDWATER

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
STOCKWATER	01/01 to 12/31	0.02 CFS	0.4 AF

LOCATION OF POINT(S) OF DIVERSION:

SENW , Sec. 6, Township 11N, Range 04W
WASHINGTON County

PLACE OF USE: STOCKWATER

TWN RGE SEC

11N 04W 6 SENW

MICROFILMED

JUL 31 1990

Permit holder asserts that no one will be injured by such change and that such change will be made at permit holder's own risk.

Signed at WEISER, ID., this 18 day of July, 1990.

Dan W. Dymoke
(Signature)

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 67-07539

FOR DEPARTMENT USE ONLY

#C017729

Preliminary check by SC Fee = \$20.00 Received by J. Davis Date 7/19/90

ACTION OF THE DEPARTMENT OF WATER RESOURCES

I, R. Keith Higginson, of the Department of Water Resources hereby approve the above Application for Amendment for Permit No. 67-07539 with the following;

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.

Witness my hand this 30TH day of July, 1990.

R. Keith Higginson
Acting for R. Keith Higginson, Director

MICROFILMED

JUL 31 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant DAN W. OR KATHRYN DYMOKE Phone 549-1252
Post office address RT. 2 BOX 91 WEISER, IDAHO 83672
2. Source of water supply GROUNDWATER which is a tributary of _____
3. Location of point of diversion is NW $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 6 Township 11N
Range 4W B.M. WASHINGTON County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

- Amount .02 for STOCKWATER purposes from Jan. 1 to Dec. 31 (both dates inclusive)
(cfs or acre-feet per annum)
- Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
- Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
- Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

- a. .02 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

- a. Description of ditches, flumes, pumps, headgates, etc. 300' drain tile
300'-2" plastic pipe - 1 cement catch basin
2 water troughs - 3' x 6' x 2'
- b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____
Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)
- c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 1 years (minimum 1 year - maximum 5 years).

8. Description of proposed uses:

- a. If water is not for irrigation:
- (1) Give the place of use of water: NW $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 6 Township 11N
Range 4W B.M.
- (2) Amount of power to be generated: _____ horsepower under _____ feet of head.
- (3) List number of each kind of livestock to be watered 20 cows - 8 horses
- (4) Name of municipality to be served _____, or number of families to be supplied with domestic water _____.
- (5) If water is to be used for other purposes describe: _____

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

[illegible]

Total number of acres to be irrigated _____

c. Describe any other water rights used for the same purposes as described above. _____

9. a. Who owns the property at the point of diversion DAN W. DYMCKE

b. Who owns the land to be irrigated or place of use DAN W. DYMOKE


c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing

10. Remarks _____

[illegible]

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

TWP. 11 - R4W.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

San W. Dymoke
(Applicant)

RECEIVED
JAN 11 1907

Proposed Priority 5/14/81

Received by KOR Date 5/14/81 Time 11:30

Preliminary check by 625 Fee \$ 30.00

Receipted by WLA Date 5/14/81 # 18933

Publication prepared by WLA Date 5/21/81

Published in Signal American

Publication dates 5/28 & 6/4/81

Publication approved js Date 7/8/81

Protests filed by: none

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by DBS

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 67-7539, and said application is hereby approved.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before August 1, 19 82.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other:

Witness my hand this 16th day of July, 1981.

Norman C. Young
Administrator, Resources Admin. Div.

Nº 594

AFFIDAVIT OF PUBLICATION

RECEIVED
JUL 1 1981

Department of Water Resources
Western Regional Office

STATE OF IDAHO, }
County of Washington } ss.

Christy A. Barth being duly sworn,
deposes and says:

That he is the Clark of
THE WEISER SIGNAL, a weekly newspaper published at
Weiser, in the County of Washington and State of Idaho; that
said paper has been and is in general circulation in the
county aforesaid, and in the vicinity of Weiser; that the ad-
vertisement, a copy of which is attached hereto, was pub-

lished in said newspaper once a week for Five consecu-
tive weeks in the regular and entire issue of said paper dur-
ing the period and time of publication, and was published in
the newspaper proper and not in a supplement; that said
paper has been established and regularly published for more
than seventy-eight consecutive weeks prior to the date of
first publication of said advertisement.

Such notice was published in the issue beginning with

May 28, 1981, and ending
with the issue of June 4, 1981

Fees, \$ 24.90

Subscribed and sworn to before me this 14

day of June, 1981

Monckie
Notary Public, Residing at Weiser, Idaho.

My Commission Expires 5-1, 1985

No. 594
NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following application has been
submitted for permit to appropriate the public waters of the State of
Idaho:

67-7539
DYMOKE, DAN W. &/or KATHRYN
RT. 2 BOX 91, WEISER, ID 83672
Source: GROUNDWATER
Date Filed: 05/14/1981
Amount: 0.02 CFS
Diversion Point: NWSE Sec 06 T 11 N R 04 W, WASHINGTON Co.
Use: STOCKWATER (0.02 CFS) from 01/01 to 12/31
Place of Use: NWSE Sec 06 T 11 N R 04 W
Diversion Means: DRAIN, PIPELINE, CATCH BASIN &
TROUGHS.

If issued, the permit will be subject to all prior water rights. Protests
against the granting of any permit must be filed with the Director of
the Idaho Department of Water Resources, 92 S. Cole Road, Boise,
Idaho 83709 on or before JUNE 15, 1981.

A. KENNETH DUNN

Director

Published 5/28 & 6/4/81.

24-2S

ok
jc

July 30, 1990

DAN W. DYMOKE
KATHRYN DYMOKE
1833 JONES RD.
WEISER, ID 83672

RE: PERMIT NO. 67-07539

Dear Permit Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit along with a copy of your approved application for amendment.

Should you have any questions regarding these documents, please feel free to contact our office.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc


Enclosure

MAILED

JUL 31 1990

DAN W. DYMOKE
1833 JONES RD
WEISER, ID 83672

address
change



State of Idaho
Dep't. of Water Resources

4301 N. Orchard St.

Boise, Idaho 83706-2137

RECEIVED
JUL 31 1990

July 5, 1990

DAN W. DYMOKE
KATHRYN DYMOKE
RT. 2 BOX 91
WEISER, ID 83672

RE: PERMIT NO. 67-07539

Dear Permit Holder(s):

The above referenced water right is in the process of being licensed. However, before a license can be issued, your permit must be amended to correspond with the findings of the Department's field examiner.

The enclosed application for amendment contains information that will be included on the license when it is issued. Please review carefully and if you concur, sign the amendment and return with the \$20.00 filing fee within 30 days.

If you do not concur with these findings or if you have any questions, please contact us within the 30-day period.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

RECEIVED
JUL 31 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

Staff Analysis Sheet
for
Beneficial Use Field Report

67-7539
Permit No.

NW SE 6 11 N 4 W

A. Prior to Conducting the Exam, the File Contains:

RECEIVED

FEB - 3 1988

Department of Water Resources

☒ Blank Field Report Form

☒ Copy of Permit

☐ Copies of any Amendments/Orders with conditions of approval

~~NO~~ ☐ Computer Data Proof Report

☒ Copy of U.S.G.S. Quad

☒ Check for Government Lots. If so, make a copy of Government Plat

Check of P/D index DN 7-27-87 (Initial and date)

Overlap? ☐ yes ☒ no If yes: ☐ copy of exam(s) attached?

Type of Overlap? ☐ Add acres or uses to existing system

☐ Increase rate of flow or volume

☐ Other: _____

Check of P/U Index DN 7-27-87 (Initial and date)

Overlap? ☒ yes ☐ no If yes: ☐ copy of water right(s) attached?

Type of Overlap? ☐ Increase rate of flow or volume

☐ Add P/D's

☐ Increase number of acres within tracts

☐ Other: _____

Aerial Photo

Required? ☐ yes ☒ no If yes: ☐ copy attached?

Scheduling Letter sent? 7-23-87 DN (Initial and date)

☒ Appointment made and telephone conversation memo attached

B. After Conducting the Exam, the File Contains:

☒ Fully completed and signed Field Report Form

☒ Photographs of Point of Diversion and Place of Use

~~NO~~ ☐ Corrected Computer Data Proof Report with recommended license information, and date and signature of examiner.

C. Review and Processing:

Exam Completed Arthur Nelson 8-18-87 (Signature of examiner and date)

Exam Reviewed by Senior Water Resource Agent SD 8/18/87 (Initial and date)

Exam Reviewed by Manager of Regional Office DMT 1/23/88 (Initial and date)

Exam Date Entered in Computer ✓ (Initial and date)

Exam sent to State Office DN 2/2/88 (Initial and date)

Copy of Staff Analysis Sheet sent to Manager of Regional Office and Original
Refiled in White File _____ (Initial and date)

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION

Permit No. 67-7539

1. Owner: DAN W. OR KATHRYN DYMOKE Phone No. 549-1252

Current Address: RT 2 Box 91 WEISER, IDAHO 83672

2. Accompanied by: DAN DYMOKE EXAM. DATE: 7-29-87

Address: SAME Phone No. _____

Relationship to Permit Holder: _____

3. Source: GROUNDWATER tributary to MANNS CREEK → OVER FLOW


B. OVERLAP REVIEW

1. Other water rights with same place of use: STOCKWATER - NO OTHERS FROM SPRING ☐ Copies Attached

2. Other water rights with same point of diversion: STOCKWATER - SAME ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = _____

2. ☒ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required). ☐ Aerial Photo Attached (required for irrigation of 10 acres or more).
- ☒ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater).

System Description (continued)

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

BURIED 6" PERFORATE PIPE WITH GRAVEL UNDER
AND OVER IT IN BACK HOP TRENCH ABOUT 220 FT
WHICH RUNS INTO A CEMENT TILE 2" P.V.C COBS TO
ALL STOCK TANKS, AND THEN BACK TO CREEK.
- 2 STOCK TANKS ARE ON SYSTEM.

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	NONE				

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			SE	NW	6	11N	4W	WASHINGTON	USGS QUAD

6. Place(s) of Use:

Indicate Method of Determination USGS QUAD

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
11N	4W	6								X									

Do not use this space

MICROFILMED

JUL 31 1990

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
5 GALLON						
BUCKET AND						
STOP WATCH						

2. Measurements:

5 GALLONS IN 42 sec. $\rightarrow$ 7.14 G.P.M $\approx$.02 cfs

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

5 GALLON BUCKET $\rightarrow$.02 cfs

2. Alternate Method for Checking Purposes:

APPLIED FOR .02 cfs

OK ✓

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3)

; Flow rate: _____ cfs (4)

Water HP: (3) x (4) $\div$ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation: N/A

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ _____

2. Volume Calculations for Other Uses:

STOCK WATER

28 x .0134 = .38 cfs
vs.
.02 x 1.98 x 365 = 14.45

JUL 31 1990

USE

MICROFILMED

H. REMARKS AND OVERLAP REVIEW ANALYSIS

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Stock Water	1-1	12-31	.02 cfs	.4 ~~38~~ afa
Totals:			.02 cfs	.4 ~~38~~ afa

2. Recommended Amendments

- ☒ Change P.D. as reflected above
☒ Change P.U. as reflected above

- ☐ Add P.D. as reflected above
☐ Add P.U. as reflected above

- ☒ None
☐ Other

J. AUTHENTICATION


Field Examiner's Name QUENTIN NESBITT
Signature Quentin Nesbitt
Certification Date _____
Field Report Preparation Date 8-18-87

CONSULTANT SEAL

- K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

MICROFILMED

JUL 31 1990



67-7539




P.D.



P.O.

MICROFILMED

JUL 31 1990



RECEIVED

JUL 31 1990

67-7539-#06



State of Idaho

DEPARTMENT OF WATER RESOURCES

WESTERN REGION, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-2190

November 2, 1982

Dan M. & Kathryn Dymoke
Route 2, Box 91
Weiser, ID 83672

Re: Permit No. 67-7539

Dear Mr. & Mrs. Dymoke:

We acknowledge receipt of your statement submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department.

☐

A field examination of your system has been scheduled for _____.

If this time and date is not convenient for you, please contact this office as soon as possible.

☒

A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office.

Sincerely,

Judy Pense

Judy Pense
Secretary

RECEIVED
NOV 10 1982
WATER RESOURCES
DIVISION

DAN W. DYM
RT. 2 BOX 91
WEISER, IDA.
83672



IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit No. 67-7539.

Name(s) of Permit Holder: DAN W. & KATHRYN DYMOKE

Post Office Address: RT 2 - BOX 91

WEISER, IDAHO 83672 Tel. No. 549-1252

Source of Water: FIELD DRAIN

Extent of Use: ☐ Domestic (number of households)
☒ Stockwater 25 CATTLE (number and type of stock)
☐ Irrigation (acres)
☐ Other

Measuring Device: Required? ☐ Yes ☒ No Installed? ☐ Yes ☐ No
Access Port: Required? ☐ Yes ☒ No Installed? ☐ Yes ☐ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

6-4-82
Date

Dan W. Dymoke
Signature of Permit Holder

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
CERTIFIED MAIL

MAY 31, 1982

ENC: 1

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440

DYMOKE, DAN W. & KATHRYN
RT. 2 BOX 91
WEISER, ID 83672

JULY 29, 1981

RE: PERMIT NO. 67-7539

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

WE HAVE ENCLOSED A FORM ENTITLED "MAKING PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT INTO A LICENSE.

SINCERELY,

DAVID R. TUTHILL, JR., P.E.
SUPERVISOR, WATER ALLOCATION SECTION

ENCLOSURE

100-100000

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: 6HS

APPLICATION NUMBER: 197-7539

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.

- ☐ Fee.
☐ Yes ☒ No
☐ Yes ☒ No
☐ Yes ☒ No
☒ Yes ☐ No*

Field check required.

Critical groundwater area.

Request dam safety information. Sent by: _____ Date: _____

In form to receipt.

Field check by: _____

Date: _____

Comments: This system is a buried drain tile about 4ft deep that cut thru a light bog area. I think we can consider it a groundwater source

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☐ Idaho State Health Department.
☐ Idaho Fish and Game Department.
☐ Idaho Department of Lands.
☐ U.S. Bureau of Land Management.
☐ U.S. Forest Service.
☐ Other _____

Copies sent by: _____ Date: _____

PROCESSING:

- ☐ Yes ☒ No
☐ Yes ☒ No
☒ Yes ☐ No*
☐ Yes ☒ No

Platted by: _____ Map No. _____

Other rights on same place of use. None for

surface water

In form for advertising.

Final date for protests: 6/15/81 ✓

Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 7/1/81 ✓
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application.
☒ Publication dates and paper, recorded on application.
☒ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.
☐ Yes ☒ No Measuring device required.
☐ Yes ☒ No Access port required.
☐ Yes ☒ No Will water be delivered by watermaster? If yes, what district? _____
5/14/81 Date of priority recommended.
Special conditions of approval or cover letter. _____

By: DBS Date: 7/8/81

STATE OFFICE REVIEW:

return receipt w/ cover letter
SL to coord

☐ See attached sheet for more information.

By: Rosen Date: 7/14/81

DEPARTMENT OF WATER RESOURCES
Western Region

MAY 21. 1981

Encl.

NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

If issued, the permit(s) will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 92 S. Cole Road, Boise, Idaho 83709 on or before JUNE 15, 1981.

A. KENNETH DUNN

Director

Published 5/28 & 6/4/81.

12-11-81

DYMOKE, DAN W. &/or KATHRYN

RT. 2 BOX 91. WEISER, ID 83672

Source: GROUNDWATER

Date Filed: 05/14/1981

Amount: 0.02 CF5

Diversion Point: NWSE Sec 06 T 11N R 04W. WASHINGTON Co.

Use: STOCKWATER (0.02 CFS) from 01/01 to 12/31

Place of Use: NWSE Sec 06 T 11N R 04W

Diversion Means: DRAIN, PIPELINE, CATCH BASIN & TROUGHS.

תלמוד בבלי