






2
65.6

3
11.5
HEL

13
2.2

11.7

14

15

8.2

74.1
HEL

4
18.3

16
5.8

17
2.2
HEL

9

16.6

8

7
14.2

13.0
HEL

11.2
HEL

F#315
T-201
T. GROSSEN
34.2

12
36.6

17
3.2

10
41.5
(T-20)

D. Ogle 14
F#318 21.3
T-536

16
37.3

15
20.3

14
20.9

18
1.2

4

3

16
10.2

9

10

F#315
GROSSEN
T. 203

58.2


13.9

7 GREEN
F#441
9 T-536

GATED PIPE

67-7525

PERMIT 67-07525 INIT DA
T. R. S. Q/Q
P/D Am 1w 15 NASE
SCALE
PHOTO ID.



7525
PERMIT #; 67-0~~7525~~6


60 ~~15~~ ACRES

Little Weiser River

IRRIGATION ONLY.

* OTHER RIGHTS *

→ GET ARIELS (ADAMS) GET PHOTOS →



comes from an 18" end of Stuart Sub

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit No. 67-7525.

Name(s) of Permit Holder: Ernie A. Grossen

Post Office Address: Rt. 2 Box 240

Nielsen, Ida - 83672

Tel. No. 208-549-1309

Source of Water: LITTLE WEISER RIVER

Extent of Use: ☐ Domestic _____ (number of households)
☐ Stockwater _____ (number and type of stock)
☒ Irrigation 60 (acres)
☐ Other _____

Measuring Device: Required? ☐ Yes ☒ No Installed? ☐ Yes ☐ No

Access Port: Required? ☐ Yes ☐ No Installed? ☐ Yes ☐ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

Date

Ernie A. Grossen
Signature of Permit Holder

PLACE
TEN CENT
STAMP
HERE



IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant Irene A. Grossen Phone 549-1309

Post office address Rt. 3, Weiser, ID 83672

2. Source of water supply Little Weiser River which is a tributary of Weiser River

3. Location of point of diversion is NW $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 15 Township 14N

Range 1W B.M. Adams County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount .56 for Irrigation purposes from 4/1 to 11/1 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. .56 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. Steward Ditch

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 5 years (minimum 1 year – maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____

Range _____ B.M. _____

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water _____.

(5) If water is to be used for other purposes describe: _____

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
14N	1W	9	20																20
		10						40											40

Total number of acres to be irrigated 60

c. Describe any other water rights used for the same purposes as described above. Decreed rights


& Ben Ross Reservoir 67-0463 & 67-2385

9. a. Who owns the property at the point of diversion Yantis

b. Who owns the land to be irrigated or place of use Applicant

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing _____

10. Remarks This land has received additional water over the years. This filing covers that additional water which has been used in the past.



[illegible]

Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

John A. Grossen
(Applicant)

Proposed Priority 2/9/81

(45)

Received by WEL Date 2/9/81 Time 11:00

Preliminary check by IG Fee \$ 45.00

Receipted by WEL Date 2/9/81 # 17287

Publication prepared by WEL Date 2/12/81

Published in Adams Co. Leader

Publication dates 2/19 & 2/26/81

Publication approved WEL Date 2/9/81

Protests filed by: none.

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by DBS [Signature]

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 67-7525, and said application is hereby approved.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before March 1, 19 86.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other:

A measuring device of a type approved by the Department shall be permanently installed and maintained as part of the diverting works.

The issuance of this permit in no way grants any right-of-way or easement across the land of another.

Use of water under this permit is subject to control by the watermaster of State Water District # 67-A, Little Weiser River.

No water shall be diverted under this permit after June 15 of each year without prior approval of the watermaster.

Witness my hand this 24th day of March, 1981.

J. Glen Sayton
Chief, Operations Bureau

Affidavit of Publication

State of Idaho, County of Adams, ss:

I, Bert J. Rogers, being first duly sworn upon my Oath, depose and say that I am the publisher of The Adams County

Leader, a newspaper; that a copy of the " Notice of Application

No. 67-7524-Grossen, Norma &/or Tom as per clipping hereto attached, was published in the regular and entire issue of said newspaper, and not in any supplement thereof, for

two (2) consecutive weeks, the first publication of the

same being made in the issue dated February 19, 1981

and the last in the issue dated February 26, 1981 that said newspaper is of general circulation in Adams County Idaho, printed and published weekly at Council therein and that said newspaper has been continuously and uninterruptedly published in said county during a period of more than seventy-eight consecutive weeks prior to the first publication of

said " Notice " as aforesaid.

Subscribed and sworn to before me this 27th

day of February, 19 81

Bert J. Rogers
Notary Public for Idaho,
Residing at Council, Idaho

NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

67-7524

GROSSEN, NORMA &/or TOM
INDIAN VALLEY, ID 83632

Source: LITTLE WEISER RIVER tributary to WEISER RIVER

Date Filed: 02/05/1981

Amount: 7.24 CFS

Diversion Point: SWNW Sec 23

T 14N R 01W NWSE Sec 15 T

14N R 01W, ADAMS Co.

Use: IRRIGATION (7.24 CFS)

from 04/01 to 11/01

Place of Use: SWNW NWSW

NWSW SWSW SESW Sec 03 T

14N R 01W NENE NWNE SWNE

SENE NESE NWSE SESE Sec 04

T 14N R 01W FOR 480 ACRES

Diversion Means: GRAYS CREEK

& STEWARD DITCHES.

67-7525

GROSSEN, IRENE A.

RT. 3, WEISER, ID 83672

Source: LITTLE WEISER RIVER

tributary to WEISER RIVER

Date Filed: 02/09/1981

Amount: 0.56 CFS

Diversion Point: NWSE Sec 16

T 14N R 01W, ADAMS Co.

Use: IRRIGATION (0.56 CFS)

from 04/01 to 11/01

Place of Use: NENE Sec 09 T

14N R 01W NWNW Sec 10 T 14N

R 01W FOR 60 ACRES

Diversion Means: STEWARD
DITCH.

If issued, the permit(s) will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 92 S. Cole Road, Boise, Idaho 83709 on or before MARCH 9, 1981.

C. STEPHEN ALLRED

Director

Published 2/19 & 2/26/81.

RECEIVED

FEB 27 1981

Department of Water Resources
Western Regional Office

FEB 5 - 2003

Department of Water Resources

MEMORANDUM

DATE: 2/4/2003

FROM: Lori Graves

TO: Kay Walker

RE: Tom Grossen Permit No. 67-7866

Hi Kay,

I visited with Tom Grossen January 27, 2003 to discuss the details of water right 67-7866. He diverts with two identical 25 hp pumps out of Greys Creek Ditch. I called Gilbert with Farm Commercial Irrigation Company in Weiser, where Tom purchased the pumps, and he supplied me with a pump curve indicating that the designed capacity for each pump is 500 gpm. This is based on 65 psi and 10 feet of lift for a sprinkler irrigation system.

The permit lists two possible diversion points. Based on a gps reading that I took for the Greys Creek Ditch diversion last summer, the correct p/d should be listed as the NESWNW S23 T14N R1W.

With regards to the other permits (67-7524 and 67-7525), they involve Steward Ditch, which is used for gravity irrigation. I'll have to get a ditch measurement this next summer since there are no pumps involved.

Thanks Kay.

Do Not
Film

Walker, Kay

From: Walker, Kay
Sent: Thursday, January 23, 2003 12:21 PM
To: Graves, Lori
Cc: Walker, Kay
Subject: Grossen Permits

Lori: I pulled Permit 67-07525 (Irene Grossen) since it is in same area as Tom Grossen's permits. I find there is no measurement for this permit either. The water under this permit is delivered through Steward Ditch (same as one of Tom Grossen's p/ds???) but the diversion point recommended on the exam is not same as diversion on Tom's permit???. If water is delivered through a ditch shouldn't the point of diversion be the head of the ditch? That is the case with 67-07524 but not this one. Since you are getting information for Tom's permits could you see if you can get a measurement for Irene's too? I have copied the exam and sent it over in the mail. The file has never been micro-filmed so if you need more information you will need to call me.

I guess this is what I get for trying to license permits that no body asked for..... Kay

Do Not Film

This image shows a full page of blank graph paper. The grid consists of solid black lines forming large squares, with dashed lines further subdividing each large square into four smaller ones. There are 8 columns and 6 rows of the large squares, creating a total of 48 large squares. Each large square contains a 2x2 arrangement of smaller squares defined by dashed lines. The entire grid is enclosed within a double-line border.

see CFSA Photo

N Photo of Diversion and System Attached

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

Measurements: _____

E. NARRATIVE/REMARKS/COMMENTS

Permit developed to supplement decreed and storage water on 60 acres. Flows delivered through Steward Ditch, and distributed through 12" gated pipe from the south end of the field. Ditch capacity assumed sufficient.

Rt is limited to diversion prior to June 15 (floodwaters). Rt not typically delivered after WM is called due to late priority.

This rt filed to supplement acres with full duty of water when combined with 67-00463. (67-00463 decreed for .64 cfs for same acres from same source)

(See 67-07524 for ditch description)
+ overview map + photos ✓

$58 \times .02 = 1.16 - .64 = .52$ this permit

Have conditions of permit approval been met? ☒ yes ☐ no

F. FLOW CALCULATIONS

____ Additional Computation Sheets Attached

Measured Method: _____

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 58 \times 4 = 232$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = \frac{56}{.52} \times 214 \times 1.9835 = \frac{237.7}{220.7}$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 232$$

2. Volume Calculations for Other Uses:

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Irrigation	4/1	10/31	56.52	232
Totals:			56.52	232 220.7

2. Recommended Amendments

____ Change P.D. as reflected above ____ Add P.D. as reflected above ☒ None
____ Change P.U. as reflected above ____ Add P.U. as reflected above ____ Other

I. AUTHENTICATIONField Examiner's Name Dave Grey *by Lori Gwamer* Date 10/5/99

Reviewer _____ Date _____

SEAL





PHOTO ID.



PERMIT #; 67-07⁷⁵²⁵~~556~~


60 ~~15~~ ACRES

Little Weiser River

IRRIGATION ONLY.

* OTHER RIGHTS *

→ GET ARIELS (ADAMS) GET PHOTOS →



comes from an 18" end of Steved-Dette

May 19, 1992

IRENE A. GROSSIEN
RT. 3 BOX 240
WEISER ID 83672

RE: Water Right No. 67-07525

Dear Water Right Holder(s):

Department water right records show that you divert water from the Snake River or its tributaries under a water right that has a priority date later than December 29, 1976. This is the priority of the established minimum stream flow of the Snake River at the Weiser Gage (Weiser) in the amount of 4,750 cubic feet per second.

Because of the continuing drought conditions in the Snake River Basin, department hydrologists project that during 1992, there could be periods when the required minimum flow will not be satisfied due to low flows of the Snake River. The department urges you to not divert at a higher rate than authorized by your water right and to not use your right in any manner different than authorized. In addition, when the minimum flow will not be satisfied or is not being satisfied, you are required to cease diverting water under your water right, because your right is of later priority than the minimum stream flow at Weiser.

If the department determines the minimum flow will not be satisfied, the department will advise you and will provide as much lead time as possible in requiring that you temporarily cease your diversion of water. The greatest likelihood for this to occur is during a period from mid-June to late June.

While the department expects good cooperation from junior water right holders, water users should be aware that Section 42-352, Idaho Code, provides for penalties of up to \$100 per day for unauthorized diversions of water.

The department has contacted both the Idaho Power Company and the U.S. Bureau of Reclamation with respect to the timing of storage releases from upstream reservoirs for flow enhancement purposes. This type of coordination could minimize the impact on

existing water users and reduce the need to curtail diversions.

The department has scheduled public information meetings relative to this potential regulation as follows:

Mountain Home - June 4, 1992 - 10:00 a.m. - gymnasium at
North Elementary School, 290 E. 12th N.

Caldwell - June 4, 1992 - 7:00 p.m. - Ballroom in the
Student Union Building, Albertson College of Idaho,
2112 Cleveland

If you have questions concerning this letter or wish to provide the name of a different contact person or address to receive department correspondence, please contact the department.

Sincerely,

L. GLEN SAXTON
Chief, Water Allocation Bureau

LGS:klg

KEYPURCHASED

4/86

RECEIVED

JUN 3 1987

Department of Water Resources
Western Regional Office

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

EXAMINATION FEE INFORMATION

For Office Use Only
Fee Received \$100
Date 6-5-87
Receipt # 44919
Receipt by HA
Sent to S.O. 7/17/87 E.H.

RECEIVED

JUN 18 1987

1. Permit No. 67-7525ONE OF THE FOLLOWING BOXES SHOULD BE MARKED TO DESIGNATE YOUR ^{Department of Water Resources} ~~Permit~~☒ I choose to have the department make the field examination of this permit; attached is the examination fee. (If this box is marked, complete items 1 thru 8.)2. Permit Holder: Arnell Hassen3. Post Office Address: Rt #3, Box 240 Weiser, Id
83672 Telephone No. 208-549-13094. Source of Water: Little Weiser River

5. Extent of Use:

Domestic _____ (No. of households) Stockwater _____ (No. and type of stock)

Irrigation X 60 Acres (acres) Other/Remark _____6. Total rate &/or volume for which proof is submitted 0.56 cfs _____ acre-feet

7. Show the date water was first diverted and beneficially used under this permit:

2-9-81

8. Person to contact to accompany the department representative during the field examination:

Tom L. Hassen
(Name)PO Box #72 Indian Valley, Id 208-256-4411
(Address) 83632 (Telephone Number)☐ I choose to have the field examination conducted by a certified water right examiner. Attached is a statement from the certified examiner I have selected verifying that he has been retained to conduct the examination. (If this box is marked, complete items 1 thru 7.)6-1-87
DateArnell Hassen
Signature of Permit Holder (and title, if appropriate)

State of Idaho

Department of Water Resources

LICENSE EXAMINATION FEE SCHEDULE

(c.f.s. = cubic feet per second
AF = acre feet)

cfs	AF	Fee
0 - 0.04	0 - 4	\$ 0
.05 - 0.20	5 - 20	50.00
.21 - 1.0	21 - 100	100.00
1.01 - 2.0	101 - 200	125.00
2.01 - 3.0	201 - 300	150.00
3.01 - 4.0	301 - 400	175.00
4.01 - 5.0	401 - 500	200.00
5.01 - 6.0	501 - 600	225.00
6.01 - 7.0	601 - 700	250.00
7.01 - 8.0	701 - 800	275.00
8.01 - 9.0	801 - 900	300.00
9.01 - 10.0	901 - 1000	325.00
10.01 - 11.0	1001 - 1100	350.00
11.01 - 12.0	1101 - 1200	375.00
12.01 - 13.0	1201 - 1300	400.00
13.01 - 14.0	1301 - 1400	425.00
14.01 - 15.0	1401 - 1500	450.00
15.01 - 16.0	1501 - 1600	475.00
16.01 - 17.0	1601 - 1700	500.00
17.01 - 18.0	1701 - 1800	525.00
18.01 - 19.0	1801 - 1900	550.00
19.01 - 20.0	1901 - 2000	575.00
20.01 & over	2001 & over	600.00

56

Checks should be made payable to the
Department of Water Resources

No fee is required for single family
domestic use or stockwater use.



State of Idaho
DEPARTMENT OF WATER RESOURCES
Western Region

Cecil D. Andrus
Governor

2735 Airport Way
Boise, Idaho 83705
(208) 334-2190

67-7525
GROSSEN, IRENE A.
RT. 3 BOX 240
WEISER, ID 83672

138289

April 10, 1987

CERTIFIED MAIL

EXAMINATION FEE NOTICE

Dear Permit Holder:

Department records show that proof of beneficial use has been submitted for the above-referenced permit, but that a field examination has not yet been conducted to determine the extent of beneficial use of the water for licensing purposes.

House Bill 671 (effective April 4, 1986) enacted by the 1986 Idaho Legislature requires the payment of a fee before this department can conduct the field examination needed to issue a license confirming use of water under the permit. This letter is notification that the license examination fee is due within sixty (60) days of the date of this letter. The examination fee information sheet (enclosed) must be returned with the fee.

As an alternative to submitting the fee, the department will accept a field examination report completed by a certified water right examiner from the private sector. If you choose to have the examination done by a certified water right examiner, you need not submit the license examination fee to the department, but you must within sixty (60) days of the date of this letter return to the department, the examination fee information sheet showing appropriate information together with a statement from the certified examiner to verify that you have retained a certified examiner to conduct the field examination. If you choose this alternative, a completed field examination report must be submitted within one year of the date of this letter. You cannot later change your decision to use this alternative and submit the fee needed for the department to conduct the field examination, but you may change to another certified examiner.

April 28, 1981

Irene A. Grossen
Route 3, Box 240
Weiser, ID 83672

Dear Ms. Grossen:

Re: Permit No. 67-7525

Pursuant to your letter of April 14, 1981, enclosed is the statement of beneficial use postcard. To fulfill the requirement of beneficial use, please fill out the postcard and return it to this office.

If you have any questions concerning your permit, please feel free to contact us.

Sincerely,

RITA IL FLECK
Sr. Secretary

Enclosure

RECEIVED

APR 14 1981

Department of Water Resources

Weiser, Ida.

Apr. 14, 1981

Department of Water Resources
Boise, Idaho

Dear Sirs,

Will you please me the form
for making my proof valid.

Thank you,

Jane A. Grossen

Rt. 3 Box 240

Weiser, Ida. 83672

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440

GROSSEN, IRENE A.
RT. 3
WEISER, ID 83672

APRIL 01, 1981

RE: PERMIT NO. 67-7525

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

WE HAVE ENCLOSED A FORM ENTITLED "MAKING PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT INTO A LICENSE.

SINCERELY,

DAVID R. TUTHILL, JR., P.E.
SUPERVISOR, WATER ALLOCATION SECTION

ENCLOSURE



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

C. STEPHEN ALLRED
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

March 31, 1981

Irene A. Grossen
Rt. 2
Weiser, Idaho 83672

Dear Ms. Grossen,

RE: Permit No. 67-7525

Enclosed is a copy of your approved Application for Permit. We direct your attention to the conditions of approval on the fourth page.

Be sure to note the special condition requiring you to install and maintain a measuring device at your point of diversion. We have enclosed a description of the different types of measuring devices accepted by this office.

Please be advised that there is insufficient natural flow available in the **Weiser River** and tributaries to provide water for a new appropriation throughout the entire season of use. During the spring run-off each year, there may be a period of time in which the prior rights to the use of the natural flow and storage are filled leaving water available for your permit. As the natural flow diminishes, however, there may be no water available for your right unless you arrange for an additional source of water as a supplemental supply.

The exercise of this permit may also be affected by the Supreme Court's review of the case of Idaho Power Company vs. State of Idaho, et al., Ada County Civil No. 62237, currently being appealed to the Supreme Court of Idaho. Since the use of water under your permit may affect the flows in the Snake River between Milner Dam and Hells Canyon, the final decision in this case may determine to what extent the exercise of your permit is subject to water rights of Idaho Power. While the Supreme Court is reviewing this case, Idaho Power Company has not filed a specific protest to your permit. However, the Department of Water Resources has been advised that the Power Company is not waiving any of its rights to contest or limit the exercise of your permit or subsequent license.

We have enclosed a form entitled "Making Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit into a license.

Sincerely,

DAVID R. TUTHILL, JR., P.E.
Supervisor, Water Allocation Section

Enclosure

March 17, 1981

Allen Buchanan, Director
Little Weiser Irrigation District
Indian Valley, Idaho 83632

RE: Applications for Permit Nos. 67-7524 and 67-7525

Dear Mr. Buchanan:

I am in receipt of your letter of March 10 concerning the above numbered applications for water from the Little Weiser River. These applications have both been recommended for approval with the condition that no water be used after June 15 of each year without the prior approval of the watermaster. This is the condition that was agreed to at the conference at Weiser last year. Since that time, all Little Weiser applications have had that condition placed on them as will all future applications until some other condition is determined to be necessary.

The last day for the department to receive protests against these applications was March 9, 1981. Since your letter of protest was not received until March 12, 1981, it cannot be accepted as a protest; however, the condition which was agreed to had already been placed on the permits.

If there are other concerns that you wish to express, please feel free to contact our office.

Yours truly,

DAVID B. SHAW
Western Region Supervisor

DBS:hlh

Little Weiser Irrigation District
Indian Valley, Idaho 83632

March 10, 1981

C. Stephen Allred, Director
Idaho Department of Water Resources
92 South Cole Road
Boise, Idaho 83709

Reference applications 67-7524 and 67-7525:

The Board of Directors of the Little Weiser Irrigation District hereby protest the above applications as published in the Adams County Leader on 2-19-81 and 2-26-81.

In the spring of 1980 at a protest hearing at the Washington County Court House, Weiser, Idaho, the representatives of the Idaho Department of Water Resources agreed not to accept any further applications on the Little Weiser system without cut off dates prior to June 15th or at the discretion of the Water Master.

Allen Buchanan
ALLEN BUCHANAN
Director

AB/rd

RECEIVED
MARCH 11 1981
Idaho Department of Water Resources
Boise Regional Office

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: Sam Janner APPLICATION NUMBER: 67-7525
CHECK: Grosser

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.

Field check by: _____

Date: _____

Comments: _____

- ☐ Yes ☒ No Field check required.
☐ Yes ☒ No Critical groundwater area.
☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☐ No* In form to receipt.

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☐ Idaho State Health Department. Copies sent by: _____ Date: _____
☒ Idaho Fish and Game Department. _____
☐ Idaho Department of Lands. _____
☐ U.S. Bureau of Land Management. _____
☐ U.S. Forest Service. _____
☒ Other _____

PROCESSING:

- ☐ Yes ☐ No Platted by: _____ Map No. _____
☒ Yes ☐ No Other rights on same place of use. 67-0463 & 67-2385 - this
things have rights to 1" per acre ✓
☒ Yes ☐ No* In form for advertising
Final date for protests: 3/9/81 ✓
☐ Yes ☒ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 2/27/81 ✓
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application.
☒ Publication dates and paper, recorded on application.
☒ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.
☐ Yes ☐ No Measuring device required.
☐ Yes ☒ No Access port required.
☒ Yes ☐ No Will water be delivered by watermaster? If yes, what district? 67A
2/9/81 Date of priority recommended.
Special conditions of approval or cover letter. I.P. letter
Weiser River letter, Right-of-way
W.M. Condition.

* No water shall be diverted under this permit
after June 15 of each year without prior approval
of the watermaster.

By: DBS Date: 3/10/81

STATE OFFICE REVIEW:

return receipt / cover letter

5/2/81, 104 (Weiser R.) 105 01, 04, 05 (67A Little Weiser R.) & special

- ☐ See attached sheet for more information.
By: [Signature] Date: 3/23/81 cond above

GROSSEN, IRENE A.

RT. 3, WEISER, ID 83672

Source: LITTLE WEISER RIVER tributary to WEISER RIVER

Date Filed: 02/09/1981

Amount: 0.56 CFS

Diversion Point: NWSE Sec 15 T 14N R 01W, ADAMS Co.

Use: IRRIGATION (0.56 CFS) from 04/01 to 11/01

Place of Use: NENE Sec 09 T 14N R 01W NWNW Sec 10 T 14N R 01W
FOR 60 ACRES

Diversion Means: STEWARD DITCH.