


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

x William Don Lacey
(Applicant)

PUBLISHER'S AFFIDAVIT

STATE OF IDAHO)

County of Washington)

Stuart ss.

~~XXXXXX~~ V. Dopf, being first duly sworn, deposes and says: That he is the editor and publisher of The Upper Country News-Reporter, a weekly newspaper published at Cambridge, Idaho, in the County of Washington, State of Idaho; that said newspaper is in general circulation in the county of aforesaid and is a legal newspaper; that the advertisement, a copy of which is hereto attached, was published in said newspaper once a week for two consecutive weeks in the regular and entire issue of every number thereof during the period and time of publication, and was published in the newspaper proper and not in a supplement; and that publication of such notice began Sept.

25, 1980, and ended October
2, 1980.

Stuart Dopf

Subscribed and sworn to before me, a Notary Public in and for the County of Washington, and the State of Idaho, this 6th day of October, 1980.
Mary Collins, Notary Public
My commission expires June 3, 1981.

Public Notices

NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following application has been submitted for a permit to appropriate the public waters of the state of Idaho:

67-7513

LAKEY, WILLIAM DON &/or JOAN E.

RT. 1 BOX 160, CAMBRIDGE, ID 83610.

Source: LAKEY HOT SPRINGS tributary to WEISER RIVER

Date Filed: 9/15/1980.

Amount: 0.80 CFS.

Diversion Point: NWNW Sec. 6 T 14N R 2W, WASHINGTON Co.

Use: HEATING (0.80 CFS) from 1/1 to 12/31.

Place of Use: NWNW Sec. 6 T 14N R 2W.

Diversion Means: PUMP AND PIPELINES

If issued, the permit will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 92 S. Cole Road, Boise, Idaho 83709 on OR BEFORE OCTOBER 13, 1980.

C. STEPHEN ALLRED
Director

Published 9/25 & 10/2/80.

O.K. Helt

RECEIVED
OCT 7 1980

Department of Water Resources
Western Regional Office

MICROFILMED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION



Permit No. 67-7513
Phone No. 257-3458
1. Owner: William Don and/or Joan E. Lakey
Current Address: Rt. 1, Box 160 Cambridge, Id. 83610
2. Accompanied by: William Don Lakey EXAM. DATE: 9/24/87
Address: Same Phone No. Same
Relationship to Permit Holder: Co-owner
3. Source: Lakey hot springs tributary to Weiser River

B. OVERLAP REVIEW

1. Other water rights with same place of use: 67-4027, 67-7073, 67-7590
☒ Copies Attached
2. Other water rights with same point of diversion: 67-2167, 67-4027, 67-4051, 67-7073
☒ Copies Attached ☒ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached




MICROFILMED

SEP 19 1987

Scale: 1" = NOT TO SCALE

2. ☒ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).
☒ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater).
☐ Aerial Photo Attached (required for irrigation of 10 acres or more).



Point A
31 Site of discharged
hot water. 4" drain pipes
deliver water to ditch & then
to river

Point B
Water from pond can overflow
via 4" pipe to RIVER.

MICROFILMED

SEP 19 1990

VALLEY

Composite of 2 maps

67-7513

14N
2W
S. 6
13

J-B R I A

S A L U



PERMIT NO 67-7513








67-7513 14N 2W S.6

PD 5 PL
 200 +
 River's course is
 found West of course
 shown, according
 to maps



MICROFILMED
 SEP 1 1980

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 67-07513

Priority: September 15, 1980

Maximum Diversion Rate:

0.16 CFS

Maximum Diversion Volume:¹

58.1 AF

This is to certify, that WILLIAM DON LAKEY
JOAN E. LAKEY

RT 1 BOX 160

CAMBRIDGE, ID 83610

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated September 15, 1980; and has submitted Proof of Beneficial Use on September 25, 1985. An examination indicates that the works have a diversion capacity of .220 cfs of water from:

LAKEY HOT SPRINGS

tributary to WEISER RIVER

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
HEATING	01/01 to 12/31	0.16 CFS	57.1 AF
RECREATION STORAGE	01/01 to 12/31		1.0 AF
	Totals	0.16 CFS	58.1 AF

LOCATION OF POINT(S) OF DIVERSION: LOT 4(NENWNW), Sec. 6, Township 14N, Range 02W
WASHINGTON County

PLACE OF USE: HEATING

TWN RGE SEC

14N 02W 6 LOT 4(NWNW)

PLACE OF USE: RECREATION STORAGE, same as HEATING use

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.

MICROFILMED

SEP 19 1990

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 67-07513

CONDITIONS/REMARKS:

4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Use of water under this water right is subject to control by the watermaster of State Water District No. 67
6. Return water shall be treated to insure that the effluent meets Idaho Water Quality Standards.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 8TH day of AUGUST, 1990.

Acting for R. Keith Higginson, Director

MICROFILMED

SEP 19 1990

State of Idaho
Department of Water Resources

RECEIVED
JUL 30 1990

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 67-07513

Department of Water Resources

Date of Priority: September 15, 1980

Maximum Diversion Rate:

0.16 CFS

Maximum Diversion Volume:

58.1 AF

Comes now

WILLIAM DON LAKEY
JOAN E. LAKEY

RT 1 BOX 160
CAMBRIDGE, ID 83610

and represents to the Director of the

Idaho Department of Water Resources:

That he is the owner and holder of Permit to Appropriate the Public Waters of the State of Idaho No. 67-07513, and requests that the permit be changed as follows:

Source: LAKEY HOT SPRINGS

tributary to WEISER RIVER

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
HEATING	01/01 to 12/31	0.16 CFS	57.1 AF
RECREATION STORAGE	01/01 to 12/31		1.0 AF
	Totals	0.16 CFS	58.1 AF

LOCATION OF POINT(S) OF DIVERSION: LOT 4(NENWNW), Sec. 6, Township 14N, Range 02W
WASHINGTON County

PLACE OF USE: HEATING

TWN RGE SEC

14N 02W 6 LOT 4(NWNW)

PLACE OF USE: RECREATION STORAGE, same as HEATING use

Permit holder asserts that no one will be injured by such change and that such change will be made at permit holder's own risk.

Signed at 10:30 AM, this 26 day of July, 1990.

MICROFILMED

SEP 19 1990

William Don Lakey
(Signature)

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 67-07513

FOR DEPARTMENT USE ONLY

#C017845

Preliminary check by SC Fee ☒ \$20.00 Received by JA Date 7/30/90

ACTION OF THE DEPARTMENT OF WATER RESOURCES

I, R. Keith Higginson, of the Department of Water Resources hereby approve the above Application for Amendment for Permit No. 67-07513 with the following;

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Use of water under this water right is subject to control by the watermaster of State Water District No. 67
6. Return water shall be treated to insure that the effluent meets Idaho Water Quality Standards.

Witness my hand this 8TH day of August, 1990.

Acting for

R. Keith Higginson, Director

MICROFILMED

SEP 19 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant WILLIAM DON AND/OR JOAN E. LAKEY Phone 257-3458

Post office address Rt. 1, Box 160, Cambridge, ID 83610

2. Source of water supply Lahey Hot Springs which is a tributary of Weiser River

3. Location of point of diversion is NW $\frac{1}{4}$ of NW $\frac{1}{4}$ of Section 6 Township 14N

Range 2W B.M. Washington County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount .80 for heating purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. .80 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. Pump and pipelines to heat
exchangers

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 5 years (minimum 1 year - maximum 5 years).

8. Description of proposed uses:

a. If water is **not** for irrigation:

(1) Give the place of use of water: NW $\frac{1}{4}$ of NW $\frac{1}{4}$ of Section 6 Township 14N

Range 2W B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.


(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water _____.

(5) If water is to be used for other purposes describe: Heating for up to 20 homes

MICROFILMED

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

x William Don Lacey
(Applicant)

Proposed Priority

9/15/80

Received by 6LS Date 9/15/80 Time 4:45

Preliminary check by Cam Fee \$ 45.00

Received by 6LS Date 9/15/80 # 15735

Publication prepared by h/h Date 9/16/80

Published in Upper Co. News Reporter

Publication dates 9/25 & 10/2/80

Publication approved h/h Date 10/10/80

Protests filed by: none

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by DBS RA

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 67-7513, and said application is hereby approved.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before November 1, 19 85.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other:

A measuring device of a type approved by the Department shall be permanently installed and maintained as part of the diverting works.

Use of water under this permit is subject to control by the watermaster of State Water District #67, Weiser River.

Return flow if discharged to a subsurface system must be authorized by a separate injection well permit, and return flow if discharged to a surface water system shall meet Idaho Water Quality Standards.

Witness my hand this 18th day of November 19 80.

A. Glen Sayton
Chief, Operations Bureau

PUBLISHER'S AFFIDAVIT

STATE OF IDAHO)

County of Washington)

Stuart ss.

~~XXXXX~~ Dopf, being first duly sworn, deposes and says: That he is the editor and publisher of The Upper Country News-Reporter, a weekly newspaper published at Cambridge, Idaho, in the County of Washington, State of Idaho; that said newspaper is in general circulation in the county of aforesaid and is a legal newspaper; that the advertisement, a copy of which is hereto attached, was published in said newspaper once a week for two consecutive weeks in the regular and entire issue of every number thereof during the period and time of publication, and was published in the newspaper proper and not in a supplement; and that publication of such notice began Sept. 25, 19 80, and ended October 2, 19 80.

Stuart Dopf

Subscribed and sworn to before me, a Notary Public in and for the County of Washington, and the State of Idaho, this 6th day of October, 19 80.
May Collins, Notary Public
My commission expires June 3, 19 81.

Public Notices

NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following application has been submitted for a permit to appropriate the public waters of the state of Idaho:

67-7513

LAKEY, WILLIAM DON &/or
JOAN E.
RT. 1 BOX 160, CAMBRIDGE, ID
83610.

Source: LAKEY HOT SPRINGS tributary to WEISER RIVER

Date Filed: 9/15/1980.

Amount: 0.80 CFS.

Diversion Point: NWNW Sec. 6
T 14N R 2W, WASHINGTON Co.

Use: HEATING (0.80 CFS)
from 1/1 to 12/31.

Place of Use: NWNW Sec. 6 T
14N R 2W.

Diversion Means: PUMP AND
PIPELINES.

If issued, the permit will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 92 S. Cole Road, Boise, Idaho 83709 on
OR BEFORE OCTOBER 13, 1980.

C. STEPHEN ALLRED

Director

Published 9/25 & 10/2/80.

*o.k.
Hult*

RECEIVED
OCT 7 1980

Department of Water Resources
Western Regional Office

RECORDED

WATER RIGHT NO.	NAME	OWNER	PRIORITY DATE	STG/STS	SOURCE	USE DESC	SYSTEM
67-07513	LAKEY, WILLIAM DON	C	09/15/1980	L/	LAKEY HOT SPRINGS	HEAT	WR
	LAKEY, JOAN E.	C				REC S	

A67-07513	SPLIT CLAIM	C	09/15/1980	/Z	LAKEY HOT SPRINGS	HEAT	AJ
					SPLIT CLAIM		
A67-07513A	LAKEY, WILLIAM DON	C	09/15/1980	L/	LAKEY HOT SPRINGS	HEAT	AJ
	LAKEY, JOAN E	C					
A67-07513B	CAMPBELL, MICHAEL D	C	09/15/1980	L/	LAKEY HOT SPRINGS	HEAT	AJ
	CAMPBELL, ANGELA LAKEY	C					

August 9, 1990

WILLIAM DON LAKEY
JOAN E. LAKEY
RT 1 BOX 160
CAMBRIDGE, ID 83610

RE: PERMIT NO. 67-07513

Dear Permit Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit along with a copy of your approved application for amendment.

Should you have any questions regarding these documents, please feel free to contact our office.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MicroFILMED

SEP 19 1990

July 19, 1990

WILLIAM DON LAKEY
JOAN E. LAKEY
RT 1 BOX 160
CAMBRIDGE, ID 83610

RE: PERMIT NO. 67-07513

Dear Permit Holder(s):

The above referenced water right is in the process of being licensed. However, before a license can be issued, your permit must be amended to correspond with the findings of the Department's field examiner.

The enclosed application for amendment contains information that will be included on the license when it is issued. Please review carefully and if you concur, sign the amendment and return with the \$20.00 filing fee within 30 days.

If you do not concur with these findings or if you have any questions, please contact us within the 30-day period.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MICROFILMED
SEP 19 1990

RECEIVED

MAR - 1 1988

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

67-7513
Permit No.

Staff Analysis Sheet
for
Department of Water Resources Official Use Field Report

NW NW 6 14N 2W

A. Prior to Conducting the Exam, the File Contains:

- ☒ Blank Field Report Form
- ☒ Copy of Permit
- ☒ Copies of any Amendments/Orders with conditions of approval
- ☒ Computer Data Proof Report
- ☒ Copy of U.S.G.S. Quad
- ☒ Check for Government Lots. If so, make a copy of Government Plat Lot 4

Check of P/D index SL 9/23/87 (Initial and date)

Overlap? ☒ yes ☐ no If yes: ☒ copy of exam(s) attached? 67-7073

Type of Overlap? ☐ Add acres or uses to existing system

☐ Increase rate of flow or volume

☒ Other: 67-2167 & 4051 - other summer; 67-4027 - heating 1 house of these
in 67-7513; 67-7073 not functioning

Check of P/U index SL 9/23/87 (Initial and date)

Overlap? ☒ yes ☐ no If yes: ☒ copy of water right(s) attached? 67-7023; 4027

Type of Overlap? ☐ Increase rate of flow or volume

☐ Add P/D's

☐ Increase number of acres within tracts

☒ Other: 67-7590, 4027, 7073

Aerial Photo

Required? ☐ yes ☒ no If yes: ☐ copy attached?

Scheduling Letter sent? SL 7-23-87 (Initial and date)

☒ Appointment made and telephone conversation memo attached

B. After Conducting the Exam, the File Contains:

- ☒ Fully completed and signed Field Report Form
- ☒ Photographs of Point of Diversion and Place of Use
- ☒ Corrected Computer Data Proof Report with recommended license information, and date and signature of examiner.

C. Review and Processing:

Exam Completed Steve Lester 9/24/87 (Signature of examiner and date)

Exam Reviewed by Senior Water Resource Agent BD 2/11/88 (Initial and date)

Exam Reviewed by Manager of Regional Office Dir 2/11/88 (Initial and date)

Exam Date Entered in Computer _____ (Initial and date)

Exam sent to State Office BD 2/19/88 (Initial and date)

Copy of Staff Analysis Sheet sent to Manager of Regional Office and Original
Refiled in White File _____ (Initial and date)

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION

1. Owner: William Don and/or Joan E. Lakey
Current Address: Rt. 1, Box 160 Cambridge, Id. 83610
2. Accompanied by: William Don Lakey
Address: Same
Relationship to Permit Holder: Co-owners
3. Source: Lakey hot springs tributary to Weiser River


Permit No. 67-7513
Phone No. 257-3458
EXAM. DATE: 9/24/87
Phone No. Same

B. OVERLAP REVIEW

1. Other water rights with same place of use: 67-4027, 67-7073, 67-7590
☒ Copies Attached
2. Other water rights with same point of diversion: 67-2167, 67-4027, 67-4051, 67-7073
☒ Copies Attached ☒ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = NOT TO SCALE

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).
☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).
- ☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).

System Description (continued)

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

A hot springs near the Weiser River provides heating water for 23 units as follows: 3 one-story houses, 3 double-wide trailers, 13 regular trailers, 2 lots with stubbed lines for regular trailers, 1 barn, and 1 shop. In addition, a buried 6" pipe allows water from the hot springs to be stored in a 1 AF pond approx. 1000' S/SW of P.D. The pond utilizes a 4" overflow pipe to return water to the river. Two 1-hp pumps (described by owner as low pressure - high volume pumps) draw water from the 160° source through 2" lines. The 2" lines ^{are linked} ~~form~~ and a 1 1/4" branch line is added to provide three buried ~~to~~ lines to deliver water. Each unit has a radiator and fan for heating. Used water then drains into two 4" pipes that emerge to a drain ditch which delivers water to the river approx. 150' SW of P.D.
↑ returning water is approx. 140° as leaves the 4" pipes. □ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
01	Century	1	8-164556-20	Same	2" pipe
02	Century	1	~~AG-100~~ B03	Same	2" pipe
			(Saw pump # 2 in shop)		

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
	04	NE	NW	NW	6	14N	2W	Washington	USGS 7 1/2' Quad

6. Place(s) of Use:

Indicate Method of Determination Same as in P.D.

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
14N	2W	6					H												—
							Gov. Lot 4												
							R												—

MICROFILMED

SEP 19 1990

Do not use this space

67-7513 Establishing rate of flow using Admin. Memo A23 implemented 9/9/84.

A. Two cases

1. case 1 covers the existing 23 units.
2. case 2 covers up to 20 units as shown on permit.

B. Estimating livable/usable floor space

Both cases - estimates based on usable space of total dimensions provided by owner.

CASE 1, 23 units:

3 dbl.-wide trailers @ 24'x46'	= 3,312 ft. ²
13 regular trailers @ 14'x60'	= 10,920 "
2 " " stubbed lines "	= 1,680 "
3 one-story homes @ 28'x44'	= 3,696 "
1 barn @ 40'x70'	= 2,800 "
1 shop @ 25'x35'	= 875 "
<u>TOTAL</u>	<u>= 23,283 ft.²</u>

case 2, 20 units:

omit 2 stubbed line lots and the shop to allow max. ft.² coverage for 20 units.

TOTAL = 20,728 ft.²

C. Design heat load

$E = [e \cdot AT] A$ where: $E = \text{BTU/hr}$
 $e = \text{efficiency factor, BTU/hr-ft.²-°F}$
 $= 1.11$ (assumes poor efficiency for system, mostly trailers & barn & shop)
 $AT = \text{design temp. difference in °F} = t_i - t_o$ where:
 $t_i = \text{inside design temp., approx. 70°F}$
 $t_o = \text{outside design temp.; used -4°F for Cambridge; assumes climate is more similar to Acute/16 (-8°F) than to Boise (4°F)}$
 $= 70 - (-4) = 74$
 $A = \text{livable/usable floor space in ft.² (see B above)}$

Therefore, system heat loads are:

case 1 $E = (1.11 \times 74) 23,283 = 1,912,466 \text{ BTU/hr.}$

case 2 $E = (1.11 \times 74) 20,728 = 1,702,598 \text{ BTU/hr.}$

D. Estimating flow rates

$W = \frac{Q}{(500)(\Delta T_s)}$ where: $W = \text{flow in gpm}$
 $Q = \text{system heat load, BTU/hr}$
 $\Delta T_s = \text{temp. drop across system in °F} = (S - t)$ where:
 $S = \text{source temp.} = 160°F$
 $t = \text{required temp.} = 70°F$
 $= (6)(160 - 70) = 54$

Therefore, flow rates are

case 1 $W = \frac{1,912,466}{(500)(54)} = 70.83 \text{ gpm} = .16 \text{ cfs}$

case 2 $W = \frac{1,702,598}{(500)(54)} = 63.06 \text{ gpm} = .14 \text{ cfs}$

UNFILMED

SEP 19 1990

Stan Lester
9/29/87

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement/Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
NONE						

2. Measurements:

NONE AVAILABLE,

Mr. Lakey is convinced that he is pumping approx. 100 gpm (.22 cfs; see HP equation below). A properly designed system with a 2" pipe would produce:
 $Q = 5\pi R^2 = (5)(3.14)(1/2)^2 = .109 \text{ cfs}$; two such systems would thus produce .218 cfs, or .22 cfs. This and the hp eq below assume optimum efficiency.

E. FLOW CALCULATIONS

☒ Additional Computation Sheets Attached

1. Measured Method: see ATTACHED Sheet

2. Alternate Method for Checking Purposes:

HP equation, 2 pumps where
HP = 1, eff. = .8, psi = 26, z = 5
no gauge, estimate by owner

$$Q = 2 \left[\frac{(8.8)(.8)(1)}{(2.31 \times 26) + 5} \right] = 2 \left(\frac{7.04}{65.06} \right) = .22 \text{ cfs}$$

F. PUMP EFFICIENCY DATA (Optional) N/A

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3); Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation: N/A

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ _____

2. Volume Calculations for Other Uses:

NONCONSUMPTIVE

a) HEATING - 23 domestic units

b) POND - 100' circle, 5.5' deep

Assume required 6 mos (180 days)
180 days x 1.9835 x .16 = 57.1 a-f.
3D 2/11/88

$$V = \text{AREA} \times \text{DEPTH} = \pi R^2 d = (3.1412)(50')^2 (5.5') = 43,191.5 \text{ ft}^3$$
$$\frac{43,191.5 \text{ ft}^3}{43,560 \text{ ft}^3/\text{AF}} = .99 \text{ AF} = 1.0 \text{ AF}$$

H. REMARKS AND OVERLAP REVIEW ANALYSIS

Request for removal of measuring device is attached.

Recommend allowing 23 units on heating system. Permit shows 20 units. Heating use is nonconsumptive. Four units consist of 1 barn, 1 shop, 2 trailer lots with stubbed lines.

It seems unreasonable to require an additional water right for the three units beyond the 20 shown on permit. Confirmed this rec'd with Gary Spunkman on 9/28/87.

Amendment - Recommend adding diversion to storage and recreation storage for a small, concrete lined pond by Lakey's home. Use is non-consumptive. Pond capacity is approx. 1.0 AF.

Overlap:

PO: 67-2167 Weston Slough, different source; 67-4051 Weiser River, different source

67-4027 and 67-7073 same P.O.

PU: 67-7590 Application by State of Idaho using Weiser River water for irrig & fish prop. storage.
(galloway project?) - continued below -

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Heating	1/1	12/31	.16	~~N/A~~ 57.1
→ Recreation Storage	1/1	12/31	N/A	1.0
Diversion to storage	1/1	12/31	.16	N/A

volume parameter but nonconsumptive

Totals: .16 ~~58.1~~ 7.0 (storage parameter only)
57.1

2. Recommended Amendments

☐ Change P.D. as reflected above

☐ Add P.D. as reflected above

☐ None

☐ Change P.U. as reflected above

☐ Add P.U. as reflected above

☒ Other

J. AUTHENTICATION

Field Examiner's Name

Steven Lester

Signature

Steven Lester


Certification Date

9/24/87

Field Report Preparation Date

BD

2/11/88




K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

PU overlap continued:

67-4027 Claim by previous owners (H.M. & son I.C. Asse). Industrial use was for sawmill that no longer is in business. Domestic use was provided for one home (others never were developed) which is now served by permit 67-7513.


67-7073 License for .03 cfs / 1.2 AFA, domestic use for Lakey residence. This is the same home receiving heating water under permit 67-7513. System for 7073 no longer in place. Owner receives his domestic water from O/I well with no recorded water right found or needed. Rec'd cancellation of 67-7073 since replaced by 67-7513 in 1980 (more than 5 years ago).











① P/O

Hot spring NE of
Cambridge approx. 2
miles. Weiser River
is at base of hills, to
left of P/O. 6" pipe
for intake to storage
is below screen in
left center.

②

Close view of P/O.

1 pump in place under
protective covering.
Other pump connects
to open pipe on
left.

③

P/U, looking SE
from P/O.

④


P/U, Lakay residence
and pond. Looking
N, other units
are seen in
background.

MICROFILMED

SEP 19 1990

67-7513 14N 2W S. 6

RD 304
lot 4
River's course is
found West of course
shown, according to
topo



9/29/87

I request that the measuring device
requirement on permit 67-7513 be removed.

owner: William Don Lekey

Witness: Steve Lester
Water Resource Agent

MICROFILMED
SEP 19 1990

4/86

67-7513
LAKEY, WILLIAM DON
LAKEY, JOAN E.
RT 1 BOX 160
CAMBRIDGE, ID 83610

RECEIVED KEYPUNCHED

MAY 26 1987

For Office Use Only
Fee Received \$100
Date 5-15-87
Receipt # 44836
Receipt by JH
Sent to S.O. 5-22-87

RECEIVED

MAY 13 1987

Department of Water Resources
STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

EXAMINATION FEE INFORMATION

Department of Water Resources
Western Regional Office

1. Permit No. 67-7513

ONE OF THE FOLLOWING BOXES SHOULD BE MARKED TO DESIGNATE YOUR CHOICE:

☐ I choose to have the department make the field examination of this permit; attached is the examination fee. (If this box is marked, complete items 1 thru 8.)

2. Permit Holder: WILLIAM DON & JOAN E LAKEY

3. Post Office Address: Route #1 Box 160 Cambridge,
Idaho 83610 Telephone No. 208-257-3458

4. Source of Water: NATURAL HOT SPRING

5. Extent of Use:

Domestic 23 (No. of households) Stockwater 75 (No. and type of stock)

Irrigation _____ (acres) Other/Remark HEATING
23 HOMES

6. Total rate &/or volume for which proof is submitted .80 (PERMIT AMOUNT) cfs _____ acre-feet

7. Show the date water was first diverted and beneficially used under this permit:

NOVEMBER 18, 1980

8. Person to contact to accompany the department representative during the field examination:

WILLIAM "DON" LAKEY (Name) SEP 19 1990

Route #1 Box 160 Cambridge, Id. 83610 (Address) 257-3458 (Telephone Number)

☐ I choose to have the field examination conducted by a certified water right examiner. Attached is a statement from the certified examiner I have selected verifying that he has been retained to conduct the examination. (If this box is marked, complete items 1 thru 7.)

5-12-87
Date

William Don Lakey (Signature of Permit Holder) OWNER (and title, if appropriate)

State of Idaho

Department of Water Resources

LICENSE EXAMINATION FEE SCHEDULE

(c.f.s. = cubic feet per second
AF = acre feet)

cfs	AF	Fee
0 - 0.04	0 - 4	\$ 0
.05 - 0.20	5 - 20	50.00
.21 - 1.0	21 - 100	100.00
1.01 - 2.0	101 - 200	125.00
2.01 - 3.0	201 - 300	150.00
3.01 - 4.0	301 - 400	175.00
4.01 - 5.0	401 - 500	200.00
5.01 - 6.0	501 - 600	225.00
6.01 - 7.0	601 - 700	250.00
7.01 - 8.0	701 - 800	275.00
8.01 - 9.0	801 - 900	300.00
9.01 - 10.0	901 - 1000	325.00
10.01 - 11.0	1001 - 1100	350.00
11.01 - 12.0	1101 - 1200	375.00
12.01 - 13.0	1201 - 1300	400.00
13.01 - 14.0	1301 - 1400	425.00
14.01 - 15.0	1401 - 1500	450.00
15.01 - 16.0	1501 - 1600	475.00
16.01 - 17.0	1601 - 1700	500.00
17.01 - 18.0	1701 - 1800	525.00
18.01 - 19.0	1801 - 1900	550.00
19.01 - 20.0	1901 - 2000	575.00
20.01 & over	2001 & over	600.00

Checks should be made payable to the
Department of Water Resources

No fee is required for single family
domestic use or stockwater use.



Cecil D. Andrus
Governor

State of Idaho
DEPARTMENT OF WATER RESOURCES
Western Region

2735 Airport Way
Boise, Idaho 83705
(208) 334-2190

67-7513
LAKEY, WILLIAM DGN
LAKEY, JOAN E.
RT 1 BOX 160
CAMBRIDGE, ID 83610

138284

April 10, 1987

CERTIFIED MAIL

EXAMINATION FEE NOTICE

Dear Permit Holder:

Department records show that proof of beneficial use has been submitted for the above-referenced permit, but that a field examination has not yet been conducted to determine the extent of beneficial use of the water for licensing purposes.

House Bill 671 (effective April 4, 1986) enacted by the 1986 Idaho Legislature requires the payment of a fee before this department can conduct the field examination needed to issue a license confirming use of water under the permit. This letter is notification that the license examination fee is due within sixty (60) days of the date of this letter. The examination fee information sheet (enclosed) must be returned with the fee.

As an alternative to submitting the fee, the department will accept a field examination report completed by a certified water right examiner from the private sector. If you choose to have the examination done by a certified water right examiner, you need not submit the license examination fee to the department, but you must within sixty (60) days of the date of this letter return to the department, the examination fee information sheet showing appropriate information together with a statement from the certified examiner to verify that you have retained a certified examiner to conduct the field examination. If you choose this alternative, a completed field examination report must be submitted within one year of the date of this letter. You cannot later change your decision to use this alternative and submit the fee needed for the department to conduct the field examination, but you may change to another certified examiner.

MICROFILMED

SEP 19 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Western Region

Statehouse
Boise, Idaho 83720
(208) 334-2190

DECEMBER 2, 1985

WILLIAM DON LAKEY
RT. 1 BOX 160
CAMBRIDGE ID 83610

RE: Permit No. 67-7513

Dear Permit Holder:

We acknowledge receipt of your statement submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this department.

A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office by phone at 334-2190 or in person in the third floor State Towers Building, 450 West State Street, Boise.

Sincerely,
s/Judy Pense
Secretary

MICROFILMED

SEP 1 1989

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
PROOF OF BENEFICIAL USE

RECEIVED

SEP 25 1985

Department of Water Resources

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed development under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below:

Permit No. 67-7513

Name(s) of Permit Holder: William "Don" + Joan E. LAKEY
Route #1 Box 160

Post Office Address: CAMBRIDGE, IDAHO 83610

Telephone No. 257-3458

Source of Water: LAKEY Hot Springs

Extent of Use:

Domestic HEATING 20 HOMES (number of households)

Stockwater _____ (number and type of stock)

Irrigation _____ (acres)

Other/Remarks SWIMMING POOL

Indicate the date water was first diverted and beneficially used under this permit: 9-15-80

Measuring Device: Required? ☒ Yes ☐ No
Installed? ☐ Yes ☐ No

Flow Measurement Port: Required? ☐ Yes ☐ No
Installed? ☐ Yes ☐ No

Person to contact to accompany the Department representative during the field examination:

DON LAKEY
(Name)

Rt #1 Box 160 CAMBRIDGE, ID. 83610 257-3458
(Address) (Telephone Number)


The above information is a true statement of the extent to which the above numbered permit has been developed.

9-24-85
Date

William Don Lakey - owner
Signature of Permit Holder (and Title, if appropriate)

MICROFILMED

WILLIAM DON LAKEY
Route #1 Box 160
CAMBRIDGE, ID. 83610



Idaho Department of Water Resources
Statehouse Mail
Boise, ID 83720

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
CERTIFIED MAIL

138315

LAKEY, WILLIAM DON & JOAN E.
RT 1 BOX 160
CAMBRIDGE, ID 83610

PROOF DUE NOTICE

AUGUST 31, 1985

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF YOUR WATER PERMIT NO. 67-7513 WAS THAT PROOF OF THE EXTENT OF YOUR BENEFICIAL USE MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE NOVEMBER 01, 1985. (SEE LAST PAGE OF YOUR APPROVED PERMIT OR YOUR LAST APPROVED EXTENSION REQUEST). ENCLOSED IS A FORM WHICH MAY BE USED TO SUBMIT THE REQUIRED PROOF.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU OR A PREVIOUS OWNER OF THIS PERMIT HAVE NOT RECEIVED A PRIOR EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME IF THE DELAY IS FOR REASONABLE CAUSE AS PROVIDED IN SECTION 42-204, IDAHO CODE. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED. AN EXTENSION OF TIME REQUEST FORM IS ENCLOSED FOR YOUR CONVENIENCE.

EITHER THE BENEFICIAL USE FORM OR A REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE DESCRIBED PROOF DUE DATE. IF NEITHER IS RECEIVED, THE DEPARTMENT WILL SEND YOU A LAPSE NOTICE. WITHIN SIXTY (60) DAYS OF THE MAILING OF THE LAPSE NOTICE, THE PERMIT WILL NO LONGER BE OF ANY FORCE NOR EFFECT.

SINCERELY,

RITA FLECK
SECRETARY/RECORDS MANAGER

ENCLOSURES

MICROFILMED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440

LAKEY, WILLIAM DON & JOAN E.
RT 1 BOX 160
CAMBRIDGE, ID 83610

DECEMBER 01, 1980

RE: PERMIT NO. 67-7513

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

BE SURE TO NOTE THE SPECIAL CONDITION REQUIRING YOU TO INSTALL AND MAINTAIN A MEASURING DEVICE AT YOUR POINT OF DIVERSION. WE HAVE ENCLOSED A DESCRIPTION OF THE DIFFERENT TYPES OF MEASURING DEVICES ACCEPTED BY THIS OFFICE.

THE EXERCISE OF THIS PERMIT MAY ALSO BE AFFECTED BY THE COURT'S DETERMINATION OF WATER RIGHTS IN THE CASE OF IDAHO POWER COMPANY V. STATE OF IDAHO, ET AL., CIVIC NO. 62237, CURRENTLY PENDING BEFORE THE DISTRICT COURT OF ADA COUNTY. SINCE THE USE OF WATER UNDER YOUR PERMIT MAY AFFECT THE FLOWS IN THE SNAKE RIVER BETWEEN MILNER DAM AND HELLS CANYON, THE FINAL DECISION IN THIS CASE MAY DETERMINE TO WHAT EXTENT THE EXERCISE OF YOUR PERMIT IS SUBJECT TO WATER RIGHTS OF IDAHO POWER. WHILE THE ADA COUNTY COURT IS EXAMINING THIS QUESTION, IDAHO POWER COMPANY HAS NOT FILED A SPECIFIC PROTEST TO YOUR PERMIT. HOWEVER, THE DEPARTMENT OF WATER RESOURCES HAS BEEN ADVISED THAT THE POWER COMPANY IS NOT WAIVING ANY OF ITS RIGHTS TO CONTEST OR LIMIT THE EXERCISE OF YOUR PERMIT OR SUBSEQUENT LICENSE.

MICROFILMED

RE: PERMIT 67-7513

PAGE 01
DECEMBER 01, 1980

WE HAVE ENCLOSED A FORM ENTITLED "MAKING PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT INTO A LICENSE.

SINCERELY,

DAVID R. TUTHILL, JR., P.E.
SUPERVISOR, WATER ALLOCATION SECTION

ENCLOSURE

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: Car

APPLICATION NUMBER: 67-7512

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.
☐ Yes ☒ No Field check required.
☐ Yes ☒ No Critical groundwater area.
☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☐ No* In form to receipt.

Field check by: _____

Date: _____

Comments: _____

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☐ Idaho State Health Department.
☐ Idaho Fish and Game Department.
☐ Idaho Department of Lands.
☐ U.S. Bureau of Land Management.
☐ U.S. Forest Service.
☒ Other W.M. Condition

Copies sent by: _____

Date: _____

PROCESSING:

- ☐ Yes ☐ No Platted by: _____ Map No. _____
☒ Yes ☐ No Other rights on same place of use. 677073 - domestic
☒ Yes ☐ No* In form for advertising. No Overlap
☐ Yes ☒ No Final date for protests: 10-13-80 ✓
☐ Yes ☒ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 10/7/80 ✓
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application.
☒ Publication dates and paper, recorded on application.
☒ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.
☒ Yes ☐ No Measuring device required.
☒ Yes ☒ No Access port required.
☒ Yes ☐ No Will water be delivered by watermaster? If yes, what district? 67
9/15/80 Date of priority recommended.
Special conditions of approval or cover letter. I. P. letter.
W.M. Condition

MICROFILMED

By: DBS

Date: 10/14/80

STATE OFFICE REVIEW:

SLW/L05, L02 01, 05/67 Warden R., OGC

☐ See attached sheet for more information.

By: Jim

Date: 11/6/80

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Western Region

92 South Cole Road
Boise, Idaho 83709
(208) 334-2190

SEPTEMBER 18, 1980

Upper County News Reporter
Box 98
Cambridge, ID 83610

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. We have allowed ample time for you to submit a galley proof to this office for review before the first publication date. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before OCTOBER 13, 1980.

Yours truly,

HELEN L. HARRINGTON
Secretary

Encl.

MICROFILMED

62-2513-

LAKEY, WILLIAM DON &/or JOAN E.

RT 1 BOX 160, CAMBRIDGE, ID 83610

Source: LAKEY HOT SPRINGS tributary to WEISER RIVER

Date Filed: 09/15/1980

Amount: 0.80 CFS

Diversion Point: NWNW Sec 06 T 14N R 02W, WASHINGTON Co.

Use: HEATING (0.80 CFS) from 01/01 to 12/31

Place of Use: NWNW Sec 06 T 14N R 02W

Diversion Means: PUMP AND PIPELINES.

UNRECORDED

NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

If issued, the permit(s) will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 92 S. Cole Road, Boise, Idaho 83709, on or before OCTOBER 13, 1980.

C. STEPHEN ALLRED

Director

Published 9/25 & 10/2/80.

RECEIVED
OCT 13 1980