

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

The map is a 20x20 grid. Handwritten annotations include:
- 'R2W' in the upper middle section.
- 'T1N' written vertically on the left side.
- '8' in the center of the grid.
- 'RD # 4 USE' in the middle right section.

Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Frank D. Gada Pres.
(Applicant)

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 67-07509

Priority: July 10, 1980

Maximum Diversion Rate:

0.05 CFS

Maximum Diversion Volume:

2.7 AF

This is to certify, that CADA TRIANGLE F RANCHES INC
C/O FRANK D. CADA
MIDVALE ID 83645

has complied with the terms and conditions
of the permit, issued pursuant to Application for Permit dated July 10, 1980; and
has submitted Proof of Beneficial Use on August 21, 1981. An examination indicates
that the works have a diversion capacity of 0.050 cfs of water from:

SPRING

tributary to SOUTH CRANE CREEK

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
STOCKWATER	01/01 to 12/31	0.05 CFS	2.7 AF

LOCATION OF POINT(S) OF DIVERSION:

NENE , Sec. 8, Township 11N, Range 02W
WASHINGTON County

PLACE OF USE: STOCKWATER

TWN RGE SEC

11N 02W 8

NENE

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license shall be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Use of water under this water right will be regulated by the watermaster of State Water District No. 67.

MICROFILMED


DEC 10 1987

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 67-07509

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 9th
day of DECEMBER, 1997.


KARL J. DREHER, Director
Acting for

MICROFILMED

DEC 10 1997

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant Cada Triangle F Ranches, Inc. Phone 355-2497

Post office address Midvale, ID 83645

2. Source of water supply Spring which is a tributary of Crane Creek

3. Location of point of diversion is NE $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 8 Township 11N

Range 2W B.M. Washington County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount .05 cfs for Stockwater purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. .05 cfs cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. _____

Pipeline and trough.

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 1 years (minimum 1 year — maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: NE $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 8 Township 11N

Range 2W B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.


(3) List number of each kind of livestock to be watered 200 Head/Range

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water _____.

(5) If water is to be used for other purposes describe: _____

RECEIVED
JAN 10 1978
IDAHO DEPT. OF WATER RESOURCES

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Frank D. Cado Pres.
(Applicant)

Proposed Priority 7/10/80

Received by S Date 7/10/80 Time 3 PM.

Preliminary check by C Fee \$ 30.00

Received by hjh Date 7-10-80 # 15636

Publication prepared by hjh Date 7-17-80

Published in Upper Co. News Reporter

Publication dates 7/24 & 7/31/80

Publication approved hjh Date 8-11-80

Protests filed by: none

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by DBS RJA Jim

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 67-7509, and said application is hereby approved.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before September 1, 19 81.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other: (1) Use of water under this permit is subject to control by the water-master of State Water District # 67, Weiser River.

Witness my hand this 21st day of August, 19 80.

J. Glen Saxton
Chief, Operations Bureau

PUBLISHER'S AFFIDAVIT

STATE OF IDAHO)
County of Washington)

Stuart

ss.

~~Alex V.~~ Dopf, being first duly sworn,
deposes and says: That he is the editor and
publisher of The Upper Country News-Re-
porter, a weekly newspaper published at
Cambridge, Idaho, in the County of Wash-
ington, State of Idaho; that said newspaper
is in general circulation in the county of afore-
said and is a legal newspaper; that the adver-
tisement, a copy of which is hereto attached,
was published in said newspaper once a week
for two consecutive weeks in the
regular and entire issue of every number
thereof during the period and time of publica-
tion, and was published in the newspaper
proper and not in a supplement; and that
publication of such notice began July 24,
19 80, and ended July 31,
19 81.

Stuart Dopf

Subscribed and sworn to before me, a
Notary Public in and for the County of Wash-
ington, and the State of Idaho, this 31st
day of July, 19 80.
John C. Hume Notary Public
My commission expires 11-18-83,
19 83.

RECEIVED

AUG 1 1980

Department of Water Resources
Western Regional Office

Public Notices

NOTICE OF CLAIM TO A WATER RIGHT

Notice is hereby given that the
following claim to a water right
has been established by diversion
and application to beneficial use:

67-4320

NO 01180 1 01180 1 01180 1

STOCK

SUB.

19 80 19 81

NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the
following application has been
submitted for a permit to appro-
priate the public waters of the
State of Idaho:

67-7509

CADA TRIANGLE F RANCH-
ES, INC. MIDVALE, ID 83645.

Source: SPRING tributary to
CRANE CREEK.

Date Filed: 7/10/1980.

Amount: 0.05 CFS.

Diversion Point: NENE Sec. 8 T
11N R 2W, WASHINGTON Co.

Use: STOCKWATER (0.05 CFS)
from 1/1 to 12/31.

Place of Use: NENE Sec. 8 T 11N
R 2W.

Diversion Means: PIPELINE
AND TROUGH.

If issued, the permit will be
subject to all prior water rights.
Protests against the granting of
any permit must be filed with the
Director of the Idaho Department
of Water Resources, 92 S. Cole
Road, Boise, Idaho 83709 on or
before AUGUST 11, 1980.

C. STEPHEN ALLRED
Director

Published 7/24 & 7/31/80.

Diversion Point: NWNE Sec. 8 T
11N R 2W, WASHINGTON Co.

Use: STOCKWATER STORAGE
(30.0 AC-FT) from 1/1 to 12/31.

STOCKWATER FROM STOR-
AGE (30.0 AC-FT) from 1/1 to
12/31.

Place of Use: NWNE Sec. 8 T 11N
R 2W NWNE Sec. 8 T 11N R 2W.

Diversion Means: DAM AND
RESERVOIR.

Any exception to any claim of
water right may be filed with the
Director of the Idaho Department
of Water Resources, 92 S. Cole
Road, Boise, Idaho 83709.

C. STEPHEN ALLRED
Director

Published 7/24 & 7/31/80.

M E M O R A N D U M

DATE: March 6, 1998

TO: File 67-07509

FROM: Kari Lynn Townsend

RE: Returned Mail

=====

This is the second time the license has been returned by the postoffice for incorrect address. I remembered that I had previously had a similar problem with mail for Cada Triangle F Ranches and somehow had located Mrs. L. Elizabeth Cada in Weiser. She is the widow of Frank Cada of Cada Triangle F Ranches.

I checked the database for other Cada files and found the address for Mrs. Cada in Weiser so have sent this license to her at:

L ELIZABETH CADA
1309 PARK DRIVE
WEISER ID 83672



RECEIVED

JAN 20 1993

Department of Water Resources

IDAHO DEPARTMENT OF WATER RESOURCES

1301 N. Orchard St.
P.O. Box 83720
Boise, ID 83720-0098
(208) 327-7900

To

CADA TRIANGLE F RANCHES, INC
HC 70 BOX 2275
MIDVALE ID 83654-2275

M E M O R A N D U M

DATE: January 13, 1998

TO: File 67-07509

FROM: Kari Lynn Townsend


RE: Address correction

=====

Mail sent on December 10, 1997 was returned due to insufficient address (apparently). I checked the database for other files for Cada Triangle F Ranches and found a street address of:

HC 70 Box 2275
Midvale, ID 83645

I resent the 12/10/97 mail today to that address and hope it will be delivered.



RECEIVED
JAN 12 1998
Department of Water Resources

IDAHO DEPARTMENT OF WATER RESOURCES 1301 N. Orchard St. P.O. Box 83720 Boise, ID 83720-0098 (208) 327-7900	
To	
L67-07507 CADA TRIANGLE F RANCHES INC C/O FRANK D. CADA MIDVALE ID 83645	



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. BOX 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

December 10, 1997

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

CADA TRIANGLE F RANCHES INC
C/O FRANK D. CADA
MIDVALE ID 83645

RE: WATER RIGHT NO. 67-07509

Dear Water Right Holder(s):

The Department of Water Resources (the Department) has issued the enclosed license confirming that a water right has been established in accordance with the permit referenced above. The license is a preliminary order issued by the Department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department unless a party petitions for reconsideration or files an exception and/or brief as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the Department within fourteen (14) days of the service date of this order. The Department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See section 67-5243(3), Idaho Code.

EXCEPTIONS AND BRIEFS

Within twenty-one (21) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding. Otherwise, this preliminary order will become a final order of the Department.

If any party appeals or takes exceptions to this preliminary order, opposing parties shall have twenty-one (21) days to respond to any party's appeal. Written briefs in support of or taking exceptions to the preliminary order shall be filed with the Department. The Department retains the right to review the preliminary order on its own motion.

MICROFILMED

ORAL ARGUMENT

If the Department grants a petition to review the preliminary order, the Department shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Department will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Department orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Department in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with Rules of Procedure 302 and 303.

FINAL ORDER

The Department will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Department may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The Department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

DEC 10 1997

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

If you have any questions, please call me at 208-327-7946.

Sincerely,

A handwritten signature in cursive script, reading "Shelley W. Keen". The signature is written in dark ink and is positioned above the typed name.

Shelley W. Keen
Water Rights Supervisor

SK:klt

Enclosure


MICROFILMED
DEC 10 1997

CERTIFICATE OF MAILING

I hereby certify that on the 10th day of December, 1997, I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER (Approved License) to the person(s) listed below:

Water Right No. 67-07509

CADA TRIANGLE F RANCHES INC
C/O FRANK D. CADA
MIDVALE ID 83645


Kari Lynn Townsend
Secretary

REPROFILMED

DEC 10 1997

LICENSE REVIEW CHECKLIST

PERMIT NO. 67-07509

DATE 12/8/97

REVIEWER: SHARLA

NAME	<u>Change</u>	<u>OK</u>	Address Change <u>NO</u>
SOURCE	<u>Change</u>	<u>OK</u>	Is change clarification of originally intended source? <u>NO</u>
POINT OF DIV	<u>Change</u>	<u>OK</u>	If not, prepare Notice of Intent to Void <u>NO</u>
PLACE OF USE	<u>Change</u>	<u>OK</u>	Amendment required <u>NO</u>

Does map agree with written description? yes no

OVERLAPS P/D P/U

RATE OF DIV

Permitted Rate	<u>.05</u> cfs
Fee limit	<u>NA</u> cfs
Measured	<u>5</u> cfs
Theoretical	<u> </u> cfs

Recommended Total Div Rate .05 cfs

ANNUAL VOLUME/ NATURE OF USES

<u>✓</u>	Use	cfs	Volume Calc	
	<u>Stock</u>	<u>.05</u>	<u>2.7</u>	af
				af
				af
				af
	SUBTOTAL			af

Flow rate cfs X days X 1.98 = af

Total volume recommended af

(SUBTOTAL or Flow Rate, whichever is less)

REMARKS

CONDITIONS 674 Watermaster Control WD# 67

 GW Measurement/Measuring Device
 Overlap
 Use-specific conditions

Advancement of Priority Date Required yes no

SRBA Claim/Filed ✓
 Adjustment Memo

1st Amend Letter NA
 2nd Amend Letter NA

2.2 MILES FROM
HOME

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

Department of Water Resources

Permit No. 67-2509

1. Owner: CADA TRIANGLE CF RANCHES, INC. Phone No. 355-2497
Current Address: MILWAUKEE, ID 83645
2. Accompanied by: FRANK CADA, OWNER EXAM. DATE: 6/18/85
Address: _____ Phone No. _____
Relationship to Permit Holder: _____
3. Source: SPRING tributary to J. CRANE CK.

Well/Diversion* No.	Motor Make	HP	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
		N/A			

*Code with points of diversion, system diagram & photos on reverse side. Disregard if only one.

5. System Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)
PERFORATED PIPELINE IN GROUND UPHILL FROM STORAGE TANK. GRAVEL
DACKED W/PIPELINE FROM STORAGE TANK TO TROUGH.
STOCKWATER - 200 HD. ACTUALLY 550 HD, ALLOW 500 HD PER
PERMIT. NO DOMESTIC USE FROM THIS SPRING.

6.	Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
			N/A				

7. Measurements ☐ Additional data/computation sheets attached

ESTIMATE - .05 CFS - 200 HD $\times$ 2.7 AF
 $.0134 \times 200 \text{ HD} = 2.7 \text{ AF}$

- | | | |
|---------------------------|-----------------------|----------------------------------|
| 8. Point(s) of Diversion: | <i>N/D GOUT. LOTS</i> | Indicate Method of Determination |
|---------------------------|-----------------------|----------------------------------|


[illegible]

9. Place(s) of Use: 110 6005 1075 Irrigation - give acres served by system at time of exam.
Indicate Method of Determination

[illegible]

10. Other water rights on these lands NONE

11. Other water right diverted from same p.d. "



14. Remarks QUAD MAP SHOWS AN UNL. STREAM THROUGH THIS DRAW WHERE THE DIVERSION WORKS ARE. MR. CADA SAID THE STREAM ONLY FLOWS IN THE SPRING & THAT IT IS SPRING FED THE REST OF THE TIME. HOWEVER, THERE ISN'T A FLOW IN THE SUMMER SO HE HAS DUG INTO THE GROUND & LAID PERFORATED PIPE TO TAP INTO THE SPRING THAT SEEPS UP IN THE CREEK BED.

15. Recommended Amendments

☐ Change P.D. as reflected above	☐ Add P.D. as reflected above	☒ None
☐ Change P.U. as reflected above	☐ Add P.U. as reflected above	☐ Other

16. Examiner's/Consultant's Signature Jan Shute Date 3/17/87

Consultant's License Number Dr 4/28/87

IDWR Director's Authorization to Conduct Beneficial Use Examination 6/18/85 Date

CONSULTANT SEAL
IMLAP-11502
JAN 1987

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit No. 67-7509.

Name(s) of Permit Holder: Cada Triangle F Ranches Inc

Post Office Address: Midvale 2da

83645

Tel. No. 355 2497

Source of Water

Extent of Use:

☐ Domestic

☒ Stockwater

☐ Irrigation

☐ Other

(number of households)

(number and type of stock)

(acres)

Measuring Device:

Required?

☐ Yes

☒ No

Installed?

☐ Yes

☐ No

Access Port:

Required?

☐ Yes

☒ No

Installed?

☐ Yes

☐ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

Aug 18 - 81

Date

Frank D. Cada Pres.

Signature of Permit Holder

Cada Triangle F Ranch Inc.
Middletown
264 83645

RECEIVED

AUG 21 1981



IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720



September 2, 1980

Cada Triangle F Ranches Inc.
Midvale,
Idaho 83645

RE: Permit No. 67-7509

Dear Sirs,

Enclosed is a copy of your approved Application for Permit. We direct your attention to the conditions of approval on the fourth page.

Please be advised that there is insufficient natural flow available in the spring Weiser River and tributaries to provide water for a new appropriation throughout the entire season of use. During the spring run-off each year, there may be a period of time in which the prior rights to the use of the natural flow and storage are filled leaving water available for your permit. As the natural flow diminishes, however, there may be no water available for your right unless you arrange for an additional source of water as a supplemental supply.

We have enclosed a form entitled "Making Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit into a license.

Sincerely,

DAVID R. TUTHILL, JR., P.E.
Supervisor, Water Allocation Section

DRT:mr

Enclosure

RECEIVED
SEP 11 1980
WATER DIVISION

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: Cem

APPLICATION NUMBER: ⁶⁷~~67~~ - 7509
CADA

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.
☐ Yes ☒ No Field check required.
☐ Yes ☒ No Critical groundwater area.
☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☐ No* In form to receipt.

Field check by: _____

Date: _____

Comments: _____

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☐ Idaho State Health Department. Copies sent by: _____ Date: _____
☐ Idaho Fish and Game Department. _____
☐ Idaho Department of Lands. _____
☐ U.S. Bureau of Land Management. _____
☐ U.S. Forest Service. _____
☐ Other _____

PROCESSING:

- ☐ Yes ☒ No Platted by: _____ Map No. _____
☐ Yes ☒ No Other rights on same place of use. _____
☒ Yes ☐ No* In form for advertising.
Final date for protests: 8-11-80 ✓
☐ Yes ☒ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 8-1-80 ✓
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application.
☒ Publication dates and paper, recorded on application.
☐ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.
☐ Yes ☒ No Measuring device required.
☐ Yes ☒ No Access port required.
☒ Yes ☐ No Will water be delivered by watermaster? If yes, what district? 67
7/10/80 Date of priority recommended.
Special conditions of approval or cover letter. I. P. letter
Weiser River letter
W. M. Condition


By: DBS Date: 8/12/80

STATE OFFICE REVIEW:

SLW/LDS, L04 (Weiser R.) 05 (67 Weiser R.)

- ☐ See attached sheet for more information.

By: Robyn Jim Date: 8/19/80



NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

If issued, the permit(s) will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 92 S. Cole Road, Boise, Idaho 83709 on or before AUGUST 11, 1980.

C. STEPHEN ALLRED

Director

Published 7/24 & 7/31/80.

DEPARTMENT OF WATER RESOURCES

6Z-7509-

CADA TRIANGLE F RANCHES INC.

MIDVALE, ID 83645

Source: SPRING tributary to CRANE CREEK

Date Filed: 07/10/1980

Amount: 0.05 CFS

Diversion Point: NENE Sec 08 T 11N R 02W, WASHINGTON Co.

Use: STOCKWATER (0.05 CFS) from 01/01 to 12/31

Place of Use: NENE Sec 08 T 11N R 02W

Diversion Means: PIPELINE AND TROUGH.