


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Laura Harp
(Applicant)

Affidavit of Publication

State of Idaho, County of Adams, ss:

I, Bert J. Rogers, being first duly sworn upon my Oath, depose and say that I am the publisher of The Adams County

Leader, a newspaper; that a copy of the "Notice of Application

as per clipping

hereto attached, was published in the regular and entire issue

of said newspaper, and not in any supplement thereof, for

two (2) consecutive weeks, the first publication of the

same being made in the issue dated July 17, 1980

and the last in the issue dated July 24, 1980 that said newspaper is of general circulation in Adams County Idaho, printed and published weekly at Council therein and that said newspaper has been continuously and uninterruptedly published in said county during a period of more than seventy-eight consecutive weeks prior to the first publication of

said "Notice" as aforesaid.

Subscribed and sworn to before me this 24th

day of July, 1980

Notary Public for Idaho,
Residing at Council, Idaho

NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

67-7508

HOWLAND, LAWSON, &/or
MARIAN
STAR RT., CAMBRIDGE, ID
83610

Source: LITTLE WEISER RIVER
tributary to WEISER RIVER

Date Filed: 07/08/1980

Amount: 0.54 CFS

Diversion Point: NENW Sec 01 T
14N R 02W, ADAMS Co.

Use: IRRIGATION (0.54 CFS)
from 04/01 to 11/15 providing no
water shall be used after 6/15
without prior permission of the
watermaster.

Place of Use: SWNW SENW NW-
SW Sec 09 T 14N R 01W FOR 27
ACRES

Diversion Means: DIVERSION
DAMS, SPRINKLER SYSTEM.

78-7151

DOBROTH, JOHN ROGER
STAR RT., NEW MEADOWS, ID
83654

Source: FALL CREEK tributary
to LITTLE SALMON RIVER

Date Filed: 06/27/1980

Amount: 0.16 CFS

Diversion Point: NWNW Sec 27 T
22N R 01E, ADAMS Co.

Use: IRRIGATION (0.16 CFS)
from 04/01 to 11/01

Place of Use: SWNE NWSE Sec
27 T 22N R 01E FOR 8 ACRES

Diversion Means: HEADGATE,
CULVERT AND DITCH

If issued, the permit(s) will be
subject to all prior water rights.
Protests against the granting of
any permit must be filed with the
director of the Idaho Department
of Water Resources, 92 S. Cole
Road, Boise, Idaho 83709 on or
before AUGUST 4, 1980.

C. STEPHEN ALLRED
Director

Published 7/17 & 7/24/80.

RECEIVED

JUL 25 1980

Department of Water Resources
Western Regional Office

RECEIVED

Form 219
6/86

NOV 08 1999

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

Department of Water Resources

BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION

Permit No. 67-7508

1. Owner: LAWSON HOWLAND Phone No. 257-3729

Current Address: HCB8 BX 2510 Cam. Ridge ID. 82610

2. Accompanied by: SAME EXAM. DATE: 7-28-88

Address: _____ Phone No. _____

Relationship to Permit Holder: OWNER

3. Source: LITTLE WEISER RIVER tributary to SNAKE RIVER

B. OVERLAP REVIEW

1. Other water rights with same place of use: NONE


_____ ☐ Copies Attached

2. Other water rights with same point of diversion: Permit # 67-7479, 7420, 7494 NEIGH BOR ON SAME DITCH

_____ ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached




Scale: 1" = _____

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).

☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater.

☒ Aerial Photo Attached
(required for irrigation of 10 acres or more).



67-7507

P.V.

R.D.
From
Burrut

27.4

B
9.6

10.5

8m

A
7.9

C
29.1

D
18.3

A-44
A-30
T38

A
15.5

B
32.2

C
2.9

D
7.1

A
8.9
T144

B
6.7

8

16

3 25.5

B
39.2

5
43.

BARLEY

A-6
A-30
A-169
T-209

67-7508

2
18.6

6
23

3
11.2

7
1.2

8
6.1.8

4
10.0

2
28.1

67-7508



P.D.
From Ditch
Looking South



P.U.
Looking West

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant Lawson &/or Marian Howland Phone 257-3729

Post office address Star Route, Cambridge, ID 83610

2. Source of water supply Little Weiser River which is a tributary of Weiser River

3. Location of point of diversion is NE $\frac{1}{4}$ of NW $\frac{1}{4}$ of Section 1 Township 14N

Range 2W B.M. Adams County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount .54 for Irrigation purposes from 4/1 to 11/15 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. .54 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. Diversion Dams - sprinkler irrigation

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 5 years (minimum 1 year - maximum 5 years).

8. Description of proposed uses:

a. If water is **not** for irrigation:

(1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____

Range _____ B.M. _____

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water _____.

(5) If water is to be used for other purposes describe: _____

RECEIVED
JAN 10 1979
IDAHO DEPT. OF WATER RESOURCES

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:


TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
14N	2W	9							5	12		10							27
Total number of acres to be irrigated																			27

c. Describe any other water rights used for the same purposes as described above. None

9. a. Who owns the property at the point of diversion Applicant
- b. Who owns the land to be irrigated or place of use Applicant
- c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing _____

10. Remarks Flood water from Little Weiser River.

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Laurel Harlan
(Applicant)

Proposed Priority

7/8/80

Received by GKH Date 7/8/80 Time 3 PM

Preliminary check by 665 Fee \$ 45 ^{no}/₁₀₀

Receipted by h/h Date 7-8-80 # 15678

Publication prepared by h/h Date 7-10-80

Published in Adams Co. Leader

Publication dates 7-17 & 24/80

Publication approved h/h Date 8-4-80

Protests filed by: none

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by DBS R.H. Jain

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 67-7508, and said application is hereby approved.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before August 1, 19 85.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other: (1) A measuring device of a type approved by the Department shall be permanently installed and maintained as part of the diverting works.
(2) Use of water under this permit is subject to control by the watermaster of State Water District # 67A, Weiser River.
(3) No water shall be diverted under this permit after June 15 without obtaining prior approval of the watermaster.

Witness my hand this 11 day of August, 1980.

David R. Tuttle
Supervisor, Water Allocation Section

Affidavit of Publication

State of Idaho, County of Adams, ss:

I, Bert J. Rogers, being first duly sworn upon my Oath, depose and say that I am the publisher of The Adams County

Leader, a newspaper; that a copy of the "Notice of Application

as per clipping
hereto attached, was published in the regular and entire issue
of said newspaper, and not in any supplement thereof, for
two (2) consecutive weeks, the first publication of the

same being made in the issue dated July 17, 1980

and the last in the issue dated July 24, 1980
that said newspaper is of general circulation in Adams County
Idaho, printed and published weekly at Council therein and
that said newspaper has been continuously and uninterrupted-
ly published in said county during a period of more than sev-
enty-eight consecutive weeks prior to the first publication of

said "Notice" as aforesaid.

Subscribed and sworn to before me this 24th

day of July, 1980

Notary Public for Idaho,
Residing at Council, Idaho

NOTICE OF APPLICATION

WATER RIGHT

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

67-7508

HOWLAND, LAWSON, &/or
MARIAN
STAR RT., CAMBRIDGE, ID
83610

Source: LITTLE WEISER RIVER
tributary to WEISER RIVER

Date Filed: 07/08/1980

Amount: 0.54 CFS

Diversion Point: NENW Sec 01 T
14N R 02W, ADAMS Co.

Use: IRRIGATION (0.54 CFS)
from 04/01 to 11/15 providing no
water shall be used after 6/15
without prior permission of the
watermaster.

Place of Use: SWNW SENW NW-
SW Sec 09 T 14N R 02W FOR 27
ACRES

Diversion Means: DIVERSION
DAMS, SPRINKLER SYSTEM.

78-7151

DOBROTH, JOHN ROGER
STAR RT., NEW MEADOWS, ID
83654

Source: FALL CREEK tributary
to LITTLE SALMON RIVER

Date Filed: 06/27/1980

Amount: 0.16 CFS

Diversion Point: NWNW Sec 27 T
22N R 01E, ADAMS Co.

Use: IRRIGATION (0.16 CFS)
from 04/01 to 11/01

Place of Use: SWNE NWSE Sec
27 T 22N R 01E FOR 8 ACRES

Diversion Means: HEADGATE,
CULVERT AND DITCH

If issued, the permit(s) will be
subject to all prior water rights.
Protests against the granting of
any permit must be filed with the
director of the Idaho Department
of Water Resources, 92 S. Cole
Road, Boise, Idaho 83709 on or
before AUGUST 4, 1980.

C. STEPHEN ALLRED

Director

Published 7/17 & 7/24/80.

RECEIVED

JUL 25 1980

Department of Water Resources
Western Regional Office

RECEIVED

RECEIVED

Form 219
6/86

NOV 08 1988

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

Department of Water Resources

BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION


1. Owner: LAWSON HOWLAND Permit No. 67-7508
 Current Address: 1468 E. 2510 Phone No. 257-3729
STAR ROUTE, CAMBRIDGE ID. 83610
 2. Accompanied by: SAME EXAM. DATE: 7-28-88
 Address: _____ Phone No. _____
 Relationship to Permit Holder: OWNER
 3. Source: LITTLE WEISER RIVER tributary to SNAKE RIVER

B. OVERLAP REVIEW

1. Other water rights with same place of use: NONE
 2. Other water rights with same point of diversion: PERMIT # 67-7479, 7420, 7494 ☐ Copies Attached
NEIGH BOR ON SAME DITCH
☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = _____

2. ☒ Copy of U.S.G.S. Quadrangle Attached
 Showing location(s) of point(s) of diversion and
 place(s) of use (required). ☒ Aerial Photo Attached
 (required for irrigation of 10 acres or more).
☒ Photo of Diversion and System Attached
 (required for all but single household domestic groundwater, and stockwater).

System Description (continued)

3. **Narrative:** Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

THE WATER IS DIVERTED FROM THE LITTLE WEISER RIVER
 * BY PUTTING A TEMPORARY DAM IN AND RUNNING THE
 WATER DOWN THE MICKEY WILKERSON ALLISON DITCH TO LAWSON HOWLAND'S
 PROPERTY WHERE HE THEN PUMPS OUT OF THE DITCH
 WITH A 5HP CENTRIFUGAL ELECTRIC PUMP TO A PORTABLE
 HANDLINE SPRINKLER SYSTEM.

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
Pump From Allison Ditch M-W	MORATHEN	5	1707791	CORNELL	27401

*Code to correspond with No. on map and aerial photo

5. **Point(s) of Diversion:**

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
From RIVER	2	SW	NW	NE	1	14N	2W	Idaho	Mickey Wilkerson Ditch
From DITCH			SW	NW	9	14N	2W	WASHINGTON	USGS QUAD & AERIAL PHOTO
					(Rediversion only)				

6. **Place(s) of Use:**

Indicate Method of Determination AERIAL PHOTO

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
14N	2W	9							1.5	14	1.5	10							27 ac

12.5

Do not use this space

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
COX/HALL METER				STATE ID# 120381	2-5"	
MANOMETER		IDWR			5'	

2. Measurements:

SEE ATTACHED SUPPLEMENT SHEET

20 PAINBIRD #30'S HEAD @ 43 PSI

CHART → ≈ 5.5 G.P.M X 20 HEADS = 110 G.P.M

110 G.P.M ≈ 122.9 G.P.M (COX/HALL)

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

COX/HALL METER: .27 cfs

2. Alternate Method for Checking Purposes:

THEORETICAL:

$$\frac{5 \text{ HP} \times 8.8 \times .8}{(45 \text{ PSI} \times 2.31) + 5 \text{ FT}} = .32 \text{ cfs} > .27 \text{ cfs}$$

F. PUMP EFFICIENCY DATA (Optional) < 20 HP

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3)

; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 27 \text{ ac} \times 4.0 \text{ af/ac} = 108 \text{ af}$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = .27 \times 214 \times 1.9835 = 114.6$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 108$$

2. Volume Calculations for Other Uses:

N/A

H. REMARKS AND OVERLAP REVIEW ANALYSIS

* This right is delivered through the Mickey Wilkerson Ditch, according to Watermaster (Richard Kretten). There is a measuring device at the head of the ditch. Diversions limited after June 15 unless approved by Watermaster. The temporary dam might refer to a dam in the Alison ditch which can capture waste flows and route them into the M-Wilkerson Ditch upstream from pump. Sometimes flows are piped from M-Wilk. to Alison then diverted back to M.W. (see map) Overlaps: Wilkerson rights 7420 & 7479 & Thomason right 7494 also diverted down same ditch. Some of these rights show PID as NENW SOL. No PLU overlap. No other rights used on this parcel.

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
IRRIGATION	4/1	10/31	.27	108
Totals:			.27	108

2. Recommended Amendments

☒ Change P.D. as reflected above

☐ Add P.D. as reflected above

☐ None

☒ Change P.U. as reflected above

☐ Add P.U. as reflected above

☐ Other

J. AUTHENTICATION

Completed by Cudy Hodges

Field Examiner's Name

QUENTIN NESBITT

Signature

Quentin Nesbitt

Certification Date

Field Report Preparation Date

8-7-88 6-3-97

CONSULTANT SEAL

K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

State of Idaho
DEPARTMENT OF WATER RESOURCES
SUPPLEMENTAL FIELD REPORT FOR COX/HALL MEASUREMENTMeasured by: WENTIN NESBITTDate 7-28-88Owner: LAWSON HOWLANDPermit No. 67-7508

Description of well &/or measuring site

- Include any clarifications of the sketch
- Include legal description if more than one p.d. is described in the Field Report

SUMP FROM DITCH TO 5 HP CENTRIFUGAL
PUMP TO ALUMINUM HANDLINES - MEASURED
3"
WITH COX/HALL IN ALUMINUM MAINLINE

MEASURED INSIDE PIPE RADIUS IN INCHES (IR)

CIR = Pipe Circumference in Inches = _____

T = Pipe Thickness in Inches = _____

IR = [(0.1592 X CIR) - T] = ... 1.5"DIFFERENTIAL PRESSURE READING IN INCHES OF H₂O (H)High Reading = 38Low Reading = 25High - Low = H = ... 13

COX/HALL DESCRIPTION & FACTOR DETERMINATION (H#)

State ID No. 120381Size of tip used 3"Number of holes in
meter taped or blocked 2

To determine Cox/Hall Factor (H#) use table to the right.
Using the Differential Pressure Reading (H) find appropriate
Row and Column to determine (H#).
(example: H = 12.4 then H# = 17.0)

Determine (H#) and enter here: 17.4

CALCULATION OF DISCHARGE IN CFS (Q)

$$Q = \frac{(3.1416) (IR)^2 (H\#)}{(448.8)}$$


$$Q = \frac{(3.1416) (1.5)^2 (17.4)}{(448.8)} = .27 \text{ CFS}$$

SKETCH (If not shown on Field Report)

122.9 G.P.M
13.7 INCH.

45 PSI @ MANOMETER

	.0	.1	.2	.3	.4	.5	.6	.7	.8	.9
0	0.8	0.8	1.3	1.8	2.2	2.5	2.9	3.3	3.7	4.0
1	4.3	4.5	4.8	5.0	5.2	5.4	5.6	5.8	6.0	6.2
2	6.3	6.5	6.7	6.9	7.0	7.2	7.3	7.5	7.6	7.7
3	7.9	8.0	8.2	8.3	8.5	8.6	8.7	8.8	9.0	9.1
4	9.3	9.4	9.5	9.6	9.7	9.8	10.0	10.1	10.2	10.3
5	10.4	10.5	10.6	10.7	10.9	11.0	11.1	11.2	11.3	11.4
6	11.5	11.6	11.7	11.8	11.9	12.0	12.1	12.2	12.3	12.4
7	12.5	12.6	12.7	12.8	12.9	13.0	13.1	13.2	13.3	13.4
8	13.5	13.5	13.6	13.7	13.8	13.9	14.0	14.0	14.1	14.2
9	14.3	14.4	14.5	14.5	14.6	14.7	14.8	14.9	15.0	15.0
10	15.1	15.2	15.3	15.4	15.5	15.5	15.6	15.7	15.8	15.9
11	15.9	16.0	16.1	16.2	16.3	16.3	16.4	16.5	16.5	16.6
12	16.7	16.7	16.8	16.9	17.0	17.0	17.1	17.2	17.3	17.3
13	17.4	17.5	17.5	17.6	17.7	17.8	17.8	17.9	18.0	18.1
14	18.1	18.2	18.3	18.3	18.4	18.5	18.5	18.6	18.7	18.7
15	18.8	18.9	18.9	19.0	19.1	19.1	19.2	19.3	19.3	19.4
16	19.5	19.5	19.6	19.6	19.7	19.7	19.8	19.9	19.9	20.0
17	20.1	20.1	20.2	20.2	20.3	20.4	20.4	20.5	20.5	20.6
18	20.7	20.7	20.8	20.9	20.9	21.0	21.0	21.1	21.2	21.2
19	21.3	21.3	21.4	21.4	21.5	21.6	21.6	21.7	21.7	21.8
20	21.9	21.9	22.0	22.0	22.1	22.2	22.2	22.3	22.3	22.4
21	22.4	22.5	22.5	22.6	22.6	22.7	22.7	22.8	22.9	22.9
22	23.0	23.0	23.1	23.1	23.2	23.2	23.3	23.4	23.4	23.5
23	23.5	23.6	23.6	23.7	23.7	23.8	23.8	23.9	23.9	24.0
24	24.0	24.1	24.2	24.2	24.3	24.3	24.4	24.4	24.5	24.5
25	24.6	24.6	24.7	24.7	24.8	24.8	24.9	24.9	25.0	25.0
26	25.1	25.1	25.2	25.2	25.3	25.3	25.4	25.4	25.5	25.5
27	25.6	25.6	25.7	25.7	25.8	25.8	25.9	25.9	26.0	26.0
28	26.1	26.1	26.2	26.2	26.3	26.3	26.4	26.4	26.5	26.5
29	26.6	26.6	26.7	26.7	26.8	26.8	26.9	26.9	27.0	27.0
30	27.0	27.1	27.1	27.2	27.2	27.3	27.3	27.4	27.4	27.5
31	27.5	27.5	27.6	27.6	27.7	27.7	27.8	27.8	27.9	27.9
32	28.0	28.0	28.0	28.1	28.1	28.2	28.2	28.3	28.3	28.4
33	28.4	28.5	28.5	28.5	28.6	28.6	28.7	28.7	28.8	28.8
34	28.9	28.9	29.0	29.0	29.0	29.1	29.1	29.2	29.2	29.2
35	29.3	29.3	29.3	29.4	29.4	29.5	29.5	29.5	29.6	29.6
36	29.7	29.7	29.8	29.8	29.9	29.9	30.0	30.0	30.1	30.1
37	30.1	30.2	30.2	30.3	30.3	30.4	30.4	30.5	30.5	30.5
38	30.6	30.6	30.7	30.7	30.8	30.8	30.8	30.9	30.9	31.0
39	31.0	31.0	31.1	31.1	31.2	31.2	31.2	31.3	31.3	31.4
40	31.4	31.5	31.5	31.5	31.6	31.6	31.7	31.7	31.7	31.8
41	31.8	31.9	31.9	31.9	32.0	32.0	32.1	32.1	32.2	32.2
42	32.2	32.3	32.3	32.3	32.4	32.4	32.4	32.5	32.5	32.5
43	32.6	32.6	32.7	32.7	32.7	32.8	32.8	32.9	32.9	33.0
44	33.0	33.0	33.1	33.1	33.2	33.2	33.2	33.3	33.3	33.4
45	33.4	33.5	33.5	33.5	33.6	33.6	33.7	33.7	33.7	33.8
46	33.8	33.9	33.9	33.9	34.0	34.0	34.0	34.1	34.1	34.1
47	34.2	34.2	34.3	34.3	34.3	34.4	34.4	34.4	34.5	34.5
48	34.6	34.6	34.6	34.7	34.7	34.8	34.8	34.8	34.9	34.9



67-7508

PUL

PD
FROM
BUTTE

B
9.6

C
29.1

738

A
8.9
7144

B
3.6

2.9

3.25.5


B
39.2

BARLEY

A
6.7
7144

67-7508

West Boise Meridian



67-7508



P.D.
FROM DITCH
LOOKING SOUTH



P.U.
LOOKING WEST

KEYPUNCHED

4/86

For Office Use Only *OK*
 Fee Received \$ 100
 Date 4-27-87
 Receipt # 42373
 Receipt by AB
 Sent to S.O. 6/14/88

STATE OF IDAHO
 DEPARTMENT OF WATER RESOURCES
 EXAMINATION FEE INFORMATION

RECEIVED

JUN 23 1988

1. Permit No. 67-7508

ONE OF THE FOLLOWING BOXES SHOULD BE MARKED TO DESIGNATE YOUR ~~CHOICE~~ ^{Department of Water Resources}

☒ I choose to have the department make the field examination of this permit; attached is the examination fee. (If this box is marked, complete items 1 thru 8.)

2. Permit Holder: Lawson and/or Marian Howland

3. Post Office Address: Star Rt, Cambridge, Id 83610

Telephone No. 257-3729

4. Source of Water: Little Weiser R.

5. Extent of Use:

Domestic _____ (No. of households) Stockwater _____ (No. and type of stock)

Irrigation X 14 (acres) Other/Remark _____

6. Total rate &/or volume for which proof is submitted _____ cfs _____ acre-feet

7. Show the date water was first diverted and beneficially used under this permit:

8. Person to contact to accompany the department representative during the field examination:

(Name)

(Address)

(Telephone Number)

☐ I choose to have the field examination conducted by a certified water right examiner. Attached is a statement from the certified examiner I have selected verifying that he has been retained to conduct the examination. (If this box is marked, complete items 1 thru 7.)

Date _____

Signature of Permit Holder (and title, if appropriate) _____

State of Idaho

Department of Water Resources

LICENSE EXAMINATION FEE SCHEDULE

(c.f.s. = cubic feet per second
AF = acre feet)

cfs	AF	Fee
0 - 0.04	0 - 4	\$ 0
.05 - 0.20	5 - 20	50.00
.21 - 1.0	21 - 100	100.00
1.01 - 2.0	101 - 200	125.00
2.01 - 3.0	201 - 300	150.00
3.01 - 4.0	301 - 400	175.00
4.01 - 5.0	401 - 500	200.00
5.01 - 6.0	501 - 600	225.00
6.01 - 7.0	601 - 700	250.00
7.01 - 8.0	701 - 800	275.00
8.01 - 9.0	801 - 900	300.00
9.01 - 10.0	901 - 1000	325.00
10.01 - 11.0	1001 - 1100	350.00
11.01 - 12.0	1101 - 1200	375.00
12.01 - 13.0	1201 - 1300	400.00
13.01 - 14.0	1301 - 1400	425.00
14.01 - 15.0	1401 - 1500	450.00
15.01 - 16.0	1501 - 1600	475.00
16.01 - 17.0	1601 - 1700	500.00
17.01 - 18.0	1701 - 1800	525.00
18.01 - 19.0	1801 - 1900	550.00
19.01 - 20.0	1901 - 2000	575.00
20.01 & over	2001 & over	600.00

Checks should be made payable to the
Department of Water Resources

No fee is required for single family
domestic use or stockwater use.

May 19, 1992

LAWSON HOWLAND
MARIAN HOWLAND
STAR RT.
CAMBRIDGE ID 83610

RE: Water Right No. 67-07508

Dear Water Right Holder(s):

Department water right records show that you divert water from the Snake River or its tributaries under a water right that has a priority date later than December 29, 1976. This is the priority of the established minimum stream flow of the Snake River at the Weiser Gage (Weiser) in the amount of 4,750 cubic feet per second.

Because of the continuing drought conditions in the Snake River Basin, department hydrologists project that during 1992, there could be periods when the required minimum flow will not be satisfied due to low flows of the Snake River. The department urges you to not divert at a higher rate than authorized by your water right and to not use your right in any manner different than authorized. In addition, when the minimum flow will not be satisfied or is not being satisfied, you are required to cease diverting water under your water right, because your right is of later priority than the minimum stream flow at Weiser.

If the department determines the minimum flow will not be satisfied, the department will advise you and will provide as much lead time as possible in requiring that you temporarily cease your diversion of water. The greatest likelihood for this to occur is during a period from mid-June to late June.

While the department expects good cooperation from junior water right holders, water users should be aware that Section 42-352, Idaho Code, provides for penalties of up to \$100 per day for unauthorized diversions of water.

The department has contacted both the Idaho Power Company and the U.S. Bureau of Reclamation with respect to the timing of storage releases from upstream reservoirs for flow enhancement

purposes. This type of coordination could minimize the impact on existing water users and reduce the need to curtail diversions.

The department has scheduled public information meetings relative to this potential regulation as follows:

Mountain Home - June 4, 1992 - 10:00 a.m. - gymnasium at
North Elementary School, 290 E. 12th N.

Caldwell - June 4, 1992 - 7:00 p.m. - Ballroom in the
Student Union Building, Albertson College of Idaho,
2112 Cleveland

If you have questions concerning this letter or wish to provide the name of a different contact person or address to receive department correspondence, please contact the department.

Sincerely,

L. GLEN SAXTON
Chief, Water Allocation Bureau

LGS:klg

INTER-DEPARTMENT MEMO — 1

FROM Rita Leuk

DATE 5-12-88

TO File 67-7508

SUBJECT Lapse Notice

Kawson Howland called to say that he paid it in April 1987 and that he had a copy of his cancelled check. I advised that I would have Western check out their file and get back to us. I called Mr. Howland and advised him that we would

SIGNATURE

Continue Checking and see if we
could locate it.



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720 - (208) 334-7900

CECIL D. ANDRUS
GOVERNOR
R. KEITH HIGGINSON
DIRECTOR

67-7508
HOWLAND, LAWSON
HOWLAND, MAIRIAN
STAR RT.
CAMBRIDGE, ID 83610

May 5, 1988

Dear Permit Holder:

LAPSE NOTICE
License Examination Fee

You are hereby notified that under the provisions of Section 42-217 and 42-218a, Idaho Code, the above referenced permit will lapse and be of no further force nor effect on June 9, 1988, for failure of the permit holder to submit either the license examination fee or an acceptable field examination report prepared by or under the supervision of a certified water right examiner.

Provisions of § 42-217, Idaho Code, and the Beneficial Use Examination Rules and Regulations provide that failure of the permit holder to submit either the fee or an acceptable field examination report within one (1) year and sixty (60) days after notification by the director that the submittal is due is cause for the director to reject the proof of beneficial use and lapse the permit. The Department notified you of the required submittal on April 10, 1987.

The lapsed permit can be reinstated upon a showing of reasonable cause for late submittal of proof of beneficial use, if you submit to the Department on or before August 8, 1988, either the license examination fee or an acceptable field examination report prepared by or under the supervision of a certified water right examiner.

Enclosed is a fee information sheet that must be completed and submitted to the Department to keep the permit in good standing. If you have questions, please contact any office of the Department.

Sincerely,

L. GLEN SAXTON, Chief
Operations Bureau

Enclosure



State of Idaho
DEPARTMENT OF WATER RESOURCES
Western Region

Cecil D. Andrus
Governor

2735 Airport Way
Boise, Idaho 83705
(208) 334-2190

67-7508
HOWLAND, LAWSON
HOWLAND, MARIAN
STAR RT.
CAMBRIDGE, ID 83610

138283

April 10, 1987

CERTIFIED MAIL

EXAMINATION FEE NOTICE

Dear Permit Holder:

Department records show that proof of beneficial use has been submitted for the above-referenced permit, but that a field examination has not yet been conducted to determine the extent of beneficial use of the water for licensing purposes.

House Bill 671 (effective April 4, 1986) enacted by the 1986 Idaho Legislature requires the payment of a fee before this department can conduct the field examination needed to issue a license confirming use of water under the permit. This letter is notification that the license examination fee is due within sixty (60) days of the date of this letter. The examination fee information sheet (enclosed) must be returned with the fee.

As an alternative to submitting the fee, the department will accept a field examination report completed by a certified water right examiner from the private sector. If you choose to have the examination done by a certified water right examiner, you need not submit the license examination fee to the department, but you must within sixty (60) days of the date of this letter return to the department, the examination fee information sheet showing appropriate information together with a statement from the certified examiner to verify that you have retained a certified examiner to conduct the field examination. If you choose this alternative, a completed field examination report must be submitted within one year of the date of this letter. You cannot later change your decision to use this alternative and submit the fee needed for the department to conduct the field examination, but you may change to another certified examiner.

RECEIVED

SEP 15 1980

Department of Water Resources



IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

PLACE
TEN CENT
STAMP
HERE

DEPARTMENT OF WATER RESOURCES

Sal

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit No. 67-7508

Name(s) of Permit Holder: LAWSON & MARIAN HOWLAND

Post Office Address: CAMBRIDGE, ID. 83610

Tel. No. 257-3729

Source of Water: Little Wenatchee River

Extent of Use: ☐ Domestic (number of households)
☐ Stockwater (number and type of stock)
☒ Irrigation 27 (acres)
☐ Other

Measuring Device: Required? ☒ Yes ☐ No Installed? ☒ Yes ☐ No
 Access Port: Required? ☐ Yes ☒ No Installed? ☐ Yes ☒ No

The above information is a true statement of the extent to which the above-numbered permit has been developed.

9-12-80
Date

Lawson Howland
Signature of Permit Holder



State of Idaho

DEPARTMENT OF WATER RESOURCES

WESTERN REGION, 92 South Cole Road, Boise, Idaho 83709

JOHN V. EVANS

Governor

(Office at the corner of
Franklin and Cole Roads)

C. STEPHEN ALLRED

Director

(208) 384-2190

December 12, 1980

Lawson & Marian Howland
Star Route
Cambridge, Idaho 83610

RE: Permit No. 67-7508

Dear Permit Holders:

We acknowledge receipt of your statement submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department.

☐ A field examination of your system has been scheduled for

If this time and date is not convenient for you, please contact this office as soon as possible.

☒ A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office.

Sincerely,

Kay Walker
Secretary

RECEIVED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440

HOWLAND, LAWSON & MARIAN
STAR RT.
CAMBRIDGE, ID 83610

AUGUST 28, 1980

RE: PERMIT NO. 67-7508

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

BE SURE TO NOTE THE SPECIAL CONDITION REQUIRING YOU TO INSTALL AND MAINTAIN A MEASURING DEVICE AT YOUR POINT OF DIVERSION. WE HAVE ENCLOSED A DESCRIPTION OF THE DIFFERENT TYPES OF MEASURING DEVICES ACCEPTED BY THIS OFFICE.

THE EXERCISE OF THIS PERMIT MAY ALSO BE AFFECTED BY THE COURT'S DETERMINATION OF WATER RIGHTS IN THE CASE OF IDAHO POWER COMPANY V. STATE OF IDAHO, ET AL., CIVIC NO. 62237, CURRENTLY PENDING BEFORE THE DISTRICT COURT OF ADA COUNTY. SINCE THE USE OF WATER UNDER YOUR PERMIT MAY AFFECT THE FLOWS IN THE SNAKE RIVER BETWEEN MILNER DAM AND HELLS CANYON, THE FINAL DECISION IN THIS CASE MAY DETERMINE TO WHAT EXTENT THE EXERCISE OF YOUR PERMIT IS SUBJECT TO WATER RIGHTS OF IDAHO POWER. WHILE THE ADA COUNTY COURT IS EXAMINING THIS QUESTION, IDAHO POWER COMPANY HAS NOT FILED A SPECIFIC PROTEST TO YOUR PERMIT. HOWEVER, THE DEPARTMENT OF WATER RESOURCES HAS BEEN ADVISED THAT THE POWER COMPANY IS NOT WAIVING ANY OF ITS RIGHTS TO CONTEST OR LIMIT THE EXERCISE OF YOUR PERMIT OR SUBSEQUENT LICENSE.

WE HAVE ENCLOSED A FORM ENTITLED "MAKING PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT INTO A LICENSE.

SINCERELY,

DAVID R. TUTHILL, JR., P.E.
SUPERVISOR, WATER ALLOCATION SECTION

RECEIVED
AUG 29 1980

ENCLOSURE

State of Idaho
Department of Water Resources

67-7420
67-7479
67-0488

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: 6LS

APPLICATION NUMBER: 67-7508

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.
☐ Yes ☒ No
☐ Yes ☒ No
☐ Yes ☒ No
☒ Yes ☐ No*

Field check by: _____

Date: _____

Comments: Need Wafer Master
notification clause after
6/15 put on this one

Field check required.

Critical groundwater area.

Request dam safety information. Sent by: _____ Date: _____

In form to receipt.

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☐ Idaho State Health Department. Copies sent by: _____ Date: _____
☐ Idaho Fish and Game Department. _____
☐ Idaho Department of Lands. _____
☐ U.S. Bureau of Land Management. _____
☐ U.S. Forest Service. _____
☐ Other _____

PROCESSING:

- ☐ Yes ☐ No Platted by: _____ Map No. _____
☐ Yes ☒ No Other rights on same place of use. 67-7420, -67-7479, -67-0488
☒ Yes ☐ No* are all on different land, this is new land, he is
putting in above the LWID canal, will
be pumping the water
☐ Yes ☒ No Final date for protests: _____
Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 7-25-80 ✓
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application.
☒ Publication dates and paper, recorded on application.
☐ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.
☐ Yes ☐ No Measuring device required.
☐ Yes ☒ No Access port required.
☒ Yes ☐ No Will water be delivered by watermaster? If yes, what district? 67A
7/8/80 Date of priority recommended.
Special conditions of approval or cover letter. I.P. letter
Weiser River letter
W.M. Condition

* No water shall be diverted under this permit
after June 15 without obtaining prior
approval of the watermaster.

By: D.B.S. Date: 8/4/80

STATE OFFICE REVIEW:

SLW/104 (Weiser), 105, 106,

* special cond above, 010, 05 (67A Weiser)

- ☐ See attached sheet for more information.

By: Robyn Jim Date: 8/8/80

Department of Water Resources

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Western Region

92 South Cole Road
Boise, Idaho 83709
(208) 334-2190

JULY 10, 1980

Adams County Leader
Box 23
Council, ID 83612

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. We have allowed ample time for you to submit a galley proof to this office for review before the first publication date. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before AUGUST 4, 1980.

Yours truly,

HELEN L. HARRINGTON
Secretary

Encl.

RECEIVED
JUL 15 1980

NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

If issued, the permit(s) will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 92 S. Cole Road, Boise, Idaho 83709 on or before AUGUST 4, 1980.

C. STEPHEN ALLRED

Director

Published 7/17 & 7/24/80.

RECEIVED
JUL 25 1980
IDAHO DEPT. OF WATER RESOURCES
BOISE, IDAHO

HOWLAND, LAWSON & For I. TAN

STAR RT., CAMBRIDGE, ID 83610

Source: LITTLE WEISER RIVER tributary to WEISER RIVER

Date Filed: 07/08/1980

Amount: 0.54 CFS

Diversion Point: NENW Sec 01 T 14N R 02W, ADAMS Co.

Use: IRRIGATION (0.54 CFS) from 04/01 to 11/15 providing no water shall be used after 6/15 without prior permission of the watermaster.

Place of Use: SWNW SENW NWSW Sec 09 T 14N R 02W FOR 27 ACRES mission of the

Diversion Means: DIVERSION DAMS, SPRINKLER SYSTEM.

RECEIVED
JUL 10 1980