


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

+ Frank D. Gader Pres.
(Applicant)

PUBLISHER'S AFFIDAVIT

STATE OF IDAHO)

County of Washington)

ss.

Stuart

~~Alan V.~~ Dopf, being first duly sworn,
deposes and says: That he is the editor and
publisher of The Upper Country News-Re-
porter, a weekly newspaper published at
Cambridge, Idaho, in the County of Wash-
ington, State of Idaho; that said newspaper
is in general circulation in the county of afore-
said and is a legal newspaper; that the adver-
tisement, a copy of which is hereto attached,
was published in said newspaper once a week
for two consecutive weeks in the
regular and entire issue of every number
thereof during the period and time of publica-
tion, and was published in the newspaper
proper and not in a supplement; and that
publication of such notice began June

12, 1980, and ended June
19, 1980.

Stuart Dopf

Subscribed and sworn to before me, a
Notary Public in and for the County of Wash-
ington, and the State of Idaho, this 23rd
day of June, 1980.
William C. Hamman Notary Public
My commission expires 11-18-83,
19 .

Public Notices

NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that
the following application has
been submitted for a permit to
appropriate the public waters of
the State of Idaho:

67-7504

CADA TRIANGLE F RANCHES,
INC.

MIDVALE, ID 83645

Source: UNNAMED SPRING
tributary to CRANE CREEK,
SOUTH FORK.

Date Filed: 6/2/1980.

Amount: .20 CFS.

Diversion Point: SESW SWSE
Sec. 4 T 11N R 2W, WASH-
INGTON Co.

Use: STOCKWATER (.12 CFS)
from 1/1 to 12/31.
and DOMESTIC (.08 CFS)
from 1/1 to 12/31.

Place of Use: NWSE SWSE SW-
NE NESW NWSW SWSW SESW
Sec. 3 T 11N R 2W.

Diversion Means: SPRINGBOX
AND PIPELINE.

If issued, the permit will be
subject to all prior water rights.
Protests against the granting of
any permit must be filed with the
Director of the Idaho Department
of Water Resources, 92 S. Cole
Road, Boise, Idaho 83709 on or
before JUNE 30, 1980.

C. STEPHEN ALLRED
Director


Publish 6/12 & 6/19/80.

RECEIVED
JUN 24 1980

Department of Water Resources
Western Regional Office

MISSOURI

MAP (Attach Aerial Photo)



SCHEMATIC DIAGRAM OF SYSTEM

(Include distance from pump to measuring device, if applicable.)

Point(s) of diversion: SWNE, SENE, S. 4, T. 11N, R. 2W, D.M.

Place(s) of Use

TWP.	RGE.	SEC.	NE 1/4 (# OF TROUGH)				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
STOCKWATER USE					S ⁽¹⁾						S ⁽¹⁾	S ⁽¹⁾	S ⁽¹⁾		S ⁽¹⁾				
		4			S ⁽¹⁾														
DOMESTIC USE																			
11N	2W	3				D (2 HOMES)													

MICROFILMED

Recommended Amendments:

- ☒ Change P.D. as reflected above
☒ Change P.U. as reflected above
 TO ADD SENE, S. 4

- ☐ Add P.D. as reflected above
☐ Add P.U. as reflected above

- ☐ None
☐ Other

NOV 04 1997

Examiner's Signature

Jan Shunte

Date


5/11/87 & 5/2/88

Checked by

Date

Approved by

Date



State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 67-07504

Priority: June 2, 1980

Maximum Diversion Rate: 0.13 CFS
Maximum Diversion Volume: 5.1 AF

This is to certify, that CADA TRIANGLE F RANCHES INC
C/O FRANK D CADA
HC 70 BOX 2275
MIDVALE ID 83645

has complied with the terms and conditions
of the permit, issued pursuant to Application for Permit dated June 2, 1980; and
has submitted Proof of Beneficial Use on May 22, 1985. An examination indicates
that the works have a diversion capacity of 0.130 cfs of water from:

SPRINGS tributary to CRANE CREEK, SOUTH FORK

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
STOCKWATER	01/01 to 12/31	0.05 CFS	2.7 AF
DOMESTIC	01/01 to 12/31	0.08 CFS	2.4 AF
	Totals	0.13 CFS	5.1 AF

LOCATION OF POINT(S) OF DIVERSION: SESWNE , Sec. 4, Township 11N, Range 02W
SWSENE , Sec. 4, Township 11N, Range 02W
WASHINGTON County

PLACE OF USE: STOCKWATER

TWN RGE SEC

11N 02W	3	SWNE	NWSW	SWSW
		SESW	NWSE	
	4	SENE		

PLACE OF USE: DOMESTIC

TWN RGE SEC

11N 02W	3	SWNE
---------	---	------

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.

MICROFILMED

NOV 04 1987

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 67-07504

CONDITIONS OF APPROVAL AND REMARKS

4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Use of water under this water right will be regulated by the watermaster of State Water District No. 67.
6. Domestic use is for 2 homes.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 22ND day of OCTOBER, 1997.


Acting for KARL J. DREHER, Director

MICROFILMED

NOV 04 1997

State of Idaho
Department of Water Resources

RECEIVED

OCT 07 1997

Department of Water Resources

APPLICATION FOR AMENDMENT

(For Licensing Purposes)

WATER RIGHT NO. 67-07504

Date of Priority: June 2, 1980

Maximum Diversion Rate:

0.13 CFS

Maximum Diversion Volume:

5.1 AF

Comes now

CADA TRIANGLE F RANCHES INC

C/O FRANK D CADA

HC 70 BOX 2275

MIDVALE ID 83645

and represents to the Director of the

Idaho Department of Water Resources:

That he is the owner and holder of Permit to Appropriate the Public Waters of the State of Idaho No. 67-07504, and requests that the permit be changed as follows:

Source: SPRINGS

tributary to CRANE CREEK, SOUTH FORK

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
STOCKWATER	01/01 to 12/31	0.05 CFS	2.7 AF
DOMESTIC	01/01 to 12/31	0.08 CFS	2.4 AF
	Totals	0.13 CFS	5.1 AF

LOCATION OF POINT(S) OF DIVERSION:

SESWNE , Sec. 4, Township 11N, Range 02W
SWSENE , Sec. 4, Township 11N, Range 02W
WASHINGTON County

PLACE OF USE: STOCKWATER

TWN RGE SEC

11N 02W 3

SWNE

NWSW

SWSW

SESW

NWSE

4

SENE

PLACE OF USE: DOMESTIC

TWN RGE SEC

11N 02W 3

SWNE

Permit holder asserts that no one will be injured by such change and that such change will be made at permit holder's own risk.

Signed at Weiser, Idaho, this 4th day of October, 19 97.

MICROFILMED

NOV 04 1997

L. Elizabeth Cada
(Signature)

(Mrs. Frank D. Cada)

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 67-07504

FOR DEPARTMENT USE ONLY

Preliminary check by SWK Fee = 5000 Received by LS # C44347 Date 10/17/97

ACTION OF THE DEPARTMENT OF WATER RESOURCES

I, Karl J. Dreher, of the Department of Water Resources hereby approve the
above Application for Amendment for Permit No. 67-07504 with the following;

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Use of water under this water right will be regulated by the watermaster of State Water District No. 67.
6. Domestic use is for 2 homes.

Witness my hand this 22ND day of OCTOBER, 1997.

Acting for 
KARL J. DREHER, Director

MICROFILMED
NOV 04 1997

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
PROOF OF BENEFICIAL USE

RECEIVED
MAY 21 1985

Department of Water Resources

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed development under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below:

Permit No. 67-7504

Name(s) of Permit Holder: Cada Triangle F Ranches, Inc.
c/o Frank D. Cada

Post Office Address: HC 90-2275- Midvale, Idaho 83645

Telephone No. 208-355-2497

Source of Water: Springs

Extent of Use:

Domestic Two (2) (number of households)

Stockwater 400 Range cattle 5 months - WINTER WATERING (number and type of stock)

Irrigation None (acres)

Other/Remarks _____

Indicate the date water was first diverted and beneficially used under this permit: 1976

Measuring Device: Required? ☐ Yes ☒ No
Installed? ☐ Yes ☐ No

Flow Measurement Port: Required? ☐ Yes ☒ No
Installed? ☐ Yes ☐ No

Person to contact to accompany the Department representative during the field examination:

Frank D. Cada

(Name)

Same as above

(Address)

355-2497

(Telephone Number)

The above information is a true statement of the extent to which the above numbered permit has been developed.

Date May 20, 1985

Frank D. Cada
Signature of Permit Holder (and Title, if appropriate)

MICROFILMED

Place
Stamp
Here

Idaho Department of Water Resources
Statehouse Mail
Boise, ID 83720

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant Cada Triangle ~~CF~~ Ranches Inc. Phone 355-2497

Post office address Midvale, Idaho 83645

2. Source of water supply ~~Unnamed~~ Spring J.J. 7-9-80 which is a tributary of CRANE CREEK, SOUTH FORK S. Crane Creek ~~Rough Creek~~ IDWR

3. Location of point of diversion is SE ¼ of SW ¼ of Section 4 Township 11N

Range 2W B.M. Washington County, additional points of diversion if any:

SWSE, Sec. 4, T 11N, R 2W, B.M.

4. Water will be used for the following purposes:

Amount .12cfs for Stockwater purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount .08cfs for Domestic purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount for purposes from to (both dates inclusive)
(cfs or acre-feet per annum)

Amount for purposes from to (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. .20 cubic feet per second and/or b. acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. Perforated pipe in gravel bed with
springbox and pipeline

b. Height of storage dam feet, active reservoir capacity acre-feet; total reservoir
capacity acre-feet, materials used in storage dam:

Period of year when water will be diverted to storage to inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is inches; proposed depth of well is feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial
use is 5 years (minimum 1 year - maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation: NW SE
SW SE
(1) Give the place of use of water: SW ¼ of NE ¼ of Section 3 Township 11N

Range 2W B.M. NE SW
NW SW


(2) Amount of power to be generated SE SW horsepower under feet of head.

(3) List number of each kind of livestock to be watered 500 head beef cattle

(4) Name of municipality to be served , or number of families to be
supplied with domestic water 2

(5) If water is to be used for other purposes describe:

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

+ Frank D. Gader Pres.
(Applicant)

Proposed Priority 6/2/80

Received by 6h5 Date 6/2/80 Time 3:30

Preliminary check by CWB Fee \$ 20.00 # 16336

Receipted by HCH Date 6-2-80

Publication prepared by HH Date 6/5/80

Published in Upper Co. News Reporter

Publication dates 6/12 & 6/19/80

Publication approved HCH Date 6-30-80

Protests filed by: none

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by DBS RA Cpin

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 67-7504, and said application is hereby approved.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before July 1, 19 85.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other: (1) Use of water under this permit is subject to control by the water-master of State Water District # 67, Weiser River.

Witness my hand this 17th day of July, 1980.

J. Glen Sayton
Chief, Operations Bureau

PUBLISHER'S AFFIDAVIT

STATE OF IDAHO)

County of Washington)

Stuart

ss.

~~Alan V.~~ Dopf, being first duly sworn,
deposes and says: That he is the editor and
publisher of The Upper Country News-Re-
porter, a weekly newspaper published at
Cambridge, Idaho, in the County of Wash-
ington, State of Idaho; that said newspaper
is in general circulation in the county of afore-
said and is a legal newspaper; that the adver-
tisement, a copy of which is hereto attached,
was published in said newspaper once a week
for two..... consecutive weeks in the
regular and entire issue of every number
thereof during the period and time of publica-
tion, and was published in the newspaper
proper and not in a supplement; and that
publication of such notice began June

12, 1980, and ended June
19, 1980.

Stuart Dopf

Subscribed and sworn to before me, a
Notary Public in and for the County of Wash-
ington, and the State of Idaho, this 23rd
day of June, 1980.
John C. Hamer Notary Public
My commission expires 11-18-83
19.....

Public Notices

NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that
the following application has
been submitted for a permit to
appropriate the public waters of
the State of Idaho:

67-7504

CADA TRIANGLE F RANCHES,
INC.

MIDVALE, ID 83645

Source: UNNAMED SPRING
tributary to CRANE CREEK,
SOUTH FORK.

Date Filed: 6/2/1980.

Amount: .20 CFS.

Diversion Point: SE $\frac{1}{4}$ SW $\frac{1}{4}$
Sec. 4 T 11N R 2W, WASH-
INGTON Co.

Use: STOCKWATER (.12 CFS)
from 1/1 to 12/31.
and DOMESTIC (.08 CFS)
from 1/1 to 12/31.

Place of Use: NW $\frac{1}{4}$ SE $\frac{1}{4}$ SW-
NE NESW NWSW SWSW SESW
Sec. 3 T 11N R 2W.

Diversion Means: SPRINGBOX
AND PIPELINE.

If issued, the permit will be
subject to all prior water rights.
Protests against the granting of
any permit must be filed with the
Director of the Idaho Department
of Water Resources, 92 S. Cole
Road, Boise, Idaho 83709 on or
before JUNE 30, 1980.

C. STEPHEN ALLRED

Director

Publish 6/12 & 6/19/80.

*o.k.
M.H.*

RECEIVED

JUN 24 1980

Department of Water Resources
Western Regional Office

11-18-83



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

March 18, 1999

DIRK KEMPTHORNE
GOVERNOR

KARL J. DREHER
DIRECTOR

HERBERT JONES JR
1045 LOAFER LN
WEISER ID 83672-1429

RE: Snake River Basin Adjudication (SRBA)
Water Rights #67-04320, 67-07504, 67-07509, 67-11699,
67-11700 & 67-11701

CC: W.A.

Records changed, NCAP prepared.
#325-99

Dear Water Right Holder:

Mail recently sent to you was returned to us by the Postal Service. They also advised us your address has changed to the above address. We have enclosed the returned mail.

Although we have reached you at the address above, we need your written confirmation this is your correct mailing address before we can change our records.

Please sign your name at the bottom of this letter and return it to this office. Make corrections to your name and address if necessary before returning this letter, list any other water rights you have, and return this letter by March 31, 1999. Thank you for your help.

If your mail delivery address changes in any form, please contact us in writing so we can update our records. Be sure to list your water right numbers.

If there has been a change in ownership of the property connected with the water right referenced above, please call this office toll-free at 1/800-451-4129 to obtain a form to make this required change to the water right record.

Sincerely,

Sally
Sally Sherman

Technical Records Specialist
Adjudication Bureau

RECEIVED
MAR 25 1999

SS:region

Enclosure:

Returned Mail

#####

The address is correct as shown above or as otherwise changed.


Herbert Jones Jr
Claimant Signature

208-549-1939
Telephone No.

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
1301 North Orchard Street, P.O. Box 83720
Boise, Idaho 83720-0098

ADDRESS SERVICE
REQUESTED

PRESTON
FIRST



IMPORTANT WATER RIGHT INFORMATION

None 128

67-04320
HERBERT JONES JR
PO BOX 128
MIDVALE ID 83645

RECEIVED
MAR 12 1999

Department of Water Resources
JONES128 036452017 1398 06 03/10/99
FORWARD TIME EXP RTN TO SEND
JONES LOOPER LN
WEISER ID 83672-1429



40 437 836452017



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
1301 North Orchard Street, P.O. Box 83720
Boise, Idaho 83720-0098

ADDRESS SERVICE
REQUESTED

PRESORTED
FIRST CLASS



RECEIVED

MAR 12 1999

Department of Water Resources

IMPORTANT WATER RIGHT INFORMATION

Some 128

67-11700
HERBERT JONES JR
PO BOX 128
MIDVALE ID 83645



JONES 128 036452014 1398 05 03/09/99
FORWARD TIME EXP RTN TO SEND
JONES 1045 LOAFER LN
WEISER ID 83672-1429

AUTO 83645

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
1301 North Orchard Street, P.O. Box 83720
Boise, Idaho 83720-0098

ADDRESS SERVICE
REQUESTED

PRESORTED
FIRST CLASS



IMPORTANT WATER RIGHT INFORMATION

RECEIVED

MAR 12 1999

Department of Water Resources

67-04320
HERBERT JONES JR
PO BOX 128
MIDVALE ID 83645

JONES 128 036452017 1398 06 03/10/99
FORWARD TIME EXP RTN TO SEND
JONES 1045 LOAFER LN
WEISER ID 83672-1429



AUTO 83645

Department of Water Resources

DEPARTMENT OF WATER RESOURCES
1301 North Orchard Street, P.O. Box 83720
Boise, Idaho 83720-0098

ADDRESS SERVICE
REQUESTED

PRESORTED
FIRST CLASS



RECEIVED

MAR 12 1999

Department of Water Resources

IMPORTANT WATER RIGHT INFORMATION

JONE 128


67-11699
HERBERT JONES JR
PO BOX 128
MIDVALE ID 83645

JONE128 036452014 1399 05 03/09/99
FORWARD TIME EXP RTN TO SEND
JONES 1045
WEISER LOAFER LN
WEISER ID 83672-1429

AUTO 83645

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
1301 North Orchard Street, P.O. Box 83720
Boise, Idaho 83720-0098

ADDRESS SERVICE
REQUESTED



IMPORTANT WATER RIGHT INFORMATION

JONE 128

67-07509
HERBERT JONES JR
PO BOX 128
MIDVALE ID 83645

RECEIVED
MAR 12 1999

Department of Water Resources
JONE128 036452017 1399 05 03/10/99
FORWARD TIME EXP RTN TO SEND
JONES 1045
WEISER LOAFER LN
WEISER ID 83672-1429

AUTO 83645

Postage meter stamp: 0.463 U.S. POSTAGE

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
1301 North Orchard Street, P.O. Box 83720
Boise, Idaho 83720-0098

ADDRESS SERVICE
REQUESTED

PRESORTED
FIRST CLASS


IMPORTANT WATER RIGHT INFORMATION

67-11701

HERBERT JONES JR
PO BOX 128
MIDVALE ID 83645

JONES 128

AUTO 83645



RECEIVED

MAR 12 1999

Department of Water Resources

JONES 128 036452014 1596 03 03/09/99
FORWARD TIME EXP RTN TO SEND
JONES 10455 LOAFER LN
WEISER ID 83672-1429

OCT 23 1997

RECEIVED

OCT 27 1997

Department of Water Resources

Letter of 10-23-97/license

IDAHO DEPARTMENT OF WATER RESOURCES 1301 N. Orchard St. P.O. Box 83720 Boise, ID 83720-0098 (208) 327-7900	
To	
L67-07504	
CADA TRIANGLE F RANCHES INC	
C/O FRANK D CADA	
HC 70 BOX 2275	
MIDVALE	ID 83645

*forward
outdated*

10-28-97 - Resent To L. Elizabeth Cade in Weiser, Id.



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. BOX 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

October 23, 1997

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

CADA TRIANGLE F RANCHES INC
C/O FRANK D CADA
HC 70 BOX 2275
MIDVALE ID 83645

RE: WATER RIGHT NO. 67-07504

Dear Water Right Holder(s):

The Department of Water Resources (the Department) has issued the enclosed license confirming that a water right has been established in accordance with the permit referenced above. The license is a preliminary order issued by the Department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department unless a party petitions for reconsideration or files an exception and/or brief as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the Department within fourteen (14) days of the service date of this order. The Department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See section 67-5243(3), Idaho Code.

EXCEPTIONS AND BRIEFS

Within twenty-one (21) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding. Otherwise, this preliminary order will become a final order of the Department.

If any party appeals or takes exceptions to this preliminary order, opposing parties shall have twenty-one (21) days to respond to any party's appeal. Written briefs in support of or taking exceptions to the preliminary order shall be filed with the Department. The Department retains the right to review the preliminary order on its own motion.

MICROFILMED

NOV 04 1997

ORAL ARGUMENT

If the Department grants a petition to review the preliminary order, the Department shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Department will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Department orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Department in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with Rules of Procedure 302 and 303.

FINAL ORDER

The Department will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Department may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The Department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

MICROFILMED

NOV 04 1997

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

For your records I have also enclosed a copy of your Application for Amendment of Permit, which was approved.

Sincerely,

A handwritten signature in cursive script that reads "Shelley W. Keen".

Shelley W. Keen
Water Rights Supervisor

SK:klt

Enclosure

MICROFILMED


NOV 3 4 1997

CERTIFICATE OF MAILING

I hereby certify that on the 23rd day of October, 1997, I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER (Approved License) to the person(s) listed below:

Water Right No. 67-07504

CADA TRIANGLE F RANCHES INC
C/O FRANK D CADA
HC 70 BOX 2275
MIDVALE ID 83645


Kari Lynn Townsend
Secretary

MICROFILMED

NOV 04 1997



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. BOX 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

September 29, 1997

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

L ELIZABETH CADA
1309 PARK DRIVE
WEISER ID 83672

RE: Water Right No. 67-07504

Dear Mrs. Cada:

I am writing to you about Water Right Permit No. 67-07504, which was issued to Cada Triangle F Ranches, Inc., in 1980. The Department of Water Resources is preparing to issue a water right license for the development under that permit, but the permit needs to be amended before the license can be issued. We have some information suggesting that the property where the right was developed has been sold to Mr. Herbert Jones. However, because the permit has not been formally assigned to Mr. Jones, I thought it would be prudent to contact you first.

The permit must be amended to describe the points of diversion and place of use as they were actually developed. I need to know if you want to complete the amendment yourself or if you would prefer that the department contact Mr. Jones about completing the amendment.

I have enclosed the amendment form in case you wish to complete it yourself. To complete the amendment, you should review and sign the form and return it with the \$50.00 amendment fee.

If you prefer that the department contact Mr. Jones about the amendment, please call or write to let me know. If I have not heard from you within fourteen days, I will assume you no longer have an interest in this water right and I will contact Mr. Jones.

If you have any questions, please contact me at 208-327-7946.

Respectfully,

Shelley Walter Keen
Water Rights Supervisor

Enclosure

MICROFILMED

NOV 04 1997

M E M O R A N D U M

DATE: September 24, 1997

TO: File No 67-07504

FROM: Kari Lynn Townsend

RE: Returned mail

=====

The letter of September 18th to Cada Triangle F Ranches Inc was returned by the postoffice today. I called the phone number listed in the file - it was disconnected. I called information for Midvale - there was no new listing but they had a listing for CADA in Weiser (549-3457).

I called the Weiser number and spoke to Mrs. Elizabeth Cada. She said that she is Frank's widow and has sold the Midvale property to Butch Jones. I asked her if she had a power of attorney and she said no, that when her husband died everything came to her. I told her I would send a form for her to fill out assigning the permit to the new property owner.

When I checked with Shelley to find out about which form to send to Mrs. Cada he decided that he would review the file and make a decision on what should be sent to Mrs. Cada. Her new address is:

L. Elizabeth Cada
1309 Park Drive
Weiser, ID 83672

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
1100 North Orchard Street
Boise, Idaho 83706-2237

RETURN TO
RECEIVED

RETURNED TO
RECEIVED
ATTACHED BY UNKNOWN

RECEIVED

SEP 19 1997

0238
PB METER
7021178 U.S. POSTAGE

RECEIVED
SEP 24 1997
Department of Water Resources

MICROFILMED
NOV 0 4 1997

ADDRESS SERVICE
DEPARTMENT

1100 North Orchard Street
Boise, Idaho 83706-2237



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. BOX 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

September 18, 1997

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

CADA TRIANGLE IF RANCHES INC
C/O FRANK D CADA
HC 70 BOX 2275
MIDVALE ID 83645

RE: WATER RIGHT NO. 67-07504

Dear Permit Holder(s):

The above referenced water right is in the process of being licensed. However, before a license can be issued, your permit must be amended to depict your water right as it has actually been developed.

The enclosed Application for Amendment contains information that will be included on the license when it is issued. The amendment reflects a change in the location of the point(s) of diversion and the place(s) of use description. Please review carefully and if you concur, sign the amendment and return it with the \$50.00 filing fee within 14 days.

The last page of the Application for Amendment form contains a list of Conditions of Approval and Remarks proposed for the license when it is issued. These conditions of approval and remarks may be modified upon further administrative review.

If you do not concur, or if you have any questions about this information, please contact me as soon as possible. My telephone number is (208) 327-7946.

Sincerely,

Shelley W. Keen
Water Rights Supervisor

SK:klt

Enclosure

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 67-07504

Date of Priority: June 2, 1980

Maximum Diversion Rate: 0.13 CFS
Maximum Diversion Volume: 5.1 AF

Comes now CADA TRIANGLE F RANCHES INC
C/O FRANK D CADA
HC 70 BOX 2275
MIDVALE ID 83645

and represents to the Director of the

Idaho Department of Water Resources:

That he is the owner and holder of Permit to appropriate the Public Waters of the State of Idaho No. 67-07504, and requests that the permit be changed as follows:

Source: SPRINGS

tributary to CRANE CREEK, SOUTH FORK

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
STOCKWATER	01/01 to 12/31	0.05 CFS	2.7 AF
DOMESTIC	01/01 to 12/31	0.08 CFS	2.4 AF
	Totals	0.13 CFS	5.1 AF

LOCATION OF POINT(S) OF DIVERSION:

SESWNE , Sec. 4, Township 11N, Range 02W
SWSENE , Sec. 4, Township 11N, Range 02W
WASHINGTON County

PLACE OF USE: STOCKWATER

TWN RGE SEC

11N 02W	3	SWNE	NWSW	SWSW
		SESW	NWSE	
	4	SENE		

PLACE OF USE: DOMESTIC

TWN RGE SEC

11N 02W	3	SWNE
---------	---	------

Permit holder asserts that no one will be injured by such change and that such change will be made at permit holder's own risk.

Signed at _____, this _____ day of _____, 19____.

(Signature)

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT

(For Licensing Purposes)

WATER RIGHT NO. 67-07504

FOR DEPARTMENT USE ONLY

Preliminary check by _____ Fee = _____ Received by _____ # _____ Date _____

ACTION OF THE DEPARTMENT OF WATER RESOURCES

I, Karl J. Dreher, of the Department of Water Resources hereby approve the
above Application for Amendment for Permit No. 67-07504 with the following;

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Use of water under this water right will be regulated by the watermaster of State Water District No. 67.
6. Domestic use is for 2 homes.

Witness my hand this _____ day of _____, 19____.

KARL J. DREHER, Director



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. BOX 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

September 18, 1997

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

CADA TRIANGLE F RANCHES INC
C/O FRANK D CADA
HC 70 BOX 2275
MIDVALE ID 83645

RE: WATER RIGHT NO. 67-07504

Dear Permit Holder(s):

The above referenced water right is in the process of being licensed. However, before a license can be issued, your permit must be amended to depict your water right as it has actually been developed.

The enclosed Application for Amendment contains information that will be included on the license when it is issued. The amendment reflects a change in the location of the point(s) of diversion and the place(s) of use description. Please review carefully and if you concur, sign the amendment and return it with the \$50.00 filing fee within 14 days.

The last page of the Application for Amendment form contains a list of Conditions of Approval and Remarks proposed for the license when it is issued. These conditions of approval and remarks may be modified upon further administrative review.

If you do not concur, or if you have any questions about this information, please contact me as soon as possible. My telephone number is (208) 327-7946.

Sincerely,

A handwritten signature in cursive script, appearing to read 'Shelley W. Keen'.

Shelley W. Keen
Water Rights Supervisor

SK:klt

Enclosure

MICROFILMED

NOV 3 4 1997

LICENSE REVIEW CHECKLIST

PERMIT NO. 67-07504

DATE 9/8/97

REVIEWER: SHARLA

NAME	Change <u>—</u>	OK <u>✓</u>	Address Change <u>—</u>
SOURCE	Change <u>—</u>	OK <u>✓</u>	Is change/clarification of originally intended source? <u>—</u>
POINT OF DIV	Change <u>✓</u>	OK <u>—</u>	If not, prepare Notice of Intent to Void <u>—</u>
PLACE OF USE	Change <u>✓ sec 4</u>	OK <u>—</u>	Amendment required <u>yes</u>
			Amendment required <u>yes</u>

Does map agree with written description? ✓ yes — no

OVERLAPS — P/D — P/U

RATE OF DIV

Permitted Rate	<u>.20</u> cfs
Fee limit	<u>N/A</u> cfs
Measured	<u>—</u> cfs
Theoretical	<u>.13</u> cfs

- exam done before fees rec'd

Recommended Total Div Rate .13 cfs

ANNUAL VOLUME/ NATURE OF USES

Use	cfs	Volume Calc	
<u>Stock</u>	<u>.05</u>	<u>2.7</u>	af
<u>Dom</u>	<u>.08</u>	<u>1.2 x 2 = 2.4</u>	af
<u>—</u>	<u>—</u>	<u>—</u>	af
<u>—</u>	<u>—</u>	<u>—</u>	af
SUBTOTAL	.13	5.1	af

Flow rate .13 cfs X 365 days X 1.98 = 94.0 af
 Total volume recommended 5.1 af
(SUBTOTAL or Flow Rate, whichever is less)

REMARKS

2 homes

CONDITIONS

R04 Watermaster Control WD# 67
— GW Measurement/Measuring Device
— Overlap
— Use-specific conditions

Advancement of Priority Date Required — yes ✓ no

SRBA Claim Filed ✓
 Adjustment Memo —

1st Amend Letter 137 138
 2nd Amend Letter 147

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
APR 22 1997

Department of Water Resources

A. GENERAL INFORMATION

- Permit No. 67-7504
Phone No. 355-2497
Current Address: HC 70 2275 MIDVALE, ID. 83645
Accompanied by: FRANK CADA EXAM. DATE: 5 - 85
Address: _____ (by Jan Shurte)
Phone No. _____
Relationship to Permit Holder: OWNER
3. Source: UNNAMED SPRING tributary to SD. CRANE CREEK

B. OVERLAP REVIEW

1. Other water rights with same place of use: NONE
_____ ☐ Copies Attached
2. Other water rights with same point of diversion: NONE
_____ ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached

THIS REPORT IS A REWRITE OF THE ORIGINAL EXAM DONE BY JAN SHURTE. (SEE FIELD REPORT ON FORM 219 (12/99)).

MY CONTRIBUTION WAS TO COMPLETE THE OVERLAP REVIEW & GOV LOT CHECK, AND TO TRANSFER THE INFO FROM THE ORIGINAL REPORT TO THIS FORM.

FOR SYSTEM DRAWING, SEE OTHER FIELD REPORT

Scale: 1" = _____

2. ☒ Copy of U.S.G.S. Quadrangle Attached ☐ Aerial Photo Attached
Showing location(s) of point(s) of diversion and place(s) of use (required). (required for irrigation of 10 acres or more).
☐ Photo of Diversion and System Attached (NO PHOTOS TAKEN, ORIGINAL EXAM WAS BEFORE
(required for all but single household domestic groundwater, and stockwater. PHOTO REQUIREMENT.

MICROFILMED
NOV 04 1997

System Description (continued)

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

THE SYSTEM IS TWO SPRINGS DUG OUT & GRAVEL PACKED AND THEN
PIPED DOWN HILL TO A 1000 GAL STORAGE TANK. THE PIPELINES
FROM THE SPRINGS JOIN APPROX 200' to 250' BELOW SPRING #1
AND THEN RUNS TO STORAGE. SPRING #1 IS 600 FT EAST OF SPRING
#2. USE FOR STOCK WATER CONSISTS OF 7 TROUGHS TIED INTO
THE PIPELINE. DOMESTIC USE IS FOR TWO HOMES WITH 1/2 ACRE
YARDS. LIVESTOCK USE CONSISTS OF 150 HEAD
OF RANGE COWS.

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	N/A				

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
#1		SW	SE	NE	4	11N	2W	WASHINGTON	QUAD MAP
#2		SE	SW	NE	4	11N	2W	"	" "

6. Place(s) of Use:

Indicate Method of Determination QUAD MAP

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
11N	2W	4				S													
		3			D/S						S	S	S		S				

MICROFILMED

Do not use this space

NOV 04 1997

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

ESTIMATED
FROM STOCK WATER USE TABLE
100-200 HEAD (RANGE CATTLE) CFS = 0.05
AFA = 2.7

☐ Additional Computation Sheets Attached

2. Alternate Method for Checking Purposes:

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)
Total Head: (1) + (2) = _____ (3) ; Flow rate: _____ cfs (4)
Water HP: (3) x (4) ÷ 8.8 = _____ (5)
Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)
Meter Input HP: (6) x 1.34 = _____ (7)
Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Ampsx .001732 = _____ (6)
Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ _____

DOMESTIC (2 HOMES WITH INSIDE & OUTSIDE USE) = 1.2 AFA
MICROFILMED * 2
2.4 AFA

NOV 04 1997

H. REMARKS AND OVERLAP REVIEW ANALYSIS

NO OVERLAP FOUND

PERMIT IS FOR 0.12 CFS STOCK WATER & 0.08 DOMESTIC
 FOUND 150 HEAD CATTLE 2 HOMES
 PROOF SUBMITTED & INITIAL EXAM PRIOR TO EXAM FEE REQUIREMENT.
 LEGAL LIMIT STOCK WATER (150 HEAD) 0.05 CFS
DOMESTIC (2 HOMES) 0.08 CFS

No flow measurement. Theoretical flows computed - see attached pages. Assumed 1 1/2" pipe from spring(s) to collection tank. Also assumed that collection tank was at or near the junction of the two collection lines. cjh 3-28-97 (below)

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
<u>DOMESTIC</u>	<u>1-1</u>	<u>12-31</u>	<u>0.08</u>	<u>2.4</u>
<u>STOCK WATER</u>	<u>1-1</u>	<u>12-31</u>	<u>0.05</u>	<u>2.7</u>
Totals:			<u>0.13 CFS</u>	<u>5.1 AFA</u>

2. Recommended Amendments

- ☒ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☒ Add P.U. as reflected above ☐ Other

J. AUTHENTICATION

Field Examiner's Name KELLY K. CHRISTENSEN

Signature Kelly K. Christensen

Certification Date _____

Field Report Preparation Date 1-8-90

CONSULTANT SEAL

K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

MICROFILMED

NOV 04 1997

The pipe diam from
the springs to the holding tank
will probably be the limiting
factor in this system.

Pipe dia unknown

no other prob. found. KKC 1-8-90

State of Idaho
DEPARTMENT OF WATER RESOURCES
FIELD REPORT

Midvale 83645

KEYPUNCHED

67-7504

Permit No.

CONTACT WITH PERMIT HOLDER

	DATE	INITIALS	REMARKS
☐ Appointment letter mailed:	11/19/81	jp	no appointment made
☐ Telephone call made: (List Telephone No. used)			
☐ Appointment scheduled for: (Date, time, location)			
	DROPPED BY		

EXAMINATION

Date 5/86 Accompanied by FRANK CADA, OWNER Total Q measured ESTIMATED
If source is surface water, estimate total flow of source _____
Methods of measurement ESTIMATED Meets Permit requirements? _____

Measurement calculations:

150 HD. STOCK - $\swarrow 0.05$ $\searrow 2.7$.04 CFS + 2.0 AF/ANN (FROM ADMIN. MEMO FOR ANN. STRUT. USE)
DOMESTIC - .08 CFS (PERMITTED AMOUNT) + 2.4 AF (1.2/HOME)
W/LAWNS

WELL/DIVERSION* NO.	HP	MOTOR MAKE	MOTOR SERIAL NO.	PUMP MAKE	PUMP SERIAL NO.	MEASURING DEVICE TYPE	CONDITION OF MEAS. DEV.	REMARKS
			N/A					

System Description SPRING DUG OUT & GRAVEL PACKED W/PIPELINE GRAVITY FLOW TO STORAGE TANK (1000 GALLON) & GRAVITY FLOW DOWN TO 2 HOMES. TROUGHS ALONG THE WAY. #2 SPRING SAME AS #1 THE 2 PIPELINES JOIN APPROX. 300-350' BELOW
SPRING #1.

*Code with map on reverse side. Disregard code if only one.

SPRING #1 IS 600+ FROM SPRING #2 - TOTAL 7 TROUGH OUTLETS W/PIPELINE TO ALL.

RECOMMENDED AMOUNTS

Irrigation requirement = _____ AFA/Acre

USE	Q (cfs)	V (afa)	FROM	TO
<u>STOCKWATER - 150 HD. STOCK</u>	<u>.04 CFS</u>	<u>2.0 AF</u>	<u>1-1</u>	<u>12-31</u>
<u>DOMESTIC - 2 HOMES W/LAWNS</u>	<u>.08 CFS</u>	<u>2.4 AF</u>	<u>1-1</u>	<u>12-31</u>
Total	<u>.12 CFS</u>	<u>4.4 AF</u>		

Remarks SPRINGS & TROUGHS ON QUAD MAP DRAWN IN BY FRANK CADA.

MICROFILMED

NOV 04 1987

MAP (Attach Aerial Photo)

Hand-drawn map on a grid showing a proposed road layout. The map includes labels for "TWP. 11N", "R. 2W", "SOURCES", "DOMESTIC", and "TROUGH". A legend indicates that squares represent "TROUGHs". The road layout consists of a main line with several branches and loops, marked with arrows indicating direction. The map is overlaid on a grid with solid and dashed lines.

SCHEMATIC DIAGRAM OF SYSTEM

(Include distance from pump to measuring device, if applicable.)

Point(s) of diversion: SWNE, SENE, S. 4, T. 11N, R. 2W, B.M.

Place(s) of Use

[illegible]

Recommended Amendments:

- ☒ Change P.D. as reflected above ☐ Add P.D. as reflected above ☐ None
☒ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

NOV 04 1997

Examiner's Signature


Checked by

Approved by _____

Date 5/11/87 & 5/2/88

Date _____

ate



Pipeflow Computation Spreadsheet (DRT 12/31/1992)

Data Entered By: Cindy Hodges
 3-28-1997
 Project: Flow Computation for Permit No. 67-07405
 Cada Triangle F Ranches - Spring #1
 Given: See Data Table

Compute head losses with the Williams and Hazen Formula:

$$f = 0.2083 * ((100 / \text{roughness})^{1.85} * ((\text{cfs} * 448.8)^{1.852} / \text{ID}^4.8655 * \text{Length} / 100)$$

To Find: Compute Rate of Flow

Data Table

Total Head: 60.00 feet
 Pressure Req'd: 0.00 psi
 Available Head: 60.00 feet
 Pipe Roughness: 150.00 Note: pvc = 150, smooth and straight pipe = 140
 aluminum - joint length 20' = 125, joint length
 30' = 130, joint length 40' = 132, joint length
 50' = 134, new riveted steel = 100
 old riveted steel = 100, old cast iron = 95,
 old pipes in poor condition = 60 to 80

Inside Diameter in Inches	Equivalent Length in Feet	Unit Head Loss	Total Head Loss from Pipe Friction
1.25	250.00	60.13	
10.00	0.00	0.00	
10.00	0.00	0.00	
10.00	0.00	0.00	60.13

Rate of Flow: 0.078 CFS

Solution is obtained by entering an estimated rate of flow and adjusting until Total Head Loss approximates Available Head.

MICROFILMED
 NOV 04 1997

Pipeflow Computation Spreadsheet (DRT 12/31/1992)

Data Entered By: Cindy Hodges
 3-28-1997
 Project: Flow Computation for Permit No. 67-07405
 Cada Triangle F Ranches - Spring #2
 Given: See Data Table

Compute head losses with the Williams and Hazen Formula:
 $f = 0.2083 * (100 / \text{roughness})^{1.85} * ((\text{cfs} * 448.8)^{1.852} / \text{ID}^{4.8655} * \text{Length} / 100)$

To Find: Compute Rate of Flow

Data Table

Total Head: 80.00 feet
 Pressure Req'd: 0.00 psi
 Available Head: 80.00 feet
 Pipe Roughness: 150.00 Note: pvc = 150, smooth and straight pipe = 140
 aluminum - joint length 20' = 125, joint length
 30' = 130, joint length 40' = 132, joint length
 50' = 134, new riveted steel = 100
 old riveted steel = 100, old cast iron = 95,
 old pipes in poor condition = 60 to 80

Inside Diameter in Inches	Equivalent Length in Feet	Unit Head Loss	Total Head Loss from Pipe Friction
1.25	800.00	80.12	
10.00	0.00	0.00	
10.00	0.00	0.00	
10.00	0.00	0.00	80.12

Rate of Flow: 0.049 CFS

Solution is obtained by entering an estimated rate of flow and adjusting until Total Head Loss approximates Available Head.

MICROFILMED
 NOV 04 1997

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Western Region

Statehouse
Boise, Idaho 83720
(208) 334-2190

OCTOBER 10, 1985

C/O FRANK D. CADA CADA TRIANGLE F. RANCHES INC.
HC 70 2275
MIDVALE ID 83645

RE: Permit No. 67-7504

Dear Permit Holder:

We acknowledge receipt of your statement submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this department.

A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office by phone at 334-2190 or in person in the third floor State Towers Building, 450 West State Street, Boise.

Sincerely,
s/Judy Pense
Secretary

MICROFILMED

NOV 04 1997

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
CERTIFIED MAIL

138953

CADA TRIANGLE F RANCHES, INC.
C/O FRANK D. CADA
MIDVALE, ID 83645

PROOF DUE NOTICE

APRIL 30, 1985

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF YOUR WATER PERMIT NO. 67-7504 WAS THAT PROOF OF THE EXTENT OF YOUR BENEFICIAL USE MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE JULY 01, 1985. (SEE LAST PAGE OF YOUR APPROVED PERMIT OR YOUR LAST APPROVED EXTENSION REQUEST). ENCLOSED IS A FORM WHICH MAY BE USED TO SUBMIT THE REQUIRED PROOF.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU OR A PREVIOUS OWNER OF THIS PERMIT HAVE NOT RECEIVED A PRIOR EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME IF THE DELAY IS FOR REASONABLE CAUSE AS PROVIDED IN SECTION 42-204, IDAHO CODE. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED. AN EXTENSION OF TIME REQUEST FORM IS ENCLOSED FOR YOUR CONVENIENCE.

EITHER THE BENEFICIAL USE FORM OR A REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE DESCRIBED PROOF DUE DATE. IF NEITHER IS RECEIVED, THE DEPARTMENT WILL SEND YOU A LAPSE NOTICE. WITHIN SIXTY (60) DAYS OF THE MAILING OF THE LAPSE NOTICE, THE PERMIT WILL NO LONGER BE OF ANY FORCE NOR EFFECT.

SINCERELY,

RITA FLECK
SECRETARY/RECORDS MANAGER

ENCLOSURES

MICROFILMED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440

CADA TRIANGLE F RANCHES, INC.
MIDVALE, ID 83645

JULY 30, 1980

RE: PERMIT NO. 67-7504

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

WE HAVE ENCLOSED A FORM ENTITLED "MAKING PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT INTO A LICENSE.

SINCERELY,

DAVID R. TUTHILL, JR., P.E.
SUPERVISOR, WATER ALLOCATION SECTION

ENCLOSURE

MICROFILMED

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: W. Bryan

APPLICATION NUMBER: 61-7504

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.
☐ Yes ☒ No Field check required.
☐ Yes ☒ No Critical groundwater area.
☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☐ No In form to receipt.

Field check by: _____

Date: _____

Comments: _____

NOBREM
CADA TRIANGLE RANCHES

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☐ Idaho State Health Department. Copies sent by: _____ Date: _____
☐ Idaho Fish and Game Department. _____
☐ Idaho Department of Lands. _____
☐ U.S. Bureau of Land Management. _____
☐ U.S. Forest Service. _____
☐ Other _____

PROCESSING:

- ☐ Yes ☒ No Platted by: _____ Map No. _____
☐ Yes ☒ No Other rights on same place of use. _____
☒ Yes ☐ No* In form for advertising.
Final date for protests: 6/30/80
☐ Yes ☒ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 6-24-80
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application.
☒ Publication dates and paper, recorded on application.
☐ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.
☐ Yes ☒ No Measuring device required.
☐ Yes ☒ No Access port required.
☒ Yes ☐ No Will water be delivered by watermaster? If yes, what district? 67
☒ 6/2/80 Date of priority recommended.
Special conditions of approval or cover letter. 2 P. letter
W.M. condition, Weiser River letter

By: DBS Date: 7/1/80 **RECEIVED**

STATE OFFICE REVIEW:

104 & 105 w/o cond 05 (67 Weiser R.)
correct item 2

- ☐ See attached sheet for more information.

By: RH mi Date: 7-9-80

RECEIVED

CADA TRIANGLE F RANCHES, INC.

MIDVALE, ID 83645

Source: UNNAMED SPRING tributary to CRANE CREEK, SOUTH FORK

Date Filed: 06/02/1980

Amount: 0.20 CFS

Diversion Point: SESW SWSE Sec 04 T 11N R 02W, WASHINGTON Co.

Use: STOCKWATER	(0.12 CFS)	from 01/01 to 12/31
DOMESTIC	(0.08 CFS)	from 01/01 to 12/31

Place of Use: NWSE SWSE SWNE NESW NWSW SWSW SESW Sec 03 T 11N R 02W

Diversion Means: SPRINGBOX AND PIPELINE.

MICROFILMED