





SYSTEM DESCRIPTION
ATTACHMENT TO FIELD EXAM FORM



12.3 Acres lower pasture
0.5 Acres upper pasture
12.8 ACRES

JAN 18 1994




T15N R4W
SEC 10
P/U
P/D

SCALE 1:24,000



JAN 18 1994

confirmed per owner 12/1/93. by
see attached



SCALE 1:24,000




OWNER'S
MAP

JAN 18 1994

RECEIVED


DEC 06 1993

WATER RESOURCES
WESTERN REGION



PERMIT 67-1493 INIT DJ
T. R. S. Q/Q
P/D 15m 4w 10 NE-SW
SCALE _____
PHOTO ID. _____

p/u →
p/d





View from house to hill house.
Hill house is old house
in pasture.

PHOTO ONE-

>



View from
upper pasture to
house.

8220-100
JAN 18 1994

PHOTO TWO-

PHOTO THREE-



line coming from fence above
down hill to the lower
pasture

>

Lower pasture.
underground lines with
a pipe are located
throughout the property.

JAN 18 1994

PHOTO FOUR-



State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 67-07493

Priority: April 3, 1980

Maximum Diversion Rate: 0.07 CFS
Maximum Diversion Volume: 29.7 AF

This is to certify, that VERNON F ROACH
PO BOX 267

CAMBRIDGE ID 83610 has complied with the terms and conditions
of the permit, issued pursuant to Application for Permit dated April 3, 1980; and
has submitted Proof of Beneficial Use on January 1, 1900. An examination indicates
that the works have a diversion capacity of .070 cfs of water from a **GROUNDWATER**
source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/01 to 10/31	0.07 CFS	29.7 AF

LOCATION OF POINT(S) OF DIVERSION: NWSE , Sec. 10, Township 15N, Range 04W
WASHINGTON County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
15N	04W	10	NESW 5	NWSE 5		10

Total number of acres irrigated: 10

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right limited to the amount that can actually be beneficially use used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency. .
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 4.0 afa per acre for the lands above.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 28th
day of DECEMBER, 1993.

RECORDED

JAN 18 1994

Acting for R. Keith Higginson, Director

WATER RIGHT SUMMARY

<u>ACTION</u>	<u>RIGHT NO.</u>	<u>NAME</u>	<u>AMOUNT CFS</u>
Original Permit	67-7493	Ford, Maurice W.	0.16
Full Assignment	67-7493	Roach, Vernon F.	0.16

MICROFILMED

NOV 21 1989

RECEIVED

OCT 23 1989

State of Idaho

Department of Water Resources

Department of Water Resources
Western Regional Office

ASSIGNMENT OF PERMIT

RECEIVED

OCT 24 1989

Department of Water Resources

I, Maurice W. Ford, hereby assign to VERNON F. Roach
of P.O. Box 267 Cambridge, ID. 83610 (257-3597)
Address

CHECK ONE

☒ All my right, title, and interest in and to Permit No. 67-07492 & 67-07493
to appropriate the public waters of the State of Idaho.

☐ The following described portion of my right, title, and interest in and to Permit
No. _____ to appropriate the public waters of the State of Idaho.

(Describe that portion of the permit being assigned by listing the acreage within
each 40 acre subdivision, the point of diversion and the amount of water in cubic
feet per second for direct diversion, or acre feet for storage)

Made this 19th day of October, 19 89.

Maurice W. Ford
Permit Holder

Freida Ford
Spouse of Permit Holder

State of Idaho)
County of PAYETTE) ss.

On this 19TH day of OCTOBER, 19 89, personally
appeared before me the signer(s) of the above instrument, who duly acknowledged to me
that he (she) (they) executed the same.

seal

Roberta A. Rask
Notary Public residing at
Payette, Idaho

NOV 21 1989

My commission expires:

July 8, 1992

KEYPUNCHED

4/86

DO NOT SCHEDULE EXAM UNTIL 1988
(SEE 67-7492)RECEIVED
JUN 18 1987STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
EXAMINATION FEE INFORMATIONFor Office Use Only
Fee Received AMS \$50.00
Date 6/5/87
Receipt # 44913
Receipt by AMS
Sent to S.O. 6/8/87 - e/H

Department of Water Resources

1. Permit No. 67-7493

ONE OF THE FOLLOWING BOXES SHOULD BE MARKED TO DESIGNATE YOUR CHOICE:

☐ I choose to have the department make the field examination of this permit; attached is the examination fee. (If this box is marked, complete items 1 thru 8.)2. Permit Holder: MAURICE W. FORD3. Post Office Address: 10884 HWY 95 PAYETTE, ID 83661Telephone No. 642-38034. Source of Water: GROUNDWATER

5. Extent of Use:

Domestic _____ (No. of households) Stockwater _____ (No. and type of stock)

Irrigation 10 (acres) Other/Remark _____6. Total rate &/or volume for which proof is submitted .16 cfs _____ acre-feet

7. Show the date water was first diverted and beneficially used under this permit:

8. Person to contact to accompany the department representative during the field examination:

PERMIT HOLDER

(Name)

MICROFILMED

NOV 21 1987

(Address)

(Telephone Number)

☐ I choose to have the field examination conducted by a certified water right examiner. Attached is a statement from the certified examiner I have selected verifying that he has been retained to conduct the examination. (If this box is marked, complete items 1 thru 7.)Date 6/5/87Maurice W. Ford
Signature of Permit Holder (and title, if appropriate)

State of Idaho

Department of Water Resources

LICENSE EXAMINATION FEE SCHEDULE

(c.f.s. = cubic feet per second
AF = acre feet)

cfs	AF	Fee
0 - 0.04	0 - 4	\$ 0
.05 - 0.20	5 - 20	50.00
.21 - 1.0	21 - 100	100.00
1.01 - 2.0	101 - 200	125.00
2.01 - 3.0	201 - 300	150.00
3.01 - 4.0	301 - 400	175.00
4.01 - 5.0	401 - 500	200.00
5.01 - 6.0	501 - 600	225.00
6.01 - 7.0	601 - 700	250.00
7.01 - 8.0	701 - 800	275.00
8.01 - 9.0	801 - 900	300.00
9.01 - 10.0	901 - 1000	325.00
10.01 - 11.0	1001 - 1100	350.00
11.01 - 12.0	1101 - 1200	375.00
12.01 - 13.0	1201 - 1300	400.00
13.01 - 14.0	1301 - 1400	425.00
14.01 - 15.0	1401 - 1500	450.00
15.01 - 16.0	1501 - 1600	475.00
16.01 - 17.0	1601 - 1700	500.00
17.01 - 18.0	1701 - 1800	525.00
18.01 - 19.0	1801 - 1900	550.00
19.01 - 20.0	1901 - 2000	575.00
20.01 & over	2001 & over	600.00

Checks should be made payable to the
Department of Water Resources

No fee is required for single family
domestic use or stockwater use.

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant Maurice W. Ford Phone 642-3803

Post office address Rt. 1, Box 23, Payette, Idaho 83661

2. Source of water supply Well (Ground water) which is a tributary of _____

3. Location of point of diversion is NW $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 10 Township 15N

Range 4W B.M. Washington County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 0.16 for Irrigation purposes from Apr. 1 to Nov. 15 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 0.16 ^{5-13-80 J.J.} cubic feet per second and/or b. ~~0.16~~ CFS acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. Pump

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is 10 inches; proposed depth of well is 25 feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 1 years (minimum 1 year — maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____
Range _____ B.M. _____

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water _____

(5) If water is to be used for other purposes describe: _____

RECORDED
APR 15 1980
DEPARTMENT OF WATER RESOURCES
Western Regional Office

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SE¼	SW¼	
15N	4W	10									5					5			10


Total number of acres to be irrigated 10

c. Describe any other water rights used for the same purposes as described above.

9. a. Who owns the property at the point of diversion Applicant
- b. Who owns the land to be irrigated or place of use Maurcie W. Ford under Contract of Purchas from Howland.
- c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing

10. Remarks Water from well to be used for irrigating and domestic use.

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number. See attached map, exhibit "A".



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Maurice W. Ford
(Applicant)

Proposed Priority 4/3/80

Received by mr Date 4-3-80 Time 11:00 A.m.

Preliminary check by 6hs Fee \$ 20.00

Receipted by 6hs Date 4/4/80 # 16233

Publication prepared by B.S. Date 4-10-80

Published in Upper County News Reporter

Publication dates 4/17 & 4/24/1980

Publication approved HUH Date 5/2/80

Protests filed by: _____

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by DBS gwin

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES


This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 67-7493, and said application is hereby approved.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before June 1, 19 81.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other: (1) The issuance of this permit in no way grants any right-of-way or easement across the land of another.

Witness my hand this 19 day of May, 19 80.

A. Glen Saylor
Chief, Co. Bureau





State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

December 29, 1993

VERNON F ROACH
PO BOX 267
CAMBRIDGE ID 83610

RE: WATER RIGHT NO. 67-07493

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

A handwritten signature in black ink, appearing to be 'Jim Johnson', with a long horizontal line extending to the right.

JIM JOHNSON
Water Rights Supervisor

JJ:dc

Enclosure

RECEIVED
JAN 18 1994

WR0749NP
No. L67-07493

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT
(REGIONAL)

DATE: 12/13/93
PAGE: 1

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	VERNON F ROACH PO BOX 267 CAMBRIDGE ID 83610 (208) 257-3597	04/03/1980	IRRIGATION	04-01 10-31	0.07 CFS	29.7 AFA
TOTAL DIVERSION:					0.07 CFS	29.7 AFA

Water Source: GROUNDWATER

Tributary to:

Stage: LICENSE

Point(s) of Diversion Capacity: 0.07 CFS

Point(s) of Diversion: T15N R04W S10 NW SE

Place of use Legal Description for: IRRIGATION

NE				NW				SW				SE				
NENE	NWNE	SWNE	SENE	NENW	NWNW	SWNW	SENW	NESW	NWSW	SWSW	SESW	NESE	NWSE	SWSE	SESE	SUM
T	R	S	: Lt Ac	Lt Ac	Lt Ac	Lt Ac	Lt Ac	: Lt Ac	Lt Ac	Lt Ac	Lt Ac	: Lt Ac	Lt Ac	Lt Ac	Lt Ac	: -----
15N	04W	10	:					:	05			:	05			: 10.0
TOTAL ACRES																10.0

Pou County: WASHINGTON

Other Water Rights with Same Point(s) of Diversion and Source:
67-07493

Other Water Rights Listing Overlapping Place(s) of use:
67-07493

Conditions of Approval:

- R31 - This right when combined with all other rights shall provide no
- more than .02 cfs per acre nor more than 4.0 afa per acre for the
- lands above.

Dates: App. Received: 04/03/1980 Priority Date: 04/03/1980
Proof Due Date: 06/01/1984 Proof Made Date: 01/01/1900
Exam Made Date: 06/15/1993 Exam Sent to S.O.: 07/08/1993
Licensed Date:

Misc: Water District Number: Field Exam Fee: R (Received)

Audit: 12/13/93 CHAPMAN

WR0750NP
(OD-138)

IDAHO DEPARTMENT OF WATER RESOURCES
PLACE OF USE 1/4 1/4 COMPARISON REPORT
(REGIONAL)

DATE: 12/13/93
PAGE: 1

(WATER RIGHT NUMBERS THAT BEGIN WITH AN '*' ARE ADJUDICATION CLAIMS)

WR-NUMBER	SOURCE	NE				NW				SW				SE				SUM
		Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	
L6707493	T15N R04W S10 GROUNDWATER																	10
	:									05						05		
6700204	PINE CREEK :								1									
6700205	PINE CREEK :								1									
A6700205	PINE CREEK :							04	03									7
6700231	PINE CREEK : 01-1																	
6704453	SPRINGS :															03	04-09	12
A6704453	SPRINGS :															03	04-09	12
6707493	GROUNDWATER :									05							05	10
A6707493	GROUNDWATER :									05							05	10

no overlaps


LICENSE REVIEW CHECKLIST

Permit # 107-7493 Date 12-13-93 Brenda Chapman

NAME	Yes ☐ No ☒	Or Address Change?
PRIORITY DATE	☐ ☒ ☐ ☒ ☐ ☒	Advance? _____ Advanced to: _____ Order to Reinstate Needed? Incorrect Fee for rate recommended?
SOURCE	☐ ☒ ☐ ☒	Changes? Clarification of Originally Intended source _____ Notice of Intent to Void - Source change.
P/D	☐ ☒ ☐ ☒	Amendment Needed? _____ Overlap(s) _____
P/U	☐ ☒ ☐ ☒	Amendment Needed? _____ Overlap(s) _____
TOTAL CFS	☐ ☒	Measurement done? <u>THEORETICAL ONLY</u>
	☐ ☐	Theoretical $(8.8 \times .70 \times 5 \text{ HP}) = .07$ $335 + 2.31 \times 40$
	☐ ☐	Capacity <u>.07</u>
	☐ ☐	Allowable Amount: <u>10 x .02 = .20 / Permit @ .16</u> <u>HOWEVER CAPACITY AT .07</u>
TOTAL VOLUME		Season of Use: <u>C/4.0 (4-1 to 10-31)</u>
NOTE: Examined used wrong # of days to calculate annual af	☒ ☐	Calculations: _____ <u>10 acres x 4.0 = 40 AF</u>
USES	☐ ☒	Flow limit: <u>.07</u> x 214 x 1.9835 = <u>29.7</u>
	☐ ☒	Change(s) in Nature of Use? _____
	☐ ☒	Amendment Needed? _____
REMARKS	☐ ☒ ☐ ☒ ☐ ☒	Multiple P/Ds in 1/4 1/4? _____ Special Overlap _____ Other <u>DELETE 004</u>
CONDITIONS	☐ ☒ ☐ ☒ ☐ ☒	Measuring/Locking Devices _____ W/Master Control _____ Irrigation Overlap <u>4-3-80</u> Water Dist Water Quality <u>6-16-93</u> App Rec'd Exam Made

COMMENTS: _____

RECOMMENDED	CFS	DIV VOL	LICENSE
<u>Irrigation</u>	<u>.07</u>	<u>29.7</u>	☒
_____	_____	_____	1ST AMEND LETTER _____
_____	_____	_____	2ND AMEND LETTER _____



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
JUL 09 1993
Department of Water Resources

A. GENERAL INFORMATION

Permit No. 67-7493

1. Owner: Vernon F. Rorick Phone No. 257-3597

Current Address: P.O. Box 267 Cambridge Id 83610

2. Accompanied by: Mr. Rorick EXAM DATE: 6-16-93

Address: same Phone No. SAME

Relationship to Permit Holder: father

3. Source: GROUNDWATER tributary to NA

B. OVERLAP REVIEW

1. Other water rights with the same place of use: 67-07493 required claim 67-07492

2. Other water rights with the same point of diversion: None

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			NW	SE	10	15N	4W	WASHINGTON	QUADS, OWNERS Id.


2. Place(s) of Use:

Indicate Method of Determination

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
15N	4W	10									5					5			10

RECEIVED
JAN 18 1994

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe I.D. as applicable.



Scale: 1" = _____

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☒ ^{Not Available} NA Aerial Photo Attached (required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
GROUNDWATER					

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: Theoretical → only measurement possible

JAN 18 1994

E. NARRATIVE/REMARKS/COMMENTS

This system uses a 350' well that has a 8" casing.
The 5 hp motor brings water from a standing water level of 42'. After a few hours however, the pumping level becomes 335'. The system is used both in the house and in a pasture for irrigation. From the pump-house lines go to the lower pasture where spegato's and horses come to the system. From my pump, I estimated that there were 12 cubic acres that were irrigated, but 10 as the permit limit. The line system capacity is not adequate to this demand, but the well is in good shape & permit conditions have been met.

* please note that the owner have also filed an adjudication claim over the same well, land etc. This is in compliance with state laws, as their permit was filed before Nov. 1987.

Have conditions of permit approval been met? ☒ yes ☐ no

APPROVED

JAN 18 1994

F. FLOW CALCULATIONS

Additional Computation Sheets Attached

Measured Method:

$$\text{Theoretical C.} = \frac{5 \text{ hp} \times 8.8 \times .70 \text{ eff}}{335 + (2.3 \times 40 \text{ ft})} = \frac{30.8}{427} = .07 \text{ cfs.}$$

1 well / log *5/30 min capacity*

$$10 \text{ acres} \times .02 = .20 \text{ cfs}$$

$$\text{allow irrigation} = .07 \text{ cfs}$$

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 10 \times 4.0 \times 40 \text{ afa}$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = .07 \times 265 \times 1.9835 = 34 \text{ afa}$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 34 \text{ afa}$$

2. Volume Calculations for Other Uses:

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
<u>Irrigation</u>	<u>4-1</u>	<u>11-1</u>	<u>.07</u>	<u>34 afa</u>
Totals:			<u>.07 cfs</u>	<u>34.0 afa</u>

2. Recommended Amendments

☒ Change P.D. as reflected above ☐ Add P.D. as reflected above ☐ None
☒ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

I. AUTHENTICATION

Field Examiner's Name T. [Signature] Date 7-2-93


Reviewer _____ Date _____

SEAL

MISSISSIPPI

JAN 18 1994

SYSTEM DESCRIPTION
ATTACHMENT TO FIELD EXAM FORM




1202 Acres lower pasture
5 Acres upper pasture
1207 Acres

JAN 18 1994



T15N R4W
SEC 10
P/u
P/D

SCALE 1:24,000




JAN 18 1994

confirmed per owner 12/1/93. by
see attached

Brendan,
I sent USGS quad
copy to owner &
asked him to
specify P/D + P/A
within a
designated area.
The area he
signified closely
matches Dave's
drawn diagram.
Let me know
if you need more.
lg



SCALE : 24000



NORTH

OWNER'S
MAP

JAN 18 1994

RECEIVED


DEC 06 1993

WATER RESOURCES
WESTERN REGION

PERMIT 67-1493 INIT DJ
T. R. S. Q/Q
P/D 15n 4w 10 NE SW
SCALE _____
PHOTO ID. _____

p/u →
p/d

DAVE'S
MAP



MICROFILMED 1004
OCT 12 1992

A67-07493
ROACH

NOTE
GOVT LOTS
E/2 & 1/4 S-10

R 4 W

well
pud
home

Advent School

Advent

East

CANAL

Pine

Little

Pine

West

Pine

Creek

Creek

Creek

Creek

Creek

Creek

Creek

Creek

Creek

Creek

Creek

Creek

Creek

Creek

Creek

Creek

Creek

Creek

Creek

Creek

Creek

Creek

Creek

IDAHO DEPARTMENT OF WATER RESOURCES

WELL INSPECTION FORM

1. DRILLING PERMIT NO: _____ OTHER APPLICABLE NO: WR # 67-7493
2. OWNER: VERNON F. ROACH Phone: 257-3597
Address: P.O. Box 267 LAMARIDGE, ID 83610
3. WELL LOCATION: Twp 15N, Rge. 4W, Sec. 10, NE 1/4 SW 1/4
County WASHINGTON (Provide sketch map and photo on reverse.)
4. DRILLER: Dallas Drilling Lic. No. 445
When Drilled? 9-1-87
5. WELL CONSTRUCTION:
Casing Diameter 3 inches Water tight cap? ☒ Yes ☐ No Access Port: ☒ Yes ☐ No
Casing $\geq$ 12 inches above ground? ☒ Yes ☐ No - Describe _____
Depth of Casing 30 ft. Method Drilled Rotary Air
Condition of Well Casing: ☒ Good ☐ Fair ☐ Poor Describe _____
Control Valve? ☐ Yes ☐ No Pressure Gauge: ☐ Yes ☒ No
Condition of Piping and Valving _____
Auger to a depth of _____ ft. Evidence of Annular Seal ☐ Yes ☒ No
Are there obvious construction problems that may be a source for contamination or waste of water?
☐ Yes ☐ No (Describe in Remarks and Attach Photo - On Reverse)
6. HYDROLOGIC INFORMATION:
Depth to Static Water 42 ft. Water Temperature 60 °F
Flowing Artesian ☐ Yes ☒ No Pressure: _____ (psi)
Water Sample Taken? ☐ Yes ☒ No If yes, describe purpose _____
Water Quality Measurements/Observations (Describe) _____
7. WELL USE:
☒ Domestic ☒ Irrigation ☐ Stock
☐ Test ☐ Municipal ☐ Industrial
☐ Abandoned ☐ Waste Disposal/Injection ☐ Not Used
☐ Other: _____

JAN 18 1994

8. **POSSIBLE CONTAMINATION SOURCES:**

Is there evidence of Chemigation? ☐ Yes ☐ No


If yes, is there a check-valve present? ☐ Yes ☐ No

Is there a possible source of contamination nearby? ☐ Yes ☐ No

If yes, what Type? _____

How far away from the well is this source? _____

9. **REMARKS:** _____

 7-2-93

Signature of Dept. Representative & Title

Inspection Date

PHOTOS, DRAWINGS, OTHER ATTACHMENTS:

JAN 18 1994



View inside well house.
Well casing is well constructed
in good condition.

PHOTO ONE-

>



View from
upper part of
house.

8220

JAN 18 1994

PHOTO TWO-



line of vegetation from shore
down to the lower
part of the hill

PHOTO THREE-

>



Lower part of the
underground stream with
a pipe or conduit
through the ground.

JAN 18 1994

PHOTO FOUR-

MEMORANDUM

TO: File 67-07493
FROM: Brenda Chapman
DATE: September 28, 1993
RE: Returned Field Exam

=====

I am returning this exam to the Western Regional Office for further review and clarification. The point of diversion listed on the front of the exam is in conflict with the maps.

Also, the place of use is not listed on the front of the exam and the maps contradict each other.

RECEIVED
JAN 18 1994



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720 -(208) 327-7900

CECIL D. ANDRUS

GOVERNOR

R. KEITH HIGGINSON

DIRECTOR

November 6, 1989

RE: Permit Nos. 67-7492/7493

Maurice W. Ford
Vernon F. Roach
P.O. Box 267
Cambridge, ID 83610

Dear Water Right Holders:

We acknowledge receipt of the correspondence transferring ownership of the above referenced water rights to you. We have modified our computer records to reflect this change in ownership.

We assume you are aware of requirements remaining to finalize the permits into licenses.

If you have any questions regarding this matter, please feel free to contact us.

Sincerely,

A handwritten signature in cursive script that reads 'Sharla Curtis'.

SHARLA CURTIS
Clerical Specialist

SC:at

RECORDED

NOV 21 1989

✓ Mailed assignment for permits to
original owner 9/25/89 SW

CONVERSATION MEMORANDUM

DATE 9/25/89

FILE 67-7492

NAME OF PARTY Vernon F. Roach

67-7493

EMPLOYEE Steve Lester

RE: 1) New owner, phone & address: ~~to~~ Cambridge 83610
2) Field exams

257-3597

V.F. Roach is new owner of these lands & filed
adjustment claims on 9/25/89.

He wants to arrange for field exams early in
1990 season

1 well - irrig

1 surface right. Pine Ck. for power.

Such timing will give best flows from creek.

He will talk to watermaster about meas. device -
may install flowmeter if Pine Ck. water is subject
to cut-off during low flows. ind. water distinct.

UNRECORDED

LICENSING

NOV 21 1989

FOR 67-07493:

Permit shows irrig. 10 ac., 0.16 cfs.

Remarks state well to be used for irrig.

and domestic. Adj. claim filed to

include both based on beneficial use & this
remark.

For example
if 10 acres, .16 cfs:

irrig .16

domestic .04

TOTAL .16

DO NOT add dom. volume
to irrig. volume.

Recommend examiner include domestic use with
license. NOT consistent expansion of right since
intent was clearly for irrig. + domestic.



State of Idaho
DEPARTMENT OF WATER RESOURCES

Western Region, 2735 Airport Way, Boise, Idaho 83705 - (208) 334-2190

CECIL D. ANDRUS

GOVERNOR

R. KEITH HIGGINSON

DIRECTOR

September 25, 1989

Mr. M. W. Ford
10884 HWY 95
Payette, ID. 83661

Re: Permits 67-07492 and 67-07493

Dear Sir:

Today Vernon F. Roach of Cambridge visited this office and told me that he purchased your property described under the above permits. One permit covers power production from Pine Creek while the other concerns irrigation of ten acres via a well. Mr. Roach filed two adjudication claims to allow the two permits to remain valid as required under the terms of the Snake River Basin Adjudication that is in progress.

Water right permits are personal property. When an owner sells the land described in a permit, the water right should be assigned from the original owner to the new owner. Enclosed is an Assignment of Permit form that will put the permits in the new owner's name. Please complete this and return it within 30 days to me. Note that the form should be notarized. Let me know if additional help or information is needed.

Sincerely,

Steve Lester
Sr. Water Resource Agent

SL:sl

MAILED

NOV 21 1989

MEMORANDUM

TO: John Beal, Western Region, File

FROM: Gary Spackman *Gary*

DATE: March 14, 1988

RE: Permit to Appropriate Water No. 67-7493; Drilling Permit
Approval After Submittal of Proof of Beneficial Use

Maurice W. Ford, permit holder for Permit No. 67-7493, submitted an application for a drilling permit in February, 1988. In reviewing the water right file, it appears that Mr. Ford submitted proof of beneficial use in May, 1984. The permit holder subsequently submitted the examination fee.

John Beal questioned Mr. Ford about why he was seeking a drilling permit now. Mr. Ford stated that he had been pumping from a sump less than eighteen feet deep.

I don't object to approval of the drilling permit. When a field examination is conducted, however, the field examiner should investigate carefully to determine the extent of beneficial use. The examiner should investigate the pumping capacity of the previous system, and the number of acres irrigated prior to the well being drilled.

RECEIVED
NOV 21 1988

State of Idaho
Department of Water Resources

RECEIVED

FFR - 5 1988

APPROVED

DRILLING PERMIT

(Authorizing Construction of a Well)*

Department of Water Resources

1. Applicant Maurice W. Ford

2. Address Rt 1 Box 23

Payette, Idaho 83661

☒ Well Owner () Well Operator () Other, specify _____

3. Water right permit no. 67-7493 Injection well permit no. _____

4. Proposed well location 1/4 NW 1/4 SE 1/4, or Gov't lot No. _____,

Sec. 10, Twp. 15N, Rge. 4W, County Washington,

Lot, block and subdivision _____

5. Proposed use of well: (Check all that apply) Flow or 100 ac

(☒ Domestic () Stockwater () Monitoring

more or less than 1/2 acre
(☒ Irrigation () Industrial () Municipal

() Injection () Other, Specify _____

6. Well construction information:

(☒ New well () Deepen () Replace

Proposed surface diameter 8" Proposed depth 335'

Anticipated bottom hole temperature: _____

(☒ 85°F or less (Cold water well)
() 85°F to 212°F (Low temp. geothermal well)
() 212°F or more (Geothermal well)

NOV 21 1989

7. Anticipated construction start date September 1987

8. Well Driller (if known) John Goff

Address Dallas Drilling & Pump - Payette, Ida

Date 7/2/88 Applicant's signature M. W. Ford

Title wellowner

ACTION OF IDWR

(✓) Approved

() Denied

67-88-2-11

The approval of this permit authorizes the construction of a well as described on this application subject to the conditions on this permit.

GENERAL CONDITIONS:

1. The well must be constructed in compliance with the applicable statutes, specific conditions of approval shown on the water right permit, injection well permit, transfer or amendment and the rules and regulations of the Department for water appropriation, injection wells and well construction standards.
2. This drilling permit is valid for two (2) months from its date of issuance for the start of construction and is valid for one (1) year from the date of issuance for completion of the well unless an extension has been granted.
3. The permit holder or his representative shall notify the Department ten (10) days prior to the start of construction unless good cause for later notification can be shown.
4. The well shall be constructed by a driller currently licensed in the State of Idaho who must maintain a copy of the drilling permit at the drilling site.
5. Issuance of this drilling permit does not authorize trespass on the land of another party.
6. This permit does not constitute other local, county, state or federal approvals which may be required for construction of a well.

SPECIFIC CONDITIONS:

Dated this 16th day of March, 1988.

Signed

Title

SECTION MANAGER

GROUNDWATER PROTECTION

Received by

Fee

8100⁰⁰

Date

2-8-88

Receipt No.

48380

Construction start date

NOV 21 1988

Construction start extension to

Extension approved by

MICROFILMED

CONVERSATION MEMORANDUM

DATE 2/3/88FILE 67-7493NAME OF PARTY Candy - of Dallas DrillingEMPLOYEE John Beal

RE: Mr. Ford - My letter 1/8/88
Mr. Ford was in their office
& could not understand why
all the costs. He said
he paid \$250 for 67-7492 &
67-7493.

I pulled files & explained
fees to Candy.

I then noticed in file 67-7493
proof of beneficial use had been
submitted & exam fee was
paid. I asked why if they
just drilled well. They
had apparently been using
a pit or sump to irrigate
with. Water Pond-pit has
become full of algae and
cannot be used so they
drilled well.

They plan to submit
drilling permit and \$100 fee
some.

MICROFILMED

NOV 21 1989

JEB



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 1301 North Orchard Street Boise, Idaho 83706-2237 • (208) 334-4440

CECIL D. ANDRUS
Governor

R. KEITH HIGGINSON
Director

January 8, 1988

M.W. Ford
Route 1, Box 23
Payette, ID 83661

RE: Drilling Permit

Dear Mr. Ford:

Mr. John Goff has submitted a well driller report for a well drilled for you in September 1987. Certain legal requirements must be met before this report is filed.

Beginning July 1, Section 42-235 of Idaho Code requires that a drilling permit and fee be submitted to the Department for all wells drilled. The fee for irrigation wells is \$100, while the fee for single family domestic wells (which includes irrigation of 1/2 acre or less) is \$10. Enclosed is a partially completed drilling permit application. Please complete and sign the form and return it to me with the appropriate fee.

If you do not have a water right permit, license or claim and irrigate more than 1/2 acre, you will need to take action to submit an application for permit to appropriate water.

If you have any questions or comments, please contact me.

Sincerely,

JOHN E. BEAL, Manager
Groundwater Protection Section

JEB:ldt(GP7-1.7)


Enclosure

CC: John Goff

MICROFILMED

NOV 21 1989

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
WELL DRILLER'S REPORTUSE TYPEWRITER OR
BALLPOINT PENState law requires that this report be filed with the Director, Department of Water Resources
within 30 days after the completion or abandonment of the well.

1. WELL OWNER Name <u>M. W. Ford</u> Address <u>Rt 1 Box 23</u> Owner's Permit No. <u>Payette, Id 83661</u>	7. WATER LEVEL Static water level <u>42</u> feet below land surface. Flowing? ☐ Yes ☒ No G.P.M. flow _____ Artesian closed-in pressure _____ p.s.i. Controlled by: ☐ Valve ☐ Cap ☐ Plug Temperature <u>60</u> °F. Quality <u>Good</u> Describe artesian or temperature zones below.																																																																																								
2. NATURE OF WORK <u>67-7493</u> ☒ New well ☐ Deepened ☐ Replacement ☐ Abandoned (describe abandonment procedures such as materials, plug depths, etc. in lithologic log)	8. WELL TEST DATA ☐ Pump ☐ Bailer ☒ Air ☐ Other _____ <table border="1" style="width:100%; border-collapse: collapse;"><tr><th>Discharge G.P.M.</th><th>Pumping Level</th><th>Hours Pumped</th></tr><tr><td><u>30</u></td><td><u>335</u></td><td><u>2</u></td></tr><tr><td> </td><td> </td><td> </td></tr><tr><td> </td><td> </td><td> </td></tr></table>	Discharge G.P.M.	Pumping Level	Hours Pumped	<u>30</u>	<u>335</u>	<u>2</u>																																																																																		
Discharge G.P.M.	Pumping Level	Hours Pumped																																																																																							
<u>30</u>	<u>335</u>	<u>2</u>																																																																																							
3. PROPOSED USE ☒ Domestic ☒ Irrigation ☐ Test ☐ Municipal ☐ Industrial ☐ Stock ☐ Waste Disposal or Injection ☐ Other _____ (specify type)	9. LITHOLOGIC LOG <table border="1" style="width:100%; border-collapse: collapse;"><thead><tr><th rowspan="2">Bore Diam.</th><th colspan="2">Depth</th><th rowspan="2">Material</th><th colspan="2">Water</th></tr><tr><th>From</th><th>To</th><th>Yes</th><th>No</th></tr></thead><tbody><tr><td><u>12</u></td><td><u>0</u></td><td><u>7</u></td><td><u>Clay + boulders</u></td><td> </td><td> </td></tr><tr><td><u>12</u></td><td><u>7</u></td><td><u>16</u></td><td><u>Black rock</u></td><td> </td><td> </td></tr><tr><td><u>12</u></td><td><u>16</u></td><td><u>20</u></td><td><u>Black rock and fine gravel</u></td><td> </td><td> </td></tr><tr><td><u>8</u></td><td><u>20</u></td><td><u>70</u></td><td><u>Brown rock</u></td><td> </td><td> </td></tr><tr><td><u>8</u></td><td><u>70</u></td><td><u>74</u></td><td><u>Red porous</u></td><td> </td><td> </td></tr><tr><td><u>8</u></td><td><u>74</u></td><td><u>180</u></td><td><u>Brown + Black rock</u></td><td> </td><td> </td></tr><tr><td><u>8</u></td><td><u>180</u></td><td><u>187</u></td><td><u>Black rock fractured</u></td><td>-</td><td> </td></tr><tr><td><u>8</u></td><td><u>187</u></td><td><u>218</u></td><td><u>Black rock</u></td><td> </td><td> </td></tr><tr><td><u>8</u></td><td><u>218</u></td><td><u>230</u></td><td><u>Brown rock fractured</u></td><td>-</td><td> </td></tr><tr><td><u>8</u></td><td><u>230</u></td><td><u>250</u></td><td><u>Black rock</u></td><td> </td><td> </td></tr><tr><td><u>8</u></td><td><u>250</u></td><td><u>255</u></td><td><u>Brown rock with wrap</u></td><td> </td><td> </td></tr><tr><td> </td><td> </td><td> </td><td><u>stone lace</u></td><td> </td><td> </td></tr><tr><td><u>8</u></td><td><u>255</u></td><td><u>335</u></td><td><u>Black rock fractured</u></td><td>-</td><td> </td></tr></tbody></table>	Bore Diam.	Depth		Material	Water		From	To	Yes	No	<u>12</u>	<u>0</u>	<u>7</u>	<u>Clay + boulders</u>			<u>12</u>	<u>7</u>	<u>16</u>	<u>Black rock</u>			<u>12</u>	<u>16</u>	<u>20</u>	<u>Black rock and fine gravel</u>			<u>8</u>	<u>20</u>	<u>70</u>	<u>Brown rock</u>			<u>8</u>	<u>70</u>	<u>74</u>	<u>Red porous</u>			<u>8</u>	<u>74</u>	<u>180</u>	<u>Brown + Black rock</u>			<u>8</u>	<u>180</u>	<u>187</u>	<u>Black rock fractured</u>	-		<u>8</u>	<u>187</u>	<u>218</u>	<u>Black rock</u>			<u>8</u>	<u>218</u>	<u>230</u>	<u>Brown rock fractured</u>	-		<u>8</u>	<u>230</u>	<u>250</u>	<u>Black rock</u>			<u>8</u>	<u>250</u>	<u>255</u>	<u>Brown rock with wrap</u>						<u>stone lace</u>			<u>8</u>	<u>255</u>	<u>335</u>	<u>Black rock fractured</u>	-	
Bore Diam.	Depth		Material	Water																																																																																					
	From	To		Yes	No																																																																																				
<u>12</u>	<u>0</u>	<u>7</u>	<u>Clay + boulders</u>																																																																																						
<u>12</u>	<u>7</u>	<u>16</u>	<u>Black rock</u>																																																																																						
<u>12</u>	<u>16</u>	<u>20</u>	<u>Black rock and fine gravel</u>																																																																																						
<u>8</u>	<u>20</u>	<u>70</u>	<u>Brown rock</u>																																																																																						
<u>8</u>	<u>70</u>	<u>74</u>	<u>Red porous</u>																																																																																						
<u>8</u>	<u>74</u>	<u>180</u>	<u>Brown + Black rock</u>																																																																																						
<u>8</u>	<u>180</u>	<u>187</u>	<u>Black rock fractured</u>	-																																																																																					
<u>8</u>	<u>187</u>	<u>218</u>	<u>Black rock</u>																																																																																						
<u>8</u>	<u>218</u>	<u>230</u>	<u>Brown rock fractured</u>	-																																																																																					
<u>8</u>	<u>230</u>	<u>250</u>	<u>Black rock</u>																																																																																						
<u>8</u>	<u>250</u>	<u>255</u>	<u>Brown rock with wrap</u>																																																																																						
			<u>stone lace</u>																																																																																						
<u>8</u>	<u>255</u>	<u>335</u>	<u>Black rock fractured</u>	-																																																																																					
4. METHOD DRILLED ☒ Rotary ☒ Air ☐ Hydraulic ☐ Reverse rotary ☐ Cable ☐ Dug ☐ Other _____	RECEIVED DEC 29 1987 Department of Water Resources																																																																																								
5. WELL CONSTRUCTION Casing schedule: ☒ Steel ☐ Concrete ☐ Other _____ <table border="1" style="width:100%; border-collapse: collapse;"><thead><tr><th>Thickness</th><th>Diameter</th><th>From</th><th>To</th></tr></thead><tbody><tr><td><u>250</u> inches</td><td><u>8</u> inches</td><td><u>1</u> feet</td><td><u>38</u> feet</td></tr><tr><td> </td><td> </td><td> </td><td> </td></tr><tr><td> </td><td> </td><td> </td><td> </td></tr><tr><td> </td><td> </td><td> </td><td> </td></tr></tbody></table> Was casing drive shoe used? ☒ Yes ☐ No Was a packer or seal used? ☐ Yes ☒ No Perforated? ☐ Yes ☒ No How perforated? ☐ Factory ☐ Knife ☐ Torch Size of perforation _____ inches by _____ inches <table border="1" style="width:100%; border-collapse: collapse;"><thead><tr><th>Number</th><th>From</th><th>To</th></tr></thead><tbody><tr><td> </td><td> </td><td> </td></tr><tr><td> </td><td> </td><td> </td></tr><tr><td> </td><td> </td><td> </td></tr></tbody></table> Well screen installed? ☐ Yes ☒ No Manufacturer's name _____ Type _____ Model No. _____ Diameter _____ Slot size _____ Set from _____ feet to _____ feet Diameter _____ Slot size _____ Set from _____ feet to _____ feet Gravel packed? ☐ Yes ☒ No ☐ Size of gravel _____ Placed from _____ feet to _____ feet Surface seal depth <u>20</u> Material used in seal: ☐ Cement grout ☒ Bentonite ☐ Puddling clay ☐ _____ Sealing procedure used: ☐ Slurry pit ☐ Temp. surface casing ☒ Overbore to seal depth Method of joining casing: ☐ Threaded ☒ Welded ☐ Solvent Weld ☐ Cemented between strata Describe access port _____		Thickness	Diameter	From	To	<u>250</u> inches	<u>8</u> inches	<u>1</u> feet	<u>38</u> feet													Number	From	To																																																																	
Thickness		Diameter	From	To																																																																																					
<u>250</u> inches		<u>8</u> inches	<u>1</u> feet	<u>38</u> feet																																																																																					
Number	From	To																																																																																							
6. LOCATION OF WELL Sketch map location <u>must</u> agree with written location  Subdivision Name _____ Lot No. _____ Block No. _____ County <u>Washington</u> <u>NW 1/4 SE 10</u> 1/4 Sec. <u>10</u> T. <u>15</u> N. S. R. <u>4</u> E. W.	10. Work started <u>9-1-87</u> finished <u>9-1-87</u>																																																																																								
11. DRILLERS CERTIFICATION I/We certify that all minimum well construction standards were complied with at the time the rig was removed. Firm No. <u>DALLAS DRILLING & PUMP CO., INC. #445</u> Firm No. <u>808 SOUTH 18TH STREET</u> Address <u>PAYETTE, IDAHO 83661</u> Date _____ Signed by (Firm Official) <u>John Z. [Signature]</u> and (Operator) <u>John Z. [Signature]</u>																																																																																									



Cecil D. Andrus
Governor

State of Idaho
DEPARTMENT OF WATER RESOURCES
Western Region

2735 Airport Way
Boise, Idaho 83705
(208) 334-2190

67-7493
FORD, MAURICE W.
RT. 1 BOX 23
PAYETTE, ID 83661

138278

April 10, 1987

CERTIFIED MAIL

EXAMINATION FEE NOTICE

Dear Permit Holder:

Department records show that proof of beneficial use has been submitted for the above-referenced permit, but that a field examination has not yet been conducted to determine the extent of beneficial use of the water for licensing purposes.

House Bill 671 (effective April 4, 1986) enacted by the 1986 Idaho Legislature requires the payment of a fee before this department can conduct the field examination needed to issue a license confirming use of water under the permit. This letter is notification that the license examination fee is due within sixty (60) days of the date of this letter. The examination fee information sheet (enclosed) must be returned with the fee.

As an alternative to submitting the fee, the department will accept a field examination report completed by a certified water right examiner from the private sector. If you choose to have the examination done by a certified water right examiner, you need not submit the license examination fee to the department, but you must within sixty (60) days of the date of this letter return to the department, the examination fee information sheet showing appropriate information together with a statement from the certified examiner to verify that you have retained a certified examiner to conduct the field examination. If you choose this alternative, a completed field examination report must be submitted within one year of the date of this letter. You cannot later change your decision to use this alternative and submit the fee needed for the department to conduct the field examination, but you may change to another certified examiner.

MAILING LABEL

NOV 21 1989

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Western Region

Statehouse
Boise, Idaho 83720
(208) 334-2190

JULY 27, 1984

MAURICE W. FORD
RT. 1 BOX 23
PAYETTE

ID 83661

RE: Permit No. 67-7493

Dear Permit Holder:

We acknowledge receipt of your statement submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this department.

A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office by phone at 334-2190 or in person in the third floor State Towers Building, 450 West State Street, Boise.

Sincerely,
s/Judy Pense
Secretary

MICROFILMED

NOV 21 1989

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit No. 67-7493.

Name(s) of Permit Holder: Maurice W. Ford

Post Office Address: Rt. 1 Box 23 Poyette Idaho 83661

Tel. No. 642-3803

Source of Water: Well

Extent of Use: ☐ Domestic _____ (number of households)
☐ Stockwater _____ (number and type of stock)
☒ Irrigation 10 (acres)
☐ Other _____

Measuring Device: Required? ☐ Yes ☒ No Installed? ☐ Yes ☒ No
 Access Port: Required? ☐ Yes ☒ No Installed? ☐ Yes ☒ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

5/22/84
 Date

Maurice W. Ford
 Signature of Permit Holder

RECEIVED

MAY 25 1984

PLACE
TEN CENT
STAMP
HERE

Department of Water Resources

RECEIVED



IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
CERTIFIED MAIL

138610

FORD, MAURICE W.
RT. 1 BOX 23
PAYETTE, ID 83661

PROOF DUE NOTICE

MARCH 31, 1984

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF YOUR WATER PERMIT NO. 67-7493 WAS THAT PROOF OF THE EXTENT OF YOUR BENEFICIAL USE MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE JUNE 01, 1984. (SEE LAST PAGE OF YOUR APPROVED PERMIT OR YOUR LAST APPROVED EXTENSION REQUEST). ENCLOSED IS A POSTCARD WHICH MAY BE USED TO SUBMIT THE REQUIRED PROOF.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU OR A PREVIOUS OWNER OF THIS PERMIT HAVE NOT RECEIVED A PRIOR EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME IF THE DELAY IS FOR REASONABLE CAUSE AS PROVIDED IN SECTION 42-204, IDAHO CODE. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED. AN EXTENSION OF TIME REQUEST FORM IS ENCLOSED FOR YOUR CONVENIENCE.

EITHER THE BENEFICIAL USE POSTCARD OR A REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE DESCRIBED PROOF DUE DATE. IF NEITHER IS RECEIVED, THE DEPARTMENT WILL SEND YOU A LAPSE NOTICE. WITHIN SIXTY (60) DAYS OF THE MAILING OF THE LAPSE NOTICE, THE PERMIT WILL NO LONGER BE OF ANY FORCE NOR EFFECT.

SINCERELY,

RITA FLECK
SECRETARY/RECORDS MANAGER

ENCLOSURES

RECEIVED
MAY 1 1984

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
COMMENCEMENT OF WORKS

Permit No. 67-7493
Name(s) of Permit Holder(s): Maurice W. Ford
Post Office Address: P.O. Box 23 Payette Idaho 83661
Tel. No. 208-23803

- ☒ I hereby certify that construction of diversion works for the above referenced permit began on 6/10/83 (date). I understand that I must continue to develop the water system with due diligence to maintain a valid permit.
- ☐ I hereby certify that construction of diverting works on the above referenced project has not yet begun due to the following reason beyond my control*:

*Note: A financing difficulty is not an acceptable reason.

6/10/83
Date

Maurice W. Ford
Signature of Permit Holder

M.W. Fox
P.O. Box 23
Payette, Idaho 83661

PLACE
STAMP
HERE

MICROFILMED

NOV 21 1989



IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

June 11, 1981

Maurice W. Ford
Route 1, Box 23
Payette, ID 83661

Dear Mr. Ford:

Re: Permit No. B7-7493

Enclosed is a copy of your approved request for extension of time. The time within which to submit the statement of beneficial use is extended to June 1, 1984.

If you have any questions concerning your water right, please feel free to contact this office.

Sincerely,

RITA I. FLECK
Srv. Secretary

Enclosure

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
CERTIFIED MAIL

FORD, MAURICE W.
RT. 1 BOX 23
PAYETTE, ID 83661

138691

MARCH 31, 1981

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF YOUR WATER PERMIT NO. 67-7493 WAS THAT EVIDENCE OF THE EXTENT OF DEVELOPMENT MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE JUNE 01, 1981. (SEE LAST PAGE OF YOUR APPROVED PERMIT). ENCLOSED IS A POST CARD WHICH MAY BE USED TO SUBMIT THE REQUIRED PROOF OF BENEFICIAL USE.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU HAVE NOT PREVIOUSLY RECEIVED AN EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME PROVIDED THE DELAY IS FOR REASONABLE CAUSE AS INDICATED IN SECTION 42-204, IDAHO CODE, AMENDED. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED. A REQUEST FOR EXTENSION OF TIME FORM IS ENCLOSED FOR YOUR CONVENIENCE. PLEASE NOTE THAT A FEE OF \$15.00 MUST BE SUBMITTED WITH THIS FORM.

EITHER THE BENEFICIAL USE POST CARD OR A REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE MENTIONED DATE, OTHERWISE, THE PERMIT WILL LAPSE AND BE OF NO FURTHER FORCE OR EFFECT WITHIN 60 DAYS.

SINCERELY,

RITA FLECK
SR. SECRETARY

ENCLOSURES

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440

FORD, MAURICE W.
RT. 1 BOX 23
PAYETTE, ID 83661

MAY 27, 1980

RE: PERMIT NO. 67-7493

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

THE EXERCISE OF THIS PERMIT MAY ALSO BE AFFECTED BY THE COURT'S DETERMINATION OF WATER RIGHTS IN THE CASE OF IDAHO POWER COMPANY V. STATE OF IDAHO, ET AL., CIVIC NO. 62237, CURRENTLY PENDING BEFORE THE DISTRICT COURT OF ADA COUNTY. SINCE THE USE OF WATER UNDER YOUR PERMIT MAY AFFECT THE FLOWS IN THE SNAKE RIVER BETWEEN MILNER DAM AND HELLS CANYON, THE FINAL DECISION IN THIS CASE MAY DETERMINE TO WHAT EXTENT THE EXERCISE OF YOUR PERMIT IS SUBJECT TO WATER RIGHTS OF IDAHO POWER. WHILE THE ADA COUNTY COURT IS EXAMINING THIS QUESTION, IDAHO POWER COMPANY HAS NOT FILED A SPECIFIC PROTEST TO YOUR PERMIT. HOWEVER, THE DEPARTMENT OF WATER RESOURCES HAS BEEN ADVISED THAT THE POWER COMPANY IS NOT WAIVING ANY OF ITS RIGHTS TO CONTEST OR LIMIT THE EXERCISE OF YOUR PERMIT OR SUBSEQUENT LICENSE.

WE HAVE ENCLOSED A FORM ENTITLED "MAKING PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT INTO A LICENSE.

SINCERELY,

DAVID R. TUTHILL, JR., P.E.
SUPERVISOR, WATER ALLOCATION SECTION

ENCLOSURE

RECEIVED

PUBLISHER'S AFFIDAVIT

STATE OF IDAHO)

County of Washington)

ss.

Stuart

~~Ala~~XX Dopf, being first duly sworn, deposes and says: That he is the editor and publisher of The Upper Country News-Reporter, a weekly newspaper published at Cambridge, Idaho, in the County of Washington, State of Idaho; that said newspaper is in general circulation in the county of aforesaid and is a legal newspaper; that the advertisement, a copy of which is hereto attached, was published in said newspaper once a week for two..... consecutive weeks in the regular and entire issue of every number thereof during the period and time of publication, and was published in the newspaper proper and not in a supplement; and that publication of such notice began April.....

17, 19 80....., and ended April.....
24, 19 80.....

Stuart Dopf

Subscribed and sworn to before me, a Notary Public in and for the County of Washington, and the State of Idaho, this 24th day of April, 19 80.....
....., Notary Public
My commission expires 5-23-82.....
19.....

Public Notices

NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following application has been submitted for a permit to appropriate the public waters of the State of Idaho:

No. 67-7492

FORD, MAURICE W.
RT. 1, BOX 23, PAYETTE,
IDAHO, ID. 83661

Source: PINE CREEK tributary to WEISER RIVER.

Date Filed: 4/3/1980.

Amount: 2.50 CFS

Diversion Point: NESW Sec. 10 T 15N R 4W, WASHINGTON Co.

Use: POWER, (2.50 CFS) from 1/1 to 12/31

Place of Use: NESW Sec. 10 T 15N R 4W.

Diversion Means: PIPE-LINE & WATER WHEEL.

If issued, the permit will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 92 S. Cole Road, Boise, Idaho 83709 on or before MAY 5, 1980.

C. STEPHEN ALLRED

Director

Publish 4/17 & 4/24/80.

NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following application has been submitted for a permit to appropriate the public waters of the State of Idaho:

No. 67-7493

FORD, MAURICE W.
RT. 1, BOX 23, PAYETTE,
ID 83661

Source: GROUNDWATER

Date Filed: 4/3/1980

Amount: 0.16 CFS

Diversion Point: NWSE Sec. 10 T 15N R 4W, WASHINGTON Co.

Use: IRRIGATION (0.16 CFS) from 4/1 to 11/15

Place of Use: NESW NWSE Sec. 10 T 15N R 4W FOR 10 ACRES.

Diversion Means: PUMP.

If issued, the permit will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 92 S. Cole Road, Boise, Idaho 83709 on or before MAY 5, 1980.

C. STEPHEN ALLRED

O.K. 12/17

RECEIVED

62-7493-

FORD, MAURICE W.

RT. 1, BOX 23, PAYETTE, ID 83661

Source: GROUNDWATER

Date Filed: 04/03/1980

Amount: 0.16 CFS

Diversion Point: NWSE Sec 10 T 15N R 04W, WASHINGTON Co.

Use: IRRIGATION (0.16 CFS) from 04/01 to 11/15

Place of Use: NESW NWSE Sec 10 T 15N R 04W FOR 10 ACRES

Diversion Means: PUMP

WUWU WUWU