


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

David Clarkson
(Applicant)

PUBLISHER'S AFFIDAVIT

STATE OF IDAHO)

County of Washington)

Stuart

ss.

~~Alan~~ V. Dopf, being first duly sworn,

deposes and says: That he is the editor and publisher of The Upper Country News-Reporter, a weekly newspaper published at Cambridge, Idaho, in the County of Washington, State of Idaho; that said newspaper is in general circulation in the county of aforesaid and is a legal newspaper; that the advertisement, a copy of which is hereto attached, was published in said newspaper once a week for two consecutive weeks in the regular and entire issue of every number thereof during the period and time of publication, and was published in the newspaper proper and not in a supplement; and that publication of such notice began March

20, 19 80, and ended March

27, 19 80.

Stuart Dopf

Subscribed and sworn to before me, a Notary Public in and for the County of Washington, and the State of Idaho, this 28th day of March, 19 80.

John A. Wood, Notary Public

My commission expires May 23, 19 82.

NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following application has been submitted for a permit to appropriate the public waters of the State of Idaho:

No. 67-7489

DICKERSON, DAVID F.,
STAR ROUTE, CAMBRIDGE, ID 83610.

Source: LITTLE WEISER RIVER tributary to WEISER RIVER.

Date Filed: 3/5/1980.

Amount: 4.00 CFS.

Diversion Point: NWSW Sec. 1 T 14N R 2W, ADAMS CO.

Use: IRRIGATION (4.00 CFS) from 4/1 to 11/1.

Place of Use: NESW SW-SW SESW NESE SWSE SESE Sec. 11 T 14N R 2W NENE NWNE SWNE NENW NWNW Sec. 14 T 14N R 2W NENE NWNE Sec. 15 T 14N R 2W SWSE SESE Sec. 10 T 14N R 2W FOR 484 ACRES.

Diversion Means: OPEN DITCHES, PUMPS & PIPE-LINE.


If issued, the permit will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 92 S. Cole Road, Boise, Idaho 83709 on or before APRIL 7, 1980.

C. STEPHEN ALLRED
Director


Publish 3/20 & 3/27/80

OK
DBS

MICROFILMED




Ditch Pumps
Permit No.
67-7489
67-7312



Well
Permit No.
67-7561

MICROFILMED

JUN 26 1992



RECEIVED

JUN 26 1992

HOLLADAY ENGINEERING CO.			
DAVE DICKERSON			
JOB NO. 03 0488			
DN	CG	CK	DC

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE
WATER RIGHT NO. 67-07489

Priority: April 4, 1981

Maximum Diversion Rate:

3.80 CFS

This is to certify, that DAVID F DICKERSON

STAR RT

CAMBRIDGE ID 83610

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated March 5, 1980; and has submitted Proof of Beneficial Use on February 3, 1982. An examination indicates that the works have a diversion capacity of 3.800 cfs of water from:

LITTLE WEISER RIVER

tributary to WEISER RIVER

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/01 to 11/01	3.80 CFS	

LOCATION OF POINT(S) OF DIVERSION:

NWSW , Sec. 1, Township 14N, Range 02W
ADAMS County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
14N	02W	10	SWSE 38	SESE 38		76
		11	NESW 10	SWSW 30	SESE 10	50
		14	NENE 10			10
		15	NENE 38	NWNE 38		76

Total number of acres irrigated: 212

CONDITIONS/REMARKS:

1. This water right is appurtenant to the described place of use.
2. This right is subject to all prior water rights and may be forfeited by five years of non-use.
3. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
4. A lockable device subject to the approval of the Department shall be maintained on the diverting works in a manner that will provide the watermaster suitable control of the diversion.
5. Use of water under this water right will be regulated by the watermaster of State Water District No. 67A.
6. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 4.0 afa per acre for the lands above.

RECORDED

JUN 26 1992

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE
WATER RIGHT NO. 67-07489

CONDITIONS/REMARKS:

7. No water shall be diverted under this permit after June 15 of each year unless the prior approval of the watermaster is obtained.
8. The maximum combined rate of diversion under this right and right 67-07312 shall not exceed 3.8 cfs nor shall the combined volume exceed 1846.6 afa.
9. Two points of diversion are located within the NENE, S15, T14N, R02W.
10. Two points of diversion are located within the NWNW, S14, T14N, R02W.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 5th day of JUNE, 1992.

Acting for Norman C. Young
R. Keith Higginson, Director

RECEIVED

JUN 26 1992

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

Ident. No. 67-7489
RECEIVED
APPROVED
MAR 1980
Department of Water Resources
Western Regional Office

To appropriate the public waters of the State of Idaho

1. Name of applicant David F. Dickerson Phone 257-3581

Post office address Star Route, Cambridge, Idaho 83610

2. Source of water supply Little Weiser River which is a tributary of Weiser River

3. Location of point of diversion is NW $\frac{1}{4}$ of SW $\frac{1}{4}$ of Section 1 Township 14N

Range 2W B.M. Adams County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 4.0 for Irrigation purposes from 4-1 to 11-1 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 4.0 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. Open ditches, pumps, pipeline

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 5 years (minimum 1 year — maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____
Range _____ B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water _____.

(5) If water is to be used for other purposes describe: _____

MICROFILMED

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
14N	2W	11									12		40	40	30		40	10	172
		14	10	40	40		40	30											160
		15	38	38															76
		10															38	38	76

Total number of acres to be irrigated 484

c. Describe any other water rights used for the same purposes as described above. _____

67-7312, 67-0480


9. a. Who owns the property at the point of diversion Applicant

b. Who owns the land to be irrigated or place of use Applicant

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing _____

10. Remarks This right when combined with 67-7312 and 67-0480 does not exceed
0.02 cfs/acre on 484 acres. The SESW of sec.11, NWNW sec. 14 and the NENE
sec. 15, T.14N R. 2W are diversions out of the main ditch rather than from the
Little Weiser River.

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

David F. Dickerson
(Applicant)

Proposed Priority 3/5/80
Received by J.S. Date 3/5/80 Time 5:00 P.M.
Preliminary check by CLS Fee \$ 65.00 # 15392
Receipted by KK Date 3/12/80
Publication prepared by KK Date 3/13/80
Published in Adams City Leader
Publication dates 3/20 + 3/27/80
Publication approved DBS Date 4/14/80
Protests filed by: Little Weiser Irrigation District by
Ferd Muller
withdrawn 6/5/80
Copies of protests forwarded by HLH
Hearing held by NCY, DBS Date 6/5/80
Recommended for approval denial by Jin

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 67-7489, and said application is hereby approved.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before June 1, 19 85.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other: (1) Use of water under this permit is subject to control by the water-
master of State Water District # 67A, Little Weiser River. (2) A measuring
device of a type approved by the Department shall be permanently installed and
maintained as part of the diverting works. (3) No water shall be diverted under
this permit after June 15 of each year unless the prior approval of the watermaster
is obtained.

Witness my hand this 13th day of June, 1980.

J. Glen Saxton
Chief, Bureau

Council, Idaho
March 28, 1980

State of Idaho
Department of Water Resources
State Office
450 West State St.
Boise Idaho


Attention Dave Shaw:

Dear Mr. Shaw,


The Board of Directors of the Little Weiser Irrigation District wish to protest the filing of David Dickerson of Cambridge, Id., filing No. 674789. The Board wishes to protest the inclusive dates therein.

Thank you for your consideration.

Yours truly,



Ferd Muller, Secretary



PUBLISHER'S AFFIDAVIT

STATE OF IDAHO)

County of Washington)

Stuart ss.

~~XXXXV~~ Dopf, being first duly sworn, deposes and says: That he is the editor and publisher of The Upper Country News-Reporter, a weekly newspaper published at Cambridge, Idaho, in the County of Washington, State of Idaho; that said newspaper is in general circulation in the county of afore-said and is a legal newspaper; that the advertisement, a copy of which is hereto attached, was published in said newspaper once a week for two consecutive weeks in the regular and entire issue of every number thereof during the period and time of publication, and was published in the newspaper proper and not in a supplement; and that publication of such notice began March

20, 19 80, and ended March
27, 19 80.

Stuart Dopf

Subscribed and sworn to before me, a Notary Public in and for the County of Washington, and the State of Idaho, this 28th day of March, 19 80.
Robert J. [Signature] Notary Public
My commission expires May 23, 19 82.

NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following application has been submitted for a permit to appropriate the public waters of the State of Idaho:

No. 67-7489

DICKERSON, DAVID F., STAR ROUTE, CAMBRIDGE, ID 83610.

Source: LITTLE WEISER RIVER tributary to WEISER RIVER.

Date Filed: 3/5/1980.

Amount: 4.00 CFS.

Diversion Point: NWSW Sec. 1 T 14N R 2W, ADAMS CO.

Use: IRRIGATION (4.00 CFS) from 4/1 to 11/1.

Place of Use: NESW SW-SW SESW NESE SWSE SESE Sec. 11 T 14N R 2W NENE NWNE SWNE NENW NWNW Sec. 14 T 14N R 2W NENE NWNE Sec. 15 T 14N R 2W SWSE SESE Sec. 10 T 14N R 2W FOR 484 ACRES.

Diversion Means: OPEN DITCHES, PUMPS & PIPE-LINE.

If issued, the permit will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 92 S. Cole Road, Boise, Idaho 83709 on or before APRIL 7, 1980.

C. STEPHEN ALLRED
Director

Publish 3/20 & 3/27/80

Department of Water Resources
Western Regional Office

May 19, 1992

DAVID F. DICKERSON
STAR RT.
CAMBRIDGE ID 83610

RE: Water Right No. 67-07489

Dear Water Right Holder(s):

Department water right records show that you divert water from the Snake River or its tributaries under a water right that has a priority date later than December 29, 1976. This is the priority of the established minimum stream flow of the Snake River at the Weiser Gage (Weiser) in the amount of 4,750 cubic feet per second.

Because of the continuing drought conditions in the Snake River Basin, department hydrologists project that during 1992, there could be periods when the required minimum flow will not be satisfied due to low flows of the Snake River. The department urges you to not divert at a higher rate than authorized by your water right and to not use your right in any manner different than authorized. In addition, when the minimum flow will not be satisfied or is not being satisfied, you are required to cease diverting water under your water right, because your right is of later priority than the minimum stream flow at Weiser.

If the department determines the minimum flow will not be satisfied, the department will advise you and will provide as much lead time as possible in requiring that you temporarily cease your diversion of water. The greatest likelihood for this to occur is during a period from mid-June to late June.

While the department expects good cooperation from junior water right holders, water users should be aware that Section 42-352, Idaho Code, provides for penalties of up to \$100 per day for unauthorized diversions of water.

The department has contacted both the Idaho Power Company and the U.S. Bureau of Reclamation with respect to the timing of storage releases from upstream reservoirs for flow enhancement purposes. This type of coordination could minimize the impact on

existing water users and reduce the need to curtail diversions.

The department has scheduled public information meetings relative to this potential regulation as follows:

Mountain Home - June 4, 1992 - 10:00 a.m. - gymnasium at
North Elementary School, 290 E. 12th N.

Caldwell - June 4, 1992 - 7:00 p.m. - Ballroom in the
Student Union Building, Albertson College of Idaho,
2112 Cleveland

If you have questions concerning this letter or wish to provide the name of a different contact person or address to receive department correspondence, please contact the department.

Sincerely,

L. GLEN SAXTON
Chief, Water Allocation Bureau

LGS:klg

June 16, 1992

DAVID F DICKERSON
STAR RT
CAMBRIDGE ID 83610

RE: WATER RIGHT NO. 67-07489

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

PAMELA SKAGGS
Water Resource Agent

PS:cz

Enclosure

MICROFILMED
JUN 26 1992

April 30, 1992

DAVID F. DICKERSON
STAR RT.
CAMBRIDGE ID 83610

RE: WATER RIGHT NO. 67-07489

Dear Water Right Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

Sincerely,

SHARLA CURTIS
Water Resource Agent

SC:clh

Enclosure

RECEIVED
JUN 26 1992

BENEFICIAL USE FIELD REPORT REVIEW

TO: TO FILE 67-7489

FROM: ROXANNE MCCARTHY

RE: PRIORITY ADVANCE REVIEW

DATE: 6-DEC-1988

=====

This review memo is prepared to show the process for determining what elements were involved in advancement of the priority.

	<u>DATE</u>	<u>JULIAN</u>
PERMIT		
Permit priority Date:	MARCH 05 1980	64
EXAM FEE NOTICE		
Exam Fee Notice Date:	APRIL 10 1987	100
Exam Fee/Info Sheet Received Date:	APRIL 06 1988	461
Exam Fee or Info Due Date:	JUNE 09 1987	160
Days Late:		301 DAY(S)
CERTIFIED EXAM		
Exam Received Date:	MAY 26 1988	146
Exam by Examiner Due Date:	APRIL 10 1988	100
Days Late:		46 DAY(S)
NEW PRIORITY DATE		
Orginal Priority Date:	MARCH 05 1980	64
Total Days Late:		347 DAY(S)
New Priority Date:	FEBRUARY 15 1981	46

RECEIVED
JUN 26 1992

MEMORANDUM

TO: FILE

FROM: JIM JOHNSON

RE: CERTIFIED EXAM REVIEW

DATE: 24-OCT-1988

=====

OVERVIEW

Rights 67-7312, 67-7489, 67-7561 all use the same delivery system to irrigate 512 acres.

Right 67-7561 uses groundwater and is interconnected to the pipe net work used by the other two rights which have a source of Little Weiser River. (See schematic in Field Report)

The total rate of flow diverted by the surface water system is 3.8 cfs and the well was measured diverting 1.00 cfs.

The permit holder can divert water to either an open ditch system or to an enclosed sprinkler system.

Any combination of 3 pumps can be turned at any time depending on the need.

The lands are located on the most part above an existing canal and receive water via the pumping station. Some of the water diverted into the sprinkler network is, at times, diverted onto land irrigated below the canal, which also receives water under the right holders decreed rights from the same source.

OVERLAP ANALYSIS

The most straight forward right was rt. 67-7561 which is for groundwater. The rate of flow and volume used reflects the maximum capacities and condition R31 was added which is standardly used on this type of overlap.

The Surface water rights, however, were more complex.

MICROFILMED
JUN 26 1992

As a system, a total of 3.8 cfs of surface water is diverted over an area of 512 acres. The permit holder has the option of flood irrigation or sprinkler irrigation any combination of acres depending on type of crops.

Each of the two permits contain partial overlapping place of use descriptions.

The current Draft Administrative Memorandum did not have an directive for this specific type of overlap.

RECOMMENDED LICENSE

Adjustment was made to the place of use description on the second or junior right removing all of the land areas overlapping the first right. This reduced the right from 484 acres to 212 acres.

The rate of flow on the first right was left at 2.00 cfs but the volume was left blank and a special condition was put on the license. See explanation in following paragraphs.

The rate of flow on the second right was limited to the capacity of the two pumps (3.8 cfs) and a condition was put on the license limiting the combined rate of diversion of the two rights to 3.8 cfs.

The rate of flow diverted from the source did not produce sufficient volume to supply total irrigation requirements to the entire 512 acres. Therefore, a condition was added to each right limiting the volume diverted under the combined rights to 1846.6 acre feet.

Due to the source being the Little Weiser River, it is doubtful that these licenses will be allowed to divert any where near this volume.

RECEIVED

JUN 26 1992

CERTIFIED EXAM REVIEW

TO: FILE 67-7489

FROM: JIM JOHNSON

RE: PRIORITY ADVANCE

DATE: 10-25-88

=====

This document is prepared to show the review process for determination of the advancement of priority of the water right.

A. PERMIT

Proof Due Date:	06-01-1985
Proof Received Date:	02-03-1982
(No Priority Advance Required)	

B. EXAM FEE NOTICE

Exam Fee Due Date:	04-10-1987
Notice of Certified Examiner Due:	06-10-1987
Notice of Certified Examiner Received:	04-06-1988
Number of Days Late:	350

C. CERTIFIED EXAMINER

Exam By Certified Examiner Due Date:	04-10-1988
Exam Received From Examiner Date:	05-26-1988
Number of Days Late:	45

D. CALCULATE NEW PRIORITY DATE

Priority Date of Permit:	03-05-1980
Plus Number of Days Late:	395
(Sum of Items A,B,C)	
New Priority Date:	04-04-1981

MICROFILMED
JUN 26 1992

RECEIVED

Form 219
5/86

SEP 09 1988

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

Department of Water Resources

RECEIVED

MAY 26 1988

Department of Water Resources
Western Regional Office

A. GENERAL INFORMATION

Permit No. 67-74891. Owner: Dave DickersonPhone No. 257-3581Current Address: Star Route, Cambridge, Id 836102. Accompanied by: D. ClappEXAM. DATE: 4/6/88Address: 1050 Lower CranePhone No. 642-3304Relationship to Permit Holder: -3. Source: Little WeiserP/O is AT
L. WEISER
IRR. DIST DITCH

B. OVERLAP REVIEW

67-7312, 67-0480

1. Other water rights with same plac


☐ Copies Attached

2. Other water rights with same point of diversion:

☐ Copies Attached☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. Diversion System Diagram: Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = _____

2. ☐ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).

☒ Aerial Photo Attached
(required for irrigation of 10 acres or more).

- ☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).

JUN 26 1992

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
Velocity Probe	2 Range	MEAD	HP-302	3846	5/10 f/s	7/86

2. Measurements:

Canal #1	5.5 ft/sec	16"cmp	8.5" depth	=	4.1 cfs
Canal #2	5.0 ft/sec	15"cmp	3.8" depth	=	1.2 cfs
Pump #2	5.4 ft/sec	8" A1	full	=	1.9 cfs
Pump #2	5.4 ft/sec	8" A1	full	=	1.9 cfs

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

Propeller Flow meter using table T-4 on page 7-30 Handbook of Hydraulics by King and Brater - 5th ed.

2. Alternate Method for Checking Purposes:

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3); Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTRior _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 512.3 \times 5 \text{ acre ft/acre} = 2561.5$

$V_{DR} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 4 \text{ cfs} \times 150 \text{ day} \times 1.9835 = 1190.1$

$V = \text{Smaller of } V_{IR} \text{ and } V_{DR} = 1190.1 \text{ acre ft (VIR.)}$

2. Volume Calculations for Other Uses:

JUN 26 1992

System Description (continued)

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

The open ditches were standard headgates with discharge to open ditches

(canal #1 and canal #2) The pump #1 and Pump #2 were on the canal with

open discharge through an 8" aluminum main line. Pump #2 was identical to Pump #1.

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
Pump	GE	25	BK256JL1011A	Cornell	6" 27289
Pump	GE	25	"	Cornell	6" 23672

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
Canal #1		SE	NE	NE	15	14N	2W	Wash.	Use SCS farm photo
Canal #2		NE	NE	NE	15	14N	2W	Wash.	"
Pump 1 & 2		NW	NW	NW	14	14N	2W	Wash.	"

6. Place(s) of Use:

Indicate Method of Determination

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
14N	2W	10	--	--	--	--	--	--	--	--	--	--	--	--	--	--	40	40	80
		11	--	--	--	--	--	--	--	--	40	--	40	40	32.3	--	40	--	192.3
		14	--	40	40	--	40	40	--	--	--	--	--	--	--	--	--	--	160
		15	40	40	--	--	--	--	--	--	--	--	--	--	--	--	--	--	80
																			512.3

MICROFILMED

JUN 26 1992

Do not use this space

H. REMARKS AND OVERLAP REVIEW ANALYSIS

Mr. Dickerson has the ability to use water on all fields, thus the entire irrigated acreage must be considered for all water rights. There are 512.3 total acres suitable for irrigation. Water Right 67-0480 is 1.9 cfs. Water Rights 67-7489 and 67-7312 points of diversion are NW $\frac{1}{4}$ SW $\frac{1}{4}$, Section 1, Township 14N, Range 2W from the Little Weiser River.

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
67-7489	4-1	11-1	4.0	1190.1
Totals:			4.0	1190.1

2. Recommended Amendments

☐ Change P.D. as reflected above

☐ Add P.D. as reflected above

☐ None

☐ Change P.U. as reflected above

☐ Add P.U. as reflected above

☐ Other

J. AUTHENTICATION

Field Examiner's Name

Signature

Certification Date


Field Report Preparation Date

MICHAEL E. HOLLADAY

Michael E. Holladay


SEPT 8, 1988

SEPT 7, 1988




K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

MICROFILMED
JUN 26 1992




Ditch Pumps
Permit No.
67-7489
67-7312



Well
Permit No.
67-7561

UNRECORDED FILMED

JUN 26 1992



APPROVED

JUN 26 1992

HOLLADAY ENGINEERING CO.			
DAVE DICKERSON			
JOB NO. 03 0488			
DN	CG	CK	DC





State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720 - (208) 334-7900

CECIL D. ANDRUS
GOVERNOR
R. KEITH HIGGINSON
DIRECTOR

August 1, 1988

RE: Permit Nos. 67-7312, 67-7489, 67-7561

Holladay Engineering Co.
Attn: Darrel Clapp
P.O. Box 211
Payette, ID 83611

Dear Darrel:

We are in the process of reviewing the certified examination report submitted by you for the above referenced permits. Before we can proceed with this review and the eventual license issuance, several areas are lacking in sufficient information to satisfy requirements of the Beneficial Use Examination Rules and Regulations. Therefore, the report is being returned to you for additional information in the following areas:

Rule 5,1,2 - Permitted uses partially developed by the permit holder need to be described. Any uses determined to exist which are not authorized by the permit need to be noted.

1. Each permit must have its own Beneficial Report. Sources or points of diversion from other permits should not be included item 5.

2. Item 6. cannot include land irrigated in excess of acres identified on the permit.

3. Item 1. should only contain the use authorized by the permit. Amounts for other permits should not be included.

Rule 5,2,1 - The field report must be properly endorsed with an engineer or geologist seal and signature.

Rule 6,4 - Theoretical diversion rates or capacities are not acceptable except for some systems where an exemption is granted by the director including systems not requiring a measuring device, access port or certified water measurement.

The use of Velocity Probe in lieu of an installed measuring device for permits 67-7489 and 67-7312 is not acceptable.

RECEIVED
JUN 26 1992

Page 2

Rule 5,1,6 - Compliance with any conditions of approval of the permit must be shown on the field report.

Permits 67-7489 and 67-7312 required the installation of a measuring device. Please identify if condition has been met by describing type of measuring device installed.

Rule 5,2,3 - If a field report is returned to the certified examiner for more information and the information is not received within 30 days or the time specified in the notice, the priority date of the permit will be advanced one day for each day the information submittal is late.

Please submit the above requested information within 30 days of receipt of this letter in so that licensing can proceed.


If you have any questions on this, please feel free to contact us.

Sincerely,


JIM JOHNSON
Water Rights Supervisor

JJ:sc

cc: Dave Dickerson



JUN 26 1992

May 11, 1988

David F. Dickerson
Star Rt.
Cambridge, ID 83610

RE: PERMITS 67-7312, 67-7489 AND 67-7561

Dear Mr. Dickerson:

LAPSE NOTICE

The department has reviewed your letter dated April 5, 1988 which advised that the beneficial use examination in connection with the above referenced permits will be conducted by Holladay Engineering. Your letter also requested additional time in which to conduct the examination and to submit the completed examinations to the department.

There is not a procedure by which the department can grant an extension of time for this purpose. The examinations can, however, be conducted in the time frame you suggest, but you need to be aware that the permits are losing one day of priority for each day after June 9, 1987 (not 1988) that the submittal is late.

This letter will also serve as notice that the permits have lapsed for failure to timely submit the completed beneficial use field examinations. This essentially means that the completed field examinations need to be received by the department in acceptable form within sixty (60) days of the date of this letter or the permits will become of no further force nor effect.

Please feel free to contact the department if you have questions.

Sincerely,

L. GLEN SAXTON
Chief, Operations Bureau

c: W. Region

RECEIVED

JUN 26 1992

5-12-1988

Rita Link

	
42.381	50 SHEETS \$ SQUARE
42.382	100 SHEETS \$ SQUARE
42.383	200 SHEETS \$ SQUARE

State house

RECEIVED
APR 06 1988

APR 06 1988

Department of Water Resources

RE: 67-7312
67-7489 ✓
67-7561

Mesdames &
Gentlemen:

I have been advised that the proof of beneficial use field exams are due to be conducted on the above-referenced permits no later than April 10, 1988.

The purpose of this letter is to request an extension of time for the conduct of the examinations, because my irrigation systems are not yet operational for the 1988 season. I hereby request an extension of 60 days for the purpose of conducting these examinations. The examinations are to be conducted and reported by Holladay Engineering

SECRET

JUN 26 1992

Sincerely,

David F. Dickerson



Cecil D. Andrus
Governor

State of Idaho
DEPARTMENT OF WATER RESOURCES
Western Region

2735 Airport Way
Boise, Idaho 83705
(208) 334-2190

67-7489
DICKERSON, DAVID F.
STAR RT.
CAMBRIDGE, ID 83610

138275

April 10, 1987

CERTIFIED MAIL

EXAMINATION FEE NOTICE

Dear Permit Holder:

Department records show that proof of beneficial use has been submitted for the above-referenced permit, but that a field examination has not yet been conducted to determine the extent of beneficial use of the water for licensing purposes.

House Bill 671 (effective April 4, 1986) enacted by the 1986 Idaho Legislature requires the payment of a fee before this department can conduct the field examination needed to issue a license confirming use of water under the permit. This letter is notification that the license examination fee is due within sixty (60) days of the date of this letter. The examination fee information sheet (enclosed) must be returned with the fee.

As an alternative to submitting the fee, the department will accept a field examination report completed by a certified water right examiner from the private sector. If you choose to have the examination done by a certified water right examiner, you need not submit the license examination fee to the department, but you must within sixty (60) days of the date of this letter return to the department, the examination fee information sheet showing appropriate information together with a statement from the certified examiner to verify that you have retained a certified examiner to conduct the field examination. If you choose this alternative, a completed field examination report must be submitted within one year of the date of this letter. You cannot later change your decision to use this alternative and submit the fee needed for the department to conduct the field examination, but you may change to another certified examiner.

JUN 26 1992



State of Idaho

DEPARTMENT OF WATER RESOURCES

WESTERN REGION, 92 South Cole Road, Boise, Idaho 83709

JOHN V. EVANS

Governor

(Office at the corner of
Franklin and Cole Roads)

A. Kenneth Dunn

Director

(208) 334-2190

January 10, 1979

Mr. A. Kenneth Dunn
State Office
92 South Cole Road, Boise, Idaho 83709

RE:

Dear Mr. Dunn:

We acknowledge receipt of your statement submitted as proof as beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department.

☐ A field examination of your system has been scheduled for

_____.

If this time and date is not convenient for you, please contact this office as soon as possible.

☐ A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office.

Sincerely,

Judy Pense

Judy Pense
Secretary

RECEIVED
JAN 11 1979
BOISE, IDAHO

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card a statement that the permit holder(s) has completed development to the extent shown below. Permit No. 67-7487

Name(s) of Permit Holder: David F Dickerson

Post Office Address: Star RT

Camb Idaho Tel. No. 257-3581

Source of Water: Little Weiser River

Extent of Use: ☐ Domestic (number of households)
☐ Stockwater (number and type of stock)
☒ Irrigation 484 (acres)
☐ Other

Measuring Device: Required? ☐ Yes ☐ No Installed? ☐ Yes ☐ No

Access Point: Required? ☒ Yes ☐ No Installed? ☐ Yes ☐ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

1/30/82
Date

David F Dickerson
Signature of Permit Holder

DAVID F. DICKERSON

I.V. STAR RT.
CAMBRIDGE, IDAHO 83610

PLACE
TEN CENT
STAMP
HERE

MICROFILMED



RECEIVED

IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE FEB 3 1982

BOISE, IDAHO 83720

Department of Water Resources

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440

DICKERSON, DAVID F.
STAR ROUTE
CAMBRIDGE, ID 83610

JULY 10, 1980

RE: PERMIT NO. 67-7489

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

BE SURE TO NOTE THE SPECIAL CONDITION REQUIRING YOU TO INSTALL AND MAINTAIN A MEASURING DEVICE AT YOUR POINT OF DIVERSION. WE HAVE ENCLOSED A DESCRIPTION OF THE DIFFERENT TYPES OF MEASURING DEVICES ACCEPTED BY THIS OFFICE.

PLEASE BE ADVISED THAT THERE IS INSUFFICIENT NATURAL FLOW AVAILABLE IN THE LITTLE WEISER RIVER AND TRIBUTARIES TO PROVIDE WATER FOR A NEW APPROPRIATION THROUGHOUT THE ENTIRE SEASON OF USE. DURING THE SPRING RUN-OFF EACH YEAR, THERE MAY BE A PERIOD OF TIME IN WHICH THE PRIOR RIGHTS TO THE USE OF THE NATURAL FLOW AND STORAGE ARE FILLED LEAVING WATER AVAILABLE FOR YOUR PERMIT. AS THE NATURAL FLOW DIMINISHES, HOWEVER, THERE MAY BE NO WATER AVAILABLE FOR YOUR RIGHT UNLESS YOU ARRANGE FOR AN ADDITIONAL SOURCE OF WATER AS A SUPPLEMENTAL SUPPLY.

THE EXERCISE OF THIS PERMIT MAY ALSO BE AFFECTED BY THE COURT'S DETERMINATION OF WATER RIGHTS IN THE CASE OF IDAHO POWER COMPANY V. STATE OF IDAHO, ET AL., CIVIC NO. 62237, CURRENTLY PENDING BEFORE THE DISTRICT COURT OF ADA COUNTY. SINCE THE USE OF WATER UNDER YOUR PERMIT MAY AFFECT THE FLOWS IN THE SNAKE RIVER BETWEEN MILNER DAM AND HELLS CANYON, THE FINAL DECISION IN THIS CASE MAY DETERMINE TO WHAT EXTENT THE EXERCISE OF YOUR PERMIT IS SUBJECT TO WATER RIGHTS OF IDAHO POWER. WHILE THE ADA COUNTY COURT IS EXAMINING THIS QUESTION, IDAHO POWER COMPANY HAS NOT FILED A SPECIFIC PROTEST TO YOUR PERMIT. HOWEVER, THE DEPARTMENT OF WATER RESOURCES HAS BEEN ADVISED THAT THE POWER COMPANY IS NOT WAIVING ANY OF ITS RIGHTS TO CONTEST OR LIMIT THE EXERCISE OF YOUR PERMIT OR SUBSEQUENT LICENSE.

RECEIVED
JUL 11 1980

RE: PERMIT 67-7489

PAGE 01
JULY 10, 1980

WE HAVE ENCLOSED A FORM ENTITLED "MAKING PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT INTO A LICENSE.

SINCERELY,

DAVID R. TUTHILL, JR., P.E.
SUPERVISOR, WATER ALLOCATION SECTION

ENCLOSURE

MICROFILMED

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: 6LS

APPLICATION NUMBER: 67-7489

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.

Field check by: _____

Date: _____

Comments: _____

☒ Fee.

☐ Yes ☒ No

Field check required.

☐ Yes ☒ No

Critical groundwater area.

☐ Yes ☒ No

Request dam safety information. Sent by: _____ Date: _____

☒ Yes ☐ No*

In form to receipt.

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT:

67-0480 is for 1.90 cfs for lands in the N 1/2 NE Sec 15, S 1/2 SE Sec 10 T14N R2W - 152 acre must have been irrigated at the time of the decree. Permit # 67-7312 was protested a diversion limitation of .0125 per acre was imposed the balance for the land would be an additional .75 cfs to bring up to 5/8 per acre, 9.68 cfs would bring land up to .102 per acre total filings = 7.9 cfs with the new app.

SEND COPIES TO:

- ☐ Idaho State Health Department.
☐ Idaho Fish and Game Department.
☐ Idaho Department of Lands.
☐ U.S. Bureau of Land Management.
☐ U.S. Forest Service.
☐ Other _____

Copies sent by: _____ Date: _____

PROCESSING:

☐ Yes ☐ No

Platted by: _____ Map No. _____

☒ Yes ☐ No

Other rights on same place of use. 67-0480, 67-7312 - see above

☒ Yes ☐ No*

In form for advertising.

Final date for protests: _____

☒ Yes ☐ No

Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

☒ Affidavit of publication received. Date: 3/31/80

☒ Application published correctly. If not, record action taken: _____

☒ Fee amount, receipt date & number, recorded on application.

☒ Publication dates and paper, recorded on application.

☒ Protests, dates, withdrawal, etc., recorded on application.

☒ Recommendation & initial, recorded on application.

☒ Yes ☐ No

Measuring device required.

☐ Yes ☒ No

Access port required.

☒ Yes ☐ No

Will water be delivered by watermaster? If yes, what district? 67A

3/5/80 Date of priority recommended.

Special conditions of approval or cover letter. I.P. letter

W. m. Condition

Right-of-way clause

No water shall be diverted under this permit after June 15

of each year unless the prior approval of the watermaster

is obtained.

By: DBS

Date: 6/6/80

STATE OFFICE REVIEW:

Sand receipt w/ approved app.

602 104 105 01 05 (67A Little Weiser R.)

☐ See attached sheet for more information.

By: John

Date: 6/13/80

67-7483 - AUSTIN B. ROBBINS
67-7485 - JOHN &/or ROBERTA SCHWENKFELDER
67-7489 - DAVID F. DICKERSON
67-7494 - LLOYD F. &/or JOSEPHINE THOMASON
ADAMS COUNTY COURTHOUSE

THURSDAY, JUNE 5, 1980 at 10:30 A. M.

ROSTER OF ATTENDANCE

HEARING CONDUCTED BY Norm Young & Dave Shaw

Name	Address	Representing
Steven R Keller	Weiser	visiting
Larry C. Walker	Weiser -	Little Weiser
John W. Schwankfelder	Cambridge	myself
Malcolm W. Huey	ILV	Little Weiser Trng Dist
David Dickerson	comb	Self
Lloyd F. Thomason	Cambridge	Little Weiser Trng Dist
James Cole	Weiser Idaho	
Otis Balcock	Indian Valley Id.	water master
Shut H. Dymall	Cambridge	Dist 67 - Little Weiser
Allen Buchanan	Indian Valley	Dist 67 - Little Weiser
Merle McKee	Cambridge	
Richard Higgins	Cambridge	
Larry Jaeger	Cambridge	

RECEIVED

In the matter of protested applications)
for permits 67-7485 in the name of)
John d/or Roberta Schwankfelder,) Agreement
67-7489 in the name of David F.)
Dickenson and 67-7494 in the name)
of Lloyd F d/or Josephine Thomason)

We the undersigned hereby withdraw our
protest against the above referenced applications
for permits with the condition that no
water will be diverted under any of these
permits after June 15 without first
obtaining approval from the water master.

Signed this 5 day of June 1980 at
Weiser, Idaho.

Malcolm W. Huey

Chairman of the Board
Little Weiser Irrigation District

We the undersigned agree to ~~the~~^{use} ~~the~~^{use} the
water under these permits with the above
condition and recognise that all use of water is subject
to prior water rights and the control of the watermaster.

John W. Schwankfelder

David Dickenson

Lloyd F. Thomason

MICROFILMED

No.

978113

RECEIPT FOR CERTIFIED MAIL

NO INSURANCE COVERAGE PROVIDED—

NOT FOR INTERNATIONAL MAIL

(See Reverse)

SENT TO		David Dickerson	
STREET AND NO.		Star Route	
P.O., STATE AND ZIP CODE		Cambridge, ID 834063610	
POSTAGE		\$	
CONSULT POSTMASTER FOR FEES	OPTIONAL SERVICES	CERTIFIED FEE	¢
		SPECIAL DELIVERY	¢
		RESTRICTED DELIVERY	¢
		RETURN RECEIPT SERVICE	¢
		SHOW TO WHOM, DATE AND ADDRESS OF DELIVERY	¢
		SHOW TO WHOM, DATE AND ADDRESS OF DELIVERY WITH RESTRICTED DELIVERY	¢
	RETURN RECEIPT SERVICE	¢	
TOTAL POSTAGE AND FEES		\$	
POSTMARK OR DATE 8/26/80			

PS Form 3800, Apr. 1976

**STICK POSTAGE STAMPS TO ARTICLE TO COVER FIRST CLASS POSTAGE,
CERTIFIED MAIL FEE, AND CHARGES FOR ANY SELECTED OPTIONAL SERVICES. (see front)**

1. If you want this receipt postmarked, stick the gummed stub on the left portion of the address side of the article, leaving the receipt attached, and present the article at a post office service window or hand it to your rural carrier. (no extra charge)
2. If you do not want this receipt postmarked, stick the gummed stub on the left portion of the address side of the article, date, detach and retain the receipt, and mail the article.
3. If you want a return receipt, write the certified-mail number and your name and address on a return receipt card, Form 3811, and attach it to the front of the article by means of the gummed ends if space permits. Otherwise, affix to back of article. Endorse front of article **RETURN RECEIPT REQUESTED** adjacent to the number.
4. If you want delivery restricted to the addressee, or to an authorized agent of the addressee, endorse **RESTRICTED DELIVERY** on the front of the article.
5. Enter fees for the services requested in the appropriate spaces on the front of this receipt. If return receipt is requested, check the applicable blocks in Item 1 of Form 3811.
6. Save this receipt and present it if you make inquiry.

PS Form 3811, Apr. 1977

RETURN RECEIPT, REGISTERED, INSURED AND CERTIFIED MAIL

● SENDER: Complete item 1 and 3.
Add your address in the "RETURN TO" space on reverse.

1. The following service is requested (check one).

- ☒ Show to whom and date delivered. _____ \$
☐ Show to whom, date, and address of delivery. _____ \$
☐ RESTRICTED DELIVERY
 Show to whom and date delivered. _____ \$
☐ RESTRICTED DELIVERY
 Show to whom, date, and address of delivery. \$ _____
 (CONSULT POSTMASTER FOR FEES)

2. ARTICLE ADDRESSED TO:

David F. Dickerson
 600 Route
 Cambridge, IP83610

3. ARTICLE DESCRIPTION:

REGISTERED NO.	CERTIFIED NO.	INSURED NO.
	978113	

(Always obtain signature of addressee or agent)

I have received the article described above.

SIGNATURE ☐ Addressee ☐ Authorized agent

4.

DATE OF DELIVERY

6-4-80

POSTMARK



5. ADDRESS (Complete only if requested)

6. UNABLE TO DELIVER BECAUSE:

CLERK'S
INITIALS

Heating Notice: 67-7489

UNITED STATES POSTAL SERVICE
OFFICIAL BUSINESS

SENDER INSTRUCTIONS

Print your name, address, and ZIP CODE in the space below.

- Complete items 1, 2, and 3 on the reverse.
- Moisten gummed ends and attach to front of article if space permits. Otherwise affix to back of article.
- Endorse article "Return Receipt Requested" adjacent to number.

RETURN
TO

JUN 6 1980

Department of Water Resources
Western Regional Office

IDAHO DEPARTMENT OF WATER RESOURCES

WESTERN DEPT (Name of Sender)

92 S20th St (Address)

BOISE, ID 83720 (Street or P.O. Box)

(City, State, and ZIP Code)

PENALTY FOR PRIVATE
USE TO AVOID PAYMENT
OF POSTAGE, \$300



BEFORE THE DIRECTOR OF THE DEPARTMENT OF WATER RESOURCES

OF THE

STATE OF IDAHO

IN THE MATTER OF PROTEST AGAINST APPROVAL)
OF THE APPLICATION FOR PERMIT NO. 67-7489)
IN THE NAME OF DAVID F. DICKERSON)

NOTICE OF COMBINED CONFERENCE
AND/OR HEARING

On March 5, 1980, David F. Dickerson filed with the Department of Water Resources an application to appropriate the public waters of the State of Idaho. On April 1, 1980, the Department received a protest against approval of said application from the Board of Directors of the Little Weiser Irrigation District.

The Department has set the matter of protest for conference and/or hearing for Thursday, June 5, 1980, at 10:30 a.m., in the Adams County Courthouse, Council, Idaho. This conference and/or hearing will be combined with the conferences and/or hearings of Austin B. and/or Ruth E. Robbins, Application No. 67-7493; John and/or Roeberta Schwenkfelder, Application No. 67-7485; and Lloyd F. and/or Josephine W. Thomason, Application No. 67-7494. Any hearing will be held in accordance with provisions of Chapter 2, Title 42, and Chapter 52, Title 67, of the Idaho Code and adopted Rules of Practice and Procedure of the Department of Water Resources. Opportunity shall be afforded all parties to respond and present evidence and argument on all issues involved.

In accordance with Idaho Code, Section 42, 203, the following issues are involved in the consideration of the application and protest:

1. Will the proposed use reduce the quantity of water under existing water rights?
2. Is the proposed water supply insufficient for the purpose intended?
3. Is the application made in good faith or for delay or speculative purposes?
4. Has the applicant sufficient financial resources with which to complete the project?
5. Will the proposed use conflict with the local public interest?

Any party may request in writing five (5) days before any hearing that the oral proceedings thereof be taken in the form of stenographic notes at the expense of the requesting party. Any party may have such stenographic notes of the oral proceedings, or part thereof, transcribed at his own expense. A taped record of the proceedings will be maintained for the appeal period.

MICROFILMED


If the hearing is conducted by a hearing officer appointed by the Director, rather than the Director himself, a proposed decision will be submitted to the parties and the parties will be afforded an opportunity to file exceptions to the proposed decision and present briefs and oral arguments to the Director prior to the issuance of a final decision by the Director. This procedure is required by Idaho Code, Section 67-5211.

By written stipulation, the parties may waive compliance with Idaho Code, Section 67-5211. If the hearing is conducted by a hearing officer, the hearing officer will ask the parties at the close of the hearing whether they would like to make such a stipulation.

Failure to waive compliance with Idaho Code, Section 67-5211 will not prejudice the Director's review of a party's evidence and arguments. However, such a waiver will shorten the decision-making process and may expedite substantially the issuance of a final decision. Whether compliance with Section 67-5211 is waived will not affect a party's right to petition for a rehearing of the final decision pursuant to Rule 11 of the Department's Rules of Practice and Procedure or affect a party's right to appeal the final decision to the District Court.

Failure to appear at the time and place set for hearing by the applicant or protestant may allow the Department to dismiss without prejudice the protest or the application. Any and all cost incurred by reason of such non-appearance may be assessed against such non-appearing parties.

Dated this 23 day of May, 1980.



DAVID B. SHAW
Western Region Supervisor

RECEIVED
MAY 24 1980
WESTERN REGION



State of Idaho

DEPARTMENT OF WATER RESOURCES

WESTERN REGION, 92 South Cole Road, Boise, Idaho 83705

JOHN V. EVANS

Governor

(Office at the corner of
Franklin and Cole Roads)

C. STEPHEN ALLRED

Director

(208) 384-2190

April 18, 1980

David F. Dickerson
Star Route,
Cambridge, Id 83610

Dear Mr. Dickerson,

Enclosed is a copy of a protest(s) filed against the issuance of a permit pursuant to your Application No. 67-7489. The Department suggests you contact the protestant(s) directly in an effort to determine the nature of the protest(s) and to attempt to resolve the protest(s).

If this office has not been advised within twenty (20) days that the protest(s) has been resolved, the matter will be scheduled for conference and/or hearing. At such a conference and/or hearing, the following are the principle items the Department can consider in either approving or denying the application for permit (Section 42-203, Idaho Code):

1. Will the proposed use reduce the quantity of water under existing water rights?
2. Is the proposed water supply insufficient for the purposes intended?
3. Is the application made in good faith or for delay or speculative purposes?
4. Has the applicant sufficient financial resources with which to complete the project?
5. Will the proposed use under this permit conflict with the local public interest?

If this office can be of further assistance, please contact us.

Yours truly,

DAVID B. SHAW
Western Regional Supervisor

Enc.

RECEIVED
APR 22 1980
WESTERN REGION



State of Idaho

DEPARTMENT OF WATER RESOURCES

WESTERN REGION, 92 South Cole Road, Boise, Idaho 83705

JOHN V. EVANS
Governor

(Office at the corner of
Franklin and Cole Roads)

C. STEPHEN ALLRED
Director

(208) 384-2190

April 18, 1980

Bittle Weiser Irr. Dist.
Board of Directors
Council, Idaho 83612

Dear Members of the Board,

This office acknowledges receipt of your protest to the issuance of a permit pursuant to the above referenced application. The Department suggests you contact the applicant(s) directly in an effort to determine what is proposed by the application and to attempt to resolve the protest.

If this office has not been advised within twenty (20) days that the protest has been resolved, the matter will be scheduled for conference and/or hearing. At such a conference and/or hearing, the following are the principle items the Department can consider in either approving or denying an application for permit (Section 42-203, Idaho Code):

1. Will the proposed use reduce the quantity of water under existing water rights?
2. Is the proposed water supply insufficient for the purposes intended?
3. Is the application made in good faith or for delay or speculative purposes?
4. Has the applicant sufficient financial resources with which to complete the project?
5. Will the proposed use under this permit conflict with the local public interest?

If this office can be of further assistance, please contact us.

Yours truly,

DAVID B. SHAW
Western Regional Supervisor

RECEIVED
APR 22 1980
DEPT. OF WATER RESOURCES
BOISE, IDAHO

6Z-2489

DICKERSON, DAVID F.

STAR ROUTE, CAMBRIDGE, ID 83610

Source: LITTLE WEISER RIVER tributary to WEISER RIVER

Date Filed: 03/05/1980

Amount: 4.00 CFS

Diversion Point: NNSW Sec 01 T 14N R 02W, ADAMS Co.

Use: IRRIGATION (4.00 CFS) from 04/01 to 11/01

Place of Use: NESW SWSW SESW NESE SWSE SESE Sec 11 T 14N R 02W NENE NWNE SWNE
NENW NWNW Sec 14 T 14N R 02W NENE NWNE Sec 15 T 14N R 02W SWSE
SESE Sec 10 T 14N R 02W FOR 484 ACRES

Diversion Means: OPEN DITCHES, PUMPS & PIPELINE

RECEIVED
APR 10 1980