


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

John W. Schwabfelder
(Applicant)

Affidavit of Publication

State of Idaho, County of Adams, ss:

I, Bert J. Rogers, being first duly sworn upon my Oath, depose and say that I am the publisher of The Adams County

Leader, a newspaper; that a copy of the "Notice of Amended Application

John &/or Roeberta Schwenkfelder

as per clipping

hereto attached, was published in the regular and entire issue

of said newspaper, and not in any supplement thereof, for

two (2) consecutive weeks, the first publication of the

same being made in the issue dated April 17, 1980

and the last in the issue dated April 24, 1980 that said newspaper is of general circulation in Adams County Idaho, printed and published weekly at Council therein and that said newspaper has been continuously and uninterruptedly published in said county during a period of more than seventy-eight consecutive weeks prior to the first publication of

said "Notice" as aforesaid.

Bert J. Rogers

Subscribed and sworn to before me this 24th

day of April, 1980

Dean Looney

Notary Public for Idaho,
Residing at Council, Idaho

NOTICE OF AMENDED APPLICATION FOR PERMIT

Notice is hereby given that Application No. 67-7485, in the name of John &/or Roeberta Schwenkfelder of Cambridge, was filed on 3/4/80 for the diversion of 1.70 cfs from the Little Weiser River, with a point of diversion within the NE 1/4 SW 1/4, Sec. 1, T. 14N, R. 2W, to be used for irrigation purposes from 4/1 to 6/15, within portions of Sec. 15, T. 14N, R. 2W.

The applicant now proposes to amend the application by changing the period of use to April 1 thru November 15.

Any protest against the approval of the proposed amendment must be filed with the Dept. of Water Resources, 92 S. Cole Road, Boise, Idaho 83709 on or before May 5, 1980.

C. STEPHEN ALLRED


Director

Published 4/17 and 4/24/1980.

RECEIVED
APR 24 1980
MICROFILMED

Dept. of Water Resources
Boise, Idaho 83709

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

John W. Schwankfeld
(Applicant)

PUBLISHER'S AFFIDAVIT

STATE OF IDAHO)

County of Washington)

Stuart ss.

~~Alan~~ V. Dopf, being first duly sworn, deposes and says: That he is the editor and publisher of The Upper Country News-Reporter, a weekly newspaper published at Cambridge, Idaho, in the County of Washington, State of Idaho; that said newspaper is in general circulation in the county of aforesaid and is a legal newspaper; that the advertisement, a copy of which is hereto attached, was published in said newspaper once a week for two consecutive weeks in the regular and entire issue of every number thereof during the period and time of publication, and was published in the newspaper proper and not in a supplement; and that publication of such notice began March

20, 1980, and ended March

27, 1980.

Stuart Dopf

Subscribed and sworn to before me, a Notary Public in and for the County of Washington, and the State of Idaho, this 28th day of March, 1980.
John A. Wood, Notary Public
My commission expires May 23, 1982.

NOTICE OF APPLICATION FOR A WATER RIGHT

Notice is hereby given that the following application has been submitted for a permit to appropriate the public waters of the State of Idaho:

No. 67-7485

SCHWENKFFELDER, JOHN
&/or ROBERTA, STAR
ROUTE, CAMBRIDGE, ID
83610.

Source: LITTLE WEISER
RIVER tributary to WEISER
RIVER.

Date Filed: 3/4/1980.

Amount: 1.70 CFS.

Diversion Point: NESW
Sec. 1 T 14N R 2W, ADAMS
Co.

Use: IRRIGATION (1.70
CFS) from 4/1 to 6/15.

Place of Use: SWNW NW.
SW NWSW SWSW NWSE Sec.
15 T 14N R 2W FOR 85
ACRES.


Diversion Means: DIVER-
SION DAM W/GRAVITY
DITCH TO PUMP & SPR-
INKLER SYSTEM.

If issued, the permit will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 92 S. Cole Road, Boise, Idaho 83709 on or before APRIL 7, 1980.

C. STEPHEN ALLRED
Director

Publish 3/20 & 3/27/80.

RECEIVED





STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
FEB 13 1990

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 67-7485

1. Owner: JOHN AND/OR ROBERTA SCHWENFELDER Phone No. 257-3511
Current Address: H.C. 68 BOX 2100, CAMBRIDGE ID. 83610
2. Accompanied by: ROYCE SCHWENFELDER EXAM. DATE: 7/28/88
Address: H.C. 68 BOX 2130 CAMBRIDGE Phone No. 257-3591

Relationship to Permit Holder: SON OF PERMIT HOLDER


3. Source: LITTLE WEISER RIVER tributary to WEISER RIVER

B. OVERLAP REVIEW

1. Other water rights with same place of use: NUMEROUS RIGHTS IN THE SAME 1/4'S.
BUT ALL ARE FOR LAND BELOW THE DITCH. ☐ Copies Attached THIS PERMIT IS FOR LAND ABOVE THE DITCH.
2. Other water rights with same point of diversion: POINT OF DIVERSION
IS THE SAME AS SCHWENFELDER DITCH WHICH THEIR RIGHTS FROM. ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = NO SCALE

2. ☒ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required). ☒ Aerial Photo Attached (required for irrigation of 10 acres or more).
- ☒ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater).

1

State of Idaho
DEPARTMENT OF WATER RESOURCES
SUPPLEMENTAL FIELD REPORT FOR ANNUBAR MEASUREMENT

Measured by: QUENTIN NESBITT
Owner: ROYCE SCHWENKFELDER

Date: 7/28/88
Permit No. 67-7485

MEASUREMENT
PORT
DITCH

Description of well &/or measuring site

- Include any clarifications of the sketch
- Include legal description if more than one p.d. is described in the Field Report

MEASURED INSIDE PIPE DIAMETER IN INCHES (ID)

CIR = Pipe Circumference in Inches = _____

T = Pipe Thickness in Inches = _____

ID = $2 [(0.1592 \times \text{CIR}) - T] = \dots\dots\dots 6''$

ANNUBAR DESCRIPTION & CONSTANT (C)

Size Used in Test 6''

State ID No. 091403

Select C based on size from Table below.

Nominal Pipe Size

C

4"	4.23
6"	3.75
8"	3.37
10"	3.94
12"	3.99
14" - 16"	4.01
18" - 24"	4.02
30" or larger	4.03

C selected 375

DIFFERENTIAL PRESSURE READING IN INCHES OF H₂O (H)

High Reading = 46

Low Reading = 16


High - Low = H = 30''

CALCULATION OF DISCHARGE IN CFS (Q)

$$Q = \frac{(ID)^2 \cdot (\sqrt{H}) \cdot (C)}{448.3}$$

$$Q = \frac{(6)^2 \cdot (\sqrt{30}) \cdot (375)}{448.3} = 1.65 \text{ CFS}$$

SKETCH (If not shown on Field Report)



739.4 G.P.M

82.38 INCHES

MICROFILMED

SEP 19 1990

#2
State of Idaho
DEPARTMENT OF WATER RESOURCES
SUPPLEMENTAL FIELD REPORT FOR COX/HALL MEASUREMENT

Measured by: QUENTIN NESBITT

Date: 7/28/88

Owner: ROYCE SCHWENFELDER

Permit No. 67-7485

Description of well &/or measuring site

- Include any clarifications of the sketch
- Include legal description if more than one p.d. is described in the Field Report

MEASURED IN 4" ALUMINUM SPRINKLER
LINE.

MEASURED INSIDE PIPE RADIUS IN INCHES (IR)

CIR = Pipe Circumference in Inches = _____

T = Pipe Thickness in Inches = _____

IR = [(0.1592 X CIR) - T] = ... 2"

DIFFERENTIAL PRESSURE READING IN INCHES OF H₂O (H)

High Reading = 46 1/2

Low Reading = 26 1/2

High - Low = H = ... 20"

COX/HALL DESCRIPTION & FACTOR DETERMINATION (H#)

State ID No. 120381

Size of tip used 4"

Number of holes in
meter taped or blocked 1

To determine Cox/Hall Factor (H#) use table to the right.
Using the Differential Pressure Reading (H) find appropriate
Row and Column to determine (H#).
(example: H = 12.4 then H# = 17.0)


Determine (H#) and enter here: 21.9

CALCULATION OF DISCHARGE IN CFS (Q)

$$Q = \frac{(3.1416) (IR)^2 (H\#)}{(448.8)}$$

$$Q = \frac{(3.1416) (2)^2 (21.9)}{(448.8)} = .61 \text{ CFS}$$

SKETCH (If not shown on Field Report)



WATER T₀ = 12.15


METER INLET 17.37


70% EFFICIENT

30. MINUTES
275.2 G.P.M.
SEP 19 1990

	.0	.1	.2	.3	.4	.5	.6	.7	.8	.9
0	0.0	0.8	1.3	1.8	2.2	2.5	2.9	3.3	3.7	4.0
1	4.3	4.5	4.8	5.0	5.2	5.4	5.6	5.8	6.0	6.2
2	6.3	6.5	6.7	6.9	7.0	7.2	7.3	7.5	7.6	7.7
3	7.9	8.0	8.2	8.3	8.5	8.6	8.7	8.8	9.0	9.1
4	9.3	9.4	9.5	9.6	9.7	9.8	10.0	10.1	10.2	10.3
5	10.4	10.5	10.6	10.7	10.9	11.0	11.1	11.2	11.3	11.4
6	11.5	11.6	11.7	11.8	11.9	12.0	12.1	12.2	12.3	12.4
7	12.5	12.6	12.7	12.8	12.9	13.0	13.1	13.2	13.3	13.4
8	13.5	13.5	13.6	13.7	13.8	13.9	14.0	14.0	14.1	14.2
9	14.3	14.4	14.5	14.5	14.6	14.7	14.8	14.9	15.0	15.0
10	15.1	15.2	15.3	15.4	15.5	15.5	15.6	15.7	15.8	15.9
11	15.9	16.0	16.1	16.2	16.3	16.3	16.4	16.5	16.5	16.6
12	16.7	16.7	16.8	16.9	17.0	17.0	17.1	17.2	17.3	17.3
13	17.4	17.5	17.5	17.6	17.7	17.8	17.8	17.9	18.0	18.1
14	18.1	18.2	18.3	18.3	18.4	18.5	18.5	18.6	18.7	18.7
15	18.8	18.9	18.9	19.0	19.1	19.1	19.2	19.3	19.3	19.4
16	19.5	19.5	19.6	19.6	19.7	19.7	19.8	19.9	19.9	20.0
17	20.1	20.1	20.2	20.2	20.3	20.4	20.4	20.5	20.5	20.6
18	20.7	20.7	20.8	20.9	20.9	21.0	21.0	21.1	21.2	21.2
19	21.3	21.3	21.4	21.4	21.5	21.6	21.6	21.7	21.7	21.8
20	21.9	21.9	22.0	22.0	22.1	22.2	22.2	22.3	22.3	22.4
21	22.4	22.5	22.5	22.6	22.6	22.7	22.7	22.8	22.9	22.9
22	23.0	23.0	23.1	23.1	23.2	23.2	23.3	23.4	23.4	23.5
23	23.5	23.6	23.6	23.7	23.7	23.8	23.8	23.9	23.9	24.0
24	24.0	24.1	24.2	24.2	24.3	24.3	24.4	24.4	24.5	24.5
25	24.6	24.6	24.7	24.7	24.8	24.8	24.9	24.9	25.0	25.0
26	25.1	25.1	25.2	25.2	25.3	25.3	25.4	25.4	25.5	25.5
27	25.6	25.6	25.7	25.7	25.8	25.8	25.9	25.9	26.0	26.0
28	26.1	26.1	26.2	26.2	26.3	26.3	26.4	26.4	26.5	26.5
29	26.6	26.6	26.7	26.7	26.8	26.8	26.9	26.9	27.0	27.0
30	27.0	27.1	27.1	27.2	27.2	27.3	27.3	27.4	27.4	27.5
31	27.5	27.5	27.6	27.6	27.7	27.7	27.8	27.8	27.9	27.9
32	28.0	28.0	28.1	28.1	28.2	28.2	28.3	28.3	28.4	28.4
33	28.4	28.5	28.5	28.6	28.6	28.7	28.7	28.8	28.8	28.8
34	28.9	28.9	29.0	29.0	29.0	29.1	29.1	29.2	29.2	29.2
35	29.3	29.3	29.4	29.4	29.5	29.5	29.5	29.6	29.6	29.6
36	29.7	29.7	29.8	29.8	29.9	29.9	30.0	30.0	30.0	30.1
37	30.1	30.2	30.2	30.3	30.3	30.4	30.4	30.5	30.5	30.5
38	30.6	30.6	30.7	30.7	30.8	30.8	30.8	30.9	30.9	31.0
39	31.0	31.0	31.1	31.1	31.2	31.2	31.2	31.3	31.3	31.4
40	31.4	31.5	31.5	31.5	31.6	31.6	31.7	31.7	31.7	31.8
41	31.8	31.9	31.9	31.9	32.0	32.0	32.1	32.1	32.1	32.2
42	32.2	32.3	32.3	32.3	32.4	32.4	32.4	32.5	32.5	32.5
43	32.6	32.6	32.7	32.7	32.7	32.8	32.8	32.9	32.9	33.0
44	33.0	33.0	33.1	33.1	33.2	33.2	33.2	33.3	33.3	33.4
45	33.4	33.5	33.5	33.5	33.6	33.6	33.7	33.7	33.7	33.8
46	33.8	33.9	33.9	33.9	34.0	34.0	34.0	34.1	34.1	34.1
47	34.2	34.2	34.3	34.3	34.3	34.4	34.4	34.4	34.5	34.5
48	34.6	34.6	34.7	34.7	34.7	34.8	34.8	34.8	34.9	34.9

PUMP EFFICIENCY:
K_H = 57.6
1 REV/16 SEC
2 FT HET
75 PSI





SALUBRIA

VALLEY

PLACE OF USE
MAP

#67-7485


RECEIVED
FEB 11 1940


LITTLE
Sand

PUMP
STATION

PUMP
STATION

P.V.





67-7485



P.U.
LOOKING
NORTH
FROM
PUMP STATION
#1

MICROFILMED

SEP 19 1990

67-7485



P.D.

Power
station

#2

MICROFILMED

SEP 19 1990

67-7485



P.D.
PUMP STATION

#1



P.D.
PUMP STATION

#1

10/10/10

67-7485



P.D.



10-75
STIFF CLAY

MEASUREMENT
FLUME

SEP 19 1990

RECORDED

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE
WATER RIGHT NO. 67-07485

Priority: March 4, 1980

Maximum Diversion Rate: 1.70 CFS
Maximum Diversion Volume:¹ 340.0 AF

This is to certify, that JOHN SCHWENKFELDER
ROBERTA SCHWENKFELDER

3381 SCHWENKFELDER RD.
CAMBRIDGE, ID 83610

has complied with the terms and conditions
of the permit, issued pursuant to Application for Permit dated March 4, 1980; and
has submitted Proof of Beneficial Use on May 30, 1985. An examination indicates
that the works have a diversion capacity of 1.700 cfs of water from:

LITTLE WEISER RIVER tributary to WEISER RIVER

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	1.70 CFS	340.0 AF

LOCATION OF POINT(S) OF DIVERSION: NESW , Sec. 1, Township 14N, Range 02W
ADAMS County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
14N	02W	15	SWNE 1.5	SENE 19.5	SWNW 4		
			SENE 0.5	NESW 18	NWSW 37		
			NESE 4.5				85

Total number of acres irrigated: 85

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.

MICROFILMED

SEP 19 1990

State of Idaho
Department of Water Resources


WATER RIGHT LICENSE
WATER RIGHT NO. 67-07485

CONDITIONS/REMARKS:

4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 4.0 afa per acre for the lands above.
6. Use of water under this water right is subject to control by the watermaster of State Water District No. 67A
7. A measuring device of a type approved by this Department shall be maintained as a part of the diverting works.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 24TH day of AUGUST, 1990.

Acting for


R. Keith Higginson, Director

MICROFILMED

SEP 19 1990

State of Idaho
Department of Water Resources

RECEIVED

AUG 21 1990

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 67-07485

APPROVED
Department of Water Resources

Date of Priority: March 4, 1980

Maximum Diversion Rate: 1.70 CFS
Maximum Diversion Volume:¹ 340.0 AF

Comes now

JOHN SCHWENKFELDER
ROBERTA SCHWENKFELDER

HC 68 BOX 2100
CAMBRIDGE, ID 83610

and represents to the Director of the

Idaho Department of Water Resources:

That he is the owner and holder of Permit to Appropriate the Public Waters of the State of Idaho No. 67-07485, and requests that the permit be changed as follows:

Source: LITTLE WEISER RIVER

tributary to WEISER RIVER

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	1.70 CFS	340.0 AF

LOCATION OF POINT(S) OF DIVERSION:

NESW, Sec. 1, Township 14N, Range 02W
ADAMS County

PLACE OF USE: IRRIGATION

<u>TWN RGE SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
14N 02W 15	SWNE 1.5	SENE 19.5	SWNW 4	
	SENW 0.5	NESW 18	NWSW 37	
	NESE 4.5			85

Total number of acres irrigated: 85

Permit holder asserts that no one will be injured by such change and that such change will be made at permit holder's own risk.

Signed at 12:17 P.M., this 18 day of August, 1990.

MICROFILMED

SEP 19 1990

John D. Schwenkfelder
(Signature)

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 67-07485

FOR DEPARTMENT USE ONLY

#C018097

Preliminary check by SC Fee = \$20.00

Received by MCH Date Aug. 21, 1990

ACTION OF THE DEPARTMENT OF WATER RESOURCES


I, R. Keith Higginson, of the Department of Water Resources hereby approve the above Application for Amendment for Permit No. 67-07485 with the following;

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 4.0 afa per acre for the lands above.
6. Use of water under this water right is subject to control by the watermaster of State Water District No. 67A
7. A measuring device of a type approved by this Department shall be maintained as a part of the diverting works.

Witness my hand this 24TH day of August, 1990.


R. Keith Higginson, Director
Acting for



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

AMENDED

APPLICATION FOR PERMIT

AMENDED

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant JOHN AND/OR ROEBERTA SCHWENKFELDER Phone 257-3511
Post office address Star Route, Cambridge, ID 83610
2. Source of water supply Little Weiser River which is a tributary of Weiser River
3. Location of point of diversion is NE $\frac{1}{4}$ of SW $\frac{1}{4}$ of Section 1 Township 14N
Range 2W B.M. Adams County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 1.70cfs for irrigation purposes from 4/1 to 11/15 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

- a. 1.70 cubic feet per second and/or b. 2,000 acre-feet per annum.

6. Proposed diverting works:

- a. Description of ditches, flumes, pumps, headgates, etc. Diversion dam with gravity ditch
to pump and sprinkler system.
- b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____
Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)
- c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 5 years (minimum 1 year — maximum 5 years).

8. Description of proposed uses:

- a. If water is not for irrigation:
- (1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____
Range _____ B.M.
- (2) Amount of power to be generated: _____ horsepower under _____ feet of head
- (3) List number of each kind of livestock to be watered _____
- (4) Name of municipality to be served _____, or number of families to be supplied with domestic water _____
- (5) If water is to be used for other purposes describe: _____

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
14N	2W	15							5		18	37	10			15			85

Total number of acres to be irrigated 85

c. Describe any other water rights used for the same purposes as described above.. None


9. a. Who owns the property at the point of diversion Applicant

b. Who owns the land to be irrigated or place of use Applicant

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing

10. Remarks

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

John W. Schenck
(Applicant)

Proposed Priority 3/4/80
Received by GLS Date 4/1/80 Time 3:00
Preliminary check by CWB Fee \$ #20.00
Receipted by GLS Date 4/1/80 # 16223
Publication prepared by HLH Date 5/2/80
Published in Adams County Leader
Publication dates 4/17, 4/24/80
Publication approved HLH Date 4/28/80
Protests filed by: Little Weiser Irrigation District by
Ferd Muller - withdrawn 6/5/80
Copies of protests forwarded by HLH
Hearing held by NCV, DBS Date 6/5/80
Recommended for approval denial by DBS Jim

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 67-7485, and said application is hereby approved.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before June 1, 19 85.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other: (1) Use of water under this permit is subject to control by the water-
master of State Water District # 67A, Little Weiser River. (2) A measuring
device of a type approved by the Department shall be permanently installed
and maintained as part of the diverting works. (3) No water shall be diverted
under this permit after June 15 of each year unless the prior approval of the
watermaster is obtained.

Witness my hand this 13th day of June, 1980.

A. Glen Saylor
Chief, Of

DBS

Council, Idaho
April 22, 1980

State of Idaho
Department of Water Resources
Western Region
92 Cole Road
Boise, Idaho 83705

Attention David Shaw:

Dear Mr. Shaw,

The Board of Directors of the Little Weiser Irrigation District wish to protest the filing of John &/or Roeberta Schwenkfelder of Cambridge, Idaho, filing No. 67-7485. The Board wishes to protest the inclusive dates therein.

Thank you for your consideration.

Yours truly,

Ferd Muller

Ferd Muller, Secretary

by *Theresa Lawrence*

RECEIVED

RECEIVED

APR 25 1980

Department of Water Resources
Western Regional Office

NOTICE OF AMENDED APPLICATION FOR PERMIT

Notice is hereby given that Application No. 67-7485, in the name of John &/or Roeberta Schwenkfelder of Cambridge, was filed on 3/4/80 for the diversion of 1.70 cfs from the Little Weiser River, with a point of diversion within the NE 1/4 SW 1/4, Sec. 1, T. 14N, R. 2W, to be used for irrigation purposes from 4/1 to 6/15, within portions of Sec. 15, T. 14N, R. 2W.

The applicant now proposes to amend the application by changing the period of use to April 1 thru November 15.

Any protest against the approval of the proposed amendment must be filed with the Dept. of Water Resources, 92 S. Cole Road, Boise, Idaho 83709 on or before May 5, 1980.

C. STEPHEN ALLRED
Director

Published 4/17 and 4/24/1980.

Affidavit of Publication

State of Idaho, County of Adams, ss:

I, Bert J. Rogers, being first duly sworn upon my Oath, depose and say that I am the publisher of The Adams County

Leader, a newspaper; that a copy of the " Notice of Amended Application

John &/or Roeberta Schwenkfelder

as per clipping

hereto attached, was published in the regular and entire issue

of said newspaper, and not in any supplement thereof, for

two (2) consecutive weeks, the first publication of the

same being made in the issue dated April 17, 1980

and the last in the issue dated April 24, 1980 that said newspaper is of general circulation in Adams County Idaho, printed and published weekly at Council therein and that said newspaper has been continuously and uninterruptedly published in said county during a period of more than seventy-eight consecutive weeks prior to the first publication of

said " Notice " as aforesaid.

Bert J. Rogers

Subscribed and sworn to before me this 24th

day of April, 1980

Dennis Looney

Notary Public for Idaho,
Residing at Council, Idaho

RECEIVED
APR 24 1980
DEPARTMENT OF WATER RESOURCES
WESTERN REGIONAL OFFICE
MICROFILMED

ADAMS COUNTY LEADER

— Serving This Area Since 1904 —

BERT J. and SHIRLEY J. ROGERS

Editors and Publishers

COUNCIL, IDAHO 83612

April 19, 1980

Dear Karla;

Sending a proof of the Legals published this week in our paper could you check name in Amended Application for Permit I was wondering is the name should be Roberta instead of the way the copy spelled it... Application No. 67-7485..

thank you,

ms Bert (Shirley) Rogers

Adams County Leader

Box 23

Council, Idaho 83612

If we don't hear from your office we will assume it is correct.

*We know most of the persons personally
but I don't know this lady **

APPLICATION FOR PERMIT
Notice is hereby given that Application No. 67-7485, in the name of Austin B. &/or Ruth E. Robbins of Cambridge, was filed on 3/4/80 for the diversion of 1.68 cfs from the Little Weiser River, with a point of diversion within the NE 1/4 SW 1/4, Sec. 1, T. 14N, R. 2W, to be used for irrigation purposes from 4/1 to 6/15, within portions of Sec. 16 & 17, T. 14N, R. 2W.
The applicant now proposes to amend the application by changing the period of use to April 1 thru November 15.
Any protest against the approval of the proposed amendment must be filed with the Dept. of Water Resources, 92 S. Cole Road, Boise, Idaho 83709 on or before May 5, 1980.
C. STEPHEN ALLRED
Director
Published 4/17 and 4/24/1980.

NOTICE OF AMENDED APPLICATION FOR PERMIT
Notice is hereby given that Application No. 67-7485, in the name of John &/or Roberta Schwenk of Cambridge, was filed on 3/4/80 for the diversion of 1.70 cfs from the Little Weiser River, with a point of diversion within the NE 1/4 SW 1/4, Sec. 1, T. 14N, R. 2W, to be used for irrigation purposes from 4/1 to 6/15, within portions of Sec. 15, T. 14N, R. 2W.
The applicant now proposes to amend the application by changing the period of use to April 1 thru November 15.
Any protest against the approval of the proposed amendment must be filed with the Dept. of Water Resources, 92 S. Cole Road, Boise, Idaho 83709 on or before May 5, 1980.
C. STEPHEN ALLRED
Director
Published 4/17 and 4/24/1980.

SHOP LEADER ADVERTISERS

IT PAYS!!!

APR 19 1980

Department of Water Resources

Water Resources Office

RECEIVED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of applicant JOHN AND/OR ROBERTA SCHWENKFELDER Phone 257-3511

Post office address Star Route, Cambridge, ID 83610

2. Source of water supply Little Weiser River which is a tributary of Weiser River

3. Location of point of diversion is NE $\frac{1}{4}$ of SW $\frac{1}{4}$ of Section 1 Township 14N

Range 2W B.M. Adams County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 1.70 for irrigation purposes from 4-1 to 6-15 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 1.70 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. Diversion dam with gravity ditch
to pump and sprinkler system.

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir
capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial
use is 5 years (minimum 1 year — maximum 5 years).

8. Description of proposed uses:

a. If water is **not** for irrigation:


(1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____
Range _____ B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be
supplied with domestic water _____.

(5) If water is to be used for other purposes describe: _____



MAR 6 1980

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

[illegible]

Total number of acres to be irrigated 85

c. Describe any other water rights used for the same purposes as described above.

9. a. Who owns the property at the point of diversion Applicant


b. Who owns the land to be irrigated or place of use Applicant

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing

10. Remarks

[illegible]

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

John W. Schwankfelder
(Applicant)

Received by EOB Date 4 March 80 Time 3 PM

Preliminary check by 665 Fee \$ 45.00 # 271

Receipted by mm Date 3-4-80

Publication prepared by KK Date 3/13/80

Published in Adams City Leader

Publication dates 3/20 & 3/27/80

Publication approved j Date 4-9-80

Protests filed by: _____

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by _____

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other: _____

Witness my hand this _____ day of _____, 19 ____.

Director

PUBLISHER'S AFFIDAVIT

STATE OF IDAHO)

County of Washington)

Stuart ss.

~~Alan~~ V. Dopf, being first duly sworn, deposes and says: That he is the editor and publisher of The Upper Country News-Reporter, a weekly newspaper published at Cambridge, Idaho, in the County of Washington, State of Idaho; that said newspaper is in general circulation in the county of aforesaid and is a legal newspaper; that the advertisement, a copy of which is hereto attached, was published in said newspaper once a week for two consecutive weeks in the regular and entire issue of every number thereof during the period and time of publication, and was published in the newspaper proper and not in a supplement; and that publication of such notice began March

20, 1980, and ended March

27, 1980.

Stuart Dopf

Subscribed and sworn to before me, a Notary Public in and for the County of Washington, and the State of Idaho, this 28th day of March, 1980.

John A. Wood, Notary Public
My commission expires May 23, 1982.

NOTICE OF APPLICATION FOR A WATER RIGHT

Notice is hereby given that the following application has been submitted for a permit to appropriate the public waters of the State of Idaho:

No. 67-7485

SCHWENKFELDER, JOHN &/or ROBERTA, STAR ROUTE, CAMBRIDGE, ID 83610.

Source: LITTLE WEISER RIVER tributary to WEISER RIVER.

Date Filed: 3/4/1980.

Amount: 1.70 CFS.

Diversion Point: NESW Sec. 1 T 14N R 2W, ADAMS Co.

Use: IRRIGATION (1.70 CFS) from 4/1 to 6/15.

Place of Use: SWNW NW SE SW NWSW SWSW NWSE Sec. 15 T-14N R-2W FOR 85 ACRES.


Diversion Means: DIVERSION DAM W/GRAVITY DITCH TO PUMP & SPRINKLER SYSTEM.

If issued, the permit will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 92 S. Cole Road, Boise, Idaho 83709 on or before APRIL 7, 1980.


C. STEPHEN ALLRED
Director

Publish 3/20 & 3/27/80.

RECEIVED



"NOT TO SCALE"



ABS

LARY C. WALKER
KIM R. LINDQUIST

LARY C. WALKER
ATTORNEY AT LAW
232 EAST MAIN STREET
POST OFFICE BOX 828
WEISER, IDAHO 83672

TELEPHONE
AREA CODE 208
549-0390

April 29, 1980

Department of Water Resources
State of Idaho - Western Region
92 South Cole Road
Boise, Idaho 83705

Re: Robbins Claim No. 67-7483 vs. Little Weiser Irrigation
District

and

Schwenkfelder Claim No. 67-7485 vs. Little Weiser
Irrigation District

Dear Sirs:


Please be advised that I represent the Little Weiser Irrigation District and would appear for them in the event of a conference and/or hearing on the above-referenced water claimed by the Robbins and Schwenkfelders. I would, therefore, appreciate having a copy of all future communication in reference to this case and in reference to a hearing on the matter to be sent to this office.

Thank you.

LARY C. WALKER LAW OFFICE

Lary C. Walker
Lary C. Walker

LCW:jw



Department of Water Resources
Western Regional Office

May 19, 1992

JOHN SCHWENKFELDER
ROBERTA SCHWENKFELDER
3381 SCHWENKFELDER RD.
CAMBRIDGE ID 83610

RE: Water Right No. 67-07485

Dear Water Right Holder(s):

Department water right records show that you divert water from the Snake River or its tributaries under a water right that has a priority date later than December 29, 1976. This is the priority of the established minimum stream flow of the Snake River at the Weiser Gage (Weiser) in the amount of 4,750 cubic feet per second.

Because of the continuing drought conditions in the Snake River Basin, department hydrologists project that during 1992, there could be periods when the required minimum flow will not be satisfied due to low flows of the Snake River. The department urges you to not divert at a higher rate than authorized by your water right and to not use your right in any manner different than authorized. In addition, when the minimum flow will not be satisfied or is not being satisfied, you are required to cease diverting water under your water right, because your right is of later priority than the minimum stream flow at Weiser.

If the department determines the minimum flow will not be satisfied, the department will advise you and will provide as much lead time as possible in requiring that you temporarily cease your diversion of water. The greatest likelihood for this to occur is during a period from mid-June to late June.

While the department expects good cooperation from junior water right holders, water users should be aware that Section 42-352, Idaho Code, provides for penalties of up to \$100 per day for unauthorized diversions of water.

The department has contacted both the Idaho Power Company and the U.S. Bureau of Reclamation with respect to the timing of storage releases from upstream reservoirs for flow enhancement

purposes. This type of coordination could minimize the impact on existing water users and reduce the need to curtail diversions.

The department has scheduled public information meetings relative to this potential regulation as follows:

Mountain Home - June 4, 1992 - 10:00 a.m. - gymnasium at
North Elementary School, 290 E. 12th N.

Caldwell - June 4, 1992 - 7:00 p.m. - Ballroom in the
Student Union Building, Albertson College of Idaho,
2112 Cleveland

If you have questions concerning this letter or wish to provide the name of a different contact person or address to receive department correspondence, please contact the department.

Sincerely,

L. GLEN SAXTON
Chief, Water Allocation Bureau

LGS:klg

August 27, 1990

JOHN SCHWENKFELDER
ROBERTA SCHWENKFELDER
3381 SCHWENKFELDER RD.
CAMBRIDGE, ID 83610

RE: PERMIT NO. 67-07485

Dear Permit Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit along with a copy of your approved application for amendment.

Should you have any questions regarding these documents, please feel free to contact our office.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure


RECEIVED
FILMED

SEP 19 1990

3381 Schwentzfelder Rd
Cambridge, Id 83610

new
address

State of Idaho
Dept. of Water Resources
1301 N. Orchard
Statehouse mail
Boise, Idaho 83720



July 19, 1990

JOHN SCHWENKFELDER
ROBERTA SCHWENKFELDER
HC 68 BOX 2100
CAMBRIDGE, ID 83610

RE: PERMIT NO. 67-07485

Dear Permit Holder(s):

The above referenced water right is in the process of being licensed. However, before a license can be issued, your permit must be amended to correspond with the findings of the Department's field examiner.

The enclosed application for amendment contains information that will be included on the license when it is issued. Please review carefully and if you concur, sign the amendment and return with the \$20.00 filing fee within 30 days.

If you do not concur with these findings or if you have any questions, please contact us within the 30-day period.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MICROFILMED

SEP 19 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
FEB 13 1990

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 67-7485

1. Owner: JOHN AND/OR ROBERTA SCHWENFELDER Phone No. 257-3511
Current Address: H.C. 68 BOX 2100, CAMBRIDGE ID. 83610
2. Accompanied by: ROYCE SCHWENFELDER EXAM. DATE: 7/28/88
Address: H.C. 68 BOX 2130 CAMBRIDGE Phone No. 257-3591
Relationship to Permit Holder: SON OF PERMIT HOLDER


3. Source: LITTLE WEISER RIVER tributary to WEISER RIVER

B. OVERLAP REVIEW

1. Other water rights with same place of use: NUMEROUS RIGHTS IN THE SAME 1/4'S.
BUT ALL ARE FOR LAND BELOW THE DITCH. THIS PERMIT IS FOR LAND ABOVE THE DITCH. ☐ Copies Attached
2. Other water rights with same point of diversion: POINT OF DIVERSION
IS THE SAME AS SCHWENFELDER DITCH WHICH THEIR ARE NUMEROUS RIGHTS FROM. ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



MICROFILMED

SEP 19 1990

Scale: 1" = NO SCALE

2. ☒ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required). ☒ Aerial Photo Attached (required for irrigation of 10 acres or more)
- ☒ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater).

System Description (continued)

3. **Narrative:** Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

EXTRA WATER IS BROUGHT DOWN THE OLD EXISTING DITCH (SCHWENFELDER DITCH), AND THEN PUMPED ONTO LAND FOR THIS PERMIT ABOVE THE DITCH WITH CENTRIFUGAL PUMPS⁴⁹ RUN BY ELECTRIC MOTORS. HANDLINES ARE USED TO IRRIGATE THE LAND. THERE ARE TWO DIFFERENT DIVERSION POINTS FROM THE DITCH; ONE HAS A 20 HP MOTOR PUMPING INTO A 4" SPRINKLER LINE. THE OTHER DIVERSION POINT HAS 2-30 HP pumps. BOTH^{ARE} USING THE SAME 10" SUCTION

See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
#1 { A	CENTURY	30	PART 2 6-323052-01	BERKELEY	797 2177
{ B	CENTURY	30	6-324763-62	CORNELL	36366
#2	GENERAL ELECT	20	254TCB	CORNELL	13495

*Code to correspond with No. on map and aerial photo

5. **Point(s) of Diversion:**

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
					1	14N	2W	Adams Washington	RITE 3/8/90 USGS QUAD & AERIAL PHOTO

6. **Place(s) of Use:**

Indicate Method of Determination

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
14N	2W	15			1.5	19.5		4	.5	18	37			4.5					85 ac

MICROFILMED

SEP 19 1990

Do not use this space

Do not use this space

D. FLOW MEASUREMENTS

☒ Additional Data Sheets Attached

1.

Measurement/Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
ANNUBAR			ST. 10 th	091403	6"	
COX/HALL			ST. 10 th	120381	2"5"	
MANOMETER		IDWR			6 FT	

2. Measurements:

- SEE SUPPLEMENT SHEETS

#2 NELSON HEADS 9/4 NOZZLES 70 PSI 63 HEADS

* AT HEAD OF DITCH MEASURED 45 FT ON 5 FT PARSHALL FLUME = 4.53 cfs > 1.7 cfs
O.K. ✓

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

- Measured Method: ANNUBAR + COX/HALL → 1.65 + .61 cfs = 2.26 cfs
85 ac @ .02 cfs/ac = 1.7 cfs
- Alternate Method for Checking Purposes:

F. PUMP EFFICIENCY DATA (Optional)

#1

#2 SEE COX/HALL SUPPLEMENTAL SHEET

Discharge Pressure: 50 psi x 2.31 = 115.5 ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = 112.5 (3) A 1 REV 10 SEC B 3 FT OF HEAD PUSHING INTO PUMP
Flow rate: 1.65 cfs (4)

Water HP: (3) x (4) ÷ 8.8 = 21.09 (5)

Meter Input KW: 3.6 x 57.6 KH x _____ CTR or _____ MULT x _____ PTR x 2 N/ 10.25 T = 40.46 (6)

Meter Input HP: (6) x 1.34 = 54.22 (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = 39 %

B. ALONE

G. VOLUME CALCULATIONS

.9 cfs → WATER HP = 11.5 / 25.03 = 46 %

1. Volume Calculations for Irrigation:

V_{I.R.} = (Acres Irrigated) x (Irrigation Requirement) = 85 ac x 4.0 afa/ac = 340 afa

V_{D.R.} = [Diversion Rate (cfs)] x (Days in Irrigation Season) x 1.9835 = 1.7 cfs x 229 days x 1.98 = 772 afa

V = Smaller of V_{I.R.} and V_{D.R.} = 340 afa

2. Volume Calculations for Other Uses:

N/A

MICROFILMED

SEP 19 1990

H. REMARKS AND OVERLAP REVIEW ANALYSIS

LINE AND BOTH PUMPING INTO THE SAME 6" MAINLINE.

- IN THE MICROFISH THERE IS A NOTE THAT 5 acres
IN SEC 15 ARE COVERED IN THE MUIR-ALLISON DECREE,
BUT THESE ACRES FOR THIS ARE ALL ABOUT THE
DITCH AND WERENT IRRIGATED AT THE TIME OF
THE DECREE, SO I FIND NO OVERLAP.

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
IRRIGATION	4/1	11/15	1.7 cfs	340 afa
Totals:			1.7 cfs	340 afa

2. Recommended Amendments

- ☐ Change P.D. as reflected above ☐ Add P.D. as reflected above
☒ Change P.U. as reflected above ☐ Add P.U. as reflected above

☒ None

☐ Other

J. AUTHENTICATION

Field Examiner's Name QUENTIN NESBITT
JFW 1-31-90 Signature Quentin Nesbitt
Certification Date _____
Field Report Preparation Date 8-17-88



K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

MICROFILMED

SEP 19 1990

1

State of Idaho
DEPARTMENT OF WATER RESOURCES
SUPPLEMENTAL FIELD REPORT FOR ANNUBAR MEASUREMENT

Measured by: QUENTIN NESBITT

Date 7/28/88

Owner: ROYCE SCHWENKFELDER

Permit No. 67-7485

MEASUREMENT PORT

Direct

Description of well &/or measuring site

- Include any clarifications of the sketch
- Include legal description if more than one p.d. is described in the Field Report

MEASURED INSIDE PIPE DIAMETER IN INCHES (ID)

CIR = Pipe Circumference in inches = _____

T = Pipe Thickness in inches = _____

ID = 2 [(0.1592 X CIR) - T] = ... 6"

ANNUBAR DESCRIPTION & CONSTANT (C)

Size Used in Test 6"

State ID No. 091403

Select C based on size from Table below.

Nominal Pipe Size	C
4"	4.23
6"	<u>3.75</u>
8"	3.87
10"	3.94
12"	3.99
14" - 16"	4.01
18" - 24"	4.02
30" or larger	4.03

C selected 3.75

DIFFERENTIAL PRESSURE READING IN INCHES OF H₂O (H)

High Reading = 46

Low Reading = 16

High - Low = H = ... 30"

CALCULATION OF DISCHARGE IN CFS (Q)

$$Q = \frac{(ID)^2 \cdot (\sqrt{H}) \cdot (C)}{448.8}$$

$$Q = \frac{(6)^2 \cdot (\sqrt{30}) \cdot (3.75)}{448.8} = 1.65 \text{ cfs}$$


739.4 G.P.M

82.38 INCHES

MICROFILMED

SEP 19 1990

SKETCH (If not shown on Field Report)



#2

State of Idaho
DEPARTMENT OF WATER RESOURCES
SUPPLEMENTAL FIELD REPORT FOR COX/HALL MEASUREMENT

Measured by: QUENTIN NESBITT

Date: 7/28/88

Owner: ROYCE SCHWENFELDER

Permit No. 67-7485

Description of well &/or measuring site

- Include any clarifications of the sketch
- Include legal description if more than one p.d. is described in the Field Report

- MEASURED IN 4" ALUMINUM SPRINKLER LINE.

MEASURED INSIDE PIPE RADIUS IN INCHES (IR)

CIR = Pipe Circumference in Inches = _____

T = Pipe Thickness in Inches = _____

IR = [(0.1592 X CIR) - T] = ... 2"

DIFFERENTIAL PRESSURE READING IN INCHES OF H₂O (H)

High Reading = 46 1/2

Low Reading = 26 1/2

High - Low = H = ... 20"

COX/HALL DESCRIPTION & FACTOR DETERMINATION (H#)

State ID No. 120381

Size of tip used 4"

Number of holes in meter taped or blocked 1

To determine Cox/Hall Factor (H#) use table to the right. Using the Differential Pressure Reading (H) find appropriate Row and Column to determine (H#). (example: H = 12.4 then H# = 17.0)

Determine (H#) and enter here: 21.9


CALCULATION OF DISCHARGE IN CFS (Q)

$$Q = \frac{(3.1416)(IR)^2(H\#)}{(448.8)}$$

$$Q = \frac{(3.1416)(2)^2(21.9)}{(448.8)} = .61 \text{ CFS}$$

SKETCH (If not shown on Field Report)

DITCH



30.7 MINUTES
275.2 G.P.M.
SEP 19 1990

WATER H₀ = 12.15


METER INPUT 17.37


70% EFFICIENT

	.0	.1	.2	.3	.4	.5	.6	.7	.8	.9
1	0.0	0.8	1.3	1.8	2.2	2.5	2.9	3.3	3.7	4.0
2	4.3	4.5	4.8	5.0	5.2	5.4	5.6	5.8	6.0	6.2
3	6.3	6.5	6.7	6.9	7.0	7.2	7.3	7.5	7.6	7.7
4	7.9	8.0	8.2	8.3	8.5	8.6	8.7	8.8	9.0	9.1
5	9.3	9.4	9.5	9.6	9.7	9.8	10.0	10.1	10.2	10.3
6	10.4	10.5	10.6	10.7	10.9	11.0	11.1	11.2	11.3	11.4
7	11.5	11.6	11.7	11.8	11.9	12.0	12.1	12.2	12.3	12.4
8	12.5	12.6	12.7	12.8	12.9	13.0	13.1	13.2	13.3	13.4
9	13.5	13.5	13.6	13.7	13.8	13.9	14.0	14.0	14.1	14.2
10	14.3	14.4	14.5	14.5	14.6	14.7	14.8	14.9	15.0	15.0
11	15.1	15.2	15.3	15.4	15.5	15.5	15.6	15.7	15.8	15.9
12	15.9	16.0	16.1	16.2	16.3	16.3	16.4	16.5	16.5	16.6
13	16.7	16.7	16.8	16.9	17.0	17.0	17.1	17.2	17.3	17.3
14	17.4	17.5	17.5	17.6	17.7	17.8	17.8	17.9	18.0	18.1
15	18.1	18.2	18.3	18.3	18.4	18.5	18.5	18.6	18.7	18.7
16	18.8	18.9	18.9	19.0	19.1	19.1	19.2	19.3	19.3	19.4
17	19.5	19.5	19.6	19.6	19.7	19.7	19.8	19.9	19.9	20.0
18	20.1	20.1	20.2	20.2	20.3	20.4	20.4	20.5	20.5	20.6
19	20.7	20.7	20.8	20.9	20.9	21.0	21.0	21.1	21.2	21.2
20	21.3	21.3	21.4	21.4	21.5	21.6	21.6	21.7	21.7	21.8
21	21.9	21.9	22.0	22.0	22.1	22.2	22.2	22.3	22.3	22.4
22	22.4	22.5	22.5	22.6	22.6	22.7	22.7	22.8	22.9	22.9
23	23.0	23.0	23.1	23.1	23.2	23.2	23.3	23.4	23.4	23.5
24	23.5	23.6	23.6	23.7	23.7	23.8	23.8	23.9	23.9	24.0
25	24.0	24.1	24.2	24.2	24.3	24.3	24.4	24.4	24.5	24.5
26	24.6	24.6	24.7	24.7	24.8	24.8	24.9	24.9	25.0	25.0
27	25.1	25.1	25.2	25.2	25.3	25.3	25.4	25.4	25.5	25.5
28	25.6	25.6	25.7	25.7	25.8	25.8	25.9	25.9	26.0	26.0
29	26.1	26.1	26.2	26.2	26.3	26.3	26.4	26.4	26.5	26.5
30	26.6	26.6	26.7	26.7	26.8	26.8	26.9	26.9	27.0	27.0
31	27.0	27.1	27.1	27.2	27.2	27.3	27.3	27.4	27.4	27.5
32	27.5	27.5	27.6	27.6	27.7	27.7	27.8	27.9	27.9	28.0
33	28.0	28.0	28.1	28.1	28.2	28.2	28.3	28.3	28.4	28.4
34	28.4	28.5	28.5	28.6	28.6	28.7	28.7	28.8	28.8	28.9
35	28.9	28.9	29.0	29.0	29.0	29.1	29.1	29.2	29.2	29.3
36	29.3	29.3	29.4	29.4	29.4	29.5	29.5	29.6	29.6	29.7
37	29.7	29.7	29.8	29.8	29.9	29.9	30.0	30.0	30.1	30.1
38	30.1	30.2	30.2	30.3	30.3	30.4	30.4	30.5	30.5	30.6
39	30.6	30.6	30.7	30.7	30.8	30.8	30.9	30.9	31.0	31.0
40	31.0	31.0	31.1	31.1	31.2	31.2	31.3	31.3	31.4	31.4
41	31.4	31.5	31.5	31.5	31.6	31.6	31.7	31.7	31.8	31.8
42	31.8	31.9	31.9	31.9	32.0	32.0	32.1	32.1	32.2	32.2
43	32.2	32.3	32.3	32.3	32.4	32.4	32.5	32.5	32.6	32.6
44	32.6	32.6	32.7	32.7	32.7	32.8	32.8	32.9	32.9	33.0
45	33.0	33.0	33.1	33.1	33.2	33.2	33.3	33.3	33.4	33.4
46	33.4	33.5	33.5	33.5	33.6	33.6	33.7	33.7	33.8	33.8
47	33.8	33.9	33.9	33.9	34.0	34.0	34.1	34.1	34.2	34.2
48	34.2	34.2	34.3	34.3	34.3	34.4	34.4	34.5	34.5	34.6
49	34.6	34.6	34.7	34.7	34.7	34.8	34.8	34.9	34.9	35.0

PUMP EFFICIENCY:
K_H = 57.6
2 FT/FT
1 REV/16 SEC
75 PSI

Point of Diversion MAP





PLACE OF USE
MAP

#67-7485

SALUBRIA


VALLEY

LITTLE

PUMP
STATION

PUMP
STATION

P.U.





67-7485




P.U.
LOOKING
NORTH
P.U. - ELEVATION
(41)

MICROFILMED

SEP 19 1990

67-7485



P.D.

FOR

SEARCHED

#2

MICROFILMED

SEP 19 1990

67-7485



P.D.
PUMP STATION

(H) 1



P.D.
PUMP STATION


(H)

NEED
TO
BE
REMOVED

67-7485



P.D.



10 -
MAY 1960

MT. WHEAT
FLUME

SEP 19 1990

RECEIVED
SEP 19 1990

4/86
RECEIVED
MAY 27 1987

Department of Water Resources
Western Regional Office

RECEIVED

JUN 18 1987

STATE OF IDAHO
Department of Water Resources
DEPARTMENT OF WATER RESOURCES

EXAMINATION FEE INFORMATION

For Office Use Only ^{OK}
Fee Received 125
Date 6-5-87
Receipt # 44914
Receipt by SL
Sent to S.O. 6/8/87 @ H

1. Permit No. 67-7485

ONE OF THE FOLLOWING BOXES SHOULD BE MARKED TO DESIGNATE YOUR CHOICE:

☒ I choose to have the department make the field examination of this permit; attached is the examination fee. (If this box is marked, complete items 1 thru 8.)

2. Permit Holder: John and/or Roeberta Schwenkfelder

3. Post Office Address: HC 68 Box 2100
Cambridge, Idaho 83610 Telephone No. 257-3511 ~~257-3591~~

4. Source of Water: Little Weiser River

5. Extent of Use:

Domestic _____ (No. of households) Stockwater _____ (No. and type of stock)

Irrigation 85 (acres) Other/Remark _____

6. Total rate &/or volume for which proof is submitted 1.70 cfs 2000 acre-feet
Per annum

7. Show the date water was first diverted and beneficially used under this permit:

May 15, 1982

8. Person to contact to accompany the department representative during the field examination:

Royce Schwenkfelder (Name) SEP 19 1990

HC 68 Box 2130 (Address) Cambridge, Idaho 257-3591 (Telephone Number)

☐ I choose to have the field examination conducted by a certified water right examiner. Attached is a statement from the certified examiner I have selected verifying that he has been retained to conduct the examination. (If this box is marked, complete items 1 thru 7.)

May 26, 1987
Date

John W. Schwenkfelder
Signature of Permit Holder (and title, if appropriate)

State of Idaho

Department of Water Resources

LICENSE EXAMINATION FEE SCHEDULE

(c.f.s. = cubic feet per second
AF = acre feet)

cfs	AF	Fee
0 - 0.04	0 - 4	\$ 0
.05 - 0.20	5 - 20	50.00
.21 - 1.0	21 - 100	100.00
✓ 1.01 - 2.0	101 - 200	125.00 ✓
2.01 - 3.0	201 - 300	150.00
3.01 - 4.0	301 - 400	175.00
4.01 - 5.0	401 - 500	200.00
5.01 - 6.0	501 - 600	225.00
6.01 - 7.0	601 - 700	250.00
7.01 - 8.0	701 - 800	275.00
8.01 - 9.0	801 - 900	300.00
9.01 - 10.0	901 - 1000	325.00
10.01 - 11.0	1001 - 1100	350.00
11.01 - 12.0	1101 - 1200	375.00
12.01 - 13.0	1201 - 1300	400.00
13.01 - 14.0	1301 - 1400	425.00
14.01 - 15.0	1401 - 1500	450.00
15.01 - 16.0	1501 - 1600	475.00
16.01 - 17.0	1601 - 1700	500.00
17.01 - 18.0	1701 - 1800	525.00
18.01 - 19.0	1801 - 1900	550.00
19.01 - 20.0	1901 - 2000	575.00
20.01 & over	2001 & over	600.00

Checks should be made payable to the
Department of Water Resources

No fee is required for single family
domestic use or stockwater use.



State of Idaho
DEPARTMENT OF WATER RESOURCES
Western Region

Cecil D. Andrus
Governor

2735 Airport Way
Boise, Idaho 83705
(208) 334-2190

67-7485
SCHWENKFELDER, JOHN
SCHWENKFELDER, ROBERTA
HC 68 BOX 2100
CAMBRIDGE, ID 83610

138272

April 10, 1987

CERTIFIED MAIL

EXAMINATION FEE NOTICE

Dear Permit Holder:

Department records show that proof of beneficial use has been submitted for the above-referenced permit, but that a field examination has not yet been conducted to determine the extent of beneficial use of the water for licensing purposes.

House Bill 671 (effective April 4, 1986) enacted by the 1986 Idaho Legislature requires the payment of a fee before this department can conduct the field examination needed to issue a license confirming use of water under the permit. This letter is notification that the license examination fee is due within sixty (60) days of the date of this letter. The examination fee information sheet (enclosed) must be returned with the fee.

As an alternative to submitting the fee, the department will accept a field examination report completed by a certified water right examiner from the private sector. If you choose to have the examination done by a certified water right examiner, you need not submit the license examination fee to the department, but you must within sixty (60) days of the date of this letter return to the department, the examination fee information sheet showing appropriate information together with a statement from the certified examiner to verify that you have retained a certified examiner to conduct the field examination. If you choose this alternative, a completed field examination report must be submitted within one year of the date of this letter. You cannot later change your decision to use this alternative and submit the fee needed for the department to conduct the field examination, but you may change to another certified examiner.

MICROFILMED

SEP 17 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Western Region

Statehouse
Boise, Idaho 83720
(208) 334-2190

OCTOBER 10, 1985

JOHN SCHWENKFELDER
HC 68 BOX 2100
CAMBRIDGE ID 83610

RE: Permit No. 67-7485

Dear Permit Holder:

We acknowledge receipt of your statement submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this department.

A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office by phone at 334-2190 or in person in the third floor State Towers Building, 450 West State Street, Boise.

Sincerely,
s/Judy Pense
Secretary

MICROFILMED

SEP 19 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
COMMENCEMENT OF WORKS

Permit No. 67-7485
Name(s) of Permit Holder(s): John W. Schweinfelder
Post Office Address: or Roberta Schweinfelder
Cambridge, Idaho Tel. No. 57-3511

☒ I hereby certify that construction of diversion works for the above referenced permit began on Apr. 19, 1982 (date). I understand that I must continue to develop the water system with due diligence to maintain a valid permit.

☐ I hereby certify that construction of diverting works on the above referenced project has not yet begun due to the following reason beyond my control:



*Note: A financing difficulty is not an acceptable reason.

July 1, 1982
Date

Completed
John W. Schweinfelder
Signature of Permit Holder

John W. Schweikfelder

Cambridge, Idaho



RECEIVED

JUL 8 1982

Department of Water Resources



MICROFILMED

SEP 19 1990

IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
PROOF OF BENEFICIAL USE

RECEIVED
MAY 30 1985

Department of Water Resources

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed development under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below:

Permit No. 67-7485

Name(s) of Permit Holder: John & Roberta Schwenkfelder
HC 68 Box 2100

Post Office Address: Cambridge, Idaho

Telephone No. 257-3511

Source of Water: Little Weiser River or Ben Ross Res.

Extent of Use:

Domestic _____ (number of households)

Stockwater _____ (number and type of stock)

Irrigation 55 _____ (acres)

Other/Remarks _____

Indicate the date water was first diverted and beneficially used under this permit: May, 20, 1981

Measuring Device: Required? ☒ Yes ☐ No
Installed? ☐ Yes ☐ No

Flow Measurement Port: Required? ☐ Yes ☒ No
Installed? ☐ Yes ☐ No

Person to contact to accompany the Department representative during the field examination:

<u>Royce Schwenkfelder</u> or <u>John Schwenkfelder</u>	
<u>HC 68 Box 2130</u> (Tel. <u>257-3591</u>)	(Name) <u>HC 68 Box 2100</u> (Tel. <u>257-3511</u>)
<u>Cambridge, Idaho</u>	<u>Cambridge, Idaho</u>
(Address)	(Telephone Number)

The above information is a true statement of the extent to which the above numbered permit has been developed.

Date 5/29/85
Signature of Permit Holder (and Title, if appropriate) John W. Schwenkfelder

MICROFILMED

John W. Schwentkfelder
HC 68 Box 2100
Cambridge, Idaho



USA
22



Reticulated Helmet

Idaho Department of Water Resources
Statehouse Mail
Boise, ID 83720

S T E O F I D A H O
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
CERTIFIED MAIL

138867

SCHWENKFELDER, JOHN & ROBERTA
STAR RT.
CAMBRIDGE, ID 83610

PROOF DUE NOTICE

MARCH 31, 1985

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF YOUR WATER PERMIT NO. 67-7485 WAS THAT PROOF OF THE EXTENT OF YOUR BENEFICIAL USE MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE JUNE 01, 1985. (SEE LAST PAGE OF YOUR APPROVED PERMIT OR YOUR LAST APPROVED EXTENSION REQUEST). ENCLOSED IS A FORM WHICH MAY BE USED TO SUBMIT THE REQUIRED PROOF.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU OR A PREVIOUS OWNER OF THIS PERMIT HAVE NOT RECEIVED A PRIOR EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME IF THE DELAY IS FOR REASONABLE CAUSE AS PROVIDED IN SECTION 42-204, IDAHO CODE. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED. AN EXTENSION OF TIME REQUEST FORM IS ENCLOSED FOR YOUR CONVENIENCE.

EITHER THE BENEFICIAL USE FORM OR A REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE DESCRIBED PROOF DUE DATE. IF NEITHER IS RECEIVED, THE DEPARTMENT WILL SEND YOU A LAPSE NOTICE. WITHIN SIXTY (60) DAYS OF THE MAILING OF THE LAPSE NOTICE, THE PERMIT WILL NO LONGER BE OF ANY FORCE NOR EFFECT.

SINCERELY,

RITA FLECK
SECRETARY/RECORDS MANAGER

ENCLOSURES

ENCLOSURE

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440

SCHWENKFELDER, JOHN & ROBERTA
STAR ROUTE
CAMBRIDGE, ID 83610

JULY 10, 1980

RE: PERMIT NO. 67-7485

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

BE SURE TO NOTE THE SPECIAL CONDITION REQUIRING YOU TO INSTALL AND MAINTAIN A MEASURING DEVICE AT YOUR POINT OF DIVERSION. WE HAVE ENCLOSED A DESCRIPTION OF THE DIFFERENT TYPES OF MEASURING DEVICES ACCEPTED BY THIS OFFICE.

PLEASE BE ADVISED THAT THERE IS INSUFFICIENT NATURAL FLOW AVAILABLE IN THE LITTLE WEISER RIVER AND TRIBUTARIES TO PROVIDE WATER FOR A NEW APPROPRIATION THROUGHOUT THE ENTIRE SEASON OF USE. DURING THE SPRING RUN-OFF EACH YEAR, THERE MAY BE A PERIOD OF TIME IN WHICH THE PRIOR RIGHTS TO THE USE OF THE NATURAL FLOW AND STORAGE ARE FILLED LEAVING WATER AVAILABLE FOR YOUR PERMIT. AS THE NATURAL FLOW DIMINISHES, HOWEVER, THERE MAY BE NO WATER AVAILABLE FOR YOUR RIGHT UNLESS YOU ARRANGE FOR AN ADDITIONAL SOURCE OF WATER AS A SUPPLEMENTAL SUPPLY.

THE EXERCISE OF THIS PERMIT MAY ALSO BE AFFECTED BY THE COURT'S DETERMINATION OF WATER RIGHTS IN THE CASE OF IDAHO POWER COMPANY V. STATE OF IDAHO, ET AL., CIVIC NO. 62237, CURRENTLY PENDING BEFORE THE DISTRICT COURT OF ADA COUNTY. SINCE THE USE OF WATER UNDER YOUR PERMIT MAY AFFECT THE FLOWS IN THE SNAKE RIVER BETWEEN MILNER DAM AND HELLS CANYON, THE FINAL DECISION IN THIS CASE MAY DETERMINE TO WHAT EXTENT THE EXERCISE OF YOUR PERMIT IS SUBJECT TO WATER RIGHTS OF IDAHO IPower. WHILE THE ADA COUNTY COURT IS EXAMINING THIS QUESTION, IDAHO IPower COMPANY HAS NOT FILED A SPECIFIC PROTEST TO YOUR PERMIT. HOWEVER, THE DEPARTMENT OF WATER RESOURCES HAS BEEN ADVISED THAT THE POWER COMPANY IS NOT WAIVING ANY OF ITS RIGHTS TO CONTEST OR LIMIT THE EXERCISE OF YOUR PERMIT OR SUBSEQUENT LICENSE.

RECORDED

RE: PERMIT 67-7485

PAGE 01

JULY

10, 1980

WE HAVE ENCLOSED A FORM ENTITLED "MAKING PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT INTO A LICENSE.

SINCERELY,

DAVID R. TUTHILL, JR., P.E.
SUPERVISOR, WATER ALLOCATION SECTION

ENCLOSURE

RECEIVED
JUL 10 1980

4/4/80

TO FIELD EXAMINER:

THE 5 ACRES IN SEC 15,
14N, 2W ALREADY ~~APPLIED~~
HAVE .01 CTS/ACRE APPLIED.
TO IT FROM 67-0479 (MUIR
VS ALLISON DECREE).

$$\frac{1.70 \text{ cts}}{85 \text{ ac}} = 0.02 \text{ cts/ac} \quad \text{CW Bryan}$$

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: CW Bryan
CHECK:

APPLICATION NUMBER: 5 CHWENKFIELDER

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.
☐ Yes ☒ No Field check required.
☐ Yes ☒ No Critical groundwater area.
☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☐ Yes ☒ No* In form to receipt.

Field check by: _____
Date: _____
Comments: _____

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☐ Idaho State Health Department. Copies sent by: _____ Date: _____
☐ Idaho Fish and Game Department. _____
☐ Idaho Department of Lands. _____
☐ U.S. Bureau of Land Management. _____
☐ U.S. Forest Service. _____
☐ Other _____

PROCESSING:

- ☐ Yes ☐ No Platted by: _____ Map No. _____
☒ Yes ☐ No Other rights on same place of use. 67-0479 (Muir vs Allison)
DECKER) SACRES WITH 0.01 cfs/acre APPLIED.
☒ Yes ☐ No* In form for advertising.
Final date for protests: _____
☒ Yes ☐ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: April 28, 1980
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application.
☒ Publication dates and paper, recorded on application.
☒ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.
☒ Yes ☐ No Measuring device required.
☐ Yes ☒ No Access port required.
☒ Yes ☐ No Will water be delivered by watermaster? If yes, what district? 67A
3/4/80 Date of priority recommended.

Special conditions of approval or cover letter. I.P. letter
w. m. condition

USE this conclusion { No water shall be diverted under this permit after June 15
of each year unless the prior approval of the
watermaster is obtained.

By: DJS Date: 6/6/80

STATE OFFICE REVIEW:

05 (67A Little Weiser River), 01

104 102 105

- ☐ See attached sheet for more information.

By: Juni Date: 6/13/80

67-7483 - AUSTIN B. ROBBINS
67-7485 - JOHN &/or ROBERTA SCHWENKFELDER
67-7489 - DAVID F. DICKERSON
67-7494 - LLOYD F. &/or JOSEPHINE THOMASON
ADAMS COUNTY COURTHOUSE

THURSDAY, JUNE 5, 1980 at 10:30 A. M.

ROSTER OF ATTENDANCE

HEARING CONDUCTED BY Norm Young & Dave Shaw

Name	Address	Representing
------	---------	--------------

Steven R Keller	Weiser	visiting
-----------------	--------	----------

Larry C. Walker	Weiser -	Little Weiser
-----------------	----------	---------------

John W. Schwankfelder	Cambridge	myself
-----------------------	-----------	--------

Malcolm H. Huey	Idaho	Little Weiser Trng Dist
-----------------	-------	-------------------------

David Dickerson	Comb	Self
-----------------	------	------

Lloyd F. Thomson	Cambridge	~~Little Weiser~~ myself
------------------	-----------	---------------------------------

James Cole	Weiser Idaho	
------------	--------------	--

Otis Babcock	Indian Valley Id.	water master
--------------	-------------------	--------------

Robert H. Durnell	Cambridge	Dist 67 - Little Weiser
-------------------	-----------	-------------------------

Allen Buchanan	Indian Valley	Dist 67 - Little Weiser
----------------	---------------	-------------------------

Merle McKee	Cambridge	
-------------	-----------	--

Richard Higgins	Cambridge	
-----------------	-----------	--

Jerry Jaeger	Cambridge	
--------------	-----------	--

NOTED
JUN 11 1980

In the matter of protested applications)
for permits 67-7485 in the name of)
John d/or Roberta Schwankfelder,) Agreement
67-7489 in the name of David F.)
Dickerson and 67-7494 in the name)
of Lloyd F d/or Josephine Thomason)

We the undersigned hereby withdraw our
protest against the above referenced applications
for permits with the condition that no
water will be diverted under any of these
permits after June 15 without first
obtaining approval from the water master.

Signed this 5 day of June 1980 at
Weiser, Idaho.

Malcolm H. Kuey
Chairman of the Board
Little Weiser Irrigation District

We the undersigned agree to ~~use~~^{use} ~~the~~^{the} the
water under these permits with the above
conditions and recognize that all use of water is subject
to prior water rights and the control of the watermaster.

John W. Schwankfelder
David Dickerson
Lloyd F. Thomason

APPROVED

In the matter of protested applications)
for permits 67-7485 in the name of)
John d/or Roberta Schwankfelder,) Agreement
67-7489 in the name of David F.)
Dickenson and 67-7494 in the name)
of Lloyd F d/or Josephine Thomason)

We the undersigned hereby withdraw our
protest against the above referenced applications
for permits with the condition that no
water will be diverted under any of these
permits after June 15 without first
obtaining approval from the water master.

Signed this 5 day of June 1980 at
Weiser, Idaho.

Malcolm W. Kuey
Chairman of the Board
Little Weiser Irrigation District

We the undersigned agree to ~~use~~^{use} the
water under these permits with the above
condition and recognise that all use of water is subject
to prior water rights and the control of the watermaster.

John W. Schwankfelder
David Dickenson
Lloyd F. Thomason

RECORDED

67-7485 - Schwenkfelder 6/5/80
67-7487 - Dickerson Weiser.
67-7494 - Thomason
67-7483 - Robbins - did not show - will withdraw prot.
Prot. - Little Weiser Inv. Dist. - Lary Walker.

Lost Valley Sale makes it appear
there is more water available. - Lary Walker.

Schwenkfelder - some land already irrigated
in past - under sprinkler - irrigated late to
start fall grain - put additional lands
under irrigation (others have) some in & some
outside of district - Bounded all his land
for reservoir. - If reservoir is not filled
live flow is more important. This land
is not in district

Thomason - small project on North side
out of Wilkerson - Mickey Ditch - supplement
existing right (decreed right & storage)
have been taking more than 2" water in
past - others have used excess water
@ end of ditch to sprinkle $\approx$ 20 acres.
Now irrigate 5-6 acres - would like to
expand acres,
Stock & domestic is an existing
use since $\approx$ 1896
Lary Walker - Will ~~not~~ not object to water
as it has been used in passed.



Dickerson - Water on land already irrigated. Not included in ~~the~~ Muir Allison. Part is new ground.

'484

$\frac{102}{968}$

License #2211 - 1906 - not included in decree?

Jerry Jaeger - Reservoir was built to supply late water ~~of~~ since late water is not adequate.

Dickerson - Mostly grain - 80% done early in year - need some late to bring up new crops.

Reservoir turned on about 4th of July.

Reservoir licensed for about 6000 acres & irrigates about 10,000 acres.

Weiser river (Lost Valley) water comes in below last diversion for district.

10/10/10

No. 978114

RECEIPT FOR CERTIFIED MAIL

NO INSURANCE COVERAGE PROVIDED—
NOT FOR INTERNATIONAL MAIL

(See Reverse)

SENT TO		John H. Roberts Schwabfeld		
STREET AND NO.		Star Route		
P.O., STATE AND ZIP CODE		Cambridge, ID 83610		
POSTAGE		\$		
CONSULT POSTMASTER FOR FEES	CERTIFIED FEE	¢		
	SPECIAL DELIVERY	¢		
	RESTRICTED DELIVERY	¢		
	OPTIONAL SERVICES	SHOW TO WHOM AND DATE DELIVERED	¢	
		SHOW TO WHOM, DATE, AND ADDRESS OF DELIVERY	¢	
		SHOW TO WHOM AND DATE DELIVERED WITH RESTRICTED DELIVERY	¢	
		SHOW TO WHOM, DATE AND ADDRESS OF DELIVERY WITH RESTRICTED DELIVERY	¢	
TOTAL POSTAGE AND FEES	\$			
POSTMARK OR DATE		5/26/81		

PS Form 3800, Apr. 1976

MICROFILMED

**STICK POSTAGE STAMPS TO ARTICLE TO COVER FIRST CLASS POSTAGE,
CERTIFIED MAIL FEE, AND CHARGES FOR ANY SELECTED OPTIONAL SERVICES. (see front)**

1. If you want this receipt postmarked, stick the gummed stub on the left portion of the address side of the article, leaving the receipt attached, and present the article at a post office service window or hand it to your rural carrier. (no extra charge)
2. If you do not want this receipt postmarked, stick the gummed stub on the left portion of the address side of the article, date, detach and retain the receipt, and mail the article.
3. If you want a return receipt, write the certified-mail number and your name and address on a return receipt card, form 3811, and attach it to the front of the article by means of the gummed ends if space permits. Otherwise, affix to back of article. Endorse front of article **RETURN RECEIPT REQUESTED** adjacent to the number.
4. If you want delivery restricted to the addressee, or to an authorized agent of the addressee, endorse **RESTRICTED DELIVERY** on the front of the article.
5. Enter fees for the services requested in the appropriate spaces on the front of this receipt. If return receipt is requested, check the applicable blocks in item 1 of Form 3811.
6. Save this receipt and present it if you make inquiry.

PS Form 3811, Apr. 1977

RETURN RECEIPT, REGISTERED, INSURED AND CERTIFIED MAIL

SENDER: Complete items 1, 2 and 3.
Add your address in the "RETURN TO" space
reverse.

1. The following service is requested (check one).

- ☒ Show to whom and date delivered \$
☐ Show to whom, date, and address of delivery \$
☐ RESTRICTED DELIVERY
 Show to whom and date delivered \$
☐ RESTRICTED DELIVERY
 Show to whom, date, and address of delivery \$
 (CONSULT POSTMASTER FOR FEES)

2. ARTICLE ADDRESSED TO:

John & for Rebecca Schuenfelder
 Star Route
 Cambridge, ID 83610

3. ARTICLE DESCRIPTION:

REGISTERED NO.	CERTIFIED NO.	INSURED NO.
	778114	

(Always obtain signature of addressee or agent)

I have received the article described above.

SIGNATURE ☐ Addressee ☐ Authorized agent

4 *John W. Schuenfelder*

DATE OF DELIVERY


5-29-80

5. ADDRESS (Complete only if requested)

6. UNABLE TO DELIVER BECAUSE:

CLERK'S
INITIALS

Heating Notice: 67-7485



RECEIVED
MAY 29 1980

UNITED STATES POSTAL SERVICE
OFFICIAL BUSINESS

SENDER INSTRUCTIONS

Print your name, address, and ZIP CODE in the space below:

- Complete items 1, 2, and 3 on the reverse.
- Moisten gummed ends and attach to front of article if space permits. Otherwise affix to back of article.
- Endorse article "Return Receipt Requested" adjacent to number.

PENALTY FOR PRIVATE
USE TO AVOID PAYMENT
OF POSTAGE \$300



RETURN
TO



IDAHO DEPARTMENT OF WATER RESOURCES
WESTERN REGION OFFICE

92 SOUTH COLE ROAD
BOISE, IDAHO 83709

(Street or P.O. Box)

(City, State, and ZIP Code)

BEFORE THE DIRECTOR OF THE DEPARTMENT OF WATER RESOURCES
OF THE
STATE OF IDAHO

IN THE MATTER OF PROTEST AGAINST APPROVAL OF THE)
APPLICATION FOR PERMIT NO. 67-7495 IN THE NAME OF)
JOHN AND/OR ROEBERTA SCHWENKFELDER)

NOTICE OF COMBINED CONFERENCE
AND/OR HEARING

On April 1, 1980, John and/or Roeberta Schwenkfelder filed with the Department of Water Resources an amended application to appropriate the public waters of the State of Idaho. On April 25, 1980, the Department received a protest against approval of said application from the Board of Directors of the Little Weiser Irrigation District.

The Department has set the matter of protest for conference and/or hearing for Thursday, June 5, 1980, at 10:30 a.m., in the Adams County Courthouse, Council, Idaho. This conference and/or hearing will be combined with the conferences and/or hearings of Austin B. and/or Ruth E. Robbins, Application No. 67-7483; David F. Dickerson, Application No. 67-7489; and Lloyd F. and/or Josephine W. Thomason, Application No. 67-7494. Any hearing will be held in accordance with provisions of Chapter 2, Title 42, and Chapter 52, Title 67, of the Idaho Code and adopted Rules of Practice and Procedure of the Department of Water Resources. Opportunity shall be afforded all parties to respond and present evidence and argument on all issues involved.

In accordance with Idaho Code, Section 42-203, the following issues are involved in the consideration of the application and protest:

1. Will the proposed use reduce the quantity of water under existing water rights?
2. Is the proposed water supply insufficient for the purpose intended?
3. Is the application made in good faith or for delay or speculative purposes?
4. Has the applicant sufficient financial resources with which to complete the project?
5. Will the proposed use conflict with the local public interest?

Any party may request in writing five (5) days before any hearing that the oral proceedings thereof be taken in the form of stenographic notes at the expense of the requesting party. Any party may have such stenographic notes of the oral proceedings, or part thereof, transcribed at his own expense. A taped record of the proceedings will be maintained for the appeal period.

RECEIVED
JUN 11 1980
IDAHO DEPT. OF WATER RESOURCES


If the hearing is conducted by a hearing officer appointed by the Director, rather than the Director himself, a proposed decision will be submitted to the parties and the parties will be afforded an opportunity to file exceptions to the proposed decision and present briefs and oral arguments to the Director prior to the issuance of a final decision by the Director. This procedure is required by Idaho Code, Section 67-5211.

By written stipulation, the parties may waive compliance with Idaho Code, Section 67-5211. If the hearing is conducted by a hearing officer, the hearing officer will ask the parties at the close of the hearing whether they would like to make such a stipulation.

Failure to waive compliance with Idaho Code, Section 67-5211 will not prejudice the Director's review of a party's evidence and arguments. However, such a waiver will shorten the decision-making process and may expedite substantially the issuance of a final decision. Whether compliance with Section 67-5211 is waived will not affect a party's right to petition for a rehearing of the final decision pursuant to Rule 11 of the Department's Rules of Practice and Procedure or affect a party's right to appeal the final decision to the District Court.

Failure to appear at the time and place set for hearing by the applicant or protestant may allow the Department to dismiss without prejudice the protest or the application. Any and all cost incurred by reason of such non-appearance may be assessed against such non-appearing parties.

Dated this 23 day of May, 1980.



DAVID B. SHAW
Western Region Supervisor

MICROFILMED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Western Region

92 South Cole Road
Boise, Idaho 83709
(208) 334-2190

APRIL 10, 1980

Adams County Leader
Box 23
Council, ID 83612

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. We have allowed ample time for you to submit a galley proof to this office for review before the first publication date. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before MAY 5, 1980.

Yours truly,

Karla Knecht
Secretary

Encl.

RECEIVED
APR 11 1980

NOTICE OF AMENDED APPLICATION FOR PERMIT

Notice is hereby given that Application No. 67-7485, in the name of John &/or Roeberta Schwenkfelder of Cambridge, was filed on 3/4/80 for the diversion of 1.70 cfs from the Little Weiser River, with a point of diversion within the NE $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 1, T. 14N, R. 2W, to be used for irrigation purposes from 4/1 to 6/15, within portions of Sec. 15, T. 14N, R. 2W.

The applicant now proposes to amend the application by changing the period of use to April 1 thru November 15.

Any protest against the approval of the proposed amendment must be filed with the Dept. of Water Resources, 92 S. Cole Road, Boise, Idaho 83709 on or before May 5, 1980.

C. STEPHEN ALLRED,
Director

Published 4/17 and 4/24/1980

RECEIVED
APR 24 1980

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: GLS

APPLICATION NUMBER: 67-7485

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.
☐ Yes ☒ No Field check required.
☐ Yes ☒ No Critical groundwater area.
☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☐ No* In form to receipt.

Field check by: _____

Date: _____

Comments: _____

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☐ Idaho State Health Department. Copies sent by: _____ Date: _____
☐ Idaho Fish and Game Department. _____
☐ Idaho Department of Lands. _____
☐ U.S. Bureau of Land Management. _____
☐ U.S. Forest Service. _____
☐ Other _____

PROCESSING:

- ☐ Yes ☐ No Platted by: _____ Map No. _____
☐ Yes ☐ No Other rights on same place of use. _____
☐ Yes ☐ No* In form for advertising.
Final date for protests: _____
☐ Yes ☐ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 4-9-80
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application.
☒ Publication dates and paper, recorded on application.
☐ Protests, dates, withdrawal, etc., recorded on application.
☐ Recommendation & initial, recorded on application.
☐ Yes ☐ No Measuring device required.
☐ Yes ☐ No Access port required.
☐ Yes ☐ No Will water be delivered by watermaster? If yes, what district? _____
Date of priority recommended. _____
Special conditions of approval or cover letter. _____

STATE OFFICE REVIEW:

- ☐ See attached sheet for more information.
By: _____ Date: _____

APPROVED

62-7485

SCHWENKFELDER, JOHN &/or ROBERTA

STAR ROUTE, CAMBRIDGE, ID 83610

Source: LITTLE WEISER RIVER tributary to WEISER RIVER

Date Filed: 03/04/1980

Amount: 1.70 CFS

Diversion Point: NESW Sec 01 T 14N R 02W, ADAMS Co.

Use: IRRIGATION (1.70 CFS) from 04/01 to 06/15

Place of Use: SWNW NESW NWSW SWSW NWSE Sec 15 T 14N R 02W FOR 85 ACRES

Diversion Means: DIVERSION DAM W/GRAVITY DITCH TO PUMP & SPRINKLER SYSTEM

MICROFILMED



State of Idaho

DEPARTMENT OF WATER RESOURCES

WESTERN REGION, 92 South Cole Road, Boise, Idaho 83705

JOHN V. EVANS

Governor

(Office at the corner of
Franklin and Cole Roads)

C. STEPHEN ALLRED

Director

(208) 384-2190

April 28, 1980

John Schwenkfelder
Star Route
Cambridge, Idaho 83610

Dear Mr. Schwenkfelder:

Enclosed is a copy of a protest(s) filed against the issuance of a permit pursuant to your Application No. ~~67-7488~~. The Department suggests you contact the protestant(s) directly in an effort to determine the nature of the protest(s) and to attempt to resolve the protest(s).

If this office has not been advised within twenty (20) days that the protest(s) has been resolved, the matter will be scheduled for conference and/or hearing. At such a conference and/or hearing, the following are the principle items the Department can consider in either approving or denying the application for permit (Section 42-203, Idaho Code):

1. Will the proposed use reduce the quantity of water under existing water rights?
2. Is the proposed water supply insufficient for the purposes intended?
3. Is the application made in good faith or for delay or speculative purposes?
4. Has the applicant sufficient financial resources with which to complete the project?
5. Will the proposed use under this permit conflict with the local public interest?

If this office can be of further assistance, please contact us.

Yours truly,

DAVID B. SHAW
Western Regional Supervisor

Enc.

RECEIVED
MAY 1 1980



State of Idaho

DEPARTMENT OF WATER RESOURCES

WESTERN REGION, 92 South Cole Road, Boise, Idaho 83705

JOHN V. EVANS

Governor

(Office at the corner of
Franklin and Cole Roads)

C. STEPHEN ALLRED

Director

(208) 384-2190

April 28, 1980

RE: 67-7485

Board of Directors
Little Weiser Irrigation District
Council, Idaho 83612

Gentlemen:

This office acknowledges receipt of your protest to the issuance of a permit pursuant to the above referenced application. The Department suggests you contact the applicant(s) directly in an effort to determine what is proposed by the application and to attempt to resolve the protest.

If this office has not been advised within twenty (20) days that the protest has been resolved, the matter will be scheduled for conference and/or hearing. At such a conference and/or hearing, the following are the principle items the Department can consider in either approving or denying an application for permit (Section 42-203, Idaho Code):

1. Will the proposed use reduce the quantity of water under existing water rights?
2. Is the proposed water supply insufficient for the purposes intended?
3. Is the application made in good faith or for delay or speculative purposes?
4. Has the applicant sufficient financial resources with which to complete the project?
5. Will the proposed use under this permit conflict with the local public interest?

If this office can be of further assistance, please contact us.

Yours truly,

DAVID B. SHAW
Western Regional Supervisor