


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Randy Landreth
(Applicant)

Affidavit of Publication

State of Idaho, County of Adams, ss:

I, Bert J. Rogers, being first duly sworn upon my Oath, depose and say that I am the publisher of The Adams County

Leader, a newspaper; that a copy of the "Notice of Application

No. 67-7478 Landreth, Randy &/or Robin as per clipping

hereto attached, was published in the regular and entire issue of said newspaper, and not in any supplement thereof, for

two (2) consecutive weeks, the first publication of the

same being made in the issue dated February 14, 1980

and the last in the issue dated February 21, 1980 that said newspaper is of general circulation in Adams County Idaho, printed and published weekly at Council therein and that said newspaper has been continuously and uninterruptedly published in said county during a period of more than seventy-eight consecutive weeks prior to the first publication of

said " Notice " as aforesaid.

Subscribed and sworn to before me this 21st

day of February, 19 80

Notary Public for Idaho,
Residing at Council, Idaho

NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

67-7478

LANDRETH, RANDY &/or ROBIN
STAR ROUTE, CAMBRIDGE, ID 83610

Source: LITTLE WEISER RIVER tributary to WEISER RIVER

Date Filed: 02/05/1980

Amount: 4.00 CFS

Diversion Point: NWSW Sec 01 T 14N R 02W, ADAMS Co.

Use: IRRIGATION (4.00 CFS) from 03/15 to 06/15

Place of Use: SESW NWSE SW-SE SESE Sec 16 T 14N R 02W

NENE NWNE SENE NENW NW-NW NESE SESE Sec 21 T 14N R

02W SWNE SENE NENW NWNW SWNW SENW NESW NWSW

SWSW SESW NESE NWSE SW-SE SESE Sec 22 T 14N R 02W

SWSW Sec 23 T 14N R 02W NW-NW Sec 26 T 14N R 02W NENE

SWNE SENE SENW NESE NW-SE Sec 27 T 14N R 02W FOR

1300 ACRES

Diversion Means: DITCH W/-GRAVITY SYSTEM, PUMP, PIPELINE, & SPRINKLER SYSTEM

If issued, the permit(s) will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 92 S. Cole Road, Boise, Idaho 83709 on or before MARCH 3, 1980.

C. STEPHEN ALLRED


Director

Published 2/14 & 2/21 /80.

RECEIVED

FEB 22 1980

Department of Water Resources
Western Regional Office





483	.70	56 ac
(478	.20?	16 ac)
		72

Storage - 77 ac

Ponds

Dams all < 10' high, excavated behind
for avg depth of 10' (9-10' excavation)





1 070 000
FEET

T.15 N.
T.14 N.

POD
14N2W
SEC 01
NESW

67-7478



BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE
STATE OF IDAHO

IN THE MATTER OF PERMIT NO. 67-7473 IN THE
NAME OF RANDY AND/OR ROBIN LANDRETH

)
) ORDER OF REINSTATEMENT
)
)

WHEREAS, the Department has issued the above-captioned permit with the condition that proof of construction of works and application of water to beneficial use be submitted on or before March 1, 1985; and,

WHEREAS, the Department has notified the permit holders by certified mail that proof was due and instructed the permit holders as to the steps to be taken to make said proof; and,

WHEREAS, March 1, 1985 the permit lapsed for failure of the permit holders to submit proof of beneficial use; and,

WHEREAS, Section 42-218a of the Idaho Code provides that a permit may be reinstated upon a showing of reasonable cause within sixty days of the date of lapsing; and,

WHEREAS, the permit holders have provided a reasonable showing as to why said permit should be reinstated by submitting proof of beneficial use on April 17, 1985;

IT IS, THEREFORE, HEREBY ORDERED that Permit No. 67-7478 be REINSTATED and the priority advanced to March 24, 1980.

Dated this 15th day of July, 1985.

MICROFILMED

Betty D. Hansen for
L. GLEN SAXTON
Chief, Operations Bureau

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

APPROVED

1. Name of applicant Randy and/or Robin Landreth Phone 257-3750

Post office address Star Route, Cambridge, ID 83610

2. Source of water supply Little Weiser River which is a tributary of Weiser River

3. Location of point of diversion is NW $\frac{1}{4}$ of SW $\frac{1}{4}$ of Section 1 Township 14N

Range 2W B.M. Adams County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 4.0 cfs for Irrigation purposes from 3/15 to 6/15 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 4.0 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. Ditch with Gravity distribution system and
pump with pipeline and sprinkler system.

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir
capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial
use is 5 years (minimum 1 year — maximum 5 years).

8. Description of proposed uses:

a. If water is **not** for irrigation:

(1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____

Range _____ B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be
supplied with domestic water _____.

(5) If water is to be used for other purposes describe: _____

APPROVED

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
14N	2W	16												✓40		20	✓40	✓40	140
		21	✓40	✓40		40	40	40							40			40	280
		22			40	40	40	40	40	40	40	40	40	40	40	40	40	40	560
		23											40						40
		26						40											40
		27	40		40	40				40					40	40			240

Total number of acres to be irrigated 1300

c. Describe any other water rights used for the same purposes as described above. _____

Decreed water from Little Weiser and Ben Ross Rivers.


9. a. Who owns the property at the point of diversion Isaac Ward

b. Who owns the land to be irrigated or place of use Applicant

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing This Point of Diversion is Point of Diversion for Little Weiser Irrigation District Ditch (Schwenkfelder Ditch).

10. Remarks June 15 - May be varied by approval of watermaster.

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Randy Landreth
(Applicant)

Proposed Priority 2/5/80
Received by SS Date 2/5/80 Time 12 Noon
Preliminary check by CWB Fee \$ 65⁰⁰
Receipted by SS Date 2/5/80 # 15330
Publication prepared by KK Date 2/7/80
Published in Adams City Leader
Publication dates 2/14 & 2/21/80
Publication approved KK Date 3/3/80
Protests filed by: _____

Copies of protests forwarded by _____
Hearing held by _____ Date _____
Recommended for approval denial by SS Jim

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 67-7478, and said application is hereby approved.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before March 1, 19 85.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other: (1) Use of water under this permit is subject to control by the
watermaster of State Water District # 67A, Little Weiser River. (2) A measuring
device of a type approved by the Department shall be permanently installed
and maintained as part of the diverting works. (3) The issuance of this
permit in no way grants any right-of-way or easement across the land of another

Witness my hand this 7th day of March, 19 80.

J. Glen Saxton
Director

Affidavit of Publication

State of Idaho, County of Adams, ss:

I, Bert J. Rogers, being first duly sworn upon my Oath, depose and say that I am the publisher of The Adams County

Leader, a newspaper; that a copy of the " Notice of Application

No. 67-7478 Landreth, Randy &/or Robin as per clipping hereto attached, was published in the regular and entire issue of said newspaper, and not in any supplement thereof, for two (2) consecutive weeks, the first publication of the

same being made in the issue dated February 14.1980

and the last in the issue dated February 21.1980 that said newspaper is of general circulation in Adams County Idaho, printed and published weekly at Council therein and that said newspaper has been continuously and uninterruptedly published in said county during a period of more than seventy-eight consecutive weeks prior to the first publication of

said " Notice " as aforesaid.

Subscribed and sworn to before me this 21st

day of February 19 80

Notary Public for Idaho,
Residing at Council, Idaho

NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

67-7478

LANDRETH, RANDY &/or ROBIN
STAR ROUTE, CAMBRIDGE, ID 83610

Source: LITTLE WEISER RIVER tributary to WEISER RIVER

Date Filed: 02/05/1980

Amount: 4.00 CFS

Diversion Point: NWSW Sec 01 T 14N R 02W, ADAMS Co.

Use: IRRIGATION (4.00 CFS) from 03/15 to 06/15

Place of Use: SESW NWSE SW-SE SESE Sec 16 T 14N R 02W

NENE NWNE SENE NENW NW-NW NESE SESE Sec 21 T 14N R 02W

SWNE SENE NENW NWNW SWNW SENW NESW NWSW

SWSW SESW NESE NWSE SW-SE SESE Sec 22 T 14N R 02W

SWSW Sec 23 T 14N R 02W NW-NW Sec 26 T 14N R 02W

NENE SWNE SENE SENW NESE NW-SE Sec 27 T 14N R 02W FOR 1300 ACRES

Diversion Means: DITCH W/-GRAVITY SYSTEM, PUMP,

PIPELINE, & SPRINKLER SYSTEM

If issued, the permit(s) will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 92 S. Cole Road, Boise, Idaho 83709 on or before MARCH 3, 1980.

C. STEPHEN ALLRED

Director

Published 2/14 & 2/21 /80.

RECEIVED

FEB 22 1980

Department of Water Resources
Western Regional Office

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
MAR 7, 2000
Department of Water Resources

A. GENERAL INFORMATION

Permit No. 67-7478

1. Owner: Randy Landreth Phone No. 257-3750

Current Address: 2670 Gravelle Cambridge ID 83610

2. Accompanied by: owner & Richard Kretten EXAM DATE: 9/18/96

Address: _____ Phone No. _____

Relationship to Permit Holder: Little Weiser Watermaster

3. Source: Little Weiser R tributary to Weiser R

B. OVERLAP REVIEW

1. Other water rights with the same place of use: 67-00478, 482, 483, 67-08005

2. Other water rights with the same point of diversion: _____

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
		NE	NE	SW	1	14N	2W	Adams	OP Map

2. Place(s) of Use:

Indicate Method of Determination ASCS Map, visit

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
14N	2W	16												39		20	36*	39*	134
		21	39*	36*		33	40	34							6				188
		22							3			5							8
																			==
																			330

*overlap with 67-00483, non-discriminate acres.

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe I.D. as applicable.

See CFSA Photo

Scale: 1" = _____

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☒ Aerial Photo Attached (required for irrigation of 10+ acres)

☒ *map* Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: _____

E. NARRATIVE/REMARKS/COMMENTS

Permit was obtained to supplement decreed & Storage water on approx 75 acres, and to develop additional acres. ~~At~~^{Not} additional acres developed were placed in CRP, where they have remained.

Water is delivered via the Schwenkfelder Ditch from the Little Wasee River. Flows enter the property in SESE Sec 16 and are conveyed through a series of ditches, ponds & relict pumps. Most acreage under this permit was developed under Sprinkler. There is no measuring device on the receiving ditch, & inadequate flows were available for a measurement. A portion of flows may be picked up directly from the Schwenkfelder Ditch with a pump, used w/in NWSE Sec 16. Aluminum mainlines and risers were evident for the developed Acres.

* Acres recommended are those prior to pond development and overlap all existing decreed acres. Since decree acres are not specific but are decreed for less than 1" / acre they may be included. A maximum of 5.9 cfs may be recommended from natural flow for 330 acres (6.6 cfs - .70 cfs previously decreed)

Landreth claimed only A67-00483 as an overlapping right. He has since filed 67-8005 for storage in ponds.

* Per Steve Lester's field notes: Schwenkfelder Ditch, which feeds permit holder's ditch, has > 4 cfs ditch capacity and is equipped with a 5' parshall flume with lockable & measurable controls at its Little Wasee River P.D. This should be adequate for watermaster

Have conditions of permit approval been met? ☐ yes ☒ no

control and licensing of this permit

F. FLOW CALCULATIONS

_____ Additional Computation Sheets Attached

Measured Method:

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 330 \times 4 = 1320$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 4 \times 231 \times 1.9835 = 1833$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 1320$$

2. Volume Calculations for Other Uses:

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Irrigation	3/15	6/15	4.0	1320
Totals:			4.0	1320

2. Recommended Amendments

☒ Change P.D. as reflected above ☐ Add P.D. as reflected above ☐ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

I. AUTHENTICATION

Field Examiner's Name Cindy Hodges ^{by} ly Date 3/2/00

Reviewer _____ Date _____

SEAL




483	70	56 ac
(478	20?	16 ac)
		72

Storage - 77 ac

Ponds:

Dams all < 10' high, excavated behind
for avg depth of 10' (9-10' excavation)






1 070 000
FEET

T. 15 N.
T. 14 N.

POD
14N2W
SEC 01
NESW

67-7478



May 19, 1992

RANDY LANDRETH
ROBIN LANDRETH
HC 68 BOX 2070
CAMBRIDGE ID 83610

RE: Water Right No. 67-07478

Dear Water Right Holder(s):

Department water right records show that you divert water from the Snake River or its tributaries under a water right that has a priority date later than December 29, 1976. This is the priority of the established minimum stream flow of the Snake River at the Weiser Gage (Weiser) in the amount of 4,750 cubic feet per second.

Because of the continuing drought conditions in the Snake River Basin, department hydrologists project that during 1992, there could be periods when the required minimum flow will not be satisfied due to low flows of the Snake River. The department urges you to not divert at a higher rate than authorized by your water right and to not use your right in any manner different than authorized. In addition, when the minimum flow will not be satisfied or is not being satisfied, you are required to cease diverting water under your water right, because your right is of later priority than the minimum stream flow at Weiser.

If the department determines the minimum flow will not be satisfied, the department will advise you and will provide as much lead time as possible in requiring that you temporarily cease your diversion of water. The greatest likelihood for this to occur is during a period from mid-June to late June.

While the department expects good cooperation from junior water right holders, water users should be aware that Section 42-352, Idaho Code, provides for penalties of up to \$100 per day for unauthorized diversions of water.

The department has contacted both the Idaho Power Company and the U.S. Bureau of Reclamation with respect to the timing of storage releases from upstream reservoirs for flow enhancement

purposes. This type of coordination could minimize the impact on existing water users and reduce the need to curtail diversions.

The department has scheduled public information meetings relative to this potential regulation as follows:

Mountain Home - June 4, 1992 - 10:00 a.m. - gymnasium at
North Elementary School, 290 E. 12th N.

Caldwell - June 4, 1992 - 7:00 p.m. - Ballroom in the
Student Union Building, Albertson College of Idaho,
2112 Cleveland

If you have questions concerning this letter or wish to provide the name of a different contact person or address to receive department correspondence, please contact the department.

Sincerely,

L. GLEN SAXTON
Chief, Water Allocation Bureau

LGS:klg

4/86

KEYPUNCH

For Office Use Only
Fee Received 175.00
Date 9 June 87
Receipt # 44930
Receipt by EBallou
Sent to S.O. EH

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
EXAMINATION FEE INFORMATION

REC

JUN 25 1987

1. Permit No. 67-7478

ONE OF THE FOLLOWING BOXES SHOULD BE MARKED TO DESIGNATE YOUR CHOICE:

Department of Water Resources

☒ I choose to have the department make the field examination of this permit; attached is the examination fee. (If this box is marked, complete items 1 thru 8.)

2. Permit Holder: Randy Landreth

3. Post Office Address: HC 68 Box 2070 Cambridge
Idaho 83610 Telephone No. 257-3750

4. Source of Water: Little Weiser River

5. Extent of Use:

Domestic _____ (No. of households) Stockwater _____ (No. and type of stock)

Irrigation 1300 (acres) Other/Remark _____

6. Total rate &/or volume for which proof is submitted 4.0 cfs _____ acre-feet

7. Show the date water was first diverted and beneficially used under this permit:

3-15-1980

8. Person to contact to accompany the department representative during the field examination:

"Permit Holder"

(Name)

(Address)

(Telephone Number)

☐ I choose to have the field examination conducted by a certified water right examiner. Attached is a statement from the certified examiner I have selected verifying that he has been retained to conduct the examination. (If this box is marked, complete items 1 thru 7.)

Date

9 July 87

Signature of Permit Holder (and title, if appropriate)

Randy Landreth

State of Idaho

Department of Water Resources

LICENSE EXAMINATION FEE SCHEDULE

(c.f.s. = cubic feet per second
AF = acre feet)

cfs	AF	Fee
0 - 0.04	0 - 4	\$ 0
.05 - 0.20	5 - 20	50.00
.21 - 1.0	21 - 100	100.00
1.01 - 2.0	101 - 200	125.00
2.01 - 3.0	201 - 300	150.00
3.01 - 4.0	301 - 400	175.00
4.01 - 5.0	401 - 500	200.00
5.01 - 6.0	501 - 600	225.00
6.01 - 7.0	601 - 700	250.00
7.01 - 8.0	701 - 800	275.00
8.01 - 9.0	801 - 900	300.00
9.01 - 10.0	901 - 1000	325.00
10.01 - 11.0	1001 - 1100	350.00
11.01 - 12.0	1101 - 1200	375.00
12.01 - 13.0	1201 - 1300	400.00
13.01 - 14.0	1301 - 1400	425.00
14.01 - 15.0	1401 - 1500	450.00
15.01 - 16.0	1501 - 1600	475.00
16.01 - 17.0	1601 - 1700	500.00
17.01 - 18.0	1701 - 1800	525.00
18.01 - 19.0	1801 - 1900	550.00
19.01 - 20.0	1901 - 2000	575.00
20.01 & over	2001 & over	600.00

Checks should be made payable to the
Department of Water Resources

No fee is required for single family
domestic use or stockwater use.



Cecil D. Andrus
Governor

State of Idaho
DEPARTMENT OF WATER RESOURCES
Western Region

2735 Airport Way
Boise, Idaho 83705
(208) 334-2190

67-7478
LANDRETH, RANDY
LANDRETH, ROBIN
HC 68 BOX 2070
CAMBRIDGE, ID 83610

138268

April 10, 1987

CERTIFIED MAIL

EXAMINATION FEE NOTICE

Dear Permit Holder:

Department records show that proof of beneficial use has been submitted for the above-referenced permit, but that a field examination has not yet been conducted to determine the extent of beneficial use of the water for licensing purposes.

House Bill 671 (effective April 4, 1986) enacted by the 1986 Idaho Legislature requires the payment of a fee before this department can conduct the field examination needed to issue a license confirming use of water under the permit. This letter is notification that the license examination fee is due within sixty (60) days of the date of this letter. The examination fee information sheet (enclosed) must be returned with the fee.

As an alternative to submitting the fee, the department will accept a field examination report completed by a certified water right examiner from the private sector. If you choose to have the examination done by a certified water right examiner, you need not submit the license examination fee to the department, but you must within sixty (60) days of the date of this letter return to the department, the examination fee information sheet showing appropriate information together with a statement from the certified examiner to verify that you have retained a certified examiner to conduct the field examination. If you choose this alternative, a completed field examination report must be submitted within one year of the date of this letter. You cannot later change your decision to use this alternative and submit the fee needed for the department to conduct the field examination, but you may change to another certified examiner.

CALCULATION OF NEW PRIORITY DATE

FROM: RITA FLECK

TO: FILE # 67-7478

DATE: July 12, 1985

Date proof received

107

April 17, 1985

Proof due

- 60

Mar 1, 1985

Number of day proof late

47

Priority date

+ 36

February 5, 1980

New priority date

83

Mar 24, 1980

Remarks: - No lapse notice sent

MICROFILMET

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit No. 67-7478.

Name(s) of Permit Holder: Randy & Robin Landreth

Post Office Address: HC 68 Box 2070

Cambridge, Idaho 83610 Tel. No. 208-257-3750

Source of Water Little Weiser River

Extent of Use: ☐ Domestic (number of households)
☐ Stockwater (number and type of stock)
☒ Irrigation 400 (acres)
☐ Other

Measuring Device: Required? ☐ Yes ☐ No Installed? ☐ Yes ☐ No


Access Port: Required? ☒ Yes ☐ No Installed? ☐ Yes ☐ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

2-20-1985
Date

Randy Landreth
Signature of Permit Holder

Landroth
HC 68 Box 2070
Cambridge, Idaho



Winter Special Olympics

RECEIVED

APR 17 1985

IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

Department of Water Resources

MICROFILMED

WATER RIGHT NUMBER 67-7478

OWNER LAST NAME - LANDRETH
OWNER LAST NAME - LANDRETH
ADDRESS LINE 1 - STAR ROUTE
ADDRESS LINE 3 -FIRST NAME - RANDY
FIRST NAME - ROBINORIG OWNER -
ORIG OWNER -

ADDRESS LINE 2 -

CITY - CAMBRIDGE

STATE - ID ZIP CODE - 83610

SOURCE - LITTLE WEISER RIVER

TRIBUTARY OF - WEISER RIVER

STAGE - PERMIT

STATUS -

PRIORITY - 02-05-1980 COUNTY - ADAMS

TOTAL DIV. RATE - 4.0000 -CFS

TOTAL DIV. VOLUME -

.00 AFA

TRFR/AMEND -

WATER DIST. - 67A DLE/CAREY ACT -

RIGHT BASIS -

DIVERSION POINT - NWSW 01 14N 02W LOT

REDIV -

272.0 288.0 21.0

0.0 0.0 0.0 0.0 0.0 0.0 0.0

10.0

FROM - 03-15 TO - 06-15 USE - IRRIGATION

USE DIV. RATE -

4.0000 CFS

USE DIV. VOLUME -

.00 AFA

USE - IRRIGATION

PLACE OF USE - TWN 14N RNG 02W SEC 27

TRACT NENE LOT

AC 40 TRACT

SWNE LOT

AC 40

TRACT SENE LOT

AC 40 TRACT

SENE LOT

AC 40

TRACT NESE LOT

AC 40 TRACT

NWSE LOT

AC 40

USE - IRRIGATION

PLACE OF USE - TWN 14N RNG 02W SEC 26

TRACT NWNW LOT

AC 40

USE - IRRIGATION

PLACE OF USE - TWN 14N RNG 02W SEC 23

TRACT SWSW LOT

AC 40

USE - IRRIGATION

PLACE OF USE - TWN 14N RNG 02W SEC 22

TRACT SWNE LOT

AC 40 TRACT

SENE LOT

AC 40

TRACT NENW LOT

AC 40 TRACT

NWNW LOT

AC 40

TRACT SWNW LOT

AC 40 TRACT

SENE LOT

AC 40

TRACT NESW LOT

AC 40 TRACT

NWSW LOT

AC 40

TRACT SWSW LOT

AC 40 TRACT

SESW LOT

AC 40

TRACT NESE LOT

AC 40 TRACT

NWSE LOT

AC 40

TRACT SWSE LOT

AC 40 TRACT

SESE LOT

AC 40

USE - IRRIGATION

PLACE OF USE - TWN 14N RNG 02W SEC 21

TRACT NENE LOT

AC 40 TRACT

NWNW LOT

AC 40

TRACT SENE LOT

AC 40 TRACT

NENW LOT

AC 40

TRACT NWNW LOT

AC 40 TRACT

NESE LOT

AC 40

TRACT SESE LOT

AC 40

USE - IRRIGATION

PLACE OF USE - TWN 14N RNG 02W SEC 16

TRACT SESW LOT

AC 40 TRACT

NWSE LOT

AC 20

TRACT SWSE LOT

AC 40 TRACT

SESE LOT

AC 40

DATE -

TOTAL ACRES

1,300

DECREE NAME -

REMARKS -

NON IRRIG USE -

OTHER RIGHTS FOR SAME USE - DECREED WATER FROM LITTLE WEISER & BEN ROSS RIVERS

PROOF DUE - 03-01-1985 PERMIT/DENIED - 03-07-1980 PROTESTED -

HEARING -

OLD NO. -

PROOF MADE - FLD EXAM - COND. OF APPROVAL - 05 01 04

DIVERSION MEANS - DITCH W/GRAVITY SYSTEM, PUMP, PIPELINE, & SPRINKLER SYSTEM

VERIFIED AND

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
CERTIFIED MAIL

138575

LANDRETH, RANDY & ROBIN
STAR ROUTE
CAMBRIDGE, ID 83610

PROOF DUE NOTICE

DECEMBER 31, 1984

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF YOUR WATER PERMIT NO. 67-7478 WAS THAT PROOF OF THE EXTENT OF YOUR BENEFICIAL USE MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE MARCH 01, 1985. (SEE LAST PAGE OF YOUR APPROVED PERMIT OR YOUR LAST APPROVED EXTENSION REQUEST). ENCLOSED IS A POSTCARD WHICH MAY BE USED TO SUBMIT THE REQUIRED PROOF.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU OR A PREVIOUS OWNER OF THIS PERMIT HAVE NOT RECEIVED A PRIOR EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME IF THE DELAY IS FOR REASONABLE CAUSE AS PROVIDED IN SECTION 42-204, IDAHO CODE. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED. AN EXTENSION OF TIME REQUEST FORM IS ENCLOSED FOR YOUR CONVENIENCE.

EITHER THE BENEFICIAL USE POSTCARD OR A REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE DESCRIBED PROOF DUE DATE. IF NEITHER IS RECEIVED, THE DEPARTMENT WILL SEND YOU A LAPSE NOTICE. WITHIN SIXTY (60) DAYS OF THE MAILING OF THE LAPSE NOTICE, THE PERMIT WILL NO LONGER BE OF ANY FORCE NOR EFFECT.

SINCERELY.

RITA FLECK
SECRETARY/RECORDS MANAGER

ENCLOSURES

MICROFILMED

March 7, 1980

Randy & Robin Landreth
Star Route
Cambridge, Idaho 83610

Dear Mr. & Mrs. Landreth,

RE: Permit No. 67-7478

Enclosed is a copy of your approved Application for Permit. We direct your attention to the conditions of approval on the fourth page.

Please note that a special condition requiring you to install and maintain a measuring device at your point of diversion has been placed upon your permit. Enclosed is a letter describing the different types of measuring devices accepted by this Department.

The exercise of this permit may also be affected by the court's determination of water rights in the case of Idaho Power Company v. State of Idaho, et al., Civil No. 62237, currently pending before the District Court of Ada County.

Idaho Power officials tell us that because of Case No. U-1006-124 filed before the Idaho Public Utilities Commission, Idaho Power Company is asking the District Court of Ada County to determine whether the Power Company's water rights on the Snake River are protected against subsequent upstream appropriations in the waters of the Snake River and surface and subterranean tributaries between Milner Dam and Hells Canyon.

Since the use of water under your permit may affect the flows in this reach of the Snake River, the final decision in Idaho Power Company v. State of Idaho, et al. (Ada County Civil No. 62237) may determine to what extent the exercise of your permit may be subject to the water rights of Idaho Power. While the Ada County court is examining this question, Idaho Power Company has not filed a specific protest to your permit. However, the Department of Water Resources has been advised that the Power Company is not waiving any of its rights to contest or limit the exercise of your permit or a subsequent license or water right.

Please also be advised that there is insufficient natural flow available in the Weiser River and tributaries to provide water for a new appropriation throughout the entire season of use.

MICROFILMED

Page 2
Permit No. 67-7478

During the spring run-off each year, there may be a period of time in which the prior rights to the use of natural flow and storage are filled leaving water available for your later-in-time permit. As the natural flow diminishes, however, there would be no water available for your right unless you had arranged for an additional source of water as a supplemental supply.

This information is provided so that you will not be misled into thinking that this permit will provide sufficient water through the entire season of use. If you have any questions regarding this matter, please feel free to contact this office.

Sincerely,

DAVID R. TUTHILL, JR.
Supervisor, Water Allocations Section

DRT:mr

Enclosure

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: CLW Boyan

APPLICATION NUMBER: 67-7478
LANDWEATH

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.
☐ Yes ☒ No Field check required.
☐ Yes ☒ No Critical groundwater area.
☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☐ No* In form to receipt.

Field check by: _____

Date: _____

Comments: _____

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☐ Idaho State Health Department. Copies sent by: _____ Date: _____
☐ Idaho Fish and Game Department. _____
☐ Idaho Department of Lands. _____
☐ U.S. Bureau of Land Management. _____
☐ U.S. Forest Service. _____
☐ Other _____

PROCESSING:

- ☐ Yes ☐ No Platted by: _____ Map No. _____
☒ Yes ☒ No Other rights on same place of use. 67-0478, 67-2385, 67-0482, 67-0483
cover the lands in Sec 16 of N/4NE21 - total is less than
1" acre
☒ Yes ☐ No* In form for advertising.
Final date for protests: 3/3/80
☐ Yes ☒ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 2/22/80
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application.
☒ Publication dates and paper, recorded on application.
☐ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.
☒ Yes ☐ No Measuring device required.
☐ Yes ☒ No Access port required.
☒ Yes ☐ No Will water be delivered by watermaster? If yes, what district? 67A
2/5/80 Date of priority recommended.

Special conditions of approval or cover letter. Right of way clause
W.M. Condition - I.P. letter - Weiser River letter

By: DBS Date: 3/4/80

STATE OFFICE REVIEW:

OS(67A Little Weiser River)

SI 04

Water share letter w/I.P. AND M.D. Cond.

- ☐ See attached sheet for more information.

By: Jin Date: 3/6/80

RECORDED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Western Region

92 South Cole Road
Boise, Idaho 83709
(208) 334-2190

FEBRUARY 7, 1980

Adams County Leader
Box 23
Council, ID 83612

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. We have allowed ample time for you to submit a galley proof to this office for review before the first publication date. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billings to this office before MARCH 3, 1980.

Yours truly,

Karla Knecht
Secretary

Encl.

MAILED
FEB 10 1980

NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

If issued, the permit(s) will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 92 S. Cole Road, Boise, Idaho 83709 on or before MARCH 3, 1980.

C. STEPHEN ALLRED

Director

Published 2/14 & 2/21/80.

RECEIVED
FEB 21 1980
IDAHO DEPT. OF WATER RESOURCES

6Z-2428-

LANDRETH, RANDY &/or ROBIN

STAR ROUTE, CAMBRIDGE, ID 83610

Source: LITTLE WEISER RIVER tributary to WEISER RIVER

Date Filed: 02/05/1980

Amount: 4.00 CFS

Diversion Point: NWSW Sec 01 T 14N R 02W, ADAMS Co.

Use: IRRIGATION (4.00 CFS) from 03/15 to 06/15

Place of Use: SESW NWSE SWSE SESE Sec 16 T 14N R 02W NENE NWNE SENE NENW NWNW
NESE SESE Sec 21 T 14N R 02W SWNE SENE NENW NWNW SWNW SENW NESW
NWSW SWSW SESW NESE NWSE SWSE SESE Sec 22 T 14N R 02W SWSW
Sec 23 T 14N R 02W NWNW Sec 26 T 14N R 02W NENE SWNE SENE SENW
NESE NWSE Sec 27 T 14N R 02W FOR 1300 ACRES

Diversion Means: DITCH W/GRAVITY SYSTEM, PUMP, PIPELINE, & SPRINKLER SYSTEM

MICROFILMED