





11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Frank V. Chandler
(Applicant)

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO, }
County of Washington } ss.

Dorothy A. Barth, being duly sworn,
deposes and says:

That he is the Clerk of
THE WEISER SIGNAL, a weekly newspaper published at
Weiser, in the County of Washington and State of Idaho; that
said paper has been and is in general circulation in the
county aforesaid, and in the vicinity of Weiser; that the ad-
vertisement, a copy of which is attached hereto, was pub-
lished in said newspaper once a week for Two consecu-
tive weeks in the regular and entire issue of said paper dur-
ing the period and time of publication, and was published in
the newspaper proper and not in a supplement; that said
paper has been established and regularly published for more
than seventy-eight consecutive weeks prior to the date of
first publication of said advertisement.

Such notice was published in the issue beginning with
July 12, 1979 and ending
with the issue of July 19, 1979.

Fees, \$ 21.00

Subscribed and sworn to before me this 19
day of July, 1979

Notary Public, Residing at Weiser, Idaho.

My Commission Expires 1-2, 1983

PUBLIC NOTICES PUBLIC NOTICES

No. 373

NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following application(s)
have been submitted for permit to appropriate the public
waters of the State of Idaho:

67-7446

CHANDLER, FRANK V.
ROUTE 2, BOX 157, WEISER, ID 83672
Source: SHEEP CREEK tributary to MONROE CREEK
Date Filed: 06/20/1979

Amount: 1.00 CFS 35.0 AC-FT
Diversion Point: NENE Sec 32 T 12N R 05W,

WASHINGTON Co.
Use: DIVERSION TO STORAGE (1.00 CFS)

from 01/01 to 12/31
IRRIGATION STORAGE (35.0 AC-FT)

from 01/01 to 12/31
IRRIGATION FROM STORAGE (35.0 AC-FT)
from 03/15 to 11/15

Place of Use: SWNW SENW NESW NWSW NWSE Sec 33 T
12N R 05W FOR 59 ACRES

Diversion Means: DITCH, STORAGE RESERVOIR,
GRAVITY SPRINKLER SYSTEM

If issued, the permit(s) will be subject to all prior water
rights. Protests against the granting of any permit must be
filed with the Director of the Idaho Department of Water
Resources, 92 S. Cole Road, Boise, Idaho 83709 on or before
July 30, 1979.

C. STEPHEN ALLRED
Director

Published 7/12 & 7/19/79.

36-2S.

RECEIVED

AUG 1 1979

Department of Water Resources
Western Regional Office

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

FEB 13 1990
DEPARTMENT OF WATER RESOURCES

A. GENERAL INFORMATION


1. Owner: FRANK V. CHANDLER Permit No. 67-7446
Current Address: 1227 Hwy 95, WEISER ID. 83672 Phone No. 549-0939
2. Accompanied by: SAME EXAM. DATE: 6/16/88
Address: SAME Phone No. SAME
Relationship to Permit Holder: OWNER
3. Source: SHEEP CREEK tributary to MONROE CREEK

B. OVERLAP REVIEW

1. Other water rights with same place of use: 67-2357, 67-0700
☒ Copies Attached
2. Other water rights with same point of diversion: NONE
☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☒ Alternative diagram attached - DAM SAFETY FILE




Scale: 1" = NO SCALE

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required). ☒ Aerial Photo Attached
(required for irrigation of 10 acres or more).
☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).

Microfilm

JUL 25 1990


APPENDIX A. GEOMETRIC ELEMENTS FOR CIRCULAR
CHANNEL SECTIONS (continued)



$\frac{y}{d_0}$	$\frac{A}{d_0^2}$	$\frac{P}{d_0}$	$\frac{R}{d_0}$	$\frac{T}{d_0}$	$\frac{D}{d_0}$	$\frac{Z}{d_0^{2.5}}$	$\frac{AR^{3/2}}{d_0^{3/2}}$	$\frac{y}{d_0}$
0.31	0.2074	1.1810	0.1755	0.9250	0.2242	0.0981	0.0650	0.66
0.32	0.2167	1.2025	0.1801	0.9330	0.2322	0.1044	0.0690	0.67
0.33	0.2260	1.2239	0.1848	0.9404	0.2404	0.1107	0.0736	0.68
0.34	0.2355	1.2451	0.1891	0.9474	0.2486	0.1172	0.0776	0.69
0.35	0.2450	1.2661	0.1935	0.9539	0.2568	0.1241	0.0820	0.70
0.36	0.2546	1.2870	0.1978	0.9600	0.2652	0.1310	0.0864	0.71
0.37	0.2642	1.3078	0.2020	0.9656	0.2736	0.1381	0.0909	0.72
0.38	0.2739	1.3284	0.2061	0.9708	0.2822	0.1453	0.0955	0.73
0.39	0.2836	1.3490	0.2102	0.9755	0.2908	0.1528	0.1020	0.74
0.40	0.2934	1.3694	0.2142	0.9798	0.2994	0.1603	0.1050	0.75
0.41	0.3032	1.3898	0.2181	0.9837	0.3082	0.1682	0.1100	0.76
0.42	0.3132	1.4101	0.2220	0.9871	0.3172	0.1761	0.1147	0.77
0.43	0.3229	1.4303	0.2257	0.9902	0.3262	0.1844	0.1196	0.78
0.44	0.3328	1.4505	0.2294	0.9928	0.3352	0.1927	0.1245	0.79
0.45	0.3428	1.4706	0.2331	0.9950	0.3446	0.2011	0.1298	0.80
0.46	0.3527	1.4907	0.2366	0.9968	0.3538	0.2098	0.1348	0.81
0.47	0.3627	1.5108	0.2400	0.9982	0.3634	0.2186	0.1401	0.82
0.48	0.3727	1.5308	0.2434	0.9992	0.3730	0.2275	0.1452	0.83
0.49	0.3827	1.5508	0.2467	0.9998	0.3828	0.2366	0.1505	0.84
0.50	0.3927	1.5708	0.2500	1.0000	0.3928	0.2459	0.1558	0.85
0.51	0.4027	1.5908	0.2531	0.9998	0.4028	0.2553	0.1610	0.86
0.52	0.4127	1.6108	0.2561	0.9992	0.4130	0.2650	0.1664	0.87
0.53	0.4227	1.6308	0.2591	0.9982	0.4234	0.2748	0.1715	0.88
0.54	0.4327	1.6509	0.2620	0.9968	0.4340	0.2848	0.1772	0.89
0.55	0.4426	1.6710	0.2649	0.9950	0.4448	0.2949	0.1825	0.90
0.56	0.4526	1.6911	0.2676	0.9928	0.4558	0.3051	0.1878	0.91
0.57	0.4625	1.7113	0.2703	0.9902	0.4670	0.3158	0.1933	0.92
0.58	0.4723	1.7315	0.2728	0.9871	0.4786	0.3263	0.1987	0.93
0.59	0.4822	1.7518	0.2753	0.9837	0.4902	0.3373	0.2041	0.94
0.60	0.4920	1.7722	0.2776	0.9798	0.5022	0.3484	0.2092	0.95
0.61	0.5018	1.7926	0.2797	0.9755	0.5144	0.3560	0.2146	0.96
0.62	0.5115	1.8132	0.2818	0.9708	0.5270	0.3710	0.2199	0.97
0.63	0.5212	1.8333	0.2839	0.9656	0.5398	0.3830	0.2252	0.98
0.64	0.5308	1.8546	0.2860	0.9600	0.5530	0.3945	0.2302	0.99
0.65	0.5404	1.8755	0.2881	0.9539	0.5666	0.4066	0.2358	1.00

11. Map of proposed project. show clearly the proposed point of diversion, place of use, section number, township and range number.

67-7446



* TAKEN AT TIME OF EXAM

67-7446

WHERE
UNDERGROUND
PIPE STARTS



P.D.

SMALL DIVERSION
DAM



P.D.

NOT RECORDED

JUL 26 1990

UNDERGROUND
PIPE

* COPIES OF PICTURES FROM DAM SAFETY FILES.
67-7446




JUL 26 1990

67-7446



JUL 20 1969

67-74416



P/U

P.U.

LOOKING SOUTH

INDEXED

JUL 2 1969

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE
WATER RIGHT NO. 67-07446

Priority: November 8, 1979

Maximum Diversion Rate:

1.00 CFS

Maximum Diversion Volume:¹

35.0 AF

This is to certify, that FRANK V. CHANDLER

1227 HWY. 95

WEISER, ID 83672

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated June 20, 1979; and has submitted Proof of Beneficial Use on August 2, 1984. An examination indicates that the works have a diversion capacity of 1.740 cfs of water from:

SHEEP CREEK

tributary to MONROE CREEK

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION STORAGE	01/01 to 12/31		35.0 AF
IRRIGATION FROM STORAGE	03/15 to 11/15		35.0 AF
DIVERSION TO STORAGE	11/15 to 05/01	1.00 CFS	35.0 AF
	Totals	1.00 CFS	35.0 AF

LOCATION OF POINT(S) OF DIVERSION:

NENE , Sec. 32, Township 12N, Range 05W
WASHINGTON County

PLACE OF USE: IRRIGATION FROM STORAGE

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
12N	05W	33	SWNW 1	SENE 7.5	NESW 33	
			NWSW 5	NWSE 12.5		59

Total number of acres irrigated: 59

PLACE OF USE: IRRIGATION STORAGE, same as IRRIGATION FROM STORAGE use

PLACE OF USE: DIVERSION TO STORAGE, same as IRRIGATION FROM STORAGE use

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.

JUL 26 1990

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE
WATER RIGHT NO. 67-07446

CONDITIONS/REMARKS:

3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 4.5 afa per acre for the lands above.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 16th day of July, 1990.

Acting for

R. Keith Higginson, Director

[Faint circular seal]

JUL 20 1990

CONCLUSIONS OF LAW

1. The Director may advance the priority date of the permit one day for each day the license examination fee is late, pursuant to the provisions of Section 42-217, Idaho Code.

2. The date of priority of Permit No. 67-7446 should be advanced 140 day(s).

ORDER

IT IS HEREBY ORDERED that the date of priority of Permit No. 67-7446 is advanced to NOVEMBER 08, 1979.

Dated this 13th day of June, 1990.

J. Glen Saxton
Chief, Water Allocation Bureau

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

Ident. No. 67-7446

RECEIVED

To appropriate the public waters of the State of Idaho

APPROVED
JUN 29 1979
Department of Water Resources

1. Name of applicant FRANK V. CHANDLER Phone 549-0939
Post office address RT. 2 Box 157, WEISER, ID. 83672
2. Source of water supply Sheep Creek which is a tributary of Monroe Cr.
3. Location of point of diversion is NE $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 32 Township 12 N
Range SW B.M. Washington County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

- Amount 35 A.F. for STORAGE for purposes from JAN. 1 to Dec. 31 (both dates inclusive)
(cfs or acre-feet per annum) IRRIGATION
Amount 35 A.F. for From STORAGE purposes from MAR. 15 to Nov. 15 (both dates inclusive)
(cfs or acre-feet per annum) IRRIGATION
Amount 1 cfs. for DIVERSION purposes from Nov. 15 to MAY 1 (both dates inclusive)
(cfs or acre-feet per annum) TO STORAGE
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

35 A.F. 35 8/27/79

- a. _____ cubic feet per second and/or b. 100 acre-feet per annum.

6. Proposed diverting works:

- a. Description of ditches, flumes, pumps, headgates, etc. ditch, STORAGE, reservoir
gravity sprinkler system
b. Height of storage dam 20 feet, active reservoir capacity 35 acre-feet; total reservoir capacity 35 acre-feet, materials used in storage dam: Dirt from reservoir
Period of year when water will be diverted to storage Nov. 15 to MAY 1 inclusive.
(Month/Day) (Month/Day)
c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 5 years (minimum 1 year — maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

- (1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____
Range _____ B.M. _____
(2) Amount of power to be generated: _____ horsepower under _____ feet of head.
(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water _____
(5) If water is to be used for other purposes describe: _____

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
12N	5W	33						1	7.6	33	2					15			58.6

Total number of acres to be irrigated 58.6


c. Describe any other water rights used for the same purposes as described above.

9. a. Who owns the property at the point of diversion FRANK U. CHANDLER

b. Who owns the land to be irrigated or place of use FRANK U. CHANDLER

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing

10. Remarks THE WATER FROM SHEEP CREEK HAS ALWAYS BEEN USED ON THIS PLACE FOR IRRIGATING THE THE GROUND HERE. THE RIGHT TO USE THE WATER FROM SHEEP CREEK WAS FILED IN 1890 AND HAS NEVER BEEN CONTESTED AND HAS BEEN USED EVERY YEAR TO A BENEFICIAL USE SINCE. THE PURPOSE FOR BUILDING THE RESEVOIR IS TO PUT THE WATER THAT RUNS WHILE IRRIGATING TO A BETTER, MORE CONSERVATIVE USE, LONGER.



FRANK U. CHANDLER


RT-2 Box 151

WILSON, I DA,

83672

49-0929

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Frank V. Chandler
(Applicant)

Proposed Priority 6/20/79

Received by RAH Date 6/20/79 Time 9:20
Preliminary check by CWB Fee \$ 35.00 # 14403
Receipted by KK Date 6/26/79
Publication prepared by KK Date 6/15/79
Published in 7/12-7/19/79 Signal American
Publication dates 7/12-7/19/79
Publication approved RB Date 8/14/79
Protests filed by: _____

Copies of protests forwarded by _____
Hearing held by _____ Date _____
Recommended for approval denial by OBS J.S.

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 67-7446 , and said application is hereby approved .

1. Approval of said application is subject to the following limitations and conditions:
- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
 - b. Proof of construction of works and application of water to beneficial use shall be submitted on or before August 1 , 19 84 .
 - c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
 - d. Other: (1) A measuring device of a type approved by the Department shall be
permanently installed and maintained as part of the diverting works. (2)
Use of water under this permit is subject to control by the watermaster
of State Water District #67 Weiser River.

Witness my hand this 28th day of August , 19 79 .

J. Glen Sayton
Chief, Operations Bureau

FRANK V. CHANDLER
ROUTE #2, BOX 157
WEISER, IDAHO 83672



NATIONAL FIDDLER'S
FESTIVAL
3RD WEEK IN JUNE

Seeing For Me



State of Idaho Dept. of Water Resources
% Jim Johnson
Statehouse —
Boise, Ida. 83720

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO, }
County of Washington } ss.

Dorothy A. Smith, being duly sworn,
deposes and says:

That he is the S Clerk of
THE WEISER SIGNAL, a weekly newspaper published at
Weiser, in the County of Washington and State of Idaho; that
said paper has been and is in general circulation in the
county aforesaid, and in the vicinity of Weiser; that the ad-
vertisement, a copy of which is attached hereto, was pub-
lished in said newspaper once a week for two consecu-
tive weeks in the regular and entire issue of said paper dur-
ing the period and time of publication, and was published in
the newspaper proper and not in a supplement; that said
paper has been established and regularly published for more
than seventy-eight consecutive weeks prior to the date of
first publication of said advertisement.

Such notice was published in the issue beginning with
July 12, 1979 and ending
with the issue of July 17, 1979.

Dorothy A. Smith
Fees, \$ 21.00

Subscribed and sworn to before me this 19
day of July, 1979

[Signature]
Notary Public, Residing at Weiser, Idaho.

My Commission Expires 1-2, 1983

PUBLIC NOTICES PUBLIC NOT

No. 373

NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following application(s)
have been submitted for permit to appropriate the public
waters of the State of Idaho:

67-7446

CHANDLER, FRANK V.
ROUTE 2, BOX 157, WEISER, ID 83672
Source: SHEEP CREEK tributary to MONROE CREEK
Date Filed: 06/20/1979

Amount: 1.00 CFS 35.0 AC-FT
Diversion Point: NENE Sec 32 T 12N R 05W,

WASHINGTON Co.
Use: DIVERSION TO STORAGE (1.00 CFS)

from 01/01 to 12/31
IRRIGATION STORAGE (35.0 AC-FT)

from 01/01 to 12/31
IRRIGATION FROM STORAGE (35.0 AC-FT)
from 03/15 to 11/15

Place of Use: SWNW SENW NESW NWSW NWSE Sec 33 T
12N R 05W FOR 59 ACRES

Diversion Means: DITCH, STORAGE RESERVOIR,
GRAVITY SPRINKLER SYSTEM

If issued, the permit(s) will be subject to all prior water
rights. Protests against the granting of any permit must be
filed with the Director of the Idaho Department of Water
Resources, 92 S. Cole Road, Boise, Idaho 83709 on or before
July 30, 1979.

C. STEPHEN ALLRED
Director

Published 7/12 & 7/19/79.

36-25.

RECEIVED

AUG 1 1979

Department of Water Resources
Western Regional Office

July 17, 1990

FRANK V. CHANDLER
1227 HWY. 95
WEISER, ID 83672

RE: PERMIT NO. 67-07446

Dear Permit Holder(s):


Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

A handwritten signature, possibly "Jim Johnson", is written above the date "JUL 17 1990". A large, hand-drawn L-shaped bracket is drawn to the right of the date, extending from the date line down towards the bottom right corner of the page.

June 14, 1990

FRANK V. CHANDLER
1227 HWY. 95
WEISER, ID 83672

RE: PERMIT NO. 67-07446

Dear Permit Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

Also enclosed is an order advancing the date of priority of this right due to late submittal of the examination fee.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

JUN 15 1990

JUN 14 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

FEB 13 1990

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 67-7446

1. Owner: FRANK V. CHANDLER Phone No. 549-0939

Current Address: 1227 Hwy 95, WEISER ID. 83672

2. Accompanied by: SAME EXAM. DATE: 6/16/88

Address: SAME Phone No. SAME

Relationship to Permit Holder: OWNER

3. Source: SHEEP CREEK tributary to MONROE CREEK

B. OVERLAP REVIEW

1. Other water rights with same place of use: 67-2357, 67-0700


☒ Copies Attached

2. Other water rights with same point of diversion: NONE

☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☒ Alternative diagram attached - dam safety FILE



Scale: 1" = NO SCALE

JUL 25 1990

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).

☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater.

☒ Aerial Photo Attached
(required for irrigation of 10 acres or more).

System Description (continued)

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

The system consists of a small diversion dam in Slick Creek, with an underground 10" p.v.c. pipe running from Slick Creek to the reservoir in an unnamed drain. There is a 6" mainline from the bottom of the dam, which feeds the sprinkler system. There is 82 ft. of drop from the bottom of the dam to the fields. Sprinklers run from the reservoir, about 1/2 mile, by gravity.

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
NONE					

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			NE	NE	32	12 N	5W	WASHINGTON	AERIAL PHOTO & USGS QUAD

6. Place(s) of Use:

Indicate Method of Determination AERIAL PHOTO

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
12N	5W	33							1	7.5	33	5					125		59

Do not use this space

MICROFILMED

Do not use this space

D. FLOW MEASUREMENTS

☒ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
NONE						
* AT TIME OF EXAM SHEEP CREEK ALMOST DRY.						

2. Measurements:

Flow dam SALES: FLOW CAPACITY IS 35 ac-ft
ESTIMATE OF AMOUNT CAN DIVERT TO STORAGE:
SEE CALCULATIONS: $Q = 1.74 \text{ cfs max}$
USING MANNINGS EQUATION ESTIMATE.

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method: ESTIMATED BASED ON SYSTEM:

1.74 cfs

2. Alternate Method for Checking Purposes:

APPLIED FOR

1.0 cfs

RECOMMEND
1.0 cfs

F. PUMP EFFICIENCY DATA (Optional)

N/A

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3)

; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 59 \text{ ac} \times 4.5 \text{ ac-ft/ac} = N/A$

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 1.74 \text{ cfs} \times 20 = 34.8 \text{ ac-ft}$

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = \text{LIMITED TO } 35 \text{ ac-ft IN RESERVOIR}$

2. Volume Calculations for Other Uses:

N/A

RECEIVED

JUL 26 1990

H. REMARKS AND OVERLAP REVIEW ANALYSIS

* OVERLAP

67-2357 IS A LICENSE FOR WELL ON PROPERTY THAT IS USED ON SOME OF SAME LAND FOR SUPPLEMENTAL WATER.

67-D700 IS A DELETED RIGHT FROM SHEEP CREEK WHICH HE USES PART OF THIS RIGHT TO DIVERT WATER TO STORAGE AND ALSO IF THERE IS ENOUGH WATER HE PUMPS FROM THE CREEK TO IRRIGATE LAND DOWN AROUND ^{the} HOUSE.

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
STORAGE FOR IRRIGATION	1/1	12/31		35.4a
IRRIGATION FROM STORAGE	2/15	11/15		25.4a
DIVERSION TO STORAGE	11/15	5/1	1.0 cfs	
Totals:			1.0 cfs	35.4a


2. Recommended Amendments

- ☐ Change P.D. as reflected above ☐ Add P.D. as reflected above
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above

- ☒ None
☐ Other

J. AUTHENTICATION

Field Examiner's Name QUENTIN NEASETT
 JFW 1-31-90
 Signature [Signature]
 Certification Date _____
 Field Report Preparation Date 8-10-88



K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

MICROFILMED

JUL 26 1990

CALCULATIONS:

67-7446

* USING MANNINGS EQUATION TO ESTIMATE FLOWRATE INTO THE RESERVOIR.

$$V = \frac{1.49 R^{2/3} S^{1/2}}{n}$$

$$Q = V \times A$$

$$S = \text{SLOPE } \Delta \text{ELEV} / \text{DISTANCE} = 20 \text{ FT} / 1320 \text{ FT} = .015$$

$$n = \text{MANNINGS } n \rightarrow \text{CHART BOOK} = .01$$

A = AREA, HALF FULL IS MAX EVER RUNS.

$$\textcircled{1} \text{ } 1/2 \text{ FULL } \quad A / d^2 = .3927 \quad A = .3927 \left(\frac{10''}{12''} \right)^2 = .2727 \text{ ft}^2$$

$$R = \text{HYDRAULIC RADIUS} \quad \text{CHART } R / d = .25 \quad R = .25 \left(\frac{10''}{12''} \right) = .208 \text{ ft}$$

$$V = \frac{1.49}{.01} (.208)^{2/3} (.015)^{1/2} = 6.4 \text{ FT/SEC}$$

$$Q = 6.4 \text{ FT/SEC} \times .2727 \text{ FT}^2 = 1.74 \text{ cfs} \\ = \text{MAX CAPACITY}$$

RECEIVED

JUL 26 1990

Table 7-1 MANNING n FOR OPEN CHANNELS¹

Surface	Manning n
Very smooth surface (glass, plastic, machined metal)	0.010
Planed timber	0.011
Unplaned wood	0.012–0.015
Smooth concrete	0.012–0.013
Unfinished concrete	0.013–0.016
Brickwork	0.014
Rubble masonry	0.017
Earth channels smooth, no weeds	0.020
Firm gravel	0.020
Earth channel with some stones and weeds	0.025
Earth channels in bad condition, winding natural streams	0.035
Mountain streams	0.040–0.050
Sand (flat bed), or gravel channels	
(d = median grain diameter ² , ft)	$0.034d^{1/6}$
(d = d_{75} size ³ , ft)	$0.031d^{1/6}$

¹Reference should be made to Chow's *Open-Channel Hydraulics* for an extensive list of n values complete with photographs.

²The median grain diameter is the grain size for which 50 percent of the channel bed material is finer and 50 percent is coarser. In Chapter 8, this will be indicated as d_{50} . It should be noted that this equation, known as the Strickler equation, is less satisfactory for sand bed channels.

³The d_{75} size (or d_{75}) is the size for which 75 percent of the bed material is finer.

should remain unchanged. Consequently, the numerical value had to be converted and the equation takes the form.¹

$$Q = \frac{1.49}{n} AR^{2/3} S_0^{1/2} \quad (7-5b)$$

in U.S. customary units.

The Manning equation is often applied to nonuniform flows by the simple expedient of replacing the channel slope S_0 by the friction slope S_f . This works satisfactorily and is consistent with the previous theoretical treatment of the resistance equation (see Eqs. 7-2 and 7-3).

The depth associated with uniform flow is called the *normal depth*. For a given channel and discharge there will be only one normal depth, which is usually obtained by using the Manning equation as illustrated in Example 7-1. An iterative solution is required to calculate the normal depth, and the reader is urged to develop a computer program to avoid the repetitive computations. The calculation of the normal

¹For an interesting and thorough discussion, refer to page 98 of *Open-Channel Hydraulics* by Chow, referenced at the end of the chapter. In a word, the conversion factor is based on $(3.28)^{1/3} = 1.486$, where 3.28 is the conversion from feet to meters. Based on the accuracy with which Manning n values are known, a rounding to 1.49 is generally accepted.

depth is the
uniform flow

E

Determine
1, a b
1510 c

Solut

The M

Q

where

A

and

P

It is co
leads to

1.4

Solving

The re
ning equat
cross secti
schemes a





Figure 7-


JUL 20 1990

APPENDIX A. GEOMETRIC ELEMENTS FOR CIRCULAR
CHANNEL SECTIONS (continued)



$\frac{y}{d_0}$	$\frac{A}{d_0^2}$	$\frac{P}{d_0}$	$\frac{R}{d_0}$	$\frac{T}{d_0}$	$\frac{D}{d_0}$	$\frac{Z}{d_0^{1.5}}$	$\frac{AR^{3/2}}{d_0^{3/2}}$	$\frac{y}{d_0}$
0.31	0.2074	1.1810	0.1755	0.9250	0.2242	0.0981	0.0650	0.66
0.32	0.2167	1.2025	0.1801	0.9330	0.2322	0.1044	0.0690	0.67
0.33	0.2260	1.2239	0.1848	0.9404	0.2404	0.1107	0.0736	0.68
0.34	0.2355	1.2451	0.1891	0.9474	0.2486	0.1172	0.0776	0.69
0.35	0.2450	1.2661	0.1935	0.9539	0.2568	0.1241	0.0820	0.70
0.36	0.2546	1.2870	0.1978	0.9600	0.2652	0.1310	0.0864	0.71
0.37	0.2642	1.3078	0.2020	0.9656	0.2736	0.1381	0.0909	0.72
0.38	0.2739	1.3284	0.2061	0.9708	0.2822	0.1453	0.0955	0.73
0.39	0.2836	1.3490	0.2102	0.9755	0.2908	0.1528	0.1020	0.74
0.40	0.2934	1.3694	0.2142	0.9798	0.2994	0.1603	0.1050	0.75
0.41	0.3032	1.3898	0.2181	0.9837	0.3082	0.1682	0.1100	0.76
0.42	0.3132	1.4101	0.2220	0.9871	0.3172	0.1761	0.1147	0.77
0.43	0.3229	1.4303	0.2257	0.9902	0.3262	0.1844	0.1196	0.78
0.44	0.3328	1.4505	0.2294	0.9928	0.3352	0.1927	0.1245	0.79
0.45	0.3428	1.4706	0.2331	0.9950	0.3446	0.2011	0.1298	0.80
0.46	0.3527	1.4907	0.2366	0.9968	0.3538	0.2098	0.1348	0.81
0.47	0.3627	1.5108	0.2400	0.9982	0.3634	0.2186	0.1401	0.82
0.48	0.3727	1.5308	0.2434	0.9992	0.3730	0.2275	0.1452	0.83
0.49	0.3827	1.5508	0.2467	0.9998	0.3828	0.2366	0.1505	0.84
0.50	0.3927	1.5708	0.2500	1.0000	0.3928	0.2459	0.1558	0.85
0.51	0.4027	1.5908	0.2531	0.9998	0.4028	0.2553	0.1610	0.86
0.52	0.4127	1.6108	0.2561	0.9992	0.4130	0.2650	0.1664	0.87
0.53	0.4227	1.6308	0.2591	0.9982	0.4234	0.2748	0.1715	0.88
0.54	0.4327	1.6509	0.2620	0.9968	0.4340	0.2848	0.1772	0.89
0.55	0.4426	1.6710	0.2649	0.9950	0.4448	0.2949	0.1825	0.90
0.56	0.4526	1.6911	0.2676	0.9928	0.4558	0.3051	0.1878	0.91
0.57	0.4625	1.7113	0.2703	0.9902	0.4670	0.3158	0.1933	0.92
0.58	0.4723	1.7315	0.2728	0.9871	0.4786	0.3262	0.1987	0.93
0.59	0.4822	1.7518	0.2753	0.9837	0.4902	0.3373	0.2041	0.94
0.60	0.4920	1.7722	0.2776	0.9798	0.5022	0.3484	0.2092	0.95
0.61	0.5018	1.7926	0.2797	0.9755	0.5144	0.3560	0.2146	0.96
0.62	0.5115	1.8132	0.2818	0.9708	0.5270	0.3710	0.2199	0.97
0.63	0.5212	1.8338	0.2839	0.9656	0.5398	0.3830	0.2252	0.98
0.64	0.5308	1.8546	0.2860	0.9600	0.5530	0.3945	0.2302	0.99
0.65	0.5404	1.8755	0.2881	0.9539	0.5666	0.4066	0.2358	1.00

67-7446




SCALE 1:62,500

10.3 MI. TO U.S. 30N IWEISER SOUTH 1:24,000
2672 III NW 1/4 5 W.
PAVETTE 14 MI.

44°15' 11700

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

67-7446



* TAKEN AT TIME OF EXAM

67-TH16

WHERE
UNDERGROUND
PIPE STARTS



SMALL DIVERSION
DAM



UNDERGROUND
PIPE

RECEIVED

JUL 26 1990

* COPIES OF PICTURES FROM Dam SAFETY FILE.
6-27-90



FILED

JUL 26 1990

67 7416



APR 26 1967

P/u

6. *Explain the importance of the following:*

July 2, 1999

[illegible]

BENEFICIAL USE FIELD REPORT REVIEW

TO: FILE 67-7446

FROM: ROXANNE MC CARTHY

RE: PRIORITY ADVANCE REVIEW

DATE: 26-FEB-1990

=====


This review memo is prepared to show the process for determining what elements were involved in advancement of the priority.

	<u>DATE</u>	<u>JULIAN</u>
PERMIT		
Permit priority Date:	JUNE 20 1979	171
Proof Received Date:	AUGUST 02 1984	214
Proof Due Date:	AUGUST 01 1984	213
Days Late:		1 DAY(S)
 EXAM FEE NOTICE		
Exam Fee Notice Date:	APRIL 10 1987	100
Exam Fee/Info Sheet Received Date:	OCTOBER 27 1987	300
Exam Fee or Info Due Date:	JUNE 09 1987	160
Days Late:		140 DAY(S)
 NEW PRIORITY DATE		
Original Priority Date:	JUNE 20 1979	171
Total Days Late:		141 DAY(S)
New Priority Date:	NOVEMBER 08 1979	312


RECEIVED

ORIGINAL REC'D 5/20/87 - SEE LETTER OF 9/17/87

4/86



Department of Water Resources
Western Regional Office



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

EXAMINATION FEE INFORMATION

For Office Use Only

Fee Received 100

Date 11/5/87

Receipt # 439961

Receipt by 12/17/87

Sent to S.O. 12/17/87

OCT 20 1987

1. Permit No. 67-7446

ONE OF THE FOLLOWING BOXES SHOULD BE MARKED TO DESIGNATE YOUR CHOICE: Department of Water Resources

☒ I choose to have the department make the field examination of this permit; attached is the examination fee. (If this box is marked, complete items 1 thru 8.)

2. Permit Holder: Frank V. Chandler

3. Post Office Address: RT #2 Box 157 Weiser Ida 83672

Telephone No. 208 549 0939

4. Source of Water: Sheep Creek

5. Extent of Use:

Domestic _____ (No. of households) Stockwater _____ (No. and type of stock)

Irrigation 70 (acres) Other/Remark _____

6. Total rate &/or volume for which proof is submitted _____ cfs 35 acre-feet

7. Show the date water was first diverted and beneficially used under this permit:

Our dam was built 1979 and the water was in 1980.
This water has been used on this land for a hundred years

8. Person to contact to accompany the department representative during the field examination:

Frank V. Chandler

(Name)

RT 2 Box 157 Weiser Ida

(Address)

208 549 0939

(Telephone Number)

☐ I choose to have the field examination conducted by a certified water right examiner. Attached is a statement from the certified examiner I have selected verifying that he has been retained to conduct the examination. (If this box is marked, complete items 1 thru 7.)

Sept 25 1987
Date

Frank V. Chandler Owner
Signature of Permit Holder (and title, if appropriate)

State of Idaho
Department of Water Resources

LICENSE EXAMINATION FEE SCHEDULE

(c.f.s. = cubic feet per second
AF = acre feet)

cfs	AF	Fee
0 - 0.04	0 - 4	\$ 0
.05 - 0.20	5 - 20	50.00
.21 - 1.0	21 - 100	100.00 ^x
1.01 - 2.0	101 - 200	125.00
2.01 - 3.0	201 - 300	150.00
3.01 - 4.0	301 - 400	175.00
4.01 - 5.0	401 - 500	200.00
5.01 - 6.0	501 - 600	225.00
6.01 - 7.0	601 - 700	250.00
7.01 - 8.0	701 - 800	275.00
8.01 - 9.0	801 - 900	300.00
9.01 - 10.0	901 - 1000	325.00
10.01 - 11.0	1001 - 1100	350.00
11.01 - 12.0	1101 - 1200	375.00
12.01 - 13.0	1201 - 1300	400.00
13.01 - 14.0	1301 - 1400	425.00
14.01 - 15.0	1401 - 1500	450.00
15.01 - 16.0	1501 - 1600	475.00
16.01 - 17.0	1601 - 1700	500.00
17.01 - 18.0	1701 - 1800	525.00
18.01 - 19.0	1801 - 1900	550.00
19.01 - 20.0	1901 - 2000	575.00
20.01 & over	2001 & over	600.00

Checks should be made payable to the
Department of Water Resources

No fee is required for single family
domestic use or stockwater use.



State of Idaho
DEPARTMENT OF WATER RESOURCES
Western Region

Cecil D. Andrus
Governor

2735 Airport Way
Boise, Idaho 83705
(208) 334-2190

September 17, 1987

Re: Permit No. 67-7446

Frank V. Chandler
Route #2, Box 157
Weiser, ID 83672

Dear Mr. Chandler:

We received the exam fee sheet for your Permit No. 67-7446 on May 20, 1987. Due to the busy field season this year, we have been unable to correspond with you earlier. Hopefully, this delay has not caused you an inconvenience.

On this fee sheet you listed 70 acres of irrigation for 4 acre feet of water. Permit No. 67-7446 was issued for 35 acre feet of storage with 1.0 cfs (cubic feet per second) for diversion to storage. The fee for this amount would be \$100 per the fee sheet enclosed. Since you have designated 4 acre feet on your exam fee sheet, this permit, when licensed, will limit your storage capacity to 4 acre feet. The 4 acre feet would be equal to a pond approximately 1 acre surface area and 4 feet deep. The rate of diversion to storage would also be limited without a fee which would be 0.04 cfs or 18 gallons per minute.

We will conduct a field examination based on this amount of water unless you contact us. Once the exam has been conducted, and more water is desired, there is a penalty fee that would be required in addition to the \$100 fee mentioned above. One of our examiners will contact you to schedule an appointment to conduct the examination.

This letter is not to solicit an exam fee, only to inform you of the present limitations on your permit. If you have any questions concerning this letter, please feel free to contact me.

Sincerely,

JUL 26 1990

JAN SHURTE
Sr. Water Resource Agent

JS:j
Encl.

4/86

RECEIVED

MAY 20 1987

No. 1 enclosed

Department of Water Resources
Western Regional Office

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

EXAMINATION FEE INFORMATION

For Office Use Only
Fee Received NO FEE
Date _____
Receipt # _____
Receipt by _____
Sent to S.O. _____

SEE LETTER OF 9/19/87.

1. Permit No. 67-7446

ONE OF THE FOLLOWING BOXES SHOULD BE MARKED TO DESIGNATE YOUR CHOICE:

- ☒ I choose to have the department make the field examination of this permit; attached is the examination fee. (If this box is marked, complete items 1 thru 8.)

2. Permit Holder: FRANK V. CHANDLER3. Post Office Address: RT. 2 BOX 157 WEISERIDA. 83672Telephone No. 549-09394. Source of Water: Sheep Creek

5. Extent of Use:

Domestic _____ (No. of households) Stockwater _____ (No. and type of stock)

Irrigation 70 (acres) Other/Remark STORAGE FOR FLOW
IRRIGATION
DIV. TO STORAGE
(NO FEE SUBMITTED)6. Total rate &/or volume for which proof is submitted 0.04 cfs 4 acre-feet

7. Show the date water was first diverted and beneficially used under this permit:

- 1980 - Spring

8. Person to contact to accompany the department representative during the field examination:

FRANK V. CHANDLER

(Name)

RT. 2 BOX 157

(Address)

WEISER IDA. 83672 549-0939

(Telephone Number)

- ☒ I choose to have the field examination conducted by a certified water right examiner. Attached is a statement from the certified examiner I have selected verifying that he has been retained to conduct the examination. (If this box is marked, complete items 1 thru 7.)

Date MAY 19, 1987Signature of Permit Holder (and title, if appropriate) Frank V. Chandler owner

State of Idaho
Department of Water Resources

LICENSE EXAMINATION FEE SCHEDULE

(c.f.s. = cubic feet per second
AF = acre feet)

cfs	AF	Fee
0 - 0.04	0 - 4	\$ 0
.05 - 0.20	5 - 20	50.00
.21 - 1.0	21 - 100	100.00
1.01 - 2.0	101 - 200	125.00
2.01 - 3.0	201 - 300	150.00
3.01 - 4.0	301 - 400	175.00
4.01 - 5.0	401 - 500	200.00
5.01 - 6.0	501 - 600	225.00
6.01 - 7.0	601 - 700	250.00
7.01 - 8.0	701 - 800	275.00
8.01 - 9.0	801 - 900	300.00
9.01 - 10.0	901 - 1000	325.00
10.01 - 11.0	1001 - 1100	350.00
11.01 - 12.0	1101 - 1200	375.00
12.01 - 13.0	1201 - 1300	400.00
13.01 - 14.0	1301 - 1400	425.00
14.01 - 15.0	1401 - 1500	450.00
15.01 - 16.0	1501 - 1600	475.00
16.01 - 17.0	1601 - 1700	500.00
17.01 - 18.0	1701 - 1800	525.00
18.01 - 19.0	1801 - 1900	550.00
19.01 - 20.0	1901 - 2000	575.00
20.01 & over	2001 & over	600.00

Checks should be made payable to the
Department of Water Resources

No fee is required for single family
domestic use or stockwater use.



Cecil D. Andrus
Governor

State of Idaho
DEPARTMENT OF WATER RESOURCES
Western Region

2735 Airport Way
Boise, Idaho 83705
(208) 334-2190

67-7446
CHANDLER, FRANK W.
RT. 2 BOX 157
WEISER, ID 83672

138260

April 10, 1987

CERTIFIED MAIL

EXAMINATION FEE NOTICE

Dear Permit Holder:

Department records show that proof of beneficial use has been submitted for the above-referenced permit, but that a field examination has not yet been conducted to determine the extent of beneficial use of the water for licensing purposes.

House Bill 671 (effective April 4, 1986) enacted by the 1986 Idaho Legislature requires the payment of a fee before this department can conduct the field examination needed to issue a license confirming use of water under the permit. This letter is notification that the license examination fee is due within sixty (60) days of the date of this letter. The examination fee information sheet (enclosed) must be returned with the fee.

As an alternative to submitting the fee, the department will accept a field examination report completed by a certified water right examiner from the private sector. If you choose to have the examination done by a certified water right examiner, you need not submit the license examination fee to the department, but you must within sixty (60) days of the date of this letter return to the department, the examination fee information sheet showing appropriate information together with a statement from the certified examiner to verify that you have retained a certified examiner to conduct the field examination. If you choose this alternative, a completed field examination report must be submitted within one year of the date of this letter. You cannot later change your decision to use this alternative and submit the fee needed for the department to conduct the field examination, but you may change to another certified examiner.

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Western Region

Statehouse
Boise, Idaho 83720
(208) 334-2190

AUGUST 29, 1984

FRANK W. CHANDLER
RT. 2 BOX 157
WEISER ID 83672

RE: Permit No. 67-7446

Dear Permit Holder:

We acknowledge receipt of your statement submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this department.

A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office by phone at 334-2190 or in person in the third floor State Towers Building, 450 West State Street, Boise.

Sincerely,
s/Judy Pense
Secretary

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit No. 67-7446

Name(s) of Permit Holder: Frank V. Chandler

Post Office Address: Route 2 Box 157

Weiser Ida 83672 Tel. No. 549 0939

Source of Water: Sheep Creek

Extent of Use: ☐ Domestic (number of households)
☐ Stockwater (number and type of stock)
☒ Irrigation 100 (acres)
☐ Other

Measuring Device: Required? ☒ Yes ☐ No Installed? ☒ Yes ☐ No

Access Port: Required? ☐ Yes ☐ No Installed? ☐ Yes ☐ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

6/31/84
Date

Frank V. Chandler
Signature of Permit Holder

CHANDLER VALLEY RANCH

FRANK V. CHANDLER

ROUTE #2, BOX 157784

WEISER, IDAHO 83672



RECEIVED

AUG 2 1984

IDAHO DEPARTMENT OF WATER RESOURCES

STATEHOUSE

BOISE, IDAHO 83720

Department of Water Resources

CEMENT

June 6, 1984

Frank W. Chandler
Rt. 2, Box 157
Weiser, ID 83672

Dear Mr. Chandler:

Re: Permit No. 67-7446

Pursuant to your discuss with Lee Sisco and I, enclosed is a copy of the department's publication entitled, Water Measurement.

If we can be of further assistance, please feel free to contact us.

Sincerely,

RITA I. FLECK
Secretary/Records Manager

Enclosure

S T A T E O F I D A H O
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
CERTIFIED MAIL

138813

CHANDLER, FRANK V.
ROUTE 2
BOX 157
WEISER, ID 83672

PROOF DUE NOTICE

MAY 31, 1984

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF YOUR WATER PERMIT NO. 67-7446 WAS THAT PROOF OF THE EXTENT OF YOUR BENEFICIAL USE MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE AUGUST 01, 1984. (SEE LAST PAGE OF YOUR APPROVED PERMIT OR YOUR LAST APPROVED EXTENSION REQUEST). ENCLOSED IS A POSTCARD WHICH MAY BE USED TO SUBMIT THE REQUIRED PROOF.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU OR A PREVIOUS OWNER OF THIS PERMIT HAVE NOT RECEIVED A PRIOR EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME IF THE DELAY IS FOR REASONABLE CAUSE AS PROVIDED IN SECTION 42-204, IDAHO CODE. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED. AN EXTENSION OF TIME REQUEST FORM IS ENCLOSED FOR YOUR CONVENIENCE.

EITHER THE BENEFICIAL USE POSTCARD OR A REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE DESCRIBED PROOF DUE DATE. IF NEITHER IS RECEIVED, THE DEPARTMENT WILL SEND YOU A LAPSE NOTICE. WITHIN SIXTY (60) DAYS OF THE MAILING OF THE LAPSE NOTICE, THE PERMIT WILL NO LONGER BE OF ANY FORCE NOR EFFECT.

SINCERELY,

RITA FLECK
SECRETARY/RECORDS MANAGER

ENCLOSURES

CHANDLER



State of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 373 W. Franklin Street, Boise, Idaho

JOHN V. EVANS
Governor

C. STEPHEN ALLRED
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 384-2215

August 31, 1979

Frank V. Chandler
Rt. 2 Box 157
Weiser, Idaho 83672

Dear Mr. Chandler,

RE: Permit No. 67-7446

Enclosed is a copy of your approved Application for Permit. We direct your attention to the conditions of approval as listed on the fourth page.

Be sure to note the special condition requiring you to install and maintain a measuring device at your point of diversion prior to submitting proof of beneficial use of water. We have enclosed a letter describing the different types of measuring devices accepted by this office.


Sincerely,

David R. Tuthill Jr.

DAVID R. TUTHILL, JR.
Supervisor, Water Allocations Section

DRT:lr

Enclosure



State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: CW Bryan Jr.

APPLICATION NUMBER: 67-7446
CHANDLER

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.

Field check by: _____

Date: _____

Comments: DATE RECEIVED SHOULD BE
PRIORITY DATE.

- ☒ Yes ☒ No Field check required.
☒ Yes ☒ No Critical groundwater area.
☒ Yes ☒ No Request dam safety information. Sent by: KL
☒ Yes ☒ No* In form to receipt.

Date: 8/16/79

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☐ Idaho State Health Department.
☐ Idaho Fish and Game Department.
☐ Idaho Department of Lands.
☐ U.S. Bureau of Land Management.
☐ U.S. Forest Service.
☐ Other _____

Copies sent by: _____

Date: _____

PROCESSING:

- ☐ Yes ☐ No Platted by: _____ Map No. _____
☐ Yes ☐ No Other rights on same place of use. _____

- ☒ Yes ☐ No* In form for advertising.
Final date for protests: 8/7/30/79
☐ Yes ☒ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 8/1/79
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application.
☒ Publication dates and paper, recorded on application.
☐ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.

- ☒ Yes ☐ No Measuring device required.

- ☐ Yes ☒ No Access port required.

- ☒ Yes ☒ No Will water be delivered by watermaster? If yes, what district? Monroe CK - when formed
6/20/79 Date of priority recommended.

Special conditions of approval or cover letter. _____

Total quantity appropriated should be 35.0 ac.ft. per
annum rather than 100 ac.ft. listed in Item #5

I.D. letter

By: DBS

Date: 8/16/79

STATE OFFICE REVIEW:

Type correction on Item 5.


01, 05 (Monroe Creek)

Send receipt w/approval app.

- ☐ See attached sheet for more information.

By: Jim

Date: 8/22/79



Department of Water Resources

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES
Western Region

92 South Cole Road
Boise, Idaho 83709
(208) 384-2190

JULY 5, 1979

The Signal American
Box 709
Weiser, ID 83672

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. We have allowed ample time for you to submit a galley proof to this office for review before the first publication date. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before JULY 30, 1979.

Yours truly,

Karla Knecht
Secretary

Encl.

APR 11 1980

67-2446-

CHANDLER, FRANK V.

ROUTE 2, BOX 157, WEISER, ID 83672

Source: SHEEP CREEK tributary to MONROE CREEK

Date Filed: 06/20/1979

Amount: 1.00 CFS 35.0 AC-FT

Diversion Point: NENE Sec 32 T 12N R 05W, WASHINGTON Co.

Use: DIVERSION TO STORAGE (1.00 CFS) from 01/01 to 12/31
 IRRIGATION STORAGE (35.0 AC-FT) from 01/01 to 12/31
 IRRIGATION FROM STORAGE (35.0 AC-FT) from 03/15 to 11/15

Place of Use: SWNW SENW NESW NWSW NWSE Sec 33 T 12N R 05W FOR 59 ACRES

Diversion Means: DITCH, STORAGE RESERVOIR, GRAVITY SPRINKLER SYSTEM