


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.




Scale: 2 inches equal 1 mile.


BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Wilkerson Bros.
By: Donald K. Wilkerson
(Applicant)

RECEIVED



67-7420




14N2W S.01

West Boise Meridian.

67-7420
P/O


L. Weiser
Channel
has changed



Photos from 1988




← P/O Mickey-
Wilker-
son
Ditch
←



67-7420

Photos from 1988



electric pump
on Mickey
Wick. N.
of Hwy.
NW NW
S10

67-7420



cjl @ re-exam

View West across
N $\frac{1}{2}$ NE S09 &
~~N~~ NENW S09.
Grain has been
harvested.



View N-NW
into S $\frac{1}{2}$ SE
Sec 4 where
acres alleged also
under system.
They appear
planted to grass
but not obviously
under irrigation
system.
DID NOT
RECOMMEND.
See remarks



67-7420

For Office Use Only
Fee Received <u>15.00</u>
Date <u>10-5-83</u>
Receipt # <u>32705</u>

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

REQUEST FOR EXTENSION OF TIME

RECEIVED

To provide additional time in which to submit
proof of beneficial use on a water right permit

OCT 4 1983

Department of Water Resources

Hilkerson Bros. of Cambridge HC68 Bx 2520
(Name) (Address)

State of Idaho, deposes and says:

That he is the holder, or the duly authorized agent of the holder*, of Permit to Appropriate the Public Water of
the State of Idaho No. 67-7420

That under the terms and conditions of said permit, work thereunder was required to be completed on or before
December 1, 1983.

That he has heretofore performed the following work described under said permit:

(This must be filled out! If no work has been completed put none.)

purchased
seven lines and 2 pumps as well as ditching &
leveling of the ground necessary for the system.

Costing \$ 75,000.00

That he is unable to complete the remainder of the work within the required time for the following reasons, to-wit:

Aspects of the partnership have been disrupted by the leaving
of one partner leaving a financial burden as well as
a labor shortage. Making it impossible to complete
the work in the designated time.

Wherefore, he asks that the Department of Water Resources extend the time for the completion of obligations
under said permit to December 1, 1988.
(1 yr. minimum, 5 yrs. maximum)

NOTE
AS OF JULY 1, 1980,
THERE IS A \$15.00
CHARGE FOR REQUESTS
FOR EXTENSION OF
TIME.

JM Hilkerson
(Signature)*

*IF OTHER THAN HOLDER, Power of Attorney must be supplied.

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

IT IS HEREBY ORDERED that the above application for extension of time be APPROVED and the time within
which to submit the statement of beneficial use is extended to December 1, 1988.

Signed this 6th day of October, 19 83.

J. Glen Saxton
Chief, Operations Bureau

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant Wilkerson Bros. (A Partnership) Phone 257-3756

Post office address Cambridge, ID 83610

2. Source of water supply Little Weiser which is a tributary of Weiser River

3. Location of point of diversion is NE $\frac{1}{4}$ of NW $\frac{1}{4}$ of Section 1 Township 14N

Range 2W B.M. Adams County, additional points of diversion if any: _____

See Remarks for additional points of Rediversion J.J.

4. Water will be used for the following purposes:

Amount 3.75cfs for irrigation purposes from Mar. 15 to Nov. 15 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 3.75 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. Portable pump w/sprinkler system
from Mickey Ditch.

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir
capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial
use is 5 years (minimum 1 year - maximum 5 years). Estimated cost is \$5000.00

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____
Range _____ B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be
supplied with domestic water _____.

(5) If water is to be used for other purposes describe: _____

RECORDED
INDEXED
JUN 10 1978
IDAHO DEPT. OF WATER RESOURCES

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

[illegible]

Total number of acres to be irrigated 300

c. Describe any other water rights used for the same purposes as described above. none


9. a. Who owns the property at the point of diversion Mickey Ditch Association

b. Who owns the land to be irrigated or place of use Applicant

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing

10. Remarks Pts. Re-diversion: NW $\frac{1}{4}$ NW $\frac{1}{4}$ (2), Sec. 10, Twp. 14N, Rge. 2W; SW $\frac{1}{4}$ NE $\frac{1}{4}$, SW $\frac{1}{4}$ NW $\frac{1}{4}$,
Sec. 9, Twp. 14N, Rge. 2W, B. M.

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Wilkerson Bros.
By: Donald K. Wilkerson
(Applicant)

Proposed Priority 10-12-78

Received by JSQ Date 10/12/78 Time 3:35 P.M.
Preliminary check by JSQ Fee \$ 65⁰⁰
Receipted by JSQ Date 10/12/78 # 12456
Publication prepared by st Date _____
Published in Adams Co. Leader
Publication dates 10/26 & 11/2
Publication approved st Date 11-20-78
Protests filed by: _____

Copies of protests forwarded by _____
Hearing held by _____ Date _____
Recommended for approval denial by DBS J.S.

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 67-7420, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before December 1, 19 83.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
0.0125
- d. Other: (1) The issuance of this permit in no way grants any right-of-way or easement across the land of another.
(2) Use of water under this permit is subject to control by the watermaster of State Water District No. 67-A, Little Weiser River.
(3) A measuring device of a type approved by this Department shall be permanently installed and maintained as part of the diverting works.
(4) No water shall be diverted under this permit after June 15 of each year unless by the approval of the watermaster.

Witness my hand this 7th day of December, 1978

A. Glen Saxton
Chief, Operations Bureau

Affidavit of Publication

State of Idaho, County of Adams, ss:

I, Bert J. Rogers, being first duly sworn upon my Oath, depose and say that I am the publisher of "The Adams County

Leader, a newspaper; that a copy of the " Notice of Application

No. 67-7419 & 67-7420 as per clipping

hereto attached, was published in the regular and entire issue of said newspaper, and not in any supplement thereof, for two (2) consecutive weeks, the first publication of the same being made in the issue dated October 26, 1978

and the last in the issue dated November 2, 1978 that said newspaper is of general circulation in Adams County Idaho, printed and published weekly at Council therein and that said newspaper has been continuously and uninterruptedly published in said county during a period of more than seventy-eight consecutive weeks prior to the first publication of

said " Notice " as aforesaid.

Subscribed and sworn to before me this 2nd

day of November , 1978.

[Signature]

Notary Public for Idaho,
Residing at Council, Idaho

**NOTICE OF APPLICATION
FOR WATER RIGHT**

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

67-7419

Name: QUICK, EDWARD L.
Address: DRAWER K, COUNCIL, ID 83612

Source: SPRING

Date Filed: 10/12/1978

County: ADAMS

Amount: 0.04 CFS

Point of Diversion: NESW S25 T17N R01W

Use: DOMESTIC from 01/01 to 12/31

Place of Use: NESW S25 T17N R01W

Means: SPRING BOX WITH HOLDING TANK

67-7420

Name: WILKERSON BROS. (A PARTNERSHIP)

Address: CAMBRIDGE, ID 83610

Source: LITTLE WEISER tributary to WEISER RIVER

Date Filed: 10/12/1978

County: ADAMS

Amount: 3.75 CFS

Point of Diversion: NENW S01 T14N R02W

Use: IRRIGATION from 03/15 to 11/15

Place of Use: SESW SWSE SESE S04 T14N R02W NENE NWNE NENW SWNW SENW S09

T14N R02W FOR 300 ACRES

Means: PORTABLE PUMP W/ SPRINKLER SYSTEM FROM MICKEY DITCH

If issued, the permit(s) will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 92 S. Cole Road, Boise, Idaho 83705 on or before NOVEMBER 13, 1978.

C. STEPHEN ALLRED

Director

Published in the Adams County Leader on OCTOBER 26, 1978 and NOVEMBER 2, 1978.

OK
11-20-78

[illegible]

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.

Scale: 1" = _____.



Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).



Aerial Photo Attached (required for irrigation of 10+ acres)



Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: _____

E. NARRATIVE/REMARKS/COMMENTS

Flows are diverted via the Mickey-Wilkerson ditch to relift pumps in NENE S09 & N $\frac{1}{2}$ S10 to pressurized irrigation. Relift pumps also used to ^{re}divert a portion of permit 67-7479 on lands in Sec 3 & 10.

Exam was originally conducted in 1988 and not completed. A re-exam conducted by me determined acres irrigated and confirmed delivery system.

P/D overlaps are with Little Weiser decreed rights and some other later-in-time permits used in sections 3, 4, 9 & 10. This permit is limited to diversions prior to June 15 (floodwater).

There are no P/D overlaps. No decreed water on this land. Relift pumps⁽²⁾ are capable of delivering in excess of that req'd by developed acres. Watermaster advises that flows are deliverable in Mickey-Wilkerson Ditch early in the season. I did not get the ditch capacity, but capacity is sufficient. ~~B~~ This right is not typically delivered after Watermaster is called.

Acres in S $\frac{1}{2}$ SE S04 were represented to me as being irrigated under this permit. However, they are not delineated on the CFS photo and I was not convinced they were a part of the irrigation system acres. Some grass has been seeded but the area appears to be dryland-farmed. There are a few acres in S09 which have been brought under irrigation which I have added. See also examiner's notes on an earlier map in 7479.

Per previous examiner notes in 67-7479, there is a weir installed at the head of the Mickey Ditch.

Have conditions of permit approval been met? ☒ yes ☐ no

Long term
P/D
chron
floods
2

F. FLOW CALCULATIONS

1 Additional Computation Sheets Attached

Measured Method:

@ permanent pump 1.8 cfs

@ portable pump 2.04 cfs
3.84 from relifts
2.92 for 146 acres

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 146 \times 4 = 584$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 2.92 \times 214 \times 1.9835 = 1239$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 584$$

2. Volume Calculations for Other Uses:

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
IRRIGATION	4-1	10-31	2.92	584
Totals:			2.92	584

2. Recommended Amendments

☒ Change P.D. as reflected above ☐ Add P.D. as reflected above ☐ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

I. AUTHENTICATIONField Examiner's Name Cindy J. Hodges Date 6-6-97

Reviewer _____ Date _____

SEAL

State of Idaho
DEPARTMENT OF WATER RESOURCES
SUPPLEMENTAL FIELD REPORT FOR ANNUBAR MEASUREMENT

Measured by: QUENTIN NESBITT Date 6-21-8
Owner: WILKERSON BROS Permit No. 67-7420

Description of well &/or measuring site

- Include any clarifications of the sketch
- Include legal description if more than one p.d. is described in the Field Report

PERMANENT PUMP

PORTABLE

MEASURED INSIDE PIPE DIAMETER IN INCHES (ID)

CIR = Pipe Circumference in Inches = _____

T = Pipe Thickness in Inches = _____

ID = $2 [(0.1592 \times \text{CIR}) - T] = \dots\dots\dots$

ANNUBAR DESCRIPTION & CONSTANT (C)

Size Used in Test 6"

State ID No. _____

Select C based on size from Table below.

Nominal Pipe Size	C
4"	4.23
6"	<u>3.75</u>
8"	3.87
10"	3.94
12"	3.99
14"- 16"	4.01
18"- 24"	4.02
30" or larger	4.03

C selected 3.75

DIFFERENTIAL PRESSURE READING IN INCHES OF H₂O (H)

High Reading = 46"

Low Reading = 11"

High - Low = H = 35

CALCULATION OF DISCHARGE IN CFS (Q)

$$Q = \frac{(ID)^2 \cdot (\sqrt{H}) \cdot (C)}{448.8}$$

$$Q = \frac{(6)^2 \cdot (\sqrt{35}) \cdot (3.75)}{448.8} = \frac{1.8}{1} \text{ cfs} = 89 \text{ in}$$

SKETCH (If not shown on Field Report)

6"


3.75

3.75


? > 46"

@ 46"

= 204 cfs
= 102 in



67-7420



N/A TO 7420

Mickey - Wilkerson Ditch

T37 N of Hwy

T34 ~~Schroyer~~

Schroyer 475,2087 130 ac

T 39 N. of Allison Ditch

480 ac 482,489

~~Total decreed water 4.48 cfs~~


14N2W S.01

West Boise Meridian

67-7420

P/D

L. Weiser
Channel
has changed



Photos from 1988





← P/O Mickey-
Wilker-
son
Ditch
←



67-7420

Photos from 1988



electric pump
on Mickey
Wick. N.
of Hwy.
NW NW
S10

67-7420


cjl @ re-exam

View West across
N $\frac{1}{2}$ NE S09 &

~~N $\frac{1}{2}$ NE S09~~

Grain has been
harvested.

9 18 '96



View N-NW
into S $\frac{1}{2}$ SE

Sec 4 where
acres alleged are
under system.

They appear
planted to grass
but not obviously
under irrigation
system.

DID NOT
RECOMMEND.

See remarks

May 19, 1992

WILKERSON BROTHERS
HC68 BOX 2500
CAMBRIDGE ID 83610

RE: Water Right No. 67-07420

Dear Water Right Holder(s):

Department water right records show that you divert water from the Snake River or its tributaries under a water right that has a priority date later than December 29, 1976. This is the priority of the established minimum stream flow of the Snake River at the Weiser Gage (Weiser) in the amount of 4,750 cubic feet per second.

Because of the continuing drought conditions in the Snake River Basin, department hydrologists project that during 1992, there could be periods when the required minimum flow will not be satisfied due to low flows of the Snake River. The department urges you to not divert at a higher rate than authorized by your water right and to not use your right in any manner different than authorized. In addition, when the minimum flow will not be satisfied or is not being satisfied, you are required to cease diverting water under your water right, because your right is of later priority than the minimum stream flow at Weiser.

If the department determines the minimum flow will not be satisfied, the department will advise you and will provide as much lead time as possible in requiring that you temporarily cease your diversion of water. The greatest likelihood for this to occur is during a period from mid-June to late June.

While the department expects good cooperation from junior water right holders, water users should be aware that Section 42-352, Idaho Code, provides for penalties of up to \$100 per day for unauthorized diversions of water.

The department has contacted both the Idaho Power Company and the U.S. Bureau of Reclamation with respect to the timing of storage releases from upstream reservoirs for flow enhancement purposes. This type of coordination could minimize the impact on

existing water users and reduce the need to curtail diversions.

The department has scheduled public information meetings relative to this potential regulation as follows:

Mountain Home - June 4, 1992 - 10:00 a.m. - gymnasium at
North Elementary School, 290 E. 12th N.

Caldwell - June 4, 1992 - 7:00 p.m. - Ballroom in the
Student Union Building, Albertson College of Idaho,
2112 Cleveland

If you have questions concerning this letter or wish to provide the name of a different contact person or address to receive department correspondence, please contact the department.

Sincerely,

L. GLEN SAXTON
Chief, Water Allocation Bureau

LGS:klg



Cecil D. Andrus
Governor

State of Idaho
DEPARTMENT OF WATER RESOURCES
Western Region

2735 Airport Way
Boise, Idaho 83705
(208) 334-2190

July 1, 1987

Wilkerson Bros.
c/o Russell Wilkerson
HC 68 Box 2500
Cambridge, ID 83610

Re: Permits Nos. 67-7420 and 67-7479

Gentlemen:

On June 1, 1987, this office received an examination fee information sheet for the two above-referenced permits, as well as check No. 5275 in the amount of \$250.00. Enclosed we are returning both the document and the check.

The reason for returning these items to advise you that a modification is needed to complete them properly. Each of the two permits requires an individual examination fee information sheet and an individual fee, in order to comply with the rules and regulations of this Department and the associated statutes that established the fee. We are enclosing two blank forms for your convenience. Item No. 5 for each form should show number of acres irrigated under the respective permit. For example, permit No. 67-7420 describes the irrigation of 300 acres in Sections 4 and 9, Twp. 14N., Rge. 2W. The number of acres irrigated within this 300 acres should be shown. As another example, permit No. 67-7479 identifies 850 acres within Sections 3, 9, 10 and 16, Twp. 14N., Rge. 2W. Likewise, the number of acres irrigated within this 850 acres should be shown.

Item No. 6 should show the rate of flow for each respective permit. The rate of flow identified on No. 67-7420 is 3.75 cfs, and the rate identified on permit No. 67-7479 is 13.26 cfs. If you wish to submit fees on less than these rates of flow, that is acceptable, but we will be able to license the water rights for only the amount of flow for which the examination fee is provided.

Because the information sheets were originally submitted in a timely manner, we will allow another full 30 days for the re-submittal of the sheets

MAILED

OCT 03 1988

page 2
Wilkerson Bros.

and fee, with no resulting of loss of priority date. If you have questions about the contents of this letter or the reasons for the information provided, please feel free to contact this office.

Sincerely,

David R. Tuthill Jr.

DAVID R. TUTHILL, JR., P. E.
Manager, Western Regional Office

DRT:jp

c.c. State Office

Enclosures: Examination Fee Information Sheet
Check No. 5275
2 blank Examination Information Sheets

RECEIVED

1971

1238-121

STATE OF IDAHO
Department of Water Resources

No 43824

Boise, Idaho, July 22, 1987

RECEIVED FROM Wilkinson Ranch of Cambridge \$ 175.00
One hundred Seventy-five & no/100 DOLLARS

FOR		
<u>Exam fee</u>	\$	<u>175 00</u>
<u>67-7479</u>	\$	
	\$	
<u>92-324</u>	\$	
TOTAL	\$	<u>175 00</u>

Gail Saxe

1238-121

STATE OF IDAHO
Department of Water Resources

No 43825

Boise, Idaho, July 22, 1987

RECEIVED FROM Wilkinson Ranch of Cambridge \$ 150.00
One hundred Fifty and no/100 DOLLARS

FOR		
<u>Exam fee</u>	\$	<u>150 00</u>
<u>67-7420</u>	\$	
	\$	
<u>92-324</u>	\$	
TOTAL	\$	<u>150 00</u>

Gail Saxe

RECEIVED

DEC 17 1987

Judy,

67-7420 Department of Water Resources show up as a fee received on the computer print out for 9-16-87.

67-7479 did show up.

DEC 10 1988


State Office.

Please file in 67-7420

KEYPUNCHED & sent to
S.O. on 12/14/87

KEYPUNCH

4/86



Department of Water Resources
Western Regional Office

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
EXAMINATION FEE INFORMATION

For Office Use Only

Fee Received 50Date 7/22/87Receipt # 43825Receipt by JA

Sent to S.O.

RECEIVED

JUL 28 1987

1. Permit No. 67-7420

ONE OF THE FOLLOWING BOXES SHOULD BE MARKED TO DESIGNATE YOUR CHOICE:

☒ I choose to have the department make the field examination of this permit; attached is the examination fee. (If this box is marked, complete items 1 thru 8.)

2. Permit Holder: Wilkinson Bros (Wilkinson Ranch to Russell Wilkinson)3. Post Office Address: HC68 Box 2500 Cambridge, ID 83610Telephone No. 208 257-37564. Source of Water: Little Wiser River

5. Extent of Use:

Domestic _____ (No. of households) Stockwater _____ (No. and type of stock)

Irrigation 300 (acres) Other/Remark _____6. Total rate &/or volume for which proof is submitted 3.0 cfs 300 acre-feet

7. Show the date water was first diverted and beneficially used under this permit:

April 1980

8. Person to contact to accompany the department representative during the field examination:

Russell Wilkinson

(Name)

HC68 Box 2500 Cambridge ID 83610

(Address)

(Telephone Number) 2082573756

☐ I choose to have the field examination conducted by a certified water right examiner. Attached is a statement from the certified examiner I have selected verifying that he has been retained to conduct the examination. (If this box is marked, complete items 1 thru 7.)

OCT 03 1988

7-14-87

Date

Russell Wilkinson
Signature of Permit Holder (and title, if appropriate)

State of Idaho
Department of Water Resources

LICENSE EXAMINATION FEE SCHEDULE

(c.f.s. = cubic feet per second
AF = acre feet)

cfs	AF	Fee
0 - 0.04	0 - 4	\$ 0
.05 - 0.20	5 - 20	50.00
.21 - 1.0	21 - 100	100.00
1.01 - 2.0	101 - 200	125.00
2.01 - 3.0	201 - 300	150.00
3.01 - 4.0	301 - 400	175.00
4.01 - 5.0	401 - 500	200.00
5.01 - 6.0	501 - 600	225.00
6.01 - 7.0	601 - 700	250.00
7.01 - 8.0	701 - 800	275.00
8.01 - 9.0	801 - 900	300.00
9.01 - 10.0	901 - 1000	325.00
10.01 - 11.0	1001 - 1100	350.00
11.01 - 12.0	1101 - 1200	375.00
12.01 - 13.0	1201 - 1300	400.00
13.01 - 14.0	1301 - 1400	425.00
14.01 - 15.0	1401 - 1500	450.00
15.01 - 16.0	1501 - 1600	475.00
16.01 - 17.0	1601 - 1700	500.00
17.01 - 18.0	1701 - 1800	525.00
18.01 - 19.0	1801 - 1900	550.00
19.01 - 20.0	1901 - 2000	575.00
20.01 & over	2001 & over	600.00

Checks should be made payable to the
Department of Water Resources

No fee is required for single family
domestic use or stockwater use.



State of Idaho
DEPARTMENT OF WATER RESOURCES
Western Region

Cecil D. Andrus
Governor

2735 Airport Way
Boise, Idaho 83705
(208) 334-2190

July 1, 1987

Wilkerson Bros.
c/o Russell Wilkerson
HC 68 Box 2500
Cambridge, ID 83610

Re: Permits Nos. 67-7420 and 67-7479

Gentlemen:

On June 1, 1987, this office received an examination fee information sheet for the two above-referenced permits, as well as check No. 5275 in the amount of \$250.00. Enclosed we are returning both the document and the check.

The reason for returning these items to advise you that a modification is needed to complete them properly. Each of the two permits requires an individual examination fee information sheet and an individual fee, in order to comply with the rules and regulations of this Department and the associated statutes that established the fee. We are enclosing two blank forms for your convenience. Item No. 5 for each form should show number of acres irrigated under the respective permit. For example, permit No. 67-7420 describes the irrigation of 300 acres in Sections 4 and 9, Twp. 14N., Rge. 2W. The number of acres irrigated within this 300 acres should be shown. As another example, permit No. 67-7479 identifies 850 acres within Sections 3, 9, 10 and 16, Twp. 14N., Rge. 2W. Likewise, the number of acres irrigated within this 850 acres should be shown.

Item No. 6 should show the rate of flow for each respective permit. The rate of flow identified on No. 67-7420 is 3.75 cfs, and the rate identified on permit No. 67-7479 is 13.26 cfs. If you wish to submit fees on less than these rates of flow, that is acceptable, but we will be able to license the water rights for only the amount of flow for which the examination fee is provided.

Because the information sheets were originally submitted in a timely manner, we will allow another full 30 days for the re-submittal of the sheets


MAILED
JUL 1 1987

OCT 03 1988

page 2
Wilkerson Bros.

and fee, with no resulting of loss of priority date. If you have questions about the contents of this letter or the reasons for the information provided, please feel free to contact this office.

Sincerely,



DAVID R. TUTHILL, JR., P. E.
Manager, Western Regional Office

DRT:jp

c.c. State Office

Enclosures: Examination Fee Information Sheet
Check No. 5275
2 blank Examination Information Sheets

OCT 23 1968

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Western Region

Statehouse
Boise, Idaho 83720
(208) 334-2190

JULY 31, 1985

WILKERSON BROS.
HC68 BOX 2500
CAMBRIDGE

ID 83610

RE: Permit No. 67-7420

Dear Permit Holder:

We acknowledge receipt of your statement submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this department.

A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office by phone at 334-2190 or in person in the third floor State Towers Building, 450 West State Street, Boise.

Sincerely,
s/Judy Pense
Secretary

RECEIVED

OCT 03 1985

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
COMMENCEMENT OF WORKS

Permit No. 67-7420
Name(s) of Permit Holder(s): Wilkerson Bros
Post Office Address: Cambridge Idaho 83610
Idaho 208252-3756

☐ I hereby certify that construction of diversion works for the above referenced permit began on 4-1-79 (date) I understand that I must continue to develop the water system with due diligence to maintain a valid permit.

☐ I hereby certify that construction of diverting works on the above referenced project has not yet begun due to the following reason beyond my control:

*Note: A financing difficulty is
not an acceptable reason.


7-26-82
Date

Wilkerson Bros
Signature of Permit Holder

J M Wilkerson

Hillman, Brian
HC 68 Box 2520
Cambridge, Id. 83610

OCT 03 1988



REGISTERED
IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE

BOISE, IDAHO 83720

JUL 28 1982

Department of Water Resources

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card a statement that the permit holder(s) has completed development to the extent shown below of Permit No. 67-7420.

Name(s) of Permit Holder: Wilkerson Bros. (Russell)

Post Office Address: HC 68 Box 2520

Cambridge Id. 83610 Tel. No. 257-3756

Source of Water:

Extent of Use: ☐ Domestic _____ (number of households)
☐ Stockwater _____ (number and type of stock)
☒ Irrigation _____ (acres)
☐ Other _____

Measuring Device: Required? ☒ Yes ☐ No Installed? ☐ Yes ☐ No

Access Port: Required? ☐ Yes ☒ No Installed? ☐ Yes ☐ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

5/10/85 **MICROFILMED** Russell Wilkerson
Date Signature of Permit Holder

PLACE
43 CENT
STAMP
HERE



RECEIVED

JUN 17 1965

IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

Department of Water Resources

MICROFILMED

June 10, 1985

Water Resources Board,

We would like to notify
you that we are ready to meet
approval for the water permits
#67-7420 and 67-7479 at this
time.

Thank you,

Russell Wilkerson
HC68 Box 2500
Cambridge Id. 83610

208-257-3756

Russell Wilkerson

MICROFILMED

RECEIVED
JUN 11 1985

Department of Water Resources

WATER RIGHT NUMBER 67-7420

OWNER LAST NAME - WILKERSON BROS. (A PARTNERSHIP) FIRST NAME - ORIG OWNER -
ADDRESS LINE 1 - HC68 BOX 2500 ADDRESS LINE 2 -
ADDRESS LINE 3 - CITY - CAMBRIDGE STATE - ID ZIP CODE - 83610
SOURCE - LITTLE WEISER TRIBUTARY OF - WEISER RIVER
STAGE - PERMIT STATUS - PRIORITY - 10-12-1978 COUNTY - ADAMS TOTAL DIV. RATE - 3.7500 -CFS
TOTAL DIV. VOLUME - .00 AFA TRFR/AMEND - WATER DIST. - 67A DLF/CAREY ACT - RIGHT BASIS -
DIVERSION POINT - NFNW 01 14N 02W LOT RFDIV - 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0
FROM - 03-15 TO - 11-15 USE - IRRIGATION USE DIV. RATE - 3.7500 CFS USE DIV. VOLUME - .00 AFA
USE - IRRIGATION PLACE OF USE - TWN 14N RNG 02W SEC 09 TRACT NENE LOT AC 40 TRACT NWNE LOT AC 40
TRACT NENW LOT AC 40 TRACT SWNW LOT AC 35
TRACT SENW LOT AC 25
USE - IRRIGATION PLACE OF USE - TWN 14N RNG 02W SEC 04 TRACT SESW LOT AC 40 TRACT SWSE LOT AC 40
TRACT SESE LOT AC 40
DECRFE NAME - DATE - TOTAL ACRES 300
REMARKS - POINTS REDIVERSION: NWNW, S10, T14N, R2W & SWNE, SWNW, S9, T14N,
R2W. 2 P/REDIVERSION IN NWNW, S10, T14N, R2W.
NO WATER SHALL BE DIVERTED UNDER THIS PERMIT AFTER JUNE 15 OF
EACH YEAR UNLESS BY THE APPROVAL OF THE WATERMASTER.
NON IRRIG USE -
OTHER RIGHTS FOR SAME USE -
PROOF DUE - 12-01-1988 PERMIT/DENIED - 12-07-1978 PROTESTED - HEARING - OLD NO. -
PROOF MADE - FLD EXAM - COND. OF APPROVAL - 04 05 01 16
DIVERSION MEANS - PORTABLE PUMP W/SPRINKLER SYSTEM FROM MICKEY DITCH

VERIFIED R.M.

October 13, 1983

Wilkerson Brothers
HC 68 Box 2500
Cambridge, ID 83610

Gentlemen:

Re: Permit No. 67-7420

Enclosed is a copy of the approved request for extension of time. The time within which to submit the statement of beneficial use is extended to December 1, 1986.

Sincerely,

RITA I. FLECK
Secretary/Records Manager

Enclosures: Ext. of Time



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS

Governor

A. KENNETH DUNN

Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

EXTENSION OF TIME

October 6, 1983

Wilkerson Bros.
HC 68 Box 2500
Cambridge, ID 83610

PERMIT NO. 67-7420

We are in receipt of the \$15 extension fee for Extension(s) of Time to provide additional time in which to submit proof of beneficial use on a water right permit.

Your request for extension(s) of time is being reviewed by staff. You will be informed of our decision when review has been completed.

Enclosed is our receipt No. 32705.

Roberta Garrett
Records Supervisor

Enclosure

RECORDED
INDEXED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
CERTIFIED MAIL

138040

WILKERSON BROS. (A PARTNERSHIP)
CAMBRIDGE, ID 83610

PROOF DUE NOTICE

SEPTEMBER 30, 1983

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF YOUR WATER PERMIT NO. 67-7420 WAS THAT PROOF OF THE EXTENT OF YOUR BENEFICIAL USE MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE DECEMBER 01, 1983. (SEE LAST PAGE OF YOUR APPROVED PERMIT OR YOUR LAST APPROVED EXTENSION REQUEST). ENCLOSED IS A POSTCARD WHICH MAY BE USED TO SUBMIT THE REQUIRED PROOF.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU OR A PREVIOUS OWNER OF THIS PERMIT HAVE NOT RECEIVED A PRIOR EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME IF THE DELAY IS FOR REASONABLE CAUSE AS PROVIDED IN SECTION 42-204, IDAHO CODE. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED. AN EXTENSION OF TIME REQUEST FORM IS ENCLOSED FOR YOUR CONVENIENCE.

EITHER THE BENEFICIAL USE POSTCARD OR A REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE DESCRIBED PROOF DUE DATE. IF NEITHER IS RECEIVED, THE DEPARTMENT WILL SEND YOU A LAPSE NOTICE. WITHIN SIXTY (60) DAYS OF THE MAILING OF THE LAPSE NOTICE, THE PERMIT WILL NO LONGER BE OF ANY FORCE NOR EFFECT.

SINCERELY,

RITA FLECK
SECRETARY/RECORDS MANAGER

ENCLOSURES

December 8, 1978

Re: Permit No. 67-7420

Wilkerson Bros.
Cambridge,
Idaho 83610

Gentlemen:

Enclosed is a copy of your approved Application for Permit. We direct your attention to the conditions of approval as listed on the fourth page.

Please note that a special condition requiring you to install and maintain a measuring device at your point of diversion has been placed upon your permit. We are enclosing a letter describing different types of measuring devices accepted by this office.

Please be advised that there is insufficient natural flow available in the Little Weiser River and tributaries to provide water for a new appropriation throughout the entire season of use.

During the spring run-off each year, there may be a period of time in which the prior rights to the use of the natural flow and storage are filled leaving water available for your later-in-time permit. As the natural flow diminishes, however, there would be no water available for your right unless you had arranged for an additional source of water as a supplemental supply.

This information is provided so that you will not be misled into thinking that this permit will provide sufficient water through the entire season of use. If you have any questions regarding this matter, please feel free to contact this office.

Sincerely,

L. GLEN SAXTON
Chief, Operations Bureau

LGS:lr

Enclosures

RECORDED



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 373 W. Franklin Street, Boise, Idaho

JOHN V. EVANS
Governor

C. STEPHEN ALLRED
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 384-2215

December 8, 1978

Re: Permit No. 67-7420

Wilkerson Bros.
Cambridge,
Idaho 83610

Gentlemen:

Your approved copy of Application for Permit is enclosed and we direct your attention to the conditions of approval on the fourth page.

Please note that a special condition requiring you to install and maintain a measuring device at your point of diversion has been placed upon your permit. Enclosed is a letter describing the different types of measuring devices accepted by this Department.

The exercise of this permit may also be affected by the court's determination of water rights in the case of Idaho Power Company v. State of Idaho, et al., Civil No. 62237, currently pending before the District Court of Ada County.

Idaho Power officials tell us that because of Case No. U-1006-124 filed before the Idaho Public Utilities Commission, Idaho Power Company is asking the District Court of Ada County to determine whether the Power Company's water rights on the Snake River are protected against subsequent upstream appropriations in the waters of the Snake River and surface and subterranean tributaries between Milner Dam and Hells Canyon.

Since the use of water under your permit may affect the flows in this reach of the Snake River, the final decision in Idaho Power Company v. State of Idaho, et al. (Ada County Civil No. 62237) may determine to what extent the exercise of your permit may be subject to the water rights of Idaho Power. While the Ada County court is examining this question, Idaho Power Company has not filed a specific protest to your permit. However, the Department of Water Resources has been advised that the Power Company is not waiving any of its rights to contest or limit the exercise of your permit or a subsequent license or water right. If you have any questions, please let us know.

Sincerely,

L. GLEN SAXTON
Chief, Operations Bureau

LGS:kw
Enclosure

RECEIVED
DEC 11 1978
IDAHO DEPT. OF WATER RESOURCES

STAFF REVIEW - STATE OFFICE

1. ☒ Name vs. Signature2. S.W. Source3. head of Mickey Ditch Point of Diversion4. ☒ Amnt. & Period of Use5. ☒ Descrip. of Diverting Wrks.6. 5 Time req. for Proof of B/U7. N/A Place of Use for other than irrig.8. ☒ Place of Use for irrigation (add acres)9. other Property Owner at Pt. of Div. & Pl. of Use10. ☒ Map11. 65 Fee & Rec't. No.

3.75/310 = .0125

Copies Sent To:

No Idaho Health DepartmentNo Idaho Fish & Game Dept.No Bureau of Land ManagementNo U.S.F.S.No Dept. of LandsNo OtherDam Safety Information N/A (Goes to Permit Section)

Check:

Critical G.W. Area yes ☒ noOther rights on same land Mickey Ditch Assoc.N/A Withdrawals of all protests received yes no

Conditions:

ID Power Co. Letter - Snake R. NoID Power Co. Letter - G.W. & Tribs. YesSnake River Condition NoPayette River Letter NoPriority Date 10/12/78Weiser River Letter YesWater Quality #16 NoWater Quality #10 Nointrastate yes interstate noMeas. Dev. or Sc. Meas. NoTotalizing meter NoSupplemental NoRight-of-Way Cond. YesWatermaster Cond. YesWtr. Dist No. 67AMeas. Dev. Cond. for apps within a Water Dist. Yes

Additional

Condition: No water shall be diverted under this permit after June 15 of each year unless by the approval of the watermaster.

Jim Reviewer

11/28/78 Date

DEPARTMENT OF WATER RESOURCES
- STAFF ANALYSIS -

Item Initial Date

Application No. 67-7420

☒ Source
☒ Point of Diversion
☒ County
☒ Quantity of Water and Period of Use
☒ Description of Diverting Works
☒ Time required for B/U of water
☒ Place of Use or Acres Irrigated
☒ Map
☒ Signature
☒ Fee

(1) CRB 160576

In form to receipt

(2) _____

Send Copies to:

_____ Idaho State Health Department
_____ Idaho Fish and Game Department
_____ Bureau of Land Management

(3) _____

_____ Request Special Use Permit from U.S.F.S.
_____ Request Easement from B.L.M.
_____ Request Information from Applicant
_____ Request Dam Safety Information

(4) CRB 160578

In form for advertising

(5) _____

Platted on Map No. _____

(6) _____

Located within Water District No. 67A

(7) _____

Critical groundwater area: yes _____ no _____

(8) _____

Groundwater levels:

_____ Declining, _____ Stable, _____ Increasing

(comment) _____

(9) _____

Other rights on the same place of use

(10) _____

Comments: _____

(11) st 11-20-78

Affidavit of Publication received (date) 11-7-78

(12) _____

Final date for protests 11-13-78
Protests received: yes _____ no ☒

(13) _____

All requested information received from agencies or applicant: yes _____ no _____

(14) _____

Action recommended:

_____ Approve _____ Deny

10-12-78 Proposed Priority

_____ Reason for Reduction _____

☒ Measuring device required

_____ See attached sheet for other conditions of approval

_____ No special conditions for approval

(15) District W By [Signature] Date 11/24/78

I.P. letter
Weiser River Letter
Right-of-way Clause
Watermaster condition

RECEIVED

NOV 28 1978

Department of Water Resources

62-2420

Name: WILKERSON BROS. (A PARTNERSHIP)

Address: CAMBRIDGE, ID 83610

Source: LITTLE WEISER tributary to WEISER RIVER

Date Filed: 10/12/1978

County: ADAMS

Amount: 3.75 CFS

Point of Diversion: NENW S01 T14N R02W

Use: IRRIGATION from 03/15 to 11/15

Place of Use: SESW SWSE SESE S04 T14N R02W NENE NWNE NENW SWNW SENW
S09 T14N R02W FOR 300 ACRES

Means: PORTABLE PUMP W/SPRINKLER SYSTEM FROM MICKEY DITCH