


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

PARSONS Packing, Inc.
Robert A. Parsons, Pres.
(Applicant)

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO, }
County of Washington } ss.

Dorothy A. Lath, being duly sworn,
deposes and says:

That he is the Clerk of
THE WEISER SIGNAL, a weekly newspaper published at
Weiser, in the County of Washington and State of Idaho; that
said paper has been and is in general circulation in the
county aforesaid, and in the vicinity of Weiser; that the ad-
vertisement, a copy of which is attached hereto, was pub-
lished in said newspaper once a week for Two consecu-
tive weeks in the regular and entire issue of said paper dur-
ing the period and time of publication, and was published in
the newspaper proper and not in a supplement; that said
paper has been established and regularly published for more
than seventy-eight consecutive weeks prior to the date of
first publication of said advertisement.

Such notice was published in the issue beginning with
Sept 21, 1978 and ending
with the issue of Sept 28, 1978

Dorothy A. Lath
Fees, \$ 17.00

Subscribed and sworn to before me this 28
day of Sept, 1978

Notary Public, Residing at Weiser, Idaho.

My Commission Expires _____, 19____

Department of Water Resources
Western Regional Office

No. 290

NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following application(s)
have been submitted for permit to appropriate the public
waters of the State of Idaho:

67-7415

Name: PARSONS PACKING INC.
Address: BOX 588, WEISER, ID 83672
Source: GROUNDWATER
Date Filed: 09/07/1978
County: WASHINGTON
Amount: 1.40 CFS
Point of Diversion: SWNW S19 T11N R05W
Use: IRRIGATION from 03/15 to 11/15
Place of Use: SWNW NWSW S19 T11N R05W FOR 70
ACRES
Means: CONCRETE DITCH

If issued, the permit(s) will be subject to all prior water
rights. Protests against the granting of any permit must be
filed with the Director of the Idaho Department of Water
Resources, 92 S. Cole Road, Boise, Idaho 83705 on or before
OCTOBER 9, 1978.

C. STEPHEN ALLRED
Director

Published in the The Signal American on September 21,
1978 and September 28, 1978.

56-2S

MICROFILMED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION


Permit No. 67-7415
1. Owner: PARSONS Packing Inc. Phone No. 549-2113
Current Address: Box 588 WEISER ID. 83672
2. Accompanied by: RAY BATHON EXAM. DATE: 8-6-87
Address: _____ Phone No. 549-1277
Relationship to Permit Holder: POT SYSTEM IN. → B2M IRRIGATION
3. Source: GROUNDWATER tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: THIS IS SUPPLEMENTAL TO ~~WEISER IRRIGATION~~ INSTITUTE CANAL COMPANY
WATER → (67-4250) NEIGHBOR HAS WELL 67-2296 ☐ Copies Attached
2. Other water rights with same point of diversion: NONE
_____ ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = 3 FT

2. ☒ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).
☒ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater).
☒ Aerial Photo Attached (required for irrigation of 10 acres or more).
- SEP 08 1989

67-7415




- P.V.

MICROFILMED
SEP 08 1989

67-7415



P.D.




P.D. +
P.V.

MICROFILMED

SEP 08 1989

A
35.4



zone 11, shown in blue

UTM GRID AND 1953 MAGNETIC NORTH

SEP 08 1989

(MOORES HOLLOW)
2572 "

SEP 08 1989

SEP 08 1989

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 67-07415

Priority: September 7, 1978 Maximum Diversion Rate: 1.09 CFS
Maximum Diversion Volume:¹ 292.5 AF

This is to certify, that ROBERT A. PARSONS
P.O. BOX 588
WEISER, ID 83672

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated September 7, 1978; and has submitted Proof of Beneficial Use on January 29, 1980. An examination indicates that the works have a diversion capacity of 2.640 cfs of water from a **GROUNDWATER** source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	1.09 CFS	292.5 AF

LOCATION OF POINT(S) OF DIVERSION: LOT 2(SWNW), Sec. 19, Township 11N, Range 05W
WASHINGTON County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
11N	05W	19	LOT 2(SWNW) 27	LOT 3(NWSW) 38		65
Total number of acres irrigated:						65

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The right to use water confirmed by this license is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to reflect cropping patterns or acceptable standards of water delivery efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 20TH day of JULY, 1989.

MICROFILMED

SEP 08 1989

Acting for

R. Keith Higginson, Director

State of Idaho

Department of Water Resources

RECEIVED
MAY 10 1989

ASSIGNMENT OF PERMIT

Department of Water Resources

x. Parsons Packing Inc. hereby assign to Robert A. Parsons
of Box 588 Weiser 83672
Address

All my right, title, and interest in and to Permit No. 67-7415
to appropriate the public waters of the State of Idaho.

The following described portion of my right, title, and interest in and
to Permit No. _____ to appropriate the public waters of the
State of Idaho.

(Describe that portion of the permit being assigned by listing the acreage
within each 40 acre subdivision, the point of diversion and the amount of
water in cubic feet per second for direct diversion, or acre feet for storage)

X Made this 8th day of May, 1989
x Robert A. Parsons
Permit Holder

Spouse of Permit Holder

State of Idaho)
County of Washington) ss

On this 8th day of May, 1989, personally
appeared before me the signer(s) of the above instrument, who duly acknowledged
to me that he (she) (they) executed the same.

s e a l

Notary Public residing at Weiser, Ida.

My commission expires:
10-10-92

MICROFILMED

SEP 08 1989

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant Parsons Packing Inc, Phone 549-2113

Post office address Box 588 Weiser, ID 83672

2. Source of water supply groundwater which is a tributary of _____

3. Location of point of diversion is SW $\frac{1}{4}$ of NW $\frac{1}{4}$ of Section 19 Township 11N

Range 5W B.M. Washington County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 1.4 for irrigation purposes from 3-15 to 11-15 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 1.4 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. _____
irrigation out of concrete ditch

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is 12 inches; proposed depth of well is 100 feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 1 years (minimum 1 year — maximum 5 years).

8. Description of proposed uses:

a. If water is **not** for irrigation:

(1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____
Range _____ B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water _____

(5) If water is to be used for other purposes describe: _____

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

[illegible]

Total number of acres to be irrigated 70

c. Describe any other water rights used for the same purposes as described above.

Institute Canal Co.

9. a. Who owns the property at the point of diversion applicant


b. Who owns the land to be irrigated or place of use applicant

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing

10. Remarks

[illegible]

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as here'n set forth.

PARSONS Packing, Inc.
Robert A. Parsons, Pres.
(Applicant)

Proposed Priority 9-7-78

Received by JKN Date 9/7/78 Time 2:45 PM

Preliminary check by JKN Fee \$ 45 # 12418

Receipted by JKN Date 9/7/78

Publication prepared by _____ Date _____

Published in The Signal American

Publication dates 9/21/78 & 9/28/78 re-ad Dec. 21st 28, 1978

Publication approved KK Date 2/5/79

Protests filed by: _____

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by DBS JS

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 67-7415, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before March 1, 19 80.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. Other: An access port or other device as specified by the Department shall be installed by the permit holder to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department.

Witness my hand this 9th day of February, 19 79.

L. Glen Saxton
Chief, Operations Bureau

AFFIDAVIT OF PUBLICATION

No. 320

NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

67-7424

FAIRCHILD, ARTHUR A.
ROUTE 1 MIDVALE, ID 83645
Source: DRY CREEK tributary to WEISER RIVER
Date Filed: 12/07/1978
Amount: 0.07 CFS
Diversion Point: NWSW Sec 11 T 13N R 04W,
WASHINGTON Co.
Use: STOCKWATER (0.07 CFS) from 01/01 to 12/31
Place of Use: NWSW SWNW NWNW Sec 14 T 13N R 04W
SWSW Sec 11 T 13N R 04W
Diversion Means: DIVERSION DAM AND DITCH

NOTICE OF CORRECTION

Notice is hereby given that notice of Application for Permit No. 67-7416 in the name of the Idaho Dept. of Lands, Statehouse Mail, Boise, Idaho was published in error on October 12 and 19, 1978.

The point of diversion and place of use were advertised as being within the NWNE S36 T14N R05W. WHEREAS, the actual point of diversion and place of use are within the NWNE S36 T14N R05W.

NOTICE OF CORRECTION

Notice is hereby given that notice of Application for Permit No. 67-7415 in the name of PARSONS PACKING INC., Box 588, Weiser, Idaho.

The point of diversion was advertised as being within the SWNW S19 T11N R05W and the place of use was advertised as being within the SWNW NWSW S19 T11N, R05W. WHEREAS, the actual point of diversion is within the SWNW S19 T11N R05W, and the place of use is within the SWNW NWSW S19 T11N R05W.

If issued, the permit(s) will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 92 S. Cole Road, Boise, Idaho 83705 on or before JANUARY 15, 1979.

Published 1/1/79 & 1/4/79.

64 7/ 6

RECEIVED

STATE OF IDAHO, }
County of Washington } ss.

Barth A. Booth, being duly sworn,
deposes and says:

That he is the Clerk of
THE WEISER SIGNAL, a weekly newspaper published at
Weiser, in the County of Washington and State of Idaho; that
said paper has been and is in general circulation in the
county aforesaid, and in the vicinity of Weiser; that the ad-
vertisement, a copy of which is attached hereto, was pub-
lished in said newspaper once a week for two consecu-
tive weeks in the regular and entire issue of said paper dur-
ing the period and time of publication, and was published in
the newspaper proper and not in a supplement; that said
paper has been established and regularly published for more
than seventy-eight consecutive weeks prior to the date of
first publication of said advertisement.

Such notice was published in the issue beginning with

Dec 28, 1978, and ending

with the issue of Jan 4, 1979

Barth A. Booth

Dec 28 1978

Subscribed and sworn to before me this 14

day of Jan, 1979

Barth A. Booth

Barth A. Booth

Barth A. Booth

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO, }
County of Washington } ss.

Dorothy A. Lorch, being duly sworn,
deposes and says:

That he is the Clerk of
THE WEISER SIGNAL, a weekly newspaper published at
Weiser, in the County of Washington and State of Idaho; that
said paper has been and is in general circulation in the
county aforesaid, and in the vicinity of Weiser; that the ad-
vertisement, a copy of which is attached hereto, was pub-

lished in said newspaper once a week for Two consecu-
tive weeks in the regular and entire issue of said paper dur-
ing the period and time of publication, and was published in
the newspaper proper and not in a supplement; that said
paper has been established and regularly published for more
than seventy-eight consecutive weeks prior to the date of
first publication of said advertisement.

Such notice was published in the issue beginning with
Sept 26, 1978 and ending
with the issue of Sept 28, 1978

Dorothy A. Lorch
Fees, \$ 17.00

Subscribed and sworn to before me this 28
day of Sept, 1978

Notary Public, Residing at Weiser, Idaho.

My Commission Expires 19

No. 290

NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following application(s)
have been submitted for permit to appropriate the public
waters of the State of Idaho:

67-7415

Name: PARSONS PACKING INC.
Address: BOX 588, WEISER, ID 83672
Source: GROUNDWATER
Date Filed: 09/07/1978
County: WASHINGTON
Amount: 1.40 CFS
Point of Diversion: SWNW S19 T11N R05W
Use: IRRIGATION from 03/15 to 11/15
Place of Use: SWNW NWSW S19 T11N R05W FOR 70
ACRES
Means: CONCRETE DITCH

If issued, the permit(s) will be subject to all prior water
rights. Protests against the granting of any permit must be
filed with the Director of the Idaho Department of Water
Resources, 92 S. Cole Road, Boise, Idaho 83705 on or before
OCTOBER 9, 1978.

C. STEPHEN ALLRED
Director

Published in the The Signal American on September 21,
1978 and September 28, 1978.

56-25

RECORDED

July 25, 1989

ROBERT A. PARSONS
P.O. BOX 588
WEISER, ID 83672

RE: PERMIT NO. 67-07415

Dear Permit Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MICROFILMED

SEP 08 1989



State of Idaho
DEPARTMENT OF WATER RESOURCES

(208) 327-7900

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720 - 7

CECIL D. ANDRUS

GOVERNOR

R. KEITH HIGGINSON

DIRECTOR

April 18, 1989

RE: Permit No. 67-7415

Robert A. Parsons, President
Parsons Packing, Inc.
P.O. Box 588
Weiser, ID 83672

Dear Mr. Parsons:

We are in receipt of your letter of March 8, 1989, in which you describe an ownership change on the above referenced permit.

Enclosed you will find a partially completed assignment form which will authorize us to change the name on this water right permit. There is no fee associated with this form. Please sign the form in the presence of a notary public and return it to our office and we will issue the license in your name.

If you have any questions in regard to this matter, please feel free to contact our office.

Sincerely,

KAY WALKER
Technical Records Specialist

KW:hm

Enclosure

MICROFILMED

SEP 08 1989



PARSONS AND TOPLIGHT BRANDS

PARSONS PACKING, INC.

AREA CODE 208 ■ TELEPHONE 549-2113/4 ■ POST OFFICE BOX 588 ■ WEISER, IDAHO 83672

RECEIVED
MAR 09 1989

March 8, 1989

Department of Water Resources

Mr. Jim Johnson
Water Rights Supervisor
State of Idaho
Department of Water Resources
1301 North Orchard Street, Statehouse Mail
Boise, ID 83720

RE: PERMIT NO. 67-07415

Dear Mr. Johnson:

In the interim of our last correspondence, this property has been exchanged for equal or like property, and now belongs to Robert A. Parsons and not Parsons Packing, Inc. Hopefully, this would not change anything else; such as priority, as the well would be used for irrigation according to your water right permit number 67-07415.

If this is not so, please advise.

Sincerely,

Robert A. Parsons,
President

RAP/tk
Enclosure

PACKER AND SHIPPER OF



IDAHO-OREGON ONIONS AND POTATOES

XXXX

March 1, 1989

PARSONS PACKING INC.
P.O. BOX 588
WEISER, ID 83672

RE: PERMIT NO. 67-07415

Dear Permit Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MAIL ROOM

SEP 08 1989

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

67-7415
Permit No.

Staff Analysis Sheet
for
Beneficial Use Field Report

P/D
SW NW 11
NW SW

RECEIVED

FEB - 1988

Department of Water Resources

A. Prior to Conducting the Exam, the File Contains:

- ☒ Blank Field Report Form
- ☒ Copy of Permit
- ☒ Copies of any Amendments/Orders with conditions of approval
- ☒ Computer Data Proof Report
- ☒ Copy of U.S.G.S. Quad
- ☒ Check for Government Lots. If so, make a copy of Government Plat

Check of P/D index DN 7-27-87 (Initial and date)

Overlap? ☐ yes ☒ no If yes: ☐ copy of exam(s) attached?
Type of Overlap? ☐ Add acres or uses to existing system
☐ Increase rate of flow or volume
☐ Other: _____

Check of P/U index _____ (Initial and date)

Overlap? ☒ yes ☐ no If yes: ☐ copy of water right(s) attached?
Type of Overlap? ☐ Increase rate of flow or volume
☐ Add P/D's
☐ Increase number of acres within tracts
☐ Other: _____

Aerial Photo

Required? ☒ yes ☐ no If yes: ☒ copy attached?

Scheduling Letter sent? DN 7-23-87 (Initial and date)

☒ Appointment made and telephone conversation memo attached

B. After Conducting the Exam, the File Contains:

- ☒ Fully completed and signed Field Report Form
- ☒ Photographs of Point of Diversion and Place of Use
- ☒ Corrected Computer Data Proof Report with recommended license information, and date and signature of examiner.

C. Review and Processing:

Exam Completed Quentin H. Heston 8-17-87 (Signature of examiner and date)
Exam Reviewed by Senior Water Resource Agent BO 8/18/87 (Initial and date)
Exam Reviewed by Manager of Regional Office DN 1/28/88 (Initial and date)
Exam Date Entered in Computer ✓ (Initial and date)
Exam sent to State Office Sp 2/2/88 (Initial and date)
Copy of Staff Analysis Sheet sent to Manager of Regional Office and Original
Refiled in White File _____ (Initial and date)

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION


Permit No. 67-7415
Phone No. 549-2113
1. Owner: PARSONS PACKING INC.
Current Address: Box 588 WEISER ID. 83672
2. Accompanied by: RAY BATION EXAM. DATE: 8-6-87
Address: _____ Phone No. 549-1277
Relationship to Permit Holder: POT SYSTEM IN. → B2M IRRIGATION
3. Source: GROUNDWATER tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: THIS IS SUPPLEMENTAL TO ~~WEISER IRRIGATION~~
WATER → (67-4250) NEIGHBOR HAS WELL 67-2296 ☐ Copies Attached
2. Other water rights with same point of diversion: NONE
☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = 23 FT

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).
☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).
☒ Aerial Photo Attached
(required for irrigation of 10 acres or more).
- SEP 08 1987

System Description (continued)

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

SYSTEM CONSISTS OF A WELL WITH 12" CASING
OF UNKNOWN DEPTH, BUT PUMPS ARE SET AT
60-65 FT. 30 HP PUMP ON WELL WITH A
8" DISCHARGE PIPE OPEN DISCHARGING INTO A
12" CEMENT DITCH.

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	M.E.	30	ENTSI8812	JOHNSON	— ?

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
	2	NE	SW	NW	19	11 N	SW	WASHINGTON	AERIAL PHOTO + USGS QUAD
	↑								
		* NW 1/4			Gov. Lot				

6. Place(s) of Use:

Indicate Method of Determination AERIAL PHOTO

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
11 N	5 W	19							27				38						65
									↓				↓						
									Gov. Lot No. 2										

MICROFILMED

SEP 08 1989

Do not use this space

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
weir						
WATER MADE						
By B&B Irrigation						

2. Measurements: * I TRIED TO MEASURE WITH ANNULAR FIRST -> D.D.T. WORK
WITH PUMP & DIPA TUBE -> 1.54 cfs -> 7' pipe
WITH 1.54 cfs -> 7' pipe
MEASURED .449 cfs -> 20' inches
SO PUMP IS PUMPING 1.0 cfs

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method: WEIR -> 1.09 cfs

2. Alternate Method for Checking Purposes: THEORETICAL
30 x 8.8 x .8
80 + (2310) = 2.6 cfs > 1.09 cfs O.K. ✓
ASSUME 80 FT

F. PUMP EFFICIENCY DATA (Optional)

- * NO WAY AT ALL TO FIND DEPTH TO WATER
 Discharge Pressure: 0 psi x 2.31 = 0 ft (1); Dynamic pumping level: 35 ft (2)
 Total Head: (1) + (2) = 35 (3)
TA = 30
CL = 200
 Water HP: (3) x (4) ÷ 8.8 = 4.33 (5)
 Meter Input KW: 3.6 x 28.8 KH x CTR or MULT x 4 PTR x 4 N / 25.6 T = 16.2 (6)
 Meter Input HP: (6) x 1.34 = 21.7 (7)
 Panel Input KW: Ave PF x Ave Volts x Ave Amps x .001732 = (6)
 Panel Input HP: (6) x 1.34 = (7)
 Efficiency: (5)/(7) x 100 = 19%

64.667520

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 65 \times 4.5 = 292.5 \text{ ac-ft}$
 $V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 1.09 \times 245 \text{ days} \times 1.98 = 528.8 \text{ ac-ft}$
 $V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 292.5 \text{ ac-ft}$

2. Volume Calculations for Other Uses:

MICROFILMED

SEP 08 1989

H. REMARKS AND OVERLAP REVIEW ANALYSIS

* I RECOMMEND THAT THE UPPER PART OF HIS LAND THAT IS ON THE PERMIT, NOT BE INCLUDED IN THE LICENSE BECAUSE FROM THE WELL THERE IS NO WAY TO GET THE WATER UP TO THAT PIECE OF LAND.

* NOTE THIS IS SUPPLEMENTAL WATER TO ITH RIGHTS

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
IRRIGATION	3-15	11-15	1.09	292.5 afa
Totals:			1.09 cfs	292.5 afa

2. Recommended Amendments

- ☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

J. AUTHENTICATION


Field Examiner's Name QUENTIN NESBITT
Signature Quentin Nesbitt
Certification Date _____
Field Report Preparation Date 8-17-87

CONSULTANT SEAL

K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

YAM 12/1/88

RECEIVED
SEP 15 1987



67-7415




- P.V.

MICROFILMED
SEP 08 1989

7-7415




P.D.




P.D. +
P.U.

MICROFILMED

SEP 08 1989





Mapped, edited and published by the Geological Survey

Control by USGS and USC&GS

Topography from aerial photographs by multiplex methods
Aerial photographs taken 1951. Field check 1953


Polyconic projection. 1927 North American datum
10,000-foot grid based on Idaho coordinate system, west zone

Red tint indicates areas in which only landmark buildings are shown

Dashed land lines indicate approximate locations

1000-meter Universal Transverse Mercator grid ticks,
zone 11, shown in blue

67-7415-19




UTM GRID AND 1953 MAGNETIC NORTH

MICROFILMED

SEP 08 1989

(MOORE'S HOLLOW)
2572 II



MICROFILMED
SEP 08 1989

MICROFILMED
SEP 08 1983

PAGE 3585
01/02/1987

NUMBER

SEN	40	01	03-7001	MC GINNIS	C	P	02-21-1968	SNAKE RIVER
SEN	01	02 03 05	03 20078	10000 INDIAN	1	1	05-11-1918	REAR END COCK

HC 61415
INSTITUTE CAN C
06-01-1016 12555 0155

40	01	67-4250	INSTITUTE CANAL CO	5	06-01-1918	WEISER RIVER
----	----	---------	--------------------	---	------------	--------------

SESA 40 01 23-7001 MC GINNIS C P 02-21-1968 SNAKE RIVER

40	01	03-7001	HC GINNIS	C	P	02-21-1968	SNAKE RIVER
----	----	---------	-----------	---	---	------------	-------------

[illegible]

4/86

RECEIVED

APR 20 1987

Department of Water Resources
Western Regional Office

RECEIVED

MAY 06 1987

STATE OF IDAHO
Department of Water Resources

DEPARTMENT OF WATER RESOURCES

EXAMINATION FEE INFORMATION

KEYDINPOWER

For Office Use Only

Fee Received 8/25Date 4/22/87Receipt # 42350Receipt by Emily HestSent to S.O. 241. Permit No. 67-7415

ONE OF THE FOLLOWING BOXES SHOULD BE MARKED TO DESIGNATE YOUR CHOICE:

- ☐ I choose to have the department make the field examination of this permit; attached is the examination fee. (If this box is marked, complete items 1 thru 8.)

2. Permit Holder: PARSONS PACKING, INC.3. Post Office Address: Box 588, WEISER, ID 83672Telephone No. 549-21134. Source of Water: GROUNDAWATER

5. Extent of Use:

Domestic _____ (No. of households) Stockwater _____ (No. and type of stock)

Irrigation 70 (acres) Other/Remark _____6. Total rate &/or volume for which proof is submitted 1.4 cfs _____ acre-feet

7. Show the date water was first diverted and beneficially used under this permit:

9-7-78

8. Person to contact to accompany the department representative during the field examination:

ROBERT A. PARSONS
(Name)Box 588, WEISER, ID 83672
(Address)549-2113
(Telephone Number)

- ☐ I choose to have the field examination conducted by a certified water right examiner. Attached is a statement from the certified examiner I have selected verifying that he has been retained to conduct the examination. (If this box is marked, complete items 1 thru 7.)

Date

4/17/87

Signature of Permit Holder (and title, if appropriate)

Robert A. Parsons

State of Idaho

Department of Water Resources

LICENSE EXAMINATION FEE SCHEDULE

(c.f.s. = cubic feet per second
AF = acre feet)

cfs	AF	Fee
0 - 0.04	0 - 4	\$ 0
.05 - 0.20	5 - 20	50.00
.21 - 1.0	21 - 100	100.00
1.01 - 2.0	101 - 200	125.00
2.01 - 3.0	201 - 300	150.00
3.01 - 4.0	301 - 400	175.00
4.01 - 5.0	401 - 500	200.00
5.01 - 6.0	501 - 600	225.00
6.01 - 7.0	601 - 700	250.00
7.01 - 8.0	701 - 800	275.00
8.01 - 9.0	801 - 900	300.00
9.01 - 10.0	901 - 1000	325.00
10.01 - 11.0	1001 - 1100	350.00
11.01 - 12.0	1101 - 1200	375.00
12.01 - 13.0	1201 - 1300	400.00
13.01 - 14.0	1301 - 1400	425.00
14.01 - 15.0	1401 - 1500	450.00
15.01 - 16.0	1501 - 1600	475.00
16.01 - 17.0	1601 - 1700	500.00
17.01 - 18.0	1701 - 1800	525.00
18.01 - 19.0	1801 - 1900	550.00
19.01 - 20.0	1901 - 2000	575.00
20.01 & over	2001 & over	600.00

Checks should be made payable to the
Department of Water Resources

No fee is required for single family
domestic use or stockwater use.



State of Idaho
DEPARTMENT OF WATER RESOURCES
Western Region

Cecil D. Andrus
Governor

2735 Airport Way
Boise, Idaho 83705
(208) 334-2190

67-7415
PARSONS PACKING INC
P.O. BOX 588
WFISER, ID 83672

138257

~~138256~~

April 10, 1987

CERTIFIED MAIL

EXAMINATION FEE NOTICE

Dear Permit Holder:

Department records show that proof of beneficial use has been submitted for the above-referenced permit, but that a field examination has not yet been conducted to determine the extent of beneficial use of the water for licensing purposes.

House Bill 671 (effective April 4, 1986) enacted by the 1986 Idaho Legislature requires the payment of a fee before this department can conduct the field examination needed to issue a license confirming use of water under the permit. This letter is notification that the license examination fee is due within sixty (60) days of the date of this letter. The examination fee information sheet (enclosed) must be returned with the fee.

As an alternative to submitting the fee, the department will accept a field examination report completed by a certified water right examiner from the private sector. If you choose to have the examination done by a certified water right examiner, you need not submit the license examination fee to the department, but you must within sixty (60) days of the date of this letter return to the department, the examination fee information sheet showing appropriate information together with a statement from the certified examiner to verify that you have retained a certified examiner to conduct the field examination. If you choose this alternative, a completed field examination report must be submitted within one year of the date of this letter. You cannot later change your decision to use this alternative and submit the fee needed for the department to conduct the field examination, but you may change to another certified examiner.

MICROFILMED

SEP 08 1989

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit No. 67-4715.

Name(s) of Permit Holder: Parsons Packing, Inc.

7415

Post Office Address: P. O. Box 588, Weiser, ID 83672

Tel. No. 549-2113

Source of Water: _____

Extent of Use: ☐ Domestic _____ (number of households)
☐ Stockwater _____ (number and type of stock)
☒ Irrigation 120 (acres)

☐ Other Access port will be installed by
March 15, 1980

Measuring Device: Required? ☐ Yes ☐ No Installed? ☐ Yes ☐ No

Access Port: Required? ☒ Yes ☐ No Installed? ☐ Yes ☐ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

7-28-80
Date

Robert A. Parsons
Signature of Permit Holder

Parsons Packing, Inc.

P. O. Box 588

Weiser, ID 83672



IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

RECEIVED

JAN 23 1980

Department of Water Resources

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440

PARSONS PACKING INC
BOX 588
WEISER, ID 83672

101613

DECEMBER 31, 1979

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF YOUR WATER PERMIT NO. 67-7415 WAS THAT EVIDENCE OF THE EXTENT OF DEVELOPMENT MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE MARCH 01, 1980. (SEE LAST PAGE OF YOUR APPROVED PERMIT). ENCLOSED IS A POST CARD WHICH MAY BE USED TO SUBMIT THE REQUIRED PROOF OF BENEFICIAL USE.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU HAVE NOT PREVIOUSLY RECEIVED AN EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME PROVIDED THE DELAY IS FOR REASONABLE CAUSE AS INDICATED IN SECTION 42-204, IDAHO CODE, AMENDED. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED.

EITHER THE BENEFICIAL USE POST CARD OR A REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE MENTIONED DATE, OTHERWISE, THE PERMIT WILL LAPSE AND BE OF NO FURTHER FORCE OR EFFECT WITHIN 60 DAYS.

SINCERELY,

RITA FLECK
SR. SECRETARY

ENC: 1

101613

July 12, 1979

Parsons Packing, INC.
Robert A. Parsons, President
Box 588
Weiser, ID 83672

Dear Mr. Parsons:

We have received your letter requesting an extension of time for Permit No. 67-7415.

However, we need to know how much work has been done on this project prior to the pump breakdown. We are enclosing a request for extension of time form which, when completed, will give us this information. please submit the completed request form no sooner than six months prior to the date set for proof.

If you have any questions, please contact us.

Sincerely,

JAN GROVER
Water Rights Supervisor

JG:rr

Enclosure



PARSONS PACKING, INC.

AREA CODE 203 ■ TELEPHONE 549-2113/4 ■ POST OFFICE BOX 588 ■ WEISER, IDAHO 83672

RECEIVED

JUL 5 1979

July 3, 1979

Department of Water Resources

State of Idaho
Department of Water Resources
State Office, 373 W. Franklin Street
Boise, ID 83720

Attention: Mr. David Tuthill, Jr.

Dear Sir:

Account pump breakdown, the well granted for use under Permit No. 67-7415 will not be in use this year. Consequently, no installment for measuring equipment to determine the rate of diversion has been added.

As the 1980 irrigation season will begin after March 1st, an extension is hereby requested.

Sincerely,

Robert A. Parsons,
President

RAP/ts

PACKER AND SHIPPER OF



IDAHO-OREGON ONIONS AND POTATOES

XXXX



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 373 W. Franklin Street, Boise, Idaho

JOHN V. EVANS
Governor

C. STEPHEN ALLRED
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 384-2215

February 12, 1979

Re: Permit No. 67-7415

Parsons Packing, Inc.
Box 588
Weiser, Idaho 83672

Gentlemen:

Enclosed is a copy of your approved Application for Permit. We direct your attention to the conditions of approval on the fourth page.

Please note the special condition requiring you to install an access port or other device to provide for the installation of measuring equipment by the Department. The Department will provide the specifications for the installation to you.

The exercise of this permit may also be affected by the court's determination of water rights in the case of Idaho Power Company v. State of Idaho, et al., Civil No. 62237, currently pending before the District Court of Ada County.

Idaho Power officials tell us that because of Case No. U-1006-124 filed before the Idaho Public Utilities Commission, Idaho Power Company is asking the District Court of Ada County to determine whether the Power Company's water rights on the Snake River are protected against subsequent upstream appropriations in the waters of the Snake River and surface and subterranean tributaries between Milner Dam and Hells Canyon.

Since the use of water under your permit may affect the flows in this reach of the Snake River, the final decision in Idaho Power Company v. State of Idaho, et al. (Ada County Civil No. 62237) may determine to what extent the exercise of your permit may be subject to the water rights of Idaho Power.

While the Ada County court is examining this question, Idaho Power Company has not filed a specific protest to your permit. However, the Department of Water Resources has been advised that the Power Company is not waiving any of its rights to contest or limit the exercise of your permit or a subsequent license or water right.

If you have any questions, please let us know.


Sincerely,

David R. Tuthill Jr.

DAVID R. TUTHILL, JR.
Supervisor, Water Allocations Section

Enclosure

*Access port
letter sent 2/9/79
Patty Byington*



DRT:lr

67-7415

STAFF REVIEW - STATE OFFICE

1. Pres Name vs. Signature
2. w Source
3. ✓ Point of Diversion
4. 1.4 Amnt. & Period of Use
5. ✓ Descrip. of Diverting Wrks.
6. 1 Time req. for Proof of B/U
7. N/A Place of Use for other than irrig.
8. 70 Place of Use for irrigation (add acres)
9. App Property Owner at Pt. of Div. & Pl. of Use
10. ✓ Map
11. 45 Fee & Rec't. No.

Copies Sent To:

<u>NO</u> Idaho Health Department	<u>NO</u> U.S.F.S.
<u>7</u> Idaho Fish & Game Dept.	<u>7</u> Dept. of Lands
<u>7</u> Bureau of Land Management	<u>7</u> Other

Dam Safety Information N/A (Goes to Permit Section)

Check:

Critical G.W. Area yes ✓ noOther rights on same land Surface Water of 67-2296(G.W.) no overlap
4 ac in SW NW does not exceed 40 ac in subdivisionWithdrawals of all protests received N/A yes no

Conditions:

ID Power Co. Letter - Snake R. NoID Power Co. Letter - G.W. & Tribs. yesSnake River Condition NoPayette River Letter NoPriority Date 9/7/78Water Quality #16 NoWater Quality #10 intrastate interstateMeas. Dev. or Sc. Meas. yesTotalizing meter NoSupplemental NoRight-of-Way Cond. NoWatermaster Cond. No
Wtr. Dist No. 7Meas. Dev. Cond. for apps within
a Water Dist. 7

Reviewer

Date

DEPARTMENT OF WATER RESOURCES
- STAFF ANALYSIS -

Item Initial Date

Application No. 67-7415

☒ Source
☒ Point of Diversion
☒ County
☒ Quantity of Water and Period of Use
☒ Description of Diverting Works
☒ Time required for B/U of water
☒ Place of Use or Acres Irrigated
☒ Map
☒ Signature
☒ Fee

(1) CLS 9/8/77

In form to receipt

(2) _____

Send Copies to:

Idaho State Health Department

Idaho Fish and Game Department

Bureau of Land Management

(3) _____

Request Special Use Permit from U.S.F.S.

Request Easement from B.L.M.

Request Information from Applicant

Request Dam Safety Information

(4) CLS 9/8/77

In form for advertising

(5) _____

Platted on Map No. _____

(6) _____

Located within Water District No. _____

(7) _____

Critical groundwater area: yes _____ no ☒

(8) _____

Groundwater levels:

_____ Declining, ☒ Stable, _____ Increasing

(comment) _____

(9) _____

Other rights on the same place of use No Gw platted

(10) _____

Comments: _____

(11) LR OK

Affidavit of Publication received (date) 2/5/79

(12) _____

Final date for protests 1-15-79

Protests received: yes _____ no ☒

(13) _____

All requested information received from agencies or applicant: yes _____ no _____

(14) _____

Action recommended:

☒ Approve _____ Deny

9-7-78 Proposed Priority

Reason for Reduction _____

☒ Measuring device required

See attached sheet for other conditions of approval

No special conditions for approval

(15) District W

By dlh Date 2-5-79

Readvertised at our expense
RECEIVED

FEB 07 1979

Department of Water Resources

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Western Region

92 South Cole Road
Boise, Idaho 83705
(208) 384-2190

DECEMBER 14, 1978

The Signal American
Box 709
Weiser, ID 83672

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. We have allowed ample time for you to submit a galley proof to this office for review before the first publication date. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before JANUARY 8, 1979.

Yours truly,

Sally Trinkaus
Secretary

Encl.

RECEIVED
DEC 17 1978

NOTICE OF CORRECTION

Notice is hereby given that notice of Application for Permit No. 67-7415 in the name of PARSONS PACKING INC., Box 588, Weiser, Idaho.

The point of diversion was advertised as being within the SWNW 519 T11N R05W and the place of use was advertised as being within the SWNW NWSW 519 T11N, R05W. WHEREAS, the actual point of diversion is within the SWNW S19 T11N R05W, and the place of use is within the SWNW NWSW S19 T11N R05W.

RECEIVED

Signal Americans, Dec 21 + 28, 1978

NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

RECEIVED
JAN 10 1964

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Western Region

92 South Cole Road
Boise, Idaho 83705
(208) 384-2190

SEPTEMBER 14, 1978

The Signal American
Box 709
Weiser, ID 83672

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. IN ORDER TO RECEIVE PAYMENT, THE FOLLOWING CERTIFICATION MUST APPEAR ON THE BILL:

"I hereby certify that the foregoing account is just and correct, that the amount claimed is legally due after allowing all just credits and that no part of the same has been paid."

(Signature of Claimant)

Please send the affidavit of publication and publication billing to this office before OCTOBER 9, 1978.

Yours truly,

Sally Trinkaus
Secretary

RECEIVED
SEP 17 1978

62-2415-

Name: PARSONS PACKING INC

Address: BOX 588, WEISER, ID 83672

Source: GROUNDWATER

Date Filed: 09/07/1978

County: WASHINGTON

Amount: 1.40 CFS

Point of Diversion: SWNW S19 T11N R05W

Use: IRRIGATION from 03/15 to 11/15

Place of Use: SWNW NWSW S19 T11N R05W FOR 70 ACRES

Means: CONCRETE DITCH

11/15/78 11/15/78

If issued, the permit(s) will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 92 S. Cole Road, Boise, Idaho 83705 on or before OCTOBER 9, 1978.

C. STEPHEN ALLRED

Director

Published in the The Signal American
on September 21, 1978 and September 28, 1978.

PAID
SEP 28 1978

WATER RIGHT NUMBER 67-7415

u 364

PCT
ID#

M. OWNER LAST NAME - PARSONS PACKING INC

W. ADDRESS LINE 1 - 404 5th

CITY - SEASIDE

STATE - ID ZIP CODE - 83672

N. SOURCE - COLUMBIAN

B. STAGE - APPLICATION

PRIORITY - 09-07-1978 COUNTY - WASHINGTON TOTAL DIV. RATE - 1.4000CFS

D. DIVERSION POINT - SEC 19 TRACT 30

A. FROM - 03-15 TO - 11-15 USE - IRRIGATION

USE DIV. RATE - 1.4000CFS

Handwritten initials "HB" with a checkmark.

WATER RIGHT NUMBER 67-7415 CONT.

WATER RIGHTS FURT REPORT

09/14/78

PAGE 3

PCT

ID#

USE - IRRIGATION

PLACE OF USE - TRACT 19 AND SEC 19 TRACT 30

AC 30 TRACT NDSM

AC 40

D. DIVERSION POINTS - CONCRETE DITCH