


Complete the following map by showing land and point of diversion as proposed by this amendment.

Show 40-acre subdivisions, townships, ranges and ditches.



Scale: 2 inches equal 1 mile.

That no one will be injured by such change, and that such change will be made at permit holder's own risk.

Signed at Boise, this 15TH day of MAY, 1987.

Dean Fairchild
(Signature)

FOR DEPARTMENT USE ONLY

Preliminary check by AND Fee = \$20.00

Received by AND Date 5/15/87 #44847

Publication prepared by SL Date 6/10/87

Published in THE WEISER SIGNAL
6/18 & 6/25/87

Publication dates 6/18 & 6/25/87

ACTION OF THE DEPARTMENT OF WATER RESOURCES

I, L. GLEN SAXTON, of the Department of Water Resources hereby

Approve the above referenced Application for Amendment provided the conditions as set forth in Permit No. 67-7396 are met.

Witness my hand this 14th day of October, 19 87

MICROFILMED

MAR 15 1988

L. Glen Saxton
Chief, Operations Bureau

MAR 15 1988

Affidavit of Publication:

AUG 04 1987

STATE OF IDAHO
County of Washington

ss. Department of Water Resources

Stuart Dopf, being duly sworn deposes and says he is the publisher of the Upper Country News-Reporter, a weekly newspaper published at Cambridge, in the County of Washington, State of Idaho; that said newspaper is in general circulation in the county of aforesaid and is a legal newspaper; that the annexed, a printed copy of which is attached hereto and made a part hereof, was published

in said newspaper once a week for ².....

consecutive weeks in the regular and entire issue of every number thereof during the period of time of publication, and was published in the newspaper proper and not in a supplement; and that publication of such

notice began July 2, 1987.

and ended July 9, 1987.

Stuart Dopf

Subscribed and sworn to before me

this 3rd day of

August, 1987.

Salmon C. Hemminger

Notary Public in and for the State of Idaho, residing at Cambridge, Idaho 83610.

Public Notices

**NOTICE OF APPLICATION
FOR AMENDMENT**

Notice is hereby given that Permit No. 67-7396 in the name of Dean Fairchild was filed on 5/19/78 for the diversion of 1.25 cfs from the Weiser River with a point of diversion within the SWNW, Sec. 1, Twp. 14N., Rge. 3W., B.M. to be used for irrigation purposes from 3/15 to 7/1 within portions of the NENW, NWNW, SWNW, Sec. 1, Twp. 14N., Rge. 3W., B.M.

The permit holder now proposes to amend the permit by changing the point of diversion to the NWSE (3 pts.) Sec. 19, Twp. 13N., Rge. 3W, and the place of use to the NESW, Lot 3 (NWSW), Lot 4 (SWSW), NWSE, Sec. 19, Twp. 13N., Rge. 3W., B.M.

Any protest against the approval of the proposed amendment must be filed with the Department of Water Resources, Western Regional Office, 2735 Airport Way, Boise, ID 83705 on or before July 20, 1987.

A. Kenneth Dunn
Director

Published in the Upper Country News-Reporter on 7/2 & 7/9/87
NP

RECEIVED

MAR 15 1988

RECEIVED

AUG 21 1987

RECEIVED

AUG 6 1987

Department of Water Resources
Western Regional Office

Department of Water Resources

Affidavit of Publication:

STATE OF IDAHO }
County of Washington } ss.

Stuart Dopf, being duly sworn deposes and says he is the publisher of the Upper Country News-Reporter, a weekly newspaper published at Cambridge, in the County of Washington, State of Idaho; that said newspaper is in general circulation in the county of aforesaid and is a legal newspaper; that the annexed, a printed copy of which is attached hereto and made a part hereof, was published

in said newspaper once a week for.....2.....
consecutive weeks in the regular and entire
issue of every number thereof during the
period of time of publication, and was pub-
lished in the newspaper proper and not in a
supplement; and that publication of such
notice began July 2....., 1987
and ended July 9....., 1987

Stuart Dopf

Subscribed and sworn to before me

this 15th..... day of
.....Jul 4....., 1987

B. J. Soule

Notary Public in and for the State
of Idaho, residing at Cambridge,
Idaho 83610.

RECEIVED

MAR 15 1988

Public Notices

NOTICE OF APPLICATION FOR AMENDMENT

Notice is hereby given that Permit No. 67-7396 in the name of Dean Fairchild was filed on 5/19/78 for the diversion of 1.25 cfs from the Weiser River with a point of diversion within the SWNW, Sec. 1, Twp. 14N., Rge. 3W., B.M. to be used for irrigation purposes from 3/15 to 7/1 within portions of the NENW, NWNW, SWNW, Sec. 1, Twp. 14N., Rge. 3W., B.M.

The permit holder now proposes to amend the permit by changing the point of diversion to the NWSE (3 pts.) Sec. 19, Twp. 13N., Rge. 3W, and the place of use to the NESW, Lot 3 (NWSW), Lot 4 (SWSW), NWSE, Sec. 19, Twp. 13N., Rge. 3W., B.M.

Any protest against the approval of the proposed amendment must be filed with the Department of Water Resources, Western Regional Office, 2735 Airport Way, Boise, ID 83705 on or before July 20, 1987.

A. Kenneth Dunn
Director

Published in the Upper Country
News-Reporter on 7/2 & 7/9/87
NP

RECEIVED

AUG 21 1987

Department of Water Resources

RECEIVED

JUL 17 1987

Department of Water Resources
Western Regional Office

Nº 1009

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO, }
County of Washington } ss.

Dorothy A. Roth, being duly sworn,
deposes and says:

That he is the Clerk of
THE WEISER SIGNAL, a weekly newspaper published at
Weiser, in the County of Washington and State of Idaho; that
said paper has been and is in general circulation in the
county aforesaid, and in the vicinity of Weiser; that the ad-
vertisement, a copy of which is attached hereto, was pub-
lished in said newspaper once a week for two consecu-
tive weeks in the regular and entire issue of said paper dur-
ing the period and time of publication, and was published in
the newspaper proper and not in a supplement; that said
paper has been established and regularly published for more
than seventy-eight consecutive weeks prior to the date of
first publication of said advertisement.

Such notice was published in the issue beginning with
June 18, 1987, and ending
with the issue of June 25, 1987

Fees, \$ 28.96

Subscribed and sworn to before me this 25
day of June, 1987

Ray Lee
Notary Public, Residing at Weiser, Idaho.

My Commission Expires 1-1, 1993

No. 1009 138
NOTICE OF APPLICATION FOR AMENDMENT

Notice is hereby given that Permit No. 67-7396 in the name of
Dean Fairchild was filed on 5/19/78 for the diversion of 1.25
cfs from the Weiser river with a point of diversion within the
SW¼NW¼, Sec. 1, Twp. 14N., Rge. 3W, to be used for ir-
rigation purposes from March 15 to July 1 within portions of
the NENW, NWNW, SWNW, Sec. 1, Twp. 14N., Rge. 3W.,
for a total of 100 acres. The permit holder now proposes to
amend the permit by changing the point of diversion to the
NW¼SE¼, Sec. 19, Twp. 13N., Rge. 3W. and the place of
use to the NESW, Lot 3 (NWSW) Lot 4 (SWSW), NWSE,
Sec. 19, Twp. 13N., Rge. 3W., for a total of 100 acres.

Any protest against the approval of the proposed amendment
must be filed with the Department of Water Resources,
Western Region, 2735 Airport Way, Boise, ID 83705 on or
before July 6, 1987.

A. Kenneth Dunn
Director

Published in The Weiser Signal on 6/18 & 6/25/87

32-26

AUG 21 1987

Department of Water Resources


RECEIVED
JUL 1 1987

Department of Water Resources
Western Regional Office

MICROFILMED

MAR 15 1988

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Robert L. Bingham
(Applicant)

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO, }
County of Washington } ss.

Dorothy A. Barth, being duly sworn,
deposes and says:

That he is the Clerk of
THE WEISER SIGNAL, a weekly newspaper published at
Weiser, in the County of Washington and State of Idaho; that
said paper has been and is in general circulation in the
county aforesaid, and in the vicinity of Weiser; that the ad-
vertisement, a copy of which is attached hereto, was pub-
lished in said newspaper once a week for 2 consecu-
tive weeks in the regular and entire issue of said paper dur-
ing the period and time of publication, and was published in
the newspaper proper and not in a supplement; that said
paper has been established and regularly published for more
than seventy-eight consecutive weeks prior to the date of
first publication of said advertisement.

Such notice was published in the issue beginning with
June 1, 1978, and ending
with the issue of June 8, 1978.

Dorothy A. Barth
Fees, \$ 16.32

Subscribed and sworn to before me this 8
day of June, 1978

Jan Lee
Notary Public, Residing at Weiser, Idaho.

My Commission Expires 1-2, 1979

RECEIVED

JUN 19 1978

Department of Water Resources
Western Regional Office

No. 249

NOTICE OF APPLICATION FOR WATER RIGHT
Notice is hereby given that the following application(s)
have been submitted for permit to appropriate the public
waters of the State of Idaho:

67-7396

Name: ROBERT L. &/or ELIZABETH A. BUMGARNER

Address: Box 248, Cambridge, ID

Source: WEISER RIVER TRIB. SNAKE RIVER

Date Filed: May 19, 1978

County: Washington

Amount: 2.0 cubic feet per second

Point of Diversion: SW 1/4 NW 1/4 Sec 1 T14N-R3W B.M.

Use: irrigation of 100 acres from Mar 15 to July 1

Place of Use: N 1/2, SW 1/4 NW 1/4 Sec 1 T14N-R3W B.M.

Means: pump and sprinkler system

If issued, the permit(s) will be subject to all prior water
rights. Protests against the granting of any permit must be
filed with the Director of the Idaho Department of Water
Resources, 92 S. Cole Road, Boise, Idaho 83705 on or before
June 19, 1978.


C. STEPHEN ALLRED


Director

Published in the Signal American, Weiser, ID on June 1,
1978 and June 8, 1978.

24-2s

error noted; accepted
6-19-78 alw





#67-7396 11

RECEIVED
JAN 24 1993
C. 6.40

35.00
35.24
35.48

46.20.58

46.40

46.40

46.40

35.18

46.20.58

35.24

46.20.58

35.48

46.20.58

35.00

46.20.58

35.24

46.20.58

35.48

46.20.58

35.00

46.20.58

35.24

46.20.58

35.48

46.20.58

35.00

46.20.58

35.24

46.20.58

35.48

46.20.58

35.00

46.20.58

35.24

46.20.58

35.48

46.20.58

35.00

46.20.58

35.24

46.20.58

35.48

46.20.58

35.00

46.20.58

35.24

46.20.58

35.48

46.20.58

35.26

35.00

35.24

35.48

35.00

35.24

35.48

35.00

35.24

35.48

35.00

35.24

35.48

35.00

35.24

35.48

35.00

35.24

35.48

35.00

35.24

35.48

35.00

35.24

35.48

35.00

35.24

35.48

35.00

35.24

35.48

35.00

35.24

35.48

35.00

35.24

35.48

PHOTO ID. 44245

PHOTO ID. 44245



67-7396



#1

Pump and motor



#2

P/D and 6" intake
pipe to pump

RECEIVED

FEB 04 1993

67-7396



#3

P14 and wheel
line #1



#4.

P14 and wheel
line #2

RECEIVED

FEB 04 1993

67-7396



#5

P/U and wheel
line #3

RECEIVED
FEB 14 1993

WATER RIGHT SPLIT

SUMMARY

ACTION	RIGHT NO.	NAME	AMOUNT CFS
Original Permit	67-7396	Robert L. &/or Elizabeth A. Bumgarner	1.25 cfs
Full Assignment	67-7396	Dean Fairchild	1.25 cfs

RECORDED

MAR 15 1988

RECORDED

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 67-07396

Priority: June 16, 1978

Maximum Diversion Rate: 1.25 CFS
Maximum Diversion Volume: 225.6 AF

This is to certify, that DEAN FAIRCHILD
PO BOX 125

MIDVALE ID 83645 has complied with the terms and conditions
of the permit, issued pursuant to Application for Permit dated May 19, 1978; and
has submitted Proof of Beneficial Use on June 29, 1983. An examination indicates
that the works have a diversion capacity of 1.380 cfs of water from:

WEISER RIVER tributary to SNAKE RIVER

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/01 to 07/01	1.25 CFS	225.6 AF

LOCATION OF POINT(S) OF DIVERSION: NWSE , Sec. 19, Township 13N, Range 03W
WASHINGTON County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
13N	03W	19	SENW 13	NESW 36	Lot 3(NWSW) 7	
			Lot 4(SWSW) 7	SESW 19	NWSE 13	
			SWSE 5			100

Total number of acres irrigated: 100

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right limited to the amount that can actually be beneficially use used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. The issuance of this right in no way grants any right-of-way or easement across the land of another.

RECEIVED

FEB 04 1993

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE


WATER RIGHT NO. 67-07396

CONDITIONS/REMARKS:

6. A measuring device of a type approved by this Department shall be maintained as a part of the diverting works.
7. Use of water under this water right will be regulated by the watermaster of State Water District No. 67.
8. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 4.0 afa per acre for the lands above.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 18th day of DECEMBER, 1992.

Acting for


R. Keith Higginson, Director

FEB 04 1993

RECEIVED

NOV 23 1992

Department of Water Resources

State of Idaho
Department of Water ResourcesAPPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 67-07396

APPROVED

Date of Priority: June 16, 1978

Maximum Diversion Rate: 1.25 CFS
Maximum Diversion Volume: 225.6 AFComes now
PO BOX 125
MIDVALE ID 83645

DEAN FAIRCHILD

and represents to the Director of the

Idaho Department of Water Resources:

That he is the owner and holder of Permit to appropriate the Public Waters of the State of Idaho No. 67-07396, and requests that the permit be changed as follows:

Source: WEISER RIVER

tributary to SNAKE RIVER

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/01 to 07/01	1.25 CFS	225.6 AF

LOCATION OF POINT(S) OF DIVERSION:NWSE, Sec. 19, Township 13N, Range 03W
WASHINGTON CountyPLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
13N	03W	19	SENW 13	NESW 36	Lot 3(NWSW) 7	
			Lot 4(SWSW) 7	SESW 19	NWSE 13	
			SWSE 5			100

Total number of acres irrigated: 100

Permit holder asserts that no one will be injured by such change and that such change will be made at permit holder's own risk.

Signed at Midvale, Idaho, this 20th day of November, 1992.

Dean Fairchild
(Signature)

MICROFILMED

FEB 04 1993

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 67-07396

FOR DEPARTMENT USE ONLY

Preliminary check by CS Fee = \$20.00 Receipted by [Signature] # 60246106 Date 11-24-92

ACTION OF THE DEPARTMENT OF WATER RESOURCES

I, R. Keith Higginson, of the Department of Water Resources hereby approve the above Application for Amendment for Permit No. 67-07396 with the following;

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right limited to the amount that can actually be beneficially use used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. The issuance of this right in no way grants any right-of-way or easement across the land of another.
6. A measuring device of a type approved by this Department shall be maintained as a part of the diverting works.
7. Use of water under this water right will be regulated by the watermaster of State Water District No. 67.
8. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 4.0 afa per acre for the lands above.

Witness my hand this 18TH day of DECEMBER, 1992

[Signature]
Acting for R. Keith Higginson, Director

FEB 04 1993

STATE OF IDAHO

APPLICATION FOR AMENDMENT OF A PERMIT

To change the point of diversion and/or the place of use.

Comes now DEAN FAIRCHILD Phone 355-2277of (address) Box 125 MIDVALE, ID 83645, and represents to the
Director of the Idaho Department of Water Resources:That he is the owner and holder of Permit to appropriate the Public Waters of the State of Idaho
No. 67-7396, and requests that the permit and permit map be changed as follows:

1. Point of diversion: NW 1/4 SE 1/4, Section 19, Township 13N, Range 3W, B.M.,
County of WASHINGTON. Other points of diversion: 3 POINTS OF DIVERSION

2. Period and nature of use: (irrigation, domestic, stockwatering, industrial, etc.)

Amount 1.25 for IRRIGATION purposes from 3/15 to 7/1 (both dates inclusive)
(cfs or acre feet per annum)Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre feet per annum)Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre feet per annum)Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre feet per annum)

3. Place of use or land to be irrigated:

TWP	RGE	SEC	NE1/4				NW1/4				SW1/4				SE1/4				TOTALS
			NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	
13N	3W	19									30	*20	4.4			30			100*
												25	20						105
~~13N~~	~~4W~~	~~24~~													25	20*			45

Total number of acres to be irrigated = 100*
150


4. a. Who owns the property at the point of diversion? APPLICANT
- b. Who owns the land to be irrigated or the place of use? APPLICANT
- c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing: _____

RECORDED

MAR 15 1988

Complete the following map by showing land and point of diversion as proposed by this amendment.

Show 40-acre subdivisions, townships, ranges and ditches.



Scale: 2 inches equal 1 mile.

That no one will be injured by such change, and that such change will be made at permit holder's own risk.

Signed at Boise, this 15TH day of MAY, 1987.

Dean Fairchild
(Signature)

FOR DEPARTMENT USE ONLY

Preliminary check by AND Fee = \$20.00

Received by AND Date 5/15/87 #44847

Publication prepared by SL Date 6/18/87

Published in THE WEISER SIGNAL
6/18 & 6/25/87

Publication dates 6/18 & 6/25/87

ACTION OF THE DEPARTMENT OF WATER RESOURCES

I, L. GLEN SAXTON, of the Department of Water Resources hereby

Approve the above referenced Application for Amendment provided the conditions as set forth in Permit No. 67-7396 are met.

Witness my hand this 14th day of October, 1987

MICROFILMED

MAR 15 1988

L. Glen Saxton
Chief, Operations Bureau

A hand-drawn map of a river system, likely a tributary of the Amazon, showing various branches and confluences. The map is oriented with North at the top. Handwritten labels include "13N 3W" at the top center, "1" near the top left, "2" near the top center, "3" near the center left, "4" near the center left, "5" near the center right, "6" near the bottom left, "7" near the bottom left, "8" near the bottom left, "9" near the bottom left, "10" near the bottom left, "11" near the bottom left, "12" near the bottom left, "13" near the bottom left, "14" near the bottom left, "15" near the bottom left, "16" near the bottom left, "17" near the bottom left, "18" near the bottom left, "19" near the bottom left, "20" near the bottom left, "21" near the bottom left, "22" near the bottom left, "23" near the bottom left, "24" near the bottom left, "25" near the bottom left, "26" near the bottom left, "27" near the bottom left, "28" near the bottom left, "29" near the bottom left, "30" near the bottom left, "31" near the bottom left, "32" near the bottom left, "33" near the bottom left, "34" near the bottom left, "35" near the bottom left, "36" near the bottom left, "37" near the bottom left, "38" near the bottom left, "39" near the bottom left, "40" near the bottom left, "41" near the bottom left, "42" near the bottom left, "43" near the bottom left, "44" near the bottom left, "45" near the bottom left, "46" near the bottom left, "47" near the bottom left, "48" near the bottom left, "49" near the bottom left, "50" near the bottom left, "51" near the bottom left, "52" near the bottom left, "53" near the bottom left, "54" near the bottom left, "55" near the bottom left, "56" near the bottom left, "57" near the bottom left, "58" near the bottom left, "59" near the bottom left, "60" near the bottom left, "61" near the bottom left, "62" near the bottom left, "63" near the bottom left, "64" near the bottom left, "65" near the bottom left, "66" near the bottom left, "67" near the bottom left, "68" near the bottom left, "69" near the bottom left, "70" near the bottom left, "71" near the bottom left, "72" near the bottom left, "73" near the bottom left, "74" near the bottom left, "75" near the bottom left, "76" near the bottom left, "77" near the bottom left, "78" near the bottom left, "79" near the bottom left, "80" near the bottom left, "81" near the bottom left, "82" near the bottom left, "83" near the bottom left, "84" near the bottom left, "85" near the bottom left, "86" near the bottom left, "87" near the bottom left, "88" near the bottom left, "89" near the bottom left, "90" near the bottom left, "91" near the bottom left, "92" near the bottom left, "93" near the bottom left, "94" near the bottom left, "95" near the bottom left, "96" near the bottom left, "97" near the bottom left, "98" near the bottom left, "99" near the bottom left, "100" near the bottom left. A stamp "RECEIVED" is visible near the bottom center, and "MAR 15 1988" is stamped below it. The map is drawn on a piece of paper with two punch holes at the top.

Affidavit of Publication:

AUG 04 1987

STATE OF IDAHO
County of Washington

ss. Department of Water Resources

Stuart Dopf, being duly sworn deposes and says he is the publisher of the Upper Country News-Reporter, a weekly newspaper published at Cambridge, in the County of Washington, State of Idaho; that said newspaper is in general circulation in the county of aforesaid and is a legal newspaper; that the annexed, a printed copy of which is attached hereto and made a part hereof, was published

in said newspaper once a week for.....2.....

consecutive weeks in the regular and entire issue of every number thereof during the period of time of publication, and was published in the newspaper proper and not in a supplement; and that publication of such

notice began July 2 1987.

and ended July 9 1987.

Stuart Dopf

Subscribed and sworn to before me

this 3rd day of

..... August 1987

John C. Hemminger

Notary Public in and for the State of Idaho, residing at Cambridge, Idaho 83610.

Public Notices

**NOTICE OF APPLICATION
FOR AMENDMENT**

Notice is hereby given that Permit No. 67-7396 in the name of Dean Fairchild was filed on 5/19/78 for the diversion of 1.25 cfs from the Weiser River with a point of diversion within the SWNW, Sec. 1, Twp. 14N., Rge. 3W., B.M. to be used for irrigation purposes from 3/15 to 7/1 within portions of the NENW, NWNW, SWNW, Sec. 1, Twp. 14N., Rge. 3W., B.M.

The permit holder now proposes to amend the permit by changing the point of diversion to the NWSE (3 pts.) Sec. 19, Twp. 13N., Rge. 3W, and the place of use to the NESW, Lot 3 (NWSW), Lot 4 (SWSW), NWSE, Sec. 19, Twp. 13N., Rge. 3W., B.M.

Any protest against the approval of the proposed amendment must be filed with the Department of Water Resources, Western Regional Office, 2735 Airport Way, Boise, ID 83705 on or before July 20, 1987.

A. Kenneth Dunn
Director

Published in the Upper Country News-Reporter on 7/2 & 7/9/87
NF

MAR 15 1988

RECEIVED

AUG 21 1987

Department of Water Resources

RECEIVED

AUG 6 1987

Department of Water Resources
Western Regional Office

Affidavit of Publication:

STATE OF IDAHO }
County of Washington } ss.

Stuart Dopf, being duly sworn deposes and says he is the publisher of the Upper Country News-Reporter, a weekly newspaper published at Cambridge, in the County of Washington, State of Idaho; that said newspaper is in general circulation in the county of aforesaid and is a legal newspaper; that the annexed, a printed copy of which is attached hereto and made a part hereof, was published

in said newspaper once a week for.....2.....
consecutive weeks in the regular and entire
issue of every number thereof during the
period of time of publication, and was pub-
lished in the newspaper proper and not in a
supplement; and that publication of such
notice began July 2....., 1987
and ended July 9....., 1987

Stuart Dopf

Subscribed and sworn to before me

this 15th..... day of
.....Jul 4....., 1987

B. G. Soule

Notary Public in and for the State
of Idaho, residing at Cambridge.
Idaho 83610.

RECEIVED

MAR 15 1988

Public Notices

NOTICE OF APPLICATION FOR AMENDMENT

Notice is hereby given that Permit No. 67-7396 in the name of Dean Fairchild was filed on 5/19/78 for the diversion of 1.25 cfs from the Weiser River with a point of diversion within the SWNW, Sec. 1, Twp. 14N., Rge. 3W., B.M. to be used for irrigation purposes from 3/15 to 7/1 within portions of the NENW, NWNW, SWNW, Sec. 1, Twp. 14N., Rge. 3W., B.M.

The permit holder now proposes to amend the permit by changing the point of diversion to the NWSE (3 pts.) Sec. 19, Twp. 13N., Rge. 3W., and the place of use to the NESW, Lot 3 (NWSW), Lot 4 (SWSW), NWSE, Sec. 19, Twp. 13N., Rge. 3W., B.M.

Any protest against the approval of the proposed amendment must be filed with the Department of Water Resources, Western Regional Office, 2735 Airport Way, Boise, ID 83705 on or before July 20, 1987.

A. Kenneth Dunn
Director

Published in the Upper Country
News-Reporter on 7/2 & 7/9/87
NR

RECEIVED

AUG 21 1987

Department of Water Resources

RECEIVED

JUL 27 1987

Department of Water Resources
Western Regional Office

No 1009

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO, } ss.
County of Washington }

Deputy A. Fairchild, being duly sworn,
deposes and says:

That he is the Clerk of
THE WEISER SIGNAL, a weekly newspaper published at
Weiser, in the County of Washington and State of Idaho; that
said paper has been and is in general circulation in the
county aforesaid, and in the vicinity of Weiser; that the ad-
vertisement, a copy of which is attached hereto, was pub-

lished in said newspaper once a week for 200 consecu-
tive weeks in the regular and entire issue of said paper dur-
ing the period and time of publication, and was published in
the newspaper proper and not in a supplement; that said
paper has been established and regularly published for more
than seventy-eight consecutive weeks prior to the date of
first publication of said advertisement.

Such notice was published in the issue beginning with

August 18, 1987, and ending
with the issue of June 25, 1987.

Deputy A. Fairchild

Fees, \$ 28.76

Subscribed and sworn to before me this 25

day of June, 1987

Deputy A. Fairchild
Notary Public, Residing at Weiser, Idaho.

My Commission Expires 1-1, 1993

No. 1009

NOTICE OF APPLICATION FOR AMENDMENT

Notice is hereby given that Permit No. 67-7396 in the name of Dean Fairchild was filed on 5/19/78 for the diversion of 1.25 cfs from the Weiser river with a point of diversion within the SW $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 1, Twp. 14N., Rge. 3W, to be used for irrigation purposes from March 15 to July 1 within portions of the NENW, NWNW, SWNW, Sec. 1, Twp. 14N., Rge. 3W., for a total of 100 acres. The permit holder now proposes to amend the permit by changing the point of diversion to the NW $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 19, Twp. 13N., Rge. 3W. and the place of use to the NESW, Lot 3 (NWSW) Lot 4 (SWSW), NWSE, Sec. 19, Twp. 13N., Rge. 3W., for a total of 100 acres.

Any protest against the approval of the proposed amendment must be filed with the Department of Water Resources, Western Region, 2735 Airport Way, Boise, ID 83705 on or before July 6, 1987.

A. Kenneth Dunn
Director

Published in The Weiser Signal on 6/18 & 6/25/87

32-25

AUG 21 1987

Department of Water Resources

RECEIVED

MAR 15 1988

Department of
Notary Public

State of Idaho
Department of Water Resources

ASSIGNMENT OF PERMIT

RECEIVED
APR 30 1984

I, ROBERT L. BUNGARNER hereby assign to DEAN FAIRCHILD Department of Water Resources
of RURAL RT., M. OVALE, ID 83645
Address

CHECK ONE

- ☒ All my right, title, and interest in and to Permit No. 67-7396
to appropriate the public waters of the State of Idaho.
- ☐ The following described portion of my right, title, and interest in and to Permit
No. _____ to appropriate the public waters of the State of Idaho.
(Describe that portion of the permit being assigned by listing the acreage within
each 40 acre subdivision, the point of diversion and the amount of water in cubic
feet per second for direct diversion, or acre feet for storage)

Made this 30th day of April, 19 84.

Robert L. Bungarner
Permit Holder

Spouse of Permit Holder

State of Idaho)
County of Ada) ss.

On this 30 day of April, 19 84, personally
appeared before me the signer(s) of the above instrument, who duly acknowledged to me
that he (she) (they) executed the same.

seal

Nancy M. Northway
Notary Public residing at
Boise

My commission expires:

Life

RECEIVED
APR 30 1984

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE
STATE OF IDAHO

IN THE MATTER OF PERMIT NO. 67-7396 IN THE)
NAME OF ROBERT IL. & ELIZABETH A BUMGARNER) ORDER OF REINSTATEMENT
_____)

WHEREAS, the Department has issued the above-captioned permit with the condition that proof of construction of works and application of water to beneficial use be submitted on or before June 1, 1983; and,

WHEREAS, the Department has notified the permit holder by certified mail that proof was due and instructed the permit holder as to the steps to be taken to make said proof; and,

WHEREAS, the Department has notified the permit holder that the permit has lapsed for failure of the permit holder to submit proof of beneficial use; and,

WHEREAS, Section 42-218a of the Idaho Code provides that a permit may be reinstated upon a showing of reasonable cause within sixty days of the date of the notice of lapsing; and,

WHEREAS, the permit holder has provided a reasonable showing as to why said permit should be reinstated by submitting proof of beneficial use on June 29, 1983;

IT IS, THEREFORE, HEREBY ORDERED that Permit No. 67-7396 be REINSTATED and the priority advanced to June 16, 1978.

Dated this 21 day of July, 1983.

David R. Tuttle Jr (Acting)
for L. GLEN SAXTON
Chief, Operations Bureau

MICROFILMED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant Robert L. &/or Elizabeth A. Bumgarner Phone 257-3739

Post office address Box 248, Cambridge, ID 83610

2. Source of water supply Weiser River which is a tributary of Snake River

3. Location of point of diversion is SW $\frac{1}{4}$ of NW $\frac{1}{4}$ of Section 1 Township 14N

Range 3W B.M. Washington County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

ALLOW 1.25 cfs

Amount -2.0-- for Irrigation purposes from Mar. 15 to July 1 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

ALLOW 1.25 cfs

a. -2.0-- cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. P.T.O. pump & sprinkler system

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 5 years (minimum 1 year — maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____
Range _____ B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water _____.

(5) If water is to be used for other purposes describe: _____

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SE¼	SW¼	
14N	3W	1					40	40	20										100

Total number of acres to be irrigated 100

c. Describe any other water rights used for the same purposes as described above. none


9. a. Who owns the property at the point of diversion applicant

b. Who owns the land to be irrigated or place of use Elsie Butchenshaw

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing applicant agreed to use his stored water with water from this right. Applicant is lessee.

10. Remarks

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Robert L. Bingham
(Applicant)

Proposed Priority 5/19/78
Received by JKN Date 5/19/78 Time 4 PM
Preliminary check by RWH Fee \$ 35 # 11094
Received by JKN Date 5-19-78
Publication prepared by JKN Date 5-25-78
Published in Signal American
Publication dates June 1 & 8, 1978
Publication approved alu Date 6-19-78
Protests filed by: _____

Copies of protests forwarded by _____
Hearing held by _____ Date _____
Recommended for approval denial by OBS JK YH

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 67-7396, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before June 1, 19 83.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other: A measuring device of a type approved by this Department shall be permanently installed and maintained as part of the diverting works.

Use of water under this permit is subject to control by the watermaster of State Water District No. 67, Weiser River.

The issuance of this permit in no way grants any right-of-way or easement across the land of another.

The maximum rate of diversion shall not exceed 1.25 cubic feet per second.

Witness my hand this 27TH day of June, 1978.

Norman C. Young
Administrator

AFFIDAVIT OF PUBLICATION


STATE OF IDAHO, } ss.
County of Washington

Dorothy A. Barth, being duly sworn,
deposes and says:

That he is the Clerk of
THE WEISER SIGNAL, a weekly newspaper published at
Weiser, in the County of Washington and State of Idaho; that
said paper has been and is in general circulation in the
county aforesaid, and in the vicinity of Weiser; that the ad-
vertisement, a copy of which is attached hereto, was pub-
lished in said newspaper once a week for 2 consecu-
tive weeks in the regular and entire issue of said paper dur-
ing the period and time of publication, and was published in
the newspaper proper and not in a supplement; that said
paper has been established and regularly published for more
than seventy-eight consecutive weeks prior to the date of
first publication of said advertisement.

Such notice was published in the issue beginning with
June 1, 1978 and ending
with the issue of June 8, 1978
Dorothy A. Barth
Fees, \$ 16.32

Subscribed and sworn to before me this 8
day of June, 1978
Notary Public, Residing at Weiser, Idaho.
My Commission Expires 1-2, 1979



Deputy Director of Resources
Weiser, Idaho

No. 249

NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following application(s)
have been submitted for permit to appropriate the public
waters of the State of Idaho:

67-7396

Name: ROBERT L. &/or ELIZABETH A. BUMGARNER
Address: Box 248, Cambridge, ID
Source: WEISER RIVER TRIB. SNAKE RIVER
Date Filed: May 19, 1978
County: Washington
Amount: 2.0 cubic feet per second
Point of Diversion: SW¼NW¼ Sec 1 T14N-R3W.B.M.
Use: irrigation of 100 acres from Mar 15 to July 1
Place of Use: N½, SW¼NW¼ Sec 1 T14N-R3W.B.M.
Means: pump and sprinkler system

If issued, the permit(s) will be subject to all prior water
rights. Protests against the granting of any permit must be
filed with the Director of the Idaho Department of Water
Resources, 92 S. Cole Road, Boise, Idaho 83705 on or before
June 19, 1978.

C. STEPHEN ALLRED
Director

Published in the Signal American, Weiser, ID on June 1,
1978 and June 8, 1978.

24-2s

*error noted; accepted
6-19-78 alw*



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

December 21, 1992

DEAN FAIRCHILD
PO BOX 125
MIDVALE ID 83645

RE: WATER RIGHT NO. 67-07396

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit along with a copy of your approved application for amendment.

Should you have any questions regarding these documents, please feel free to contact our office.

Sincerely,

A handwritten signature in cursive script that reads 'Pamela Skaggs'.

PAMELA SKAGGS
Water Resource Agent

PS:cz

Enclosure

RECEIVED
FEB 04 1993



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000
Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

November 15, 1992

DEAN FAIRCHILD
PO BOX 125
MIDVALE ID 83645

RE: WATER RIGHT NO. 67-07396

Dear Water Right Holder(s):

The above referenced water right is in the process of being licensed. However, before a license can be issued, your permit must be amended to correspond with the findings of the Department's field examiner.

The enclosed application for amendment contains information that will be included on the license when it is issued. Please review carefully and if you concur, sign the amendment and return with the \$20.00 filing fee within 15 days.

If you do not concur with these findings or if you have any questions, please contact us within the 15-day period.

Sincerely,

A handwritten signature in cursive script that reads 'Pamela Skaggs'.

PAMELA SKAGGS
Water Resource Agent

PS:cz

Enclosure

RECEIVED
FEB 04 1993

LICENSE REVIEW CHECKLIST

Permit # 67-07396

Date 11-04-92
CS

	Yes	No	
NAME	☐	☒	Address Change?
PRIORITY DATE	☐	☒	Advance? _____
	☐	☒	Memo to Advance _____
	☐	☒	Order to Reinstate Needed? _____
TOTAL CFS	☐	☒	Incorrect Fee for rate recommended? _____
	☐	☒	Disagree with Actual Measurement? _____
	☐	☒	<u>100 x .02 = 2.0 / 1.25 cfs (IRR) Per Permit</u>
	☐	☒	Disagree with Theoretical? _____
	☐	☒	Limited by Capacity? <u>1.38 cfs</u> (measured)
TOTAL VOLUME			Rate/ac <u>4.0</u> AFA Irr. Season <u>C</u>
			<u>4-1 to 10-31</u> Standard Irr. Season
			<u>4-1 to 7-1 / Reduced from P.</u> Season Recommended
	☒	☐	Disagree with Examiner's Calculations? _____
	☒	☐	<u>100 x 4 = 400 > 225.6 afa (IRR)</u>
			Limited by Flow? <u>1.25 x 91 x 1.9835 = 225.6</u>
SOURCE	☐	☒	Changes? Clarification of <u>Originally</u>
	☐	☒	<u>Intended</u> source _____
	☐	☒	Notice of Intent to Void. _____
P/D			Verify with Map _____
	☐	☒	Amendment Needed? _____
	☐	☒	Is Overlap Analysis a Consideration? _____
P/U			Verify with Map _____
	☒	☐	Amendment Needed? <u>Add SENW, SESW, SWSE, S19</u>
	☒	☐	Is Overlap Analysis a Consideration? _____
USES	☐	☒	Change(s) in Nature of Use? _____
	☐	☒	Amendment Needed? _____
REMARKS	☐	☒	Multiple P/Ds in 1/4 1/4? _____
	☐	☒	Non-Irr. Uses _____
	☐	☒	Special Overlap Condition _____
	☐	☒	Other _____
CONDITIONS	<u>R01</u>	☐	Measuring Device
	<u>R04</u>	☐	W/Master Control
	<u>R31</u>	☐	Overlap
	☐	☒	Water Quality
		☒	DATES/MISC
		<u>67</u>	Water Dist.
		☒	App Rec'd
		☒	Exam Made
COMMENTS/MEMOS NEEDED:	<u>Reduced Season</u> <u>Amend P/U</u>		
	<u>Rt 67-2384B for IRR STOR & IRR from STOR</u>		
	<u>(400 AF STOR for 251 acres)</u>		
License	☐ 10-Day	☐ 15-Day	☒ Special Correspondence _____

May 19, 1992

DEAN FAIRCHILD
P.O. BOX 125
MIDVALE ID 83645

RE: Water Right No. 67-07396

Dear Water Right Holder(s):

Department water right records show that you divert water from the Snake River or its tributaries under a water right that has a priority date later than December 29, 1976. This is the priority of the established minimum stream flow of the Snake River at the Weiser Gage (Weiser) in the amount of 4,750 cubic feet per second.

Because of the continuing drought conditions in the Snake River Basin, department hydrologists project that during 1992, there could be periods when the required minimum flow will not be satisfied due to low flows of the Snake River. The department urges you to not divert at a higher rate than authorized by your water right and to not use your right in any manner different than authorized. In addition, when the minimum flow will not be satisfied or is not being satisfied, you are required to cease diverting water under your water right, because your right is of later priority than the minimum stream flow at Weiser.

If the department determines the minimum flow will not be satisfied, the department will advise you and will provide as much lead time as possible in requiring that you temporarily cease your diversion of water. The greatest likelihood for this to occur is during a period from mid-June to late June.

While the department expects good cooperation from junior water right holders, water users should be aware that Section 42-352, Idaho Code, provides for penalties of up to \$100 per day for unauthorized diversions of water.

The department has contacted both the Idaho Power Company and the U.S. Bureau of Reclamation with respect to the timing of storage releases from upstream reservoirs for flow enhancement purposes. This type of coordination could minimize the impact on

RECEIVED

FEB 04 1993

existing water users and reduce the need to curtail diversions.

The department has scheduled public information meetings relative to this potential regulation as follows:

Mountain Home - June 4, 1992 - 10:00 a.m. - gymnasium at
North Elementary School, 290 E. 12th N.

Caldwell - June 4, 1992 - 7:00 p.m. - Ballroom in the
Student Union Building, Albertson College of Idaho,
2112 Cleveland

If you have questions concerning this letter or wish to provide the name of a different contact person or address to receive department correspondence, please contact the department.

Sincerely,

L. GLEN SAXTON
Chief, Water Allocation Bureau

LGS:klg

FEB 04 1993

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION

- Permit No. 67-7396
1. Owner: Dean D. and Velda C. Zurcheld Phone No. 355-2277
Current Address: P.O. Box 125, Medvale, Idaho 83645
2. Accompanied by: Dean Zurcheld & Les ? EXAM. DATE: 8-6-91
Address: same Phone No. same
Relationship to Permit Holder: owner and hired hand
3. Source: Wenai River tributary to Snake River

B. OVERLAP REVIEW

1. Other water rights with same place of use: 67-2384 B
☒ Copies Attached
2. Other water rights with same point of diversion: 67-2384 B
☒ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☒ Alternative diagram attached

See attached

RECEIVED

Scale: 1" = _____

FEB 04 1993

2. ☒ Copy of U.S.G.S. Quadrangle Attached ☒ Aerial Photo Attached
Showing location(s) of point(s) of diversion and (required for irrigation of 10 acres or more).
place(s) of use (required).
☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).

System Description (continued)

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

See attached

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	Baldor	30	JPM2534T	Cornell	4" 4UB30-2

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
					NWSE 19	13N	3W	Washington	Orthophoto good map

6. Place(s) of Use:

Indicate Method of Determination

aerial map and planimeter

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
											~~12.7~~ 5.7	~~7.5~~ 7.5	~~19.3~~		~~12.8~~ 5.0				~~100.5~~
13N	3W	19									13	3.7	7	7	19	13			100.

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
<i>sprinkler gauge with pitot tube</i>						

2. Measurements:

sprinkler head pressure measurements were taken at three wheel lines and three handlines

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

See attached

2. Alternate Method for Checking Purposes:

See attached

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) ; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 100.2 \times 2.41 = 241.5 \text{ cfs}$$
$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = .012 \times 246 \times 1.9835 = 585.5$$
$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 241.5$$

2. Volume Calculations for Other Uses:

None.

RECEIVED
FEB 04 1993

FEB 04 1993

H. REMARKS AND OVERLAP REVIEW ANALYSIS

67-2384B allocates 2.0 cfs for 251 acres = .00797 cfs and
400 cfs for 251 acres = 1.59 cfs.

67-7396 measured 1.38 cfs for ¹⁰⁰~~100.2~~ acres or .0138 cfs of
which .01203 should be allocated to allow 1" or .02 cfs
per acre. (.00797 + .01203 = .02 cfs)

Volume allocation from this permit is limited to 2.41 cfs
because 67-2384B allocates 1.59 cfs (1.59 + 2.41 = 4.0 cfs.)
The combination of 67-2384B and this permit shall not
exceed .02 cfs and 4.0 cfs per acre.

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion	Annual Volume
	From	To	Q (cfs)	V (afa)
Irrigation	3-15	11-15	~~.012~~ 1.20	~~241.5~~ 241
Totals:			~~.012~~ 1.20 cfs	241 241.5 cfs

2. Recommended Amendments

☐ Change P.D. as reflected above

☐ Add P.D. as reflected above

☐ None

☒ Change P.U. as reflected above

☐ Add P.U. as reflected above

☐ Other

J. AUTHENTICATION

Field Examiner's Name

JFW 3/18/92


Signature

Certification Date

Field Report Preparation Date

Melvin T. Schulte
Melvin T. Schulte


11-5-91



K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

RECEIVED

FEB 04 1993



67-7396 NARRATIVE AND FLOW CALCULATIONS

NARRATIVE:

A 30 hp pump draws water from the Weiser through a 6" steel pipe and discharges it through an 8" steel pipe into an 8" buried mainline that flows Northwest approximately 900'. Risers from the mainline feed a wheel line with 28 sprinklers containing 5/32 nozzles. The psi on this line averaged 44 psi. The buried 8" mainline goes under a railroad track and then converts to a 6" buried mainline. This 6" line goes Northeast approximately 200' and then converts to a 4" surface mainline for approximately 1000'. The 4" line feeds a handline with 10 sprinklers containing 5/32 nozzles.

The 6" buried mainline also flows Southwest about 1600' and services a second wheel line. This wheel line has 32 sprinklers with 5/32 nozzles and averages 38 psi. The 6" buried mainline converts to a 6" surface mainline for about 800'. It serves a third wheel line and two handlines. The wheel line has 13 sprinklers with 5/32 nozzles at 36 psi and 13 sprinklers with 3/16 nozzles at 36 psi. The 6" surface line also provides water to two handlines, one with 19 sprinklers with 5/32 nozzles at 38 psi and the other with 16--5/32 nozzles at 37 psi.

FLOW CALCULATIONS:

#1 Wheel line--44 psi @ 5/32 = 4.85 gpm x 28 = 135.8 gpm

#2 Wheel line--38 psi @ 5/32 = 4.49 gpm x 32 = 143.7 gpm

#3 Wheel line--36 psi @ 5/32 = 4.37 gpm x 13 = 56.81 gpm
 36 psi @ 3/16 = 6.30 gpm x 13 = 81.90 gpm

Handline--37 psi @ 5/32 = 4.43 gpm x 16 = 70.88 gpm

Handline--38 psi @ 5/32 = 4.49 gpm x 19 = 85.31 gpm


Handline--39 psi @ 5/32 = 4.55 gpm x 10 = 45.50 gpm

TOTAL 619.90 gpm

619.90 GPM = 1.38 CFS

THEORETICAL:
$$\frac{30 \times 8.8 \times .7}{15 + (2.3 \times 50)} = 1.42 \text{ CFS}$$

FEB 04 1961



67-7396 10

35.00
35.24

CA 640

CA 640

CA 640

35.48
35.72
35.96

410

39.52

79.76

80.24

35.26
35.50

420.50

41

CA 640

CA 640

35.74
35.98

420.50

41

CA 640

CA 640

35.26
35.50

420.50

41

CA 640

CA 640

35.74
35.98

420.50

41

CA 640

CA 640

35.26
35.50

420.50

41

CA 640

CA 640

35.74
35.98

420.50

41

CA 640

CA 640

35.26
35.50

420.50

41

CA 640

CA 640

35.74
35.98


420.50

41

CA 640

CA 640


PERMIT 67-7396 INIT _____
T. R. S. Q/Q
PID 3N 3W 19 NWSE
SCALE _____
PHOTO ID. 44245



P14

P10

67-7396



#1

Pump and motor



#2

P/D and 6" intake
pipe to pump

RECEIVED
FEB 04 1993

FEB 04 1993

67-7396



#3

P14 and wheel
line #1



#4.

P14 and wheel
line #2

67-7396

67-7396

67-7396



#5

P14 and wheel
line #3

10/10/67
10/10/67



State of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 450 W. State Street, Boise, Idaho

CECIL D. ANDRUS
Governor

A. KENNETH DUNN
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

October 21, 1987

RE: Permit No. 67-7396

Dean Fairchild
Box 125
Midvale, ID 83645

Dear Mr. Fairchild:

Enclosed is a copy of your approved Application for Amendment submitted in connection with the above referenced permit.

If you have any questions concerning this matter, please feel free to contact our office.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

NOT RECORDED

MAR 15 1988

AUG 21 1987

State of Idaho
Department of Water Resources

Department of Water Resources

AMENDMENT ANALYSIS SHEET

INITIAL REVIEW BY: Jan Shute

Right Number 67-7396

Applicant Fairchild, Dean

Purpose of Amendment: ☒ Change point of diversion. ☐ Add diversion point(s).

☐ Increase amount. ☒ Change place of use. ☐ Other _____

CHECK:

☒ Description of amended point(s) of diversion.

☒ Amount, nature and period of use. If increased, delay date of priority.

☒ Description of amended places of use. If expanded, delay date of priority.

☒ Ownership of point of diversion and place of use. Same

☒ Map.

☒ Signature (must be permit holder).

☒ Fee.

☒ Existing water rights from the same source, amended place of use.

☒ Right number(s). 63-2384B - SAME PL. OF USE & PT. OF DIV.

☒ Yes ☐ No THIS ONE IS FOR FLOOD WATERS + 63-2384B FOR IRRIG. SEASON
Should amendment be advertised? all of the

☐ Yes ☒ No Should date of priority be delayed? If yes, to what date? _____

FINAL REGIONAL PROCESSING REVIEW:

☒ Affidavit of publication received. July 1, 1987
THE WEISER SIGNAL 4/18 & 4/25/87

☒ Amendment published correctly.

None ☐ Protests processed.

☒ Approve.

☐ Deny.

Conditions _____

By DET Date 8/19/87

STATE OFFICE PROCESSING:

☒ Amendment correct and complete. By Sim Date 10-13-87

☐ Approved copy sent to applicant and to Region. By _____ Date _____

MICROFILMED

MAR 15 1988

POINT OF DIVERSION AND STREAM INDEX INFORMATION

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

JP

NOTICE OF APPLICATION FOR AMENDMENT

Notice is hereby given that Permit No. 67-7396 in the name of Dean Fairchild was filed on 5/19/78 for the diversion of 1.25 cfs from the Weiser River with a point of diversion within the SWNW, Sec. 1, Twp. 14N., Rge. 3W., B.M. to be used for irrigation purposes from 3/15 to 7/1 within portions of the the NENW, NWNW, SWNW, Sec. 1, Twp. 14N., Rge. 3W., B.M.

The permit holder now proposes to amend the permit by changing the point of diversion to the NWSE (3 pts.) Sec. 19, Twp. 13N., Rge. 3W, and the place of use to the NESW, Lot 3 (NWSW), Lot 4(SWSW), NWSE, Sec. 19, Twp. 13N., Rge. 3W., B.M.

Any protest against the approval of the proposed amendment must be filed with the Department of Water Resources, Western Regional Office, 2735 Airport Way, Boise, ID 83705 on before July 20, 1987.

A. Kenneth Dunn
Director

Published in the Upper County News Reporter on 7/2 and 7/9/87

RECEIVED

MAR 15 1988

OK
JP

NOTICE OF APPLICATION FOR AMENDMENT

Notice is hereby given that Permit No. 67-7396 in the name of Dean Fairchild was filed on 5/19/78 for the diversion of 1.25 cfs from the Weiser River with a point of diversion within the SW1/4NW1/4, Sec. 1, Twp. 14N., Rge. 3W, to be used for irrigation purposes from March 15 to July 1 within portions of the NENW, NWNW, SWNW, Sec. 1, Twp. 14N., Rge. 3W., for a total of 100 acres. The permit holder now proposes to amend the permit by changing the point of diversion to the NW1/4SE1/4, Sec. 19, Twp. 13N., Rge. 3W. and the place of use to the NESW, Lot 3 (NWSW) Lot 4 (SWSW), NWSE, Sec. 19, Twp. 13N., Rge. 3W., for a total of 100 acres.

Any protest against the approval of the proposed amendment must be filed with the the Department of Water Resources, Western Region, 2735 Airport Way, Boise, ID 83705 on or before July 6, 1987

A. Kenneth Dunn
Director

Published in The Signal American on 6/18 & 6/25/86

RECEIVED
MAR 15 1988

MAR 15 1988

4/86

KEYPUNCH

For Office Use Only
Fee Received 125.00
Date 5/15/87
Receipt # 44847
Receipt by AWB
Sent to 2/2/87

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
EXAMINATION FEE INFORMATION

RECEIVED

JUL 09 1987

1. Permit No. 67-7396

Department of Water Resources

ONE OF THE FOLLOWING BOXES SHOULD BE MARKED TO DESIGNATE YOUR CHOICE:

☒ I choose to have the department make the field examination of this permit; attached is the examination fee. (If this box is marked, complete items 1 thru 8.)

2. Permit Holder: DEAN D. FAIRCHILD

3. Post Office Address: Box 125 MIDVALE, ID 83645

Telephone No. 208 355-2277

4. Source of Water: WEISER RIVER

5. Extent of Use:

Domestic _____ (No. of households) Stockwater _____ (No. and type of stock)

Irrigation 100 (acres) Other/Remark _____

6. Total rate &/or volume for which proof is submitted 1.25 cfs _____ acre-feet

7. Show the date water was first diverted and beneficially used under this permit:

1982

8. Person to contact to accompany the department representative during the field examination:

PERMIT HOLDER (Name) MAR 15 1988

(Address) (Telephone Number)

☐ I choose to have the field examination conducted by a certified water right examiner. Attached is a statement from the certified examiner I have selected verifying that he has been retained to conduct the examination. (If this box is marked, complete items 1 thru 7.)

5/15/87
Date

Dean D. Fairchild
Signature of Permit Holder (and title, if appropriate)

State of Idaho

Department of Water Resources

LICENSE EXAMINATION FEE SCHEDULE

(c.f.s. = cubic feet per second
AF = acre feet)

cfs	AF	Fee
0 - 0.04	0 - 4	\$ 0
.05 - 0.20	5 - 20	50.00
.21 - 1.0	21 - 100	100.00
1.01 - 2.0	101 - 200	125.00
2.01 - 3.0	201 - 300	150.00
3.01 - 4.0	301 - 400	175.00
4.01 - 5.0	401 - 500	200.00
5.01 - 6.0	501 - 600	225.00
6.01 - 7.0	601 - 700	250.00
7.01 - 8.0	701 - 800	275.00
8.01 - 9.0	801 - 900	300.00
9.01 - 10.0	901 - 1000	325.00
10.01 - 11.0	1001 - 1100	350.00
11.01 - 12.0	1101 - 1200	375.00
12.01 - 13.0	1201 - 1300	400.00
13.01 - 14.0	1301 - 1400	425.00
14.01 - 15.0	1401 - 1500	450.00
15.01 - 16.0	1501 - 1600	475.00
16.01 - 17.0	1601 - 1700	500.00
17.01 - 18.0	1701 - 1800	525.00
18.01 - 19.0	1801 - 1900	550.00
19.01 - 20.0	1901 - 2000	575.00
20.01 & over	2001 & over	600.00

Checks should be made payable to the
Department of Water Resources

No fee is required for single family
domestic use or stockwater use.



State of Idaho
DEPARTMENT OF WATER RESOURCES
Western Region

Cecil D. Andrus
Governor

2735 Airport Way
Boise, Idaho 83705
(208) 334-2190

67-7396
FAIRCHILD, DEAN
RURAL RT.
MIDVALE, ID 83645

138250

April 10, 1987

CERTIFIED MAIL

EXAMINATION FEE NOTICE

Dear Permit Holder:

Department records show that proof of beneficial use has been submitted for the above-referenced permit, but that a field examination has not yet been conducted to determine the extent of beneficial use of the water for licensing purposes.

House Bill 671 (effective April 4, 1986) enacted by the 1986 Idaho Legislature requires the payment of a fee before this department can conduct the field examination needed to issue a license confirming use of water under the permit. This letter is notification that the license examination fee is due within sixty (60) days of the date of this letter. The examination fee information sheet (enclosed) must be returned with the fee.

As an alternative to submitting the fee, the department will accept a field examination report completed by a certified water right examiner from the private sector. If you choose to have the examination done by a certified water right examiner, you need not submit the license examination fee to the department, but you must within sixty (60) days of the date of this letter return to the department, the examination fee information sheet showing appropriate information together with a statement from the certified examiner to verify that you have retained a certified examiner to conduct the field examination. If you choose this alternative, a completed field examination report must be submitted within one year of the date of this letter. You cannot later change your decision to use this alternative and submit the fee needed for the department to conduct the field examination, but you may change to another certified examiner.

MICROFILMED

MAR 15 1988

April 30, 1984

RE: Permit No. 67-7396

Dean Fairchild
Rural Route
Midvale, ID 83645

Dear Mr. Fairchild:

This office acknowledges receipt of the Assignment of the above referenced permit to you.

Enclosed for your records is a copy of the permit. Be sure to note the special conditions of approval on the fourth page that identify requirements necessary for developing the permit into a licensed water right.

In reviewing the permit, we find that the requirement for submitting proof of construction of works and application of water to beneficial use has been met. The next step towards licensing of the permit will be for our regional office to examine your water right system.

If you have any questions regarding this matter, please feel free to contact us.

Sincerely,

KAY WALKER
Technical Records Specialist

KW:sc
Enclosures

RECEIVED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Western Region

Statehouse
Boise, Idaho 83720
(208) 334-2190

DECEMBER 30, 1983

ROBERT BUMGARDNER
P.O. BOX 264
CAMBRIDGE ID 83610

RE: Permit No. 67-7396

Dear Permit Holder:

We acknowledge receipt of your statement submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this department.

A condition of approval of your original permit required the installation of a measuring device which, according to the proof card submitted by you, has not been installed. A measuring device must be installed and operating at the time the field examination is made. If a measuring device is not installed your permit may be subject to cancellation.

A condition of approval of your original permit required the installation of an access port which, according to the proof card submitted by you, has not been installed. An access port must be installed prior to the time a field examination is made.

A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office by phone at 334-2190 or in person in the third floor State Towers Building, 450 West State Street, Boise.

Sincerely,
s/Judy Pense
Secretary

RECEIVED
DEC 31 1983

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit No. 67-7396

Name(s) of Permit Holder:

Robert Bumgarner

Post Office Address:

P.O. Box 264 Cambridge,
Id 83610

Tel. No. 257-3739

Source of Water:

Extent of Use:

☐ Domestic

(number of households)

☐ Stockwater

(number and type of stock)

☒ Irrigation

(acres)

☐ Other

Measuring Device:

Required?

☒

Yes

☐

No

Installed?

☐

Yes

☐

No

Access Port:

Required?

☒

Yes

☐

No

Installed?

☐

Yes

☐

No

The above information is a true statement of the extent to which the above numbered permit has been developed.

29 June 83

Date

Robert Bumgarner
Signature of Permit Holder

RECEIVED

JUN 20 1963

Department of Water Resources
Western Regional Office



RECEIVED

JUN 20 1963

PLACE
13 CENT
STAMP
HERE

IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

CALCULATION OF NEW PRIORITY DATE

FROM: Rita Fleck *SAC*

TO: File *67-7396*

DATE: *7/18/83*

Date Proof Received

June 29

Proof Due

- June 1

Number of Days Proof Late

28

Priority Date

+ May 19, 1978

New Priority Date

=

June 16, 1978

*139
28
167*

Remarks

MICROFILMED

WARNING

CANCELLED OR LAPSED

This permit has been officially CANCELLED or LAPSED.

Ninety days following the date of official action this file will be DESTROYED.

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440

HUMGARNER, ROBERT L. & ELIZABETH A.
BOX 248
CAMBRIDGE, ID 83610

LAPSE NOTICE

JUNE 02, 1983

DEAR PERMIT HOLDER:

YOU ARE HEREBY NOTIFIED THAT UNDER THE PROVISIONS OF SECTION 42-218A OF THE IDAHO CODE, PERMIT NO. 67-7396 HAS LAPSED. THIS OFFICE DID NOT RECEIVE EITHER AN ACCEPTABLE NOTICE THAT YOU HAVE COMPLETED THE PROJECT (PROOF OF BENEFICIAL USE) BY THE DATE REQUIRED ON YOUR PERMIT OR AN ACCEPTABLE REQUEST FOR AN EXTENSION OF TIME. YOU WERE PROVIDED THE PROPER FORMS IN OUR PROOF DUE NOTICE TO YOU DATED MARCH 31, 1983.

YOUR PERMIT CANNOT BE REINSTATED UNLESS YOU SUBMIT THE STATEMENT OF BENEFICIAL USE POSTCARD OR SUBMIT AN EXTENSION OF TIME REQUEST SHOWING REASONABLE CAUSE FOR DELAY. EITHER THE COMPLETED POSTCARD OR THE EXTENSION REQUEST MUST BE RECEIVED BY THIS OFFICE WITHIN SIXTY DAYS OF THE DATE OF THIS LAPSE NOTICE OR THE PERMIT WILL NO LONGER BE OF ANY FORCE OR EFFECT.

A STATEMENT OF BENEFICIAL USE POSTCARD AND A REQUEST FOR EXTENSION OF TIME FORM ARE AGAIN ENCLOSED FOR YOUR USE. PLEASE NOTE THAT A FEE OF \$15.00 MUST ACCOMPANY AN EXTENSION OF TIME REQUEST AND THAT ONLY ONE EXTENSION OF TIME CAN BE GRANTED UNLESS THE PROJECT HAS NOT BEEN COMPLETED BECAUSE OF LACK OF A NECESSARY APPROVAL BY A GOVERNMENTAL AGENCY OR BY LITIGATION.

L. GLEN SAXTON
CHIEF, OPERATIONS BUREAU

ENCLOSURES

LGS:RF

CERTIFICATION OF MAILING

I hereby certify that on 6/15/83
~~a copy~~ an original of this document was
deposited in the United States mail,
postage prepaid addressed to the
individual(s) named above

Charles Curtis

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
CERTIFIED MAIL

BUMGARDNER, ROBERT L. & ELIZABETH A.
BOX 248
CAMBRIDGE, ID 83610

138428

PROOF DUE NOTICE

MARCH 31, 1983

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF YOUR WATER PERMIT NO. 67-7396 WAS THAT PROOF OF THE EXTENT OF YOUR BENEFICIAL USE MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE JUNE 01, 1983. (SEE LAST PAGE OF YOUR APPROVED PERMIT OR YOUR LAST APPROVED EXTENSION REQUEST). ENCLOSED IS A POSTCARD WHICH MAY BE USED TO SUBMIT THE REQUIRED PROOF.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU OR A PREVIOUS OWNER OF THIS PERMIT HAVE NOT RECEIVED A PRIOR EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME IF THE DELAY IS FOR REASONABLE CAUSE AS PROVIDED IN SECTION 42-204, IDAHO CODE. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED. AN EXTENSION OF TIME REQUEST FORM IS ENCLOSED FOR YOUR CONVENIENCE.

EITHER THE BENEFICIAL USE POSTCARD OR A REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE DESCRIBED PROOF DUE DATE. IF NEITHER IS RECEIVED, THE DEPARTMENT WILL SEND YOU A LAPSE NOTICE. WITHIN SIXTY (60) DAYS OF THE MAILING OF THE LAPSE NOTICE, THE PERMIT WILL NO LONGER BE OF ANY FORCE NOR EFFECT.

SINCERELY,

RITA FLECK
SECRETARY/RECORDS MANAGER

ENCLOSURES

July 3, 1978

Re: Permit No. 67-7396

Robert L. &/or Elizabeth A. Bumgarner
Box 248
Cambridge, ID 83610

Dear Mr. and Mrs. Bumgarner:

Enclosed is a copy of your approved Application for Permit No. 67-7396. We direct your attention to the conditions of approval as listed on the fourth page.

Be sure to note that a special condition requiring you to install and maintain a measuring device at your point of diversion has been placed upon your permit. We are enclosing a letter describing different types of measuring devices accepted by this office.

Please be advised that there is insufficient natural flow available in the Weiser River to provide water for a new appropriation throughout the entire irrigation season.

During the spring run-off each year, there may be a period of time in which the prior rights to the use of the natural flow and storage are filled leaving water available for your later-in-time permit. As the natural flow diminishes, however, there would be no water available for your right and unless you had arranged for an additional source of water to supplement the flow right, you may find that you have to cease irrigating in the middle of the season.

This information is provided so that you will not be misled into thinking that this permit will provide sufficient water thru the entire irrigation season. If you have any questions regarding this matter, please feel free to contact this office.

Sincerely,

L. GLEN SEXTON
Chief, Operations Bureau

LGS:kw
Enclosure



State of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 373 W. Franklin Street, Boise, Idaho

JOHN V. EVANS
Governor

C. STEPHEN ALLRED
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 384-2215

July 3, 1978

Re: Permit No. 67-7396

Robert L. &/or Elizabeth A. Bumgarner
Box 248
Cambridge, ID 83610

Dear Mr. and Mrs. Bumgarner:

Your approved copy of Application for Permit No. 67-7396 is enclosed and we direct your attention to the conditions of approval on the fourth page.

Please note that a special condition requiring you to install and maintain a measuring device at your point of diversion has been placed upon your permit. Enclosed is a letter describing the different types of measuring devices accepted by this Department.

The exercise of this permit may also be affected by the court's determination of water rights in the case of Idaho Power Company v. State of Idaho, et al., Civil No. 62237, currently pending before the District Court of Ada County.

Idaho Power officials tell us that because of Case No. U-1006-124 filed before the Idaho Public Utilities Commission, Idaho Power Company is asking the District Court of Ada County to determine whether the Power Company's water rights on the Snake River are protected against subsequent upstream appropriations in the waters of the Snake River and surface and subterranean tributaries between Milner Dam and Hells Canyon.

Since the use of water under your permit may affect the flows in this reach of the Snake River, the final decision in Idaho Power Company v. State of Idaho, et al. (Ada County Civil No. 62237) may determine to what extent the exercise of your permit may be subject to the water rights of Idaho Power.

While the Ada County court is examining this question, Idaho Power Company has not filed a specific protest to your permit.

However, the Department of Water Resources has been advised that the Power Company is not waiving any of its rights to contest or limit the exercise of your permit or a subsequent license or water right.

If you have any questions, please let us know.

Sincerely,

L. GLEN SAXTON
Chief, Operations Bureau

LGS:kw
Enclosure

67-7396 - Burngarner

STAFF REVIEW - STATE OFFICE

1. ☒ Name vs. Signature
2. ☒ Source
3. ☒ Point of Diversion
4. ☒ Amnt. & Period of Use
5. ☒ Descrip. of Diverting Wrks. *Allow 1.25 cfs*
6. ☒ Time req. for Proof of B/U
7. ☐ Place of Use for other than irrig.
8. ☒ Place of Use for irrigation (add acres)
9. ☒ Property Owner at Pt. of Div. & Pl. of Use
10. ☒ Map
11. ☒ Fee & Rec't. No.

Copies Sent To:

☒ Idaho Health Department	☒ U.S.F.S.
☒ Idaho Fish & Game Dept.	☒ Dept. of Lands
☒ Bureau of Land Management	☒ Other

Dam Safety Information *N/A* (Goes to Permit Section)

Check:

Critical G.W. Area ☐ yes ☐ no

Other rights on same land *67-2190 - relinquished*

Withdrawals of all protests received ☐ yes ☐ no

Conditions:

ID Power Co. Letter - Snake R. ☐

ID Power Co. Letter - G.W. & Tribs. ☒

Snake River Condition ☐

Payette River Letter ☐

Priority Date *5/19/78*

Water Quality #16 ☐

Water Quality #10 ☐
intrastate ☐ interstate ☐

Meas. Dev. or Sc. Meas. ☐

Totalizing meter ☐

Supplemental ☐

Right-of-Way Cond. ☒

Watermaster Cond. ☒
Wtr. Dist No. *67*

Meas. Dev. Cond. for apps within
a Water Dist. ☒

*Cond. # 7 - shall
not exceed 1.25 cfs
Weiser River letter*

Jan Grover
Reviewer
6/25/78
Date

DEPARTMENT OF WATER RESOURCES
- STAFF ANALYSIS -

Item Initial Date

Application No. 67-7396

☒ Source
☒ Point of Diversion
☒ County
☒ Quantity of Water and Period of Use
☒ Description of Diverting Works
☒ Time required for B/U of water
☒ Place of Use or Acres Irrigated
☒ Map
☒ Signature
☒ Fee

(1) R.W.H. 5-19-78

In form to receipt

(2) _____

Send Copies to:

_____ Idaho State Health Department
_____ Idaho Fish and Game Department
_____ Bureau of Land Management

(3) _____

_____ Request Special Use Permit from U.S.F.S.
_____ Request Easement from B.L.M.
_____ Request Information from Applicant
_____ Request Dam Safety Information

(4) R.W.H. 5-19-78

In form for advertising

(5) _____

Platted on Map No. _____

(6) _____

Located within Water District No. 67

(7) _____

Critical groundwater area: yes _____ no _____

(8) _____

Groundwater levels:

_____ Declining, _____ Stable, _____ Increasing

(comment) _____

(9) _____

Other rights on the same place of use

(10) _____

Comments: _____

(11) alw 6-19-78

Affidavit of Publication received(date) _____

(12) _____

Final date for protests 6-19-78
Protests received: yes _____ no ☒

(13) _____

All requested information received from agencies or applicant: yes _____ no _____

(14) _____

Action recommended:

☒ Approve _____ Deny

_____ Proposed Priority

_____ Reason for Reduction _____

☒ Measuring device required

_____ See attached sheet for other conditions of approval

_____ No special conditions for approval

(15) District W By [Signature] Date 6/19/78

- I.P. letter
- Water master cond.
- Water Power letter

RECEIVED
JUN 20 1978

Department of Water Resources



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
WESTERN REGION

John V. Evans
Governor

92 South Cole Road
Boise, Idaho 83705
(208) 384-2190

May 25, 1978

Re: Notice of Application for Water Permit No. 67-7396 -- Robert &/or Elizabeth
Bumgarner

The Signal American
P. O. Box 709
Weiser, ID 83672

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. In order to receive payment, the following certification must appear on the bill:

"I hereby certify that the foregoing account is just and correct, that the amount claimed is legally due after allowing all just credits and that no part of the same has been paid."

(Signature of Claimant)

Please send the affidavit of publication and publication billing to this office before June 19, 1978.

Sincerely,

RITA FLECK
Secretary

67-7396

Name: ROBERT L. &/or ELIZABETH A. BUNGARNER

Address: Box 248, Cambridge, ID

Source: WEISER RIVER TRIB. SNAKE RIVER

Date Filed: May 19, 1978

County: Washington

Amount: 2.0 cubic feet per second

Point of Diversion: SW $\frac{1}{4}$ Sec 1 T14N-R3W B.M.

Use: irrigation of 100 acres from Mar 15 to July 1

Place of Use: NW $\frac{1}{4}$, SW $\frac{1}{4}$ Sec 1 T14N-R3W B.M.

Means: pump and sprinkler system

WFO 2007-07-20

NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

If issued, the permit(s) will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 92 S. Cole Road, Boise, Idaho 83705 on or before ~~June 19, 1978~~.

C. STEPHEN ALLRED

Director

Published in the ~~Signal American, Weiser, ID~~
on ~~June 1, 1978~~ and ~~June 8, 1978~~.