


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Burl Swett
(Applicant)

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO, }
County of Washington } ss.

Dorothy A. Barth, being duly sworn,
deposes and says:

That he is the Clerk of
THE WEISER SIGNAL, a weekly newspaper published at
Weiser, in the County of Washington and State of Idaho; that
said paper has been and is in general circulation in the
county aforesaid, and in the vicinity of Weiser; that the ad-
vertisement, a copy of which is attached hereto, was pub-
lished in said newspaper once a week for 2 consecu-
tive weeks in the regular and entire issue of said paper dur-
ing the period and time of publication, and was published in
the newspaper proper and not in a supplement; that said
paper has been established and regularly published for more
than seventy-eight consecutive weeks prior to the date of
first publication of said advertisement.

Such notice was published in the issue beginning with
January 26, 1978, and ending
with the issue of February 2, 1978

Dorothy A. Barth
Fees, \$ 13.60

Subscribed and sworn to before me this 2
day of February, 1978

Notary Public, Residing at Weiser, Idaho.

My Commission Expires 1-2, 1979

No. 202
NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that BURL SCOTT Vale, Oregon has
on January 17, 1978 submitted Application No. 67-7370 for a
permit to appropriate 3.2 cubic feet per second of water from
the Weiser River trib. Snake River by means of pump and
sprinkler line within the NE $\frac{1}{4}$ SE $\frac{1}{4}$ Sec 2 T14N-R3W B.M.,
Washington County to be used from Mar. 15 to July 1 for
irrigation of 169 acres within the SE $\frac{1}{4}$ NE $\frac{1}{4}$, NE $\frac{1}{4}$ SW $\frac{1}{4}$,
SE $\frac{1}{4}$ SW $\frac{1}{4}$, SE $\frac{1}{4}$ Sec 2; N $\frac{1}{2}$ NE $\frac{1}{4}$, NE $\frac{1}{4}$ NW $\frac{1}{4}$ Sec 11
T14N-R3W B.M.

If issued, this permit will be subject to all prior water
rights. Protests against the granting of the permit must be
filed with the Director of the Idaho Department of Water
Resources, 92 South Cole Road, Boise, Idaho 83705 on or
before February 13, 1978.

C. STEPHEN ALLRED
Director

Published in the Signal American, Weiser, ID on January
26, 1978 and February 2, 1978.

92-2s

RECEIVED

MAR 1 1978

Department of Water Resources
Western Regional Office

OK
3-7-78
4

Hill - 67.7370


re-measure 7/18/96 ojl

Same equipment, slightly diff configuration.

mainline runs up (to N) east side rather than to west. Handlines & wheel lines.

Time of exam:

2 wheel lines + handlines:



Total System: 95 @ avg 38 psi

3/16" ?

Nozzle discharge for 3/16" @ 38 psi est 6.43 gpm from

$$95 @ 6.43 = \frac{610.4 \text{ gpm}}{448.8} = 1.36 \text{ cfs}$$

u of 1
fact sheet

$$95 @ 6.5 = \frac{617.6}{448.8} = 1.38 \text{ cfs}$$

or 6.5 gpm from formula

$$Q(\text{gpm}) = 30 \times D(\text{in})^2 \times P(\text{psi})^{.5}$$

MICROFILMED
MAY 18 1998

67-7370



P.D.

Looking South



P.U.

Looking West

From P.D.

MICROFILMED
MAY 18 1998



Irrigation during
measurement
N $\frac{1}{2}$ SE Sec 2



fields SW of
access rd,
SESW Sec 2

MICROFILMED
MAY 18 1998

67-7370 cyl
Re-exam &
Re-measure

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
FEB 04 1997
Department of Water Resources

A. GENERAL INFORMATION

Permit No. 67-7370
Phone No. 575-0517
1. Owner: LAMAR HILL
Current Address: 755 SW BURENT JOHN DAY ORE. 97845
2. Accompanied by: TIM BUNGARNER EXAM. DATE: 7/22/88
Address: HWY 71 CAMBRIDGE ID. Phone No. 257-3730
Relationship to Permit Holder: _____


3. Source: WEISER RIVER tributary to SNAKE RIVER

B. OVERLAP REVIEW

1. Other water rights with same place of use: 67-4052
67-4523 - LAND IRRIGATED FROM
DITCH (NONE ON SAME LAND) 67-0081A (SEPARATE RIGHTS) ☒ Copies Attached
2. Other water rights with same point of diversion: NONE; EXCEPT STORAGE RIGHT
IS DIVERTED FROM SAME POINT. ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached




Scale: 1" = NO SCALE

2. ☒ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required). ☒ Aerial Photo Attached (required for irrigation of 10 acres or more).
☒ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater).

MICROFILMED
MAY 18 1998

67-7570



SALUBRIA

VALLEY

MICROFILMED
18 1953

P.D.

11

2

12

B 2

2
15.4

1
9.2

3
41.0

7.0.

A-138
A-138

8
24.5

A-275
~~A-275~~

T178

B
2.2

26

1.50

304

E
22.3

12.5a

3.80

4.5m

202

34.1

A-75
A-45
T-40

FILED
MAY 18 1998

25.0

7.5
710

A - 2533

A-2761

715

B
285

A

5.5

11

D
16.4

10.0

366

38
(9R) A
15.6

A
5.6

State of Idaho
Department of Water Resources
Water Right License

WATER RIGHT NO. 67-07370

Priority: February 12, 1978 Maximum Diversion Rate: 1.41 CFS
Maximum Diversion Volume: 425.7 AF

This is to certify, that TIM BUMGARNER
JAMES BUMGARNER

2934 HWY 71

CAMBRIDGE ID 83610

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated January 17, 1978; and has submitted Proof of Beneficial Use on April 27, 1983. An examination indicates that the works have a diversion capacity of 1.410 cfs of water from:

WEISER RIVER tributary to SNAKE RIVER

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/01 to 07/01	1.41 CFS	425.7 AF

LOCATION OF POINT(S) OF DIVERSION: NESE , Sec. 2, Township 14N, Range 03W
WASHINGTON County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
14N	03W	2	SWSW 2	SESW 26	NESE 19	
			NWSE 24	SWSE 24	SESE 3	98
		11	NWNE 9	NENW 13	NWNW 3	25

Total number of acres irrigated: 123

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount that can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license shall be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Use of water under this water right will be regulated by the watermaster of State Water District No. 67.

State of Idaho
Department of Water Resources

Water Right License

WATER RIGHT NO. 67-07370

CONDITIONS OF APPROVAL AND REMARKS

6. The right holder shall maintain a measuring device and lockable controlling works of a type approved by the Department in a manner that will provide the watermaster suitable control of the diversion.
7. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 4.0 afa per acre for irrigation of the lands above.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 3rd day of August, 1998.


KARL J. DREHER, Director

State of Idaho
Department of Water Resources
Water Right License
WATER RIGHT NO. 67-07370

Priority: February 12, 1978

Maximum Diversion Rate: 1.41 CFS

Maximum Diversion Volume: 425.7 AF

This is to certify, that TIM BUMGARNER
JAMES BUMGARNER

SUPERSEDED

2934 HWY 71

CAMBRIDGE ID 83610

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated January 17, 1978; and has submitted Proof of Beneficial Use on April 27, 1983. An examination indicates that the works have a diversion capacity of 1.410 cfs of water from:

WEISER RIVER

tributary to SNAKE RIVER

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/01 to 10/31	1.41 CFS	425.7 AF

LOCATION OF POINT(S) OF DIVERSION:

NESE , Sec. 2, Township 14N, Range 03W
WASHINGTON County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
14N	03W	2	SWSW 2	SESW 26	NESE 19	
			NWSE 24	SWSE 24	SESE 3	98
		11	NWNE 9	NENW 13	NWNW 3	25

Total number of acres irrigated: 123

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount that can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license shall be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Use of water under this water right will be regulated by the watermaster of State Water District No. 67.

State of Idaho
Department of Water Resources

Water Right License


WATER RIGHT NO. 67-07370

CONDITIONS OF APPROVAL AND REMARKS

6. The right holder shall maintain a measuring device and lockable controlling works of a type approved by the Department in a manner that will provide the watermaster suitable control of the diversion.
7. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 4.0 afa per acre for irrigation of the lands above.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 24TH day of July, 1998.

Acting for


KARL J. DREHER, Director

SUPERSEDED

State of Idaho
Department of Water Resources

RECEIVED

JUL 20 1998

Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 67-07370

Date of Priority: February 12, 1978

Maximum Diversion Rate: 1.41 CFS
Maximum Diversion Volume: 425.7 AF

Comes now

TIM BUMGARNER
JAMES BUMGARNER

2934 HWY 71
CAMBRIDGE ID 83610

and represents to the Director of the

Idaho Department of Water Resources:

That he is the owner and holder of Permit to appropriate the Public Waters of the State of Idaho No. 67-07370, and requests that the permit be changed as follows:

Source: WEISER RIVER tributary to SNAKE RIVER

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/01 to 10/31	1.41 CFS	425.7 AF

LOCATION OF POINT(S) OF DIVERSION: NESE, Sec. 2, Township 14N, Range 03W
WASHINGTON County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
14N	03W	2	SWSW 2	SESW 26	NESE 19	
			NWSE 24	SWSE 24	SESE 3	98
		11	NWNE 9	NENW 13	NWNW 3	25

Total number of acres irrigated: 123

Permit holder asserts that no one will be injured by such change and that such change will be made at permit holder's own risk.

Signed at Boise, this 20 day of July, 1998.

NOT RECORDED

JUL 17 1998

(Signature)

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 67-07370

FOR DEPARTMENT USE ONLY

Preliminary check by _____ Fee = 50.00 Received by JS # CN4294 Date 7/20/98


ACTION OF THE DEPARTMENT OF WATER RESOURCES

I, Karl J. Dreher, of the Department of Water Resources hereby approve the
above Application for Amendment for Permit No. 67-07370 with the following;

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount that can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license shall be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Use of water under this water right will be regulated by the watermaster of State Water District No. 67.
6. The right holder shall maintain a measuring device and lockable controlling works of a type approved by the Department in a manner that will provide the watermaster suitable control of the diversion.
7. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 4.0 afa per acre for irrigation of the lands above.

Witness my hand this 24TH day of JULY, 1998.


Acting for **KARL J. DREHER, Director**

REC'D - 10/1/98

AUG 10 1998

WATER RIGHT SUMMARY

<u>ACTION</u>	<u>RIGHT NO.</u>	<u>NAME</u>	<u>AMOUNT CFS</u>
~~ORIGINAL APPLICATION~~	~~67-07370~~	~~SCOTT, BURL~~	~~3.2~~
~~FULL ASSIGNMENT~~	~~67-07370~~	~~HILL, LAMAR~~	~~3.2~~
FULL ASSIGNMENT	67-07370	BUMGARNER, TIM & BUMGARNER, JAMES	3.2

MAY 4, 1998

MICROFILMED

MAY 18 1998

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
ASSIGNMENT OF PERMIT

RECEIVED

OCT 27 1997

Department of Water Resources

I, Lamar Hill, hereby assign to Tim & James Bungamer
of, Cambridge Idaho 1-208 257-3730
(Full Address) (Phone)

All my right, title, and interest in and to Permit No. 67-07370 to
appropriate the public waters of the State of Idaho.

OR (for partial assignments)


The following described portion of my right, title, and interest in and to
Permit No. 6 to appropriate the public waters of the State of
Idaho. (Describe portion of the permit assigned listing the number of acres in each 40 acre
subdivision, point of diversion location, and the amount of water in cubic feet per second.)

Made this Oct 20 day of 20, 1997

Lamar Hill
Permit Holder

State of Oregon
County of Grant

On this 23 day of October, 1997, personally appeared before me the signer(s) of the
above instrument, who duly acknowledged to me that he (she) (they) executed the same.



My commission expires: 11-15-98

John Day Oregon
Notary Public residing at
Julie Powell

MICROFILMED
MAY 18 1998

RECEIVED

JUL 16 1987

State of Idaho
Department of Water Resources

RECEIVED

JUL 15 1987

ASSIGNMENT OF PERMIT

Department of Water Resources

Department of Water Resources
Western Regional Office

I, BURL SCOTT, hereby assign to LAMAR HILL
of 755 S.W. BRENT, JOHN DAY, OR 97845
Address

CHECK ONE

- ☒ All my right, title, and interest in and to Permit No. 67-7370
to appropriate the public waters of the State of Idaho.
- ☐ The following described portion of my right, title, and interest in and to Permit
No. _____ to appropriate the public waters of the State of Idaho.
(Describe that portion of the permit being assigned by listing the acreage within
each 40 acre subdivision, the point of diversion and the amount of water in cubic
feet per second for direct diversion, or acre feet for storage)

Made this _____ day of _____, 19 _____.

Burl Scott
Permit Holder

Clara Scott
Spouse of Permit Holder

OREGON
State of ~~Idaho~~)
County of MALHEUR) ss.

On this 23rd day of JUNE, 19 87, personally
appeared before me the signer(s) of the above instrument, who duly acknowledged to me
that he (she) (they) executed the same.

seal

Notary Public residing at

MICROFILMED

My commission expires:
1-31-88

SEP 28 1987

WATER RIGHT SUMMARY

ACTION	RIGHT NO.	NAME	AMOUNT CFS
Original Permit	67-7370	Scott, Burl	3.2
Full Assignment	67-7370	Hill, Lamar	3.2

RECEIVED

SEP 28 1947

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE
STATE OF IDAHO

IN THE MATTER OF CORRECTING THE PRIORITY
DATE OF PERMIT NO. 67-7370 IN THE NAME
OF BURL SCOTT

ORDER

WHEREAS, on January 17, 1978, Burl Scott filed with the Department of Water Resources an application for permit to appropriate 3.20 cubic feet per second of water from the Weiser River tributary of the Snake River to be diverted within the NE1/4SE1/4, Sec. 2, Twp. 14N, Rge. 3W, Washington County to be used for irrigation purposes; and,

WHEREAS, proof of beneficial use of water was due on April 1, 1983; and,

WHEREAS, proof was submitted late on April 27, 1983 (26 days late); and,

WHEREAS, on May 9, 1983, the permit was reinstated and the priority advanced to February 12, 1981 (26 days and 3 years late) rather than February 12, 1978;

IT IS, THEREFORE, HEREBY ORDERED that the priority date is corrected to be February 12, 1978.

Dated this 30th day of April, 1985.


L. GLEN SAXTON
Chief, Operations Bureau

WICRONE 11571

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE
STATE OF IDAHO

IN THE MATTER OF PERMIT NO. 67-7370 IN THE)
NAME OF BURL SCOTT) ORDER OF REINSTATEMENT
_____)

WHEREAS, the Department has issued the above-captioned permit with the condition that proof of construction of works and application of water to beneficial use be submitted on or before April 1, 1983; and,

WHEREAS, the Department has notified the permit holder by certified mail that proof was due and instructed the permit holder as to the steps to be taken to make said proof; and,

WHEREAS, the Department has notified the permit holder that the permit has lapsed for failure of the permit holder to submit proof of beneficial use; and,

WHEREAS, Section 42-218a of the Idaho Code provides that a permit may be reinstated upon a showing of reasonable cause within sixty days of the date of the notice of lapsing; and,

WHEREAS, the permit holder has provided a reasonable showing as to why said permit should be reinstated by submitting proof of beneficial use on April 27, 1983;

IT IS, THEREFORE, HEREBY ORDERED that Permit No. 67-7370 be REINSTATED and the priority advanced to February 12, 1981.

Dated this 9th day of May, 1983.



L. GLEN SAXTON
Chief, Operations Bureau

RECEIVED
MAY 12 1983

Identification No. _____

Application No. 67-7370

**STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES**

APPLICATION FOR PERMIT APPROVED

To Appropriate the Public Waters of the State of Idaho
(TYPE OR PRINT IN INK)

1. Name of applicant BURL SCOTT Phone: 473-2618
post office address Vale, Oregon
2. Source of water supply Weiser River which is a tributary of Snake River
3. a. Location of point of diversion is NE $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 2 Township 14N
Range 3W B.M. Washington County; additional points of diversion if any: _____

b. If water is not consumed, it will be discharged into _____ at a point in _____ $\frac{1}{4}$
of _____ $\frac{1}{4}$ of Section _____ Township _____ Range _____ B.M. _____
4. Water will be used for the following purposes:
Amount 3.2 for irrigation purpose from 3-15 to 7-1 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated:
a. 3.2 cubic feet per second and/or
b. _____ acre feet per annum.
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. _____
pump and sprinkler line

b. Height of storage dam _____ feet, active reservoir capacity _____ acre feet; total reservoir
capacity _____ acre feet, materials used in storage dam: _____
Period of year during which storage will occur _____ to _____ inclusive.
(Mo. Day) (Mo. Day)
c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.
7. a. Time required for the completion of the works and application of the water to the proposed beneficial use
is 5 years.
b. Estimated construction cost is \$ _____.
8. Description of proposed uses:
a. If water is **not** for irrigation:
(1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____
Range _____ B.M. _____
(2) Amount of power to be generated: _____ hp under _____ feet of head.
(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be
supplied with domestic water _____.
(5) If water is to be used for other purposes describe: _____

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP.	RANGE	SEC.	NE1/4				NW1/4				SW1/4				SE1/4				TOTALS
			NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	
14N	3W	2				2					5			35	35	25	40	8	150
		11	3	8			8												19


Total number of acres to be irrigated 169

c. Describe any other water rights used for the same purposes as described above.
150 AF of stored water in Lost Valley Reservoir

9. a. Who owns the property at the point of diversion Applicant
 b. Who owns the land to be irrigated or place of use Applicant
 c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing _____

10. Remarks Applicant has purchased 150 AF of Lost Valley Storage (part of the 2375 AF transfered on right No. 67-0081).

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Burl Swett
(Applicant)

Proposed Priority 01-17-78

Received by THH Date Jan 17, 1978 Time 3:20 P.M.

Preliminary check by _____ Fee \$ 55.00

Received by Y Date 1-17-78 # 9733

Publication prepared by Y Date 1-19-78

Published in Signal American

Publication dates Jan 26 + Feb 2

Publication approved Y Date 3-1-78

Priority reduced to _____ Reason _____

Protests filed by: _____

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by THH

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 67-7370, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before April 1, 1983.

c. Other: 1. A measuring device of a type approved by this Department shall be permanently installed and maintained as part of the diverting works.

2. Use of water under this permit is subject to control by the watermaster of State Water District No. 67, Weiser River.

3. The rate of diversion of water for irrigation under this permit and all other water rights on the same land shall not exceed 0.02 cubic feet per second for each acre of land.

Witness my hand this 27TH day of April 19 78.

Norman C. Green
Administrator

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO, }
County of Washington } ss.

Dorothy A. Bath, being duly sworn,
deposes and says:

That he is the Clerk of
THE WEISER SIGNAL, a weekly newspaper published at
Weiser, in the County of Washington and State of Idaho; that
said paper has been and is in general circulation in the
county aforesaid, and in the vicinity of Weiser; that the ad-
vertisement, a copy of which is attached hereto, was pub-
lished in said newspaper once a week for 2 consecu-
tive weeks in the regular and entire issue of said paper dur-
ing the period and time of publication, and was published in
the newspaper proper and not in a supplement; that said
paper has been established and regularly published for more
than seventy-eight consecutive weeks prior to the date of
first publication of said advertisement.

Such notice was published in the issue beginning with
January 26, 1978, and ending
with the issue of February 2, 1978

Fees, \$ 13.60

Subscribed and sworn to before me this 2
day of February, 1978
[Signature]
Notary Public, Residing at Weiser, Idaho.
My Commission Expires 1-2, 1979

No. 202 NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that BURL SCOTT Vale, Oregon has
on January 17, 1978 submitted Application No. 67-7370 for a
permit to appropriate 3.2 cubic feet per second of water from
the Weiser River trib. Snake River by means of pump and
sprinkler line within the NE $\frac{1}{4}$ SE $\frac{1}{4}$ Sec 2 T14N-R3W B.M.,
Washington County to be used from Mar. 15 to July 1 for
irrigation of 169 acres within the SE $\frac{1}{4}$ NE $\frac{1}{4}$, NE $\frac{1}{4}$ SW $\frac{1}{4}$,
SE $\frac{1}{4}$ SW $\frac{1}{4}$, SE $\frac{1}{4}$ Sec 2; N $\frac{1}{2}$ NE $\frac{1}{4}$, NE $\frac{1}{4}$ NW $\frac{1}{4}$ Sec 11
T14N-R3W B.M.


If issued, this permit will be subject to all prior water
rights. Protests against the granting of the permit must be
filed with the Director of the Idaho Department of Water
Resources, 92 South Cole Road, Boise, Idaho 83705 on or
before February 13, 1978.

C. STEPHEN ALLRED

Director

Published in the Signal American, Weiser, ID on January
26, 1978 and February 2, 1978.

92-2s



Department of Water Resources
Western Regional Office

OK
3-7-78
[Signature]



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

August 3, 1998

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

TIM BUMGARNER
JAMES BUMGARNER
2934 HWY 71
CAMBRIDGE ID 83610

RE: Water Right 67-07370

Dear Water Right Holders:

On August 3, 1998, the Department of Water Resources (the Department) issued the enclosed water right license in response to a motion by the Department pursuant to Rule 730.02.b. of the Department's Rules of Procedure to review the license issued as a preliminary order on July 24, 1998. The ending date of the period of use on the enclosed license is July 1 in accordance with the permit authorizing the development of the water right confirmed by the license. The revised license is an amended preliminary order issued by the Department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department unless a party petitions for reconsideration or files an exception and/or brief as further described below.

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the Department within fourteen (14) days of the service date of this order. The Department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See section 67-5243(3), Idaho Code.

EXCEPTIONS AND BRIEFS

Within twenty-one (21) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding. Otherwise, this preliminary order will become a final order of the Department.

REC'D
AUG 11 1998

If any party appeals or takes exceptions to this preliminary order, opposing parties shall have twenty-one (21) days to respond to any party's appeal. Written briefs in support of or taking exceptions to the preliminary order shall be filed with the Department. The Department retains the right to review the preliminary order on its own motion.

ORAL ARGUMENT

If the Department grants a petition to review the preliminary order, the Department shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Department will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Department orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Department in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with Rules of Procedure 302 and 303.

FINAL ORDER

The Department will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Department may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The Department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

If you have questions, please contact me at (208) 327-7946.

Sincerely,

Shelley W. Keen
Water Rights Supervisor

Enclosures


APR 11 1996
4:55 PM

CERTIFICATE OF MAILING

I hereby certify that on the 4th day of August, 1998, I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER (Approved License) to the person(s) listed below:

Water Right 67-07370

TIM BUMGARNER
JAMES BUMGARNER
2934 HWY 71
CAMBRIDGE ID 83610


Kari Lynn Townsend
Secretary

100-10000
100-10000



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

July 27, 1998

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

TIM BUMGARNER
JAMES BUMGARNER
2934 HWY 71
CAMBRIDGE ID 83610

RE: WATER RIGHT NO. 67-07370

Dear Water Right Holder(s):

The Department of Water Resources (the Department) has issued the enclosed license confirming that a water right has been established in accordance with the permit referenced above. The license is a preliminary order issued by the Department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department unless a party petitions for reconsideration or files an exception and/or brief as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the Department within fourteen (14) days of the service date of this order. The Department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See section 67-5243(3), Idaho Code.

EXCEPTIONS AND BRIEFS

Within twenty-one (21) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding. Otherwise, this preliminary order will become a final order of the Department.

If any party appeals or takes exceptions to this preliminary order, opposing parties shall have twenty-one (21) days to respond to any party's appeal. Written briefs in support of or taking exceptions to the preliminary order shall be filed with the Department. The Department retains the right to review the preliminary order on its own motion.

ORAL ARGUMENT

If the Department grants a petition to review the preliminary order, the Department shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Department will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Department orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Department in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with Rules of Procedure 302 and 303.

FINAL ORDER

The Department will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Department may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The Department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:


- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

For your records I have also enclosed a copy of your Application for Amendment of Permit, which was approved.

If you have any questions, please call me at 208-327-7946.

Sincerely,



for Shelley W. Keen
Water Rights Supervisor

SK:klt

Enclosure

WCT 11-1985


206 10 1986

CERTIFICATE OF MAILING

I hereby certify that on the 27th day of July, 1998, I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER (Approved License) to the person(s) listed below:

Water Right No. 67-07370

TIM BUMGARNER
JAMES BUMGARNER
2934 HWY 71
CAMBRIDGE ID 83610


Kari Lynn Townsend
Secretary

REC'D - REG
AUG 10 1998



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

July 8, 1998

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

TIM BUMGARNER
JAMES BUMGARNER
2934 HWY 71
CAMBRIDGE ID 83610

RE: WATER RIGHT NO. 67-07370

Dear Permit Holder(s):

The Department of Water Resources is reviewing the permit referenced above prior to issuing a water right license. By issuing a license, the Department confirms that a water right has been established in compliance with the terms of the permit. The examiner who verified your water use reported that your place(s) of use is in a location other than what was described on your permit. Therefore, before a license can be issued, the permit must be amended to depict your water right as it was actually developed.

The enclosed Application for Amendment form depicts the place(s) of use and other information as it will appear on the license when it is issued. Please review the amendment form carefully. If you concur with the information presented, please sign the form and return it with the \$50.00 filing fee within 14 days.

Also, please note that some of the proposed conditions of approval and remarks may be modified upon further administrative review.

If you do not concur, or if you have any questions about this information, please contact me as soon as possible. My telephone number is (208)327-7946.

Sincerely,

Shelley W. Keen
Water Rights Supervisor

SK:klt

Enclosure

NOTED
JUL 10 1998



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

May 5, 1998

TIM BUMGARNER
JAMES BUMGARNER
2934 HWY 71
CAMBRIDGE ID 83610

RE: ASSIGNMENT OF PERMIT 67-07370

Dear Water Right Holder(s):


We acknowledge receipt of the correspondence changing ownership of the above referenced water right to you. We have modified our computer records to reflect this change in ownership.

If you have any questions regarding this matter, please feel free to contact us.

Also, please note that as of July 1, 1996, water right owners are required to report any change of water right ownership and any change of mailing address to the department. If you have acquired a water right or have changed your mailing address **PRIOR** TO July 1, 1996, you have until July 30, 1998, to notify the department. If you acquire a water right or change your mailing address **AFTER** July 1, 1996, you must notify the department within 120 days of the change.

Failure to report these changes could result in a \$100 late filing fee. Contact any office of the department to obtain the proper reporting form.

Sincerely,



JIM JOHNSON, Manager
Water Right Permits Section

JJ:klt

MICROFILMED

MAY 18 1998

MEMORANDUM

DATE: October 29, 1997

TO: File 67-07370

FROM: Kari Lynn Townsend

RE: Assignment of Permit

*Baumgartner
208-257-3736
67-07370
assignment of Permit*

=====

An Assignment of Permit was received along with the \$25 filing fee on October 27, 1997. The completed form shows only town and state as the address for the assignee. There is a phone number shown so I called and left a message for a return call so I can get a complete mailing address and verify the correct name and spelling for the new owner(s).

I will set the file up for 14 day call-up and hope we hear something before then.

*5.1.98 - Phoned Washington County Assessor
at 549-2000. They gave the following
address for both Jim & Jan Baumgartner.*

*2934 Hwy 71
Cambridge, Id 83610*

K

MICROFILMED

MAY 18 1998

RECEIPT
For Monies Paid
to the
Idaho Department of Water Resources

Receipt No: C040500

Date: 10/27/1997
Time: 14:57:19

Received
From: A. L. H. INC.

Type of Payment	Program A cct	Amount
ASSIGNMENT OF PERMIT 67-07370	56103 229 21 1155	25.00
CHECK 3434		
	Total	\$ 25.00

Region: STATE

Signature: 

MICROFILMED

MAY 1 8 1998

M E M O R A N D U M

DATE: October 15, 1997

TO: File 67-07370

FROM: Kari Lynn Townsend

RE: Telephone Conversation

=====

Lamar Hill telephoned to ask why he had to send \$50 to the State of Idaho for water when he bought his water from a canal.

I pulled the file and explained that an application for amendment was necessary for the licensing process. He said he had sold the property that this pertained to so I told him I would send him an Assignment of Permit form and he could send the application for amendment to the Baumgartners who purchased his property.

Mr. Hill was concerned that the 14 day time frame could be met and I told him we would extend the time another 14 days to give everyone time to respond to the various papers being mailed and re-mailed.

MICROFILME

K:\WRMEMOS\MEMO.DOC MAY 18 1998



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. BOX 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

October 10, 1997

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

LAMAR HILL
755 S W BRENT
JOHN DAY OR 97845

RE: WATER RIGHT NO. 67-07370

Dear Permit Holder(s):

I previously forwarded to you an Application for Amendment so that you could amend your permit to depict your water right as it has actually been developed.

As of this date, I have not received this amendment. If I do not receive the amendment within fourteen (14) days, a Water Right License will be issued for less than could have been allowed. In case the amendment form I sent you has been misplaced, a new one is enclosed. Please note that the filing fee for this amendment is \$50.00.

If you have any questions, please call me at (208) 327-7946.

Sincerely,

Shelley W. Keen
Water Rights Supervisor

SK:klt

Enclosure

MICROFILMED

MAY 18 1998



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. BOX 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

September 18, 1997

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

LAMAR HILL
755 S W BRENT
JOHN DAY OR 97845

RE: WATER RIGHT NO. 67-07370

Dear Permit Holder(s):

The above referenced water right is in the process of being licensed. However, before a license can be issued, your permit must be amended to depict your water right as it has actually been developed.

The enclosed Application for Amendment contains information that will be included on the license when it is issued. The amendment reflects a change in the location of the place(s) of use description. Please review carefully and if you concur, sign the amendment and return it with the \$50 filing fee within 14 days.

The last page of the Application for Amendment form contains a list of Conditions of Approval and Remarks proposed for the license when it is issued. These conditions of approval and remarks may be modified upon further administrative review.

If you do not concur, or if you have any questions about this information, please contact me as soon as possible. My telephone number is (208) 327-7946.

Sincerely,

Shelley W. Keen
Water Rights Supervisor

SK:klt

Enclosure

MICROFILMED

MAY 18 1998

WR0749NP
No. L67-07370

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT

DATE: 09/05/97
PAGE: 1

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	LAMAR HILL 755 S W BRENT JOHN DAY OR 978450000	02/12/1978	IRRIGATION	04/01 10/31	1.410 CFS	425.70 AFA
TOTAL DIVERSION:					1.410 CFS	425.70 AFA

Water Source: WEISER RIVER

Tributary to: SNAKE RIVER

Stage: LICENSE

Point(s) of Diversion Capacity: 1.410 CFS

Point(s) of Diversion: T14N R03W S02 NESE WASHINGTON County

Place of use Legal Description for: IRRIGATION

NE				NW				SW				SE												
T	R	S		NENE	NWNE	SWNE	SENE	:	NENW	NWNW	SWNW	SENW	:	NESW	NWSW	SWSW	SESW	:	NESE	NWSE	SWSE	SESE	:	SUM
				Lt	Ac	Lt	Ac		Lt	Ac	Lt	Ac		Lt	Ac	Lt	Ac		Lt	Ac	Lt	Ac		
14N	03W	2	:					:					:			02	26	:	19	24	24	03	:	98.0
14N	03W	11	:			09		:			13	03	:					:					:	25.0
TOTAL ACRES																							123.0	

Pou County: WASHINGTON

Other Rights: LOST VALLEY RES. 150 AF.

Other Water Rights with Same Point(s) of Diversion with Stage (Includes All Sources):
67-07370

Other Water Rights Listing Overlapping Place(s) of use:

67-00026 67-00027 67-00254 67-00255 67-00256 67-04052 67-04217 67-04523 67-04532 67-07370
67-07391

Conditions of Approval:

- R04 - Use of water under this water right will be regulated by the watermaster of State Water District No. 67.
- R43 - A measuring device and lockable controlling works of a type approved by this Department shall be maintained on the diverting works in a manner that will provide the watermaster suitable control of the diversion.
- R31 - This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 4.0 afa per acre for irrigation of the lands above.

Dates: App. Received: 01/17/1978 Priority Date: 02/12/1978 (Priority Date Advanced.)
Proof Due Date: 04/01/1983 Proof Made Date: 04/27/1983 (Proof Received Late.)
Exam Made Date: 07/22/1988 Exam Sent to S.O.: 01/31/1997
Licensed Date:

Misc: Water District Number: 67 Field Exam Fee: R (Received)

(WATER RIGHT NUMBERS THAT BEGIN WITH AN '*' ARE ADJUDICATION CLAIMS)
(QUARTER-QUARTERS WITH A '?' HAVE DIFFERENT ACREAGE AMOUNTS--CHECK THE DATA BASE RECORDS)

WR-NUMBER	SOURCE	NE				NW				SW				SE				SUM			
		Lt		Ac		Lt		Ac		Lt		Ac		Lt		Ac		Lt		Ac	
L6707370	T14N R03W S 2 WEISER RIVER																				
	:																				
	:																				
6700081A	LOST CREEK :																				
A6700081J	LOST VALLEY ✓																				
T6700081J	LOST CREEK :																				
6700246	RUSH CREEK :																				
6700247	RUSH CREEK :																				
6700248	RUSH CREEK :																				
6700249	RUSH CREEK :																				
6700253	RUSH CREEK :																				
6700254	RUSH CREEK :																				
6700255	RUSH CREEK :																				
6700256	RUSH CREEK :																				
6700257	RUSH CREEK :																				
6700258	RUSH CREEK :																				
6700259	RUSH CREEK :																				
6700260	RUSH CREEK :																				
A6700260A	RUSH CREEK :																				
A6700260B	RUSH CREEK :																				
6700265	RUSH CREEK :																				
A6700265A	RUSH CREEK :																				
A6700265B	RUSH CREEK :																				
6700266	RUSH CREEK :																				
6700267	RUSH CREEK :																				
6700268	RUSH CREEK :																				
6700269	RUSH CREEK :																				
6700270	RUSH CREEK :																				
6700271	RUSH CREEK :																				
6700278	RUSH CREEK :																				
A6700278	RUSH CREEK :																				
6700280	RUSH CREEK :																				
A6700280B	RUSH CREEK :																				
6700297	RUSH CREEK :																				
A6700297B	RUSH CREEK :																				
6702000	RUSH CREEK :																				
6702242	GROUNDWATE :																				
A6702242	GROUNDWATE :																				
6704048	RUSH CREEK :																				
6704052	RUSH CREEK :																				
A6704052B	RUSH CREEK :																				
A6704052C	RUSH CREEK :																				
A6704052D	RUSH CREEK :																				
6704217	GROUNDWATE :																				
6707370	WEISER RIV :																				
A6707370	WEISER RIV :																				
6707391	RUSH CREEK :																				
A6710042	RUSH CREEK :																				
A6710961	RUSH CREEK :																				

(WATER RIGHT NUMBERS THAT BEGIN WITH AN '**' ARE ADJUDICATION CLAIMS)
(QUARTER-QUARTERS WITH A '?' HAVE DIFFERENT ACREAGE AMOUNTS--CHECK THE DATA BASE RECORDS)

WR-NUMBER	SOURCE	NE				NW				SW				SE				SUM
		Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	
A6712338	RUSH CREEK :				25		16			33	40		25			05		144
--86 MAP--	C87Q-T 55 :				18		04			31	36		28	35	23	41	28	361
NO QTRS	MAPPING	Lot01-04 Lot03-23 Lot04-23																

L6707370 T14N R03W S11 WEISER RIVER

	:		09	:		13	03	:		:		:						25
6700026	WEISER RIV :	I	I	I	I			I	I	I	I							
A6700026A	WEISER RIV :				22					40								62
A6700026B	WEISER RIV :									20								20
A6700026C	WEISER RIV :	28			40													68
A6700026D	WEISER RIV :											10						10
A6700026F	WEISER RIV :											10						10
A6700026G	WEISER RIV :								16									72
6700027	WEISER RIV :	I	I	I	I			I	I	I	I							
A6700027A	WEISER RIV :				22					40								62
A6700027B	WEISER RIV :									20								20
A6700027C	WEISER RIV :	28			40													68
A6700027D	WEISER RIV :											10						10
A6700027F	WEISER RIV :											10						10
6700028	WEISER RIV :													I	I	I	I	
A6700028A	WEISER RIV :													40	40	40	35	155
A6700028B	WEISER RIV :																0	
6700030	WEISER RIV :											I						
A6700030B	WEISER RIV :											30						30
6700081A	LOST CREEK :		I				I											
A6700081J	LOST VALLE :		08				08											16
T6700081J	LOST CREEK :		I				I											
T6700081K	LOST CREEK :	28			40													68
A6700081N	LOST CREEK :						15											15
6704523	WEISER RIV :	40	40	40	40			40	40	40	40	40	40	40	40	40	40	560
A6704523B	WEISER RIV :	03	08															11
A6704523D	WEISER RIV :											30						30
A6704523E	WEISER RIV :												20					20
A6704523F	WEISER RIV :												10					10
A6704523G	WEISER RIV :	28			40									40	40	40	35	223
6704532	WEISER RIV :						15											15
A6704532	WEISER RIV :						15											15
6707370	WEISER RIV :	03	08				08											19
A6707370	WEISER RIV :	03	08				08											19
A6710538	WEISER RIV :											11						11
--86 MAP--	C87Q-T 55 :	41	37	39	41	37	25	32	40	41	37	37	39	41	39	39	40	605

AJ5809NP
No. A67-07370

IDAHO DEPARTMENT OF WATER RESOURCES
ADJUDICATION CLAIM PROFILE REPORT

DATE: 09/05/97
PAGE: 1

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	LAMAR HILL 755 SW BRENT JOHN DAY DR 97845 (503) 575-0517	02/12/1978	IRRIGATION	03-15 07-01	3.20 CFS	
TOTAL DIVERSION:					3.20 CFS	

C ERNESTINE HILL
755 S W BRENT
JOHN DAY DR 97845
(503) 575-0517

Water Source: WEISER RIVER

Tributary to: SNAKE RIVER

Stage: PERMIT

Point(s) of Diversion:

T14N R03W S02

NESE

WASHINGTON County

Place of use Legal Description for: IRRIGATION

T R S		NE		NW		SW		SE		SUM		
14N 03W 2	14N 03W 11	03	08	02	08	05	35	35	25	40	08	150.0
TOTAL ACRES												169.0

POU County: WASHINGTON

Non-Irrigation Uses: NONE

Other Rights: 67-00081A, 247, 253, 267, 268, 269, 270, 271, 4523, 4052, 260

Conditions of Approval:

- 001 - A measuring device of a type approved by the Department shall
- be permanently installed and maintained as part of the diverting
- works.
03A - The rate of diversion of water for irrigation under this right
- and all other water rights on the same land shall not exceed 0.02
- cubic feet per second for each acre of land.
005 - Use of water under this right is subject to control by the
- Watermaster of State Water District No. .

Remarks: GEN REINSTATED 5-9-1983.

Dates: Exam Made Date:

Verified Date: 07/23/1985

Objection Filed Date:

Misc: Water District Number:

Field Inspection Flag:
Presumption Flag:

Audit: 06/29/89 ROUSH 03/30/95 POST-STD

MEMORANDUM

TO: File 67-07370

FROM: Sharla

DATE: September 17, 1997

RE: Recommendation Adjustment(s)

The final license recommendations for Permit No. 67-07370 are based on the following:

C. SYSTEM DESCRIPTION

6. Place(s) of Use: T14N, R3W, S2 - SWSW (2 acres), SESW (26 acres),
NESE (19 acres), NWSE (24 acres),
SWSE (24 acres), SESE (3 acres)
S11 - NWNW (9 acres), NENW (13 acres),
NWNW (3 acres)
TOTAL 123.0 acres

H. RECOMMENDATIONS

Irrigation	4/1 - 10/31	1.41 cfs	425.7 afa
------------	-------------	----------	-----------

The acres have been rounded off to whole numbers as standard practice for anything over 5 acres. The irrigation season for this area is 4/1 to 10/31; the volume limited by diversion rate is also calculated on this season.

Examiner: Quentin Nesbitt/Cindy Hodges
Exam Date: July 22, 1988/July 18, 1996

MICROFILMED

MAY 18 1998

LICENSE REVIEW CHECKLIST

PERMIT NO. 67-07370

DATE 9/5/97

REVIEWER: SHARLA

NAME	Change <u>—</u>	OK <u>✓</u>	Address Change <u>NO</u>
SOURCE	<u>—</u>	<u>✓</u>	Is change clarification of originally intended source? <u>—</u>
POINT OF DIV	<u>—</u>	<u>✓</u>	If not, prepare Notice of Intent to Void <u>—</u>
PLACE OF USE	<u>✓</u>	<u>—</u>	Amendment required <u>NO</u>
			Amendment required <u>yes</u>

Does map agree with written description? ✓ yes — no

OVERLAPS — P/D — P/U

RATE OF DIV

Permitted Rate	<u>3.2</u> cfs
Fee limit	<u>4.0</u> cfs \$ <u>17500</u>
Measured	<u>1.41</u> cfs
Theoretical	<u>1.9</u> cfs @ 40 psi, 1.29 @ 60 psi
Recommended Total Div Rate <u>1.41</u> cfs	

ANNUAL VOLUME/ NATURE OF USES

4/1-10/31 season

Use	cfs	Volume Calc
<u>W.</u>	<u>1.41</u>	<u>123 x 4.0 =</u> af
<u>—</u>	<u>—</u>	<u>—</u> af
<u>—</u>	<u>—</u>	<u>—</u> af
<u>—</u>	<u>—</u>	<u>—</u> af
SUBTOTAL	<u>1.41</u>	<u>425.7</u> af

Flow rate 1.41 cfs X 214 days X 1.98 = 425.7 af
 Total volume recommended 425.7 af
 (SUBTOTAL or Flow Rate, whichever is less)

REMARKS

CONDITIONS P04 Watermaster Control WD# 67
P03 GW Measurement/Measuring Device
P31 Overlap

— Use-specific conditions
 Advancement of Priority Date Required — yes ✓ no

SRBA Claim Filed ✓
 Adjustment Memo rounded across season volume

1st Amend Letter P41, P38
 2nd Amend Letter P42

MEMORANDUM

January 22, 1997

TO: 67-07370

FROM: Cindy Hodges *cyh*

RE: Remeasurement of System

As requested per a 1/25/91 in-office memo, I conducted a remeasurement of the above diversion system on 7/18/96. Western review found the original annubar measurement to be suspect because of low system operating pressure.

I found the same system components as the original examiner, but a slightly different installation configuration which should not have changed the capacity of the pumping plant. At the time of remeasure, a mainline extended north from the pumping plant to two lateral wheel lines with hand line extensions. 95 sprinkler heads with 3/16" nozzles were operating at an average discharge pressure of 38 psi. Discharge calculations may be found on the attached page.

Rate of diversion at the time of remeasurement was approximately 1.38 cfs. Because this is not significantly less than the 1988 finding of 1.41, and accounting for normal system declines over time, I would support the original examiner's recommendation.

MICROFILMED

MAY 18 1998

Hill - 67.7370


re-measure 7/18/96 cjl

Same equipment, slightly diff configuration.

mainline runs up (to N) east side rather than to west. Handlines & wheel lines.

Time of exam:

2 wheel lines + handlines:



Total system: 95 @ avg 38 psi

3/16" ?

Nozzle discharge for 3/16" @ 38 psi est 6.43 gpm from

$$95 @ 6.43 = \frac{610.4 \text{ gpm}}{448.8} = 1.36 \text{ cfs}$$

u of 1
fact sheet

$$95 @ 6.5 = \frac{617.6}{448.8} = 1.38 \text{ cfs}$$

MICROFILMED

MAY 19 1999

for 6.5 gpm from formula

$$Q(\text{gpm}) = 30 \times D(\text{in})^2 \times P(\text{psi})^{.5}$$

67-7370



P.D.

W. G. S. 00074



P.O.

W. G. S. 00074

MICROFILMED
MAY 18 1998



Irrigation during
measurement
N¹/₂ SE Sec 2

7 18 '96



fields SW of
access rd,
SESW Sec 2

7 18 '96

MICROFILMED
MAY 18 1998

67-7370 c/h

Re-exam &
Re-measure

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

FEB 04 1997

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 67-7370

1. Owner: LAMAR HILL Phone No. 575-0517

Current Address: 755 SW. BRENT JOHN DAM ORE. 97845

2. Accompanied by: TIM BUNCHMAN EXAM. DATE: 7/22/88

Address: HWY 71 CAMBRIDGE ID. Phone No. 257-3730

Relationship to Permit Holder: _____

3. Source: WEISER RIVER tributary to SNAKE RIVER


B. OVERLAP REVIEW

1. Other water rights with same place of use: 67-4052
67-4523 - LAND IRRIGATED FROM
DITCH (NONE ON SAME LAND) 67-0081A (STORAGE RIGHT) ☒ Copies Attached

2. Other water rights with same point of diversion: NONE; EXCEPT STORAGE RIGHT
IS DIVERTED FROM SAME POINT. ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



ALFALFA
FIELD

MICROFILMED

MAY 18 1988

Scale: 1" = NO SCALE

2. ☒ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required). ☒ Aerial Photo Attached (required for irrigation of 10 acres or more).
☒ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater).

System Description (continued)

3. **Narrative:** Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

SYSTEM CONSISTS OF A LARGE DFT DIAMETER METAL (CONVERT)
BURIED VERTICAL NEXT TO THE RIVER WITH A PIPE BETWEEN
THE RIVER AND THE CONVEY. THIS ACTS AS A SUMP FROM THE
RIVER. A 20 HP CENTRIFUGAL PUMP, PUMPS WATER FROM
THE SUMP TO A 8" ALUMINUM, ABOVE GROUND, MAINLINE
WHEELINES ARE USED TO IRRIGATE LAND FROM THE MAINLINE.

☒ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	CENTURY	30	PAG. NO. 6-323051	BERKELEY	83743

*Code to correspond with No. on map and aerial photo

5. **Point(s) of Diversion:**

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			NE	SE	2	14N	3W	WASHINGTON	USGS QUAD & AERIAL PHOTO

6. **Place(s) of Use:**

Indicate Method of Determination

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
14N	3W	2											1.5	26	19	24	23.8	2.7	97 ac
		1			8.5			12.5	3										24 ac
									9										21 ac

MICROFILMED

MAY 18 1998

Do not use this space

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
ANNUBAR				STP# 091413	8"	
MANOMETER		IDWR				

2. Measurements:

SEE ANNUBAR SUPPLEMENT SHEET

SPRINKLERS → 56 HEADS @ 60 PSI (LIKE 30WS-TNT)

MORELY PAIRBIRD 30WS HEADS WITH MOUNTING 3/8

NOZZLES → TABLE → 7.82 G.P.M. x 56 = 437.92

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method: ANNUBAR: 1.41 cfs

$$= \frac{.975 \text{ cfs}}{260 \text{ PSI}} = 1.41 \text{ cfs @ } 10 \text{ PSI O.K.}$$

2. Alternate Method for Checking Purposes: THEORETICAL =

$$\frac{30 \text{ HP} \times 8.8 \times .8}{(10 \text{ PSI} \times 2.31) + 5} = 7.51 \text{ cfs} > 1.41 \text{ cfs O.K.}$$

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: 60 psi x 2.31 = 138.6 ft (1); Dynamic pumping level: 5 ft (2)

Total Head: (1) + (2) = 143.6 (3); Flow rate: 1.41 cfs (4)

Water HP: (3) x (4) ÷ 8.8 = 230 (5)

Meter Input KW: 3.6 x 57.6 KH x CTR or MULT x PTR x 2 N/ 16 T = 2592 (6)

Meter Input HP: (6) x 1.34 = 34.73 (7)

Panel Input KW: Ave PF x Ave Volts x Ave Amps x .001732 = (6)

Panel Input HP: (6) x 1.34 = (7) Efficiency: (5)/(7) x 100 = 66 %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 121 \text{ ac} \times 4.0 \text{ afa} = 484 \text{ afa}$

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 1.41 \text{ cfs} \times 107 \text{ days} \times 1.9835 = 299.25 \text{ afa}$

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 299.25 \text{ afa}$

2. Volume Calculations for Other Uses:

N/A

MICROFILMED

MAY 18 1998

H. REMARKS AND OVERLAP REVIEW ANALYSIS

Overlap - 67-4052 + 4523 ARE OTHER RIGHTS THAT HAVE SOME LAND IN THE SAME $\frac{1}{4}$ $\frac{1}{4}$ 'S AS THIS PERMIT, NEITHER IS FOR THE SAME LAND. LICENSE # 67-0081A IS A STORAGE RIGHT IN LOST VALLEY RESERVOIR THAT IS USED FOR THE EXACT SAME LANDS.

- I AM RECOMMENDING THAT AN AMENDMENT BE MADE TO INCLUDE THE LANDS SHOWN IN P.U. ON THIS REPORT, THAT WERE NOT INCLUDED IN THE PERMIT.

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
IRRIGATION	3/15	7/1	1.41 cfs *	299.25 afa
Totals:			1.41 cfs	299.25 afa

2. Recommended Amendments

- ☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☐ None
☒ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

J. AUTHENTICATION

Field Examiner's Name
JFW 1-30-91

Signature

Certification Date

Field Report Preparation Date

QUENTIN NEUBERT
Quentin Neubert

8-12-88

CONSULTANT SEAL

K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

*See attached measurement calculations from re-exam, 7/18/96 gfr

MICROFILMED

MAY 18 1993

State of Idaho
DEPARTMENT OF WATER RESOURCES
SUPPLEMENTAL FIELD REPORT FOR ANNUBAR MEASUREMENT

Measured by: QUENTIN NESBITT Date 7/22/88

Owner: LAMAR HILL Permit No. 67-7370
(TIM BUNGARNER)

Description of well &/or measuring site

- Include any clarifications of the sketch
- Include legal description if more than one p.d. is described in the Field Report

- 30 hp CENTRIFUGAL pump from RIVER TO
SPRINKLER SYSTEM.

- THIS MEASUREMENT WAS DONE WITH AN EXTRA VALVE OPEN SO
AS TO LOWER THE PRESSURE IN THE SYSTEM.
(MANOMETER WAS LEAKING UNDER HIGH
PRESSURE, AND PUMP WAS NOT ABLE
TO PUMP IT UP.

MEASURED INSIDE PIPE DIAMETER IN INCHES (ID)

CIR = Pipe Circumference in Inches = _____

T = Pipe Thickness in Inches = _____

ID = $2 [(0.1592 \times \text{CIR}) - T] = \dots\dots\dots 8''$

ANNUBAR DESCRIPTION & CONSTANT (C)

Size Used in Test _____

State ID No. _____

Select C based on size from Table below.

Nominal Pipe Size	C
4"	4.23
6"	3.75
8"	3.87
10"	3.94
12"	3.99
14" - 16"	4.01
18" - 24"	4.02
30" or larger	4.03

C selected 3.87

DIFFERENTIAL PRESSURE READING IN INCHES OF H₂O (H)

High Reading = 20.5

Low Reading = 14.0

High - Low = H = 6.5

CALCULATION OF DISCHARGE IN CFS (Q)

$$Q = \frac{(ID)^2 \cdot (\sqrt{H}) \cdot (C)}{448.8}$$

$$Q = \frac{(8)^2 \cdot (\sqrt{6.5}) \cdot (3.87)}{448.8} = 1.41 \text{ cfs } 70.35 \text{ INCHES}$$


SKETCH (If not shown on Field Report)

631.46 G.P.M

- MEASURED @ 10 PSI
BUT SYSTEM NORMALLY RUNS
AT ABOUT 60 PSI - 70 PSI
(SEE NOTE)

MICROFILMED
MAY 18 1998

01-81-10



SALMON VALLEY

VALLEY

MICROFLORA

12

BM2647

26497

1-146

WEISER

Br 26447

26537

26537

2670AT

26647

26647

26647

26647

26647

Cambridge

Creek

Creek

Creek

Creek

Creek

26537

26537

26537

26537

26537

26537

26537

26537

26537

26537

26537

26537

26537

26537

26537

26537

26537

26537

26537

26537

26537

26537

26537

26537

26537

26537

26537

26537

26537

26537

26537

26537

26537

26537

26537

26537

26537

26537

26537

26537

26537

26537

26537

26537

26537

26537

26537

26537

26537

26537

26537

26537

26537

26537

26537

26537

26537

26537

26537

26537

26537

26537

26537

26537

26537

26537

26537

26537

26537

26537

26537

26537

26537

26537

26537

26537

26537

26537

26537

26537

26537

26537

26537

26537

26537

26537

26537

26537

26537

26537

26537

26537

26537

26537

26537

26537

26537

26537

26537

26537

26537

26537

26537

26537

26537

26537

26537

26537

26537

26537

26537

26537

26537

26537

26537

26537

26537

26537

26537

26537

26537

26537

26537

26537

26537

26537

26537

26537

26537

26537

26537

26537

26537

26537

26537

26537

26537

26537

26537

26537

26537

26537

26537

26537

26537

26537

26537

26537

26537

26537

26537

26537

26537

26537

26537

26537

26537

26537

26537

26537

26537

26537

26537

26537

26537

26537

26537

26537

26537

26537

26537

26537

26537

26537

26537

26537

26537

26537

26537

26537

26537

26537

26537

26537

26537

26537

26537

26537

26537

26537

26537

26537

26537

26537

26537

26537

26537

26537

26537

26537

26537

26537

26537

26537

26537

26537

26537

26537

26537

26537

26537

26537

26537

26537

26537

26537

26537

26537

26537

26537

26537

26537

26537

26537

26537

26537

26537

26537

26537

26537

26537

26537

26537

26537

26537

26537


26537

26537

26537

26537

62-7370



FILMED
MAY 12 1998

INTER-DEPARTMENT MEMO — 1

FROM JW

DATE 1-25-91

TO DAVE

SUBJECT # 67-7370

Tim
PSJ
2422
1/25/91

Although the flow measurement appears accurate against theoretical calculation, it was taken at 10psi and not under normal operating pressure. Flow by sprinkler heads and pressure looks very estimated. Would suggest a remeasurement as soon as a little week. Please advise.

I concur. *see attached cjl
Drt

MICROFILMED

MAY 14 1991

JW
SIGNATURE

May 19, 1992

LAMAR HILL
755 S.W. BRENT
JOHN DAY OR 97845-0000

RE: Water Right No. 67-07370

Dear Water Right Holder(s):

Department water right records show that you divert water from the Snake River or its tributaries under a water right that has a priority date later than December 29, 1976. This is the priority of the established minimum stream flow of the Snake River at the Weiser Gage (Weiser) in the amount of 4,750 cubic feet per second.

Because of the continuing drought conditions in the Snake River Basin, department hydrologists project that during 1992, there could be periods when the required minimum flow will not be satisfied due to low flows of the Snake River. The department urges you to not divert at a higher rate than authorized by your water right and to not use your right in any manner different than authorized. In addition, when the minimum flow will not be satisfied or is not being satisfied, you are required to cease diverting water under your water right, because your right is of later priority than the minimum stream flow at Weiser.

If the department determines the minimum flow will not be satisfied, the department will advise you and will provide as much lead time as possible in requiring that you temporarily cease your diversion of water. The greatest likelihood for this to occur is during a period from mid-June to late June.

While the department expects good cooperation from junior water right holders, water users should be aware that Section 42-352, Idaho Code, provides for penalties of up to \$100 per day for unauthorized diversions of water.

The department has contacted both the Idaho Power Company and the U.S. Bureau of Reclamation with respect to the timing of storage releases from upstream reservoirs for flow enhancement purposes. This type of coordination could minimize the impact on

MICROFILMED

MAY 18 1992

existing water users and reduce the need to curtail diversions.

The department has scheduled public information meetings relative to this potential regulation as follows:

Mountain Home - June 4, 1992 - 10:00 a.m. - gymnasium at
North Elementary School, 290 E. 12th N.

Caldwell - June 4, 1992 - 7:00 p.m. - Ballroom in the
Student Union Building, Albertson College of Idaho,
2112 Cleveland

If you have questions concerning this letter or wish to provide the name of a different contact person or address to receive department correspondence, please contact the department.

Sincerely,

L. GLEN SAXTON
Chief, Water Allocation Bureau

LGS:klg

MICROFILMED

MAY 18 1998



State of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 450 W. State Street, Boise, Idaho

CECIL D. ANDRUS
Governor

A. KENNETH DUNN
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

August 27, 1987

RE: Permit No. 167-7370

Lamar Hill
755 S.W. Brent
John Day, OR 97845

Dear Permit Holder(s):

This office acknowledges receipt of the Assignment of the above referenced permit to you. Enclosed for your records is a copy of the permit.

In reviewing the permit, we find that the next step towards licensing of the permit will be for our regional office to examine your water right system.

If you have any questions regarding this matter, please feel free to contact us.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc
Enclosures

RECORDED
SEP 28 1987

Permit No. 67-7370

ASSIGNMENT REVIEW CHECK LIST

1. Signature of Permit Holder? Yes
2. Notary? Yes
3. a. Full Assignment? Yes
b. Partial Assignment?
4. "No assignment" condition on permit? NO
5. Commencement of Works received? Yes
 - a. Commencement of works requested?
 - b. Show Cause Order drafted & sent?
 - c. Cancellation necessary?
6. Affidavit of residency required? NO
7. Extension granted due to litigation?
(If yes, commencement of works is not required.)

1. Type permit summary sheet. ✓
2. Coding sheet. ✓
3. Acknowledgement letter type.
4. Copy to region.

Shenla —

Shenla —

1 a

Shenla —

Date 8-24-87

Employee

Jm

REPROFILMED

SEP 28 1987

4/86

RECEIVED
MAY 26 1987

KEYED

For Office Use Only OK
Fee Received 175
Date 5-20-87
Receipt # 44859
Receipt by AK
Sent to S.O. 5-22-87

Department of Water Resources STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

EXAMINATION FEE INFORMATION

1. Permit No. 67-7370

ONE OF THE FOLLOWING BOXES SHOULD BE MARKED TO DESIGNATE YOUR CHOICE:

☐ I choose to have the department make the field examination of this permit; attached is the examination fee. (If this box is marked, complete items 1 thru 8.)

2. Permit Holder: LAMAR HILL

3. Post Office Address: 755 S.W. BAENT JOHN DAY, ORE
Telephone No. 575 0514 97845

4. Source of Water: WEISER RIVER TRIBUTARY OF THE SNAKE RIVER

5. Extent of Use:

Domestic _____ (No. of households) Stockwater _____ (No. and type of stock)

Irrigation 200 (acres) Other/Remark _____

6. Total rate &/or volume for which proof is submitted 3.20 cfs _____ acre-feet

7. Show the date water was first diverted and beneficially used under this permit:

8. Person to contact to accompany the department representative during the field examination:

TIM BURNER (Name)
CAMBRIDGE, ID. (Address)
_____ (Telephone Number)

☐ I choose to have the field examination conducted by a certified water right examiner. Attached is a statement from the certified examiner I have selected verifying that he has been retained to conduct the examination. (If this box is marked, complete items 1 thru 7.)

Date May 10 87 Signature of Permit Holder (and title, if appropriate) Lamar Hill owner

State of Idaho

Department of Water Resources

LICENSE EXAMINATION FEE SCHEDULE

(c.f.s. = cubic feet per second
AF = acre feet)

cfs	AF	Fee
0 - 0.04	0 - 4	\$ 0
.05 - 0.20	5 - 20	50.00
.21 - 1.0	21 - 100	100.00
1.01 - 2.0	101 - 200	125.00
2.01 - 3.0	201 - 300	150.00
3.01 - 4.0	301 - 400	175.00
4.01 - 5.0	401 - 500	200.00
5.01 - 6.0	501 - 600	225.00
6.01 - 7.0	601 - 700	250.00
7.01 - 8.0	701 - 800	275.00
8.01 - 9.0	801 - 900	300.00
9.01 - 10.0	901 - 1000	325.00
10.01 - 11.0	1001 - 1100	350.00
11.01 - 12.0	1101 - 1200	375.00
12.01 - 13.0	1201 - 1300	400.00
13.01 - 14.0	1301 - 1400	425.00
14.01 - 15.0	1401 - 1500	450.00
15.01 - 16.0	1501 - 1600	475.00
16.01 - 17.0	1601 - 1700	500.00
17.01 - 18.0	1701 - 1800	525.00
18.01 - 19.0	1801 - 1900	550.00
19.01 - 20.0	1901 - 2000	575.00
20.01 & over	2001 & over	600.00

Checks should be made payable to the
Department of Water Resources

No fee is required for single family
domestic use or stockwater use.



Cecil D. Andrus
Governor

State of Idaho
DEPARTMENT OF WATER RESOURCES
Western Region

2735 Airport Way
Boise, Idaho 83705
(208) 334-2190

67-7370
SCOTT, PURL
RT. 2 BOX 2766
VALE, OR 97918

138244

April 10, 1987

CERTIFIED MAIL

EXAMINATION FEE NOTICE

Dear Permit Holder:

Department records show that proof of beneficial use has been submitted for the above-referenced permit, but that a field examination has not yet been conducted to determine the extent of beneficial use of the water for licensing purposes.

House Bill 671 (effective April 4, 1986) enacted by the 1986 Idaho Legislature requires the payment of a fee before this department can conduct the field examination needed to issue a license confirming use of water under the permit. This letter is notification that the license examination fee is due within sixty (60) days of the date of this letter. The examination fee information sheet (enclosed) must be returned with the fee.

As an alternative to submitting the fee, the department will accept a field examination report completed by a certified water right examiner from the private sector. If you choose to have the examination done by a certified water right examiner, you need not submit the license examination fee to the department, but you must within sixty (60) days of the date of this letter return to the department, the examination fee information sheet showing appropriate information together with a statement from the certified examiner to verify that you have retained a certified examiner to conduct the field examination. If you choose this alternative, a completed field examination report must be submitted within one year of the date of this letter. You cannot later change your decision to use this alternative and submit the fee needed for the department to conduct the field examination, but you may change to another certified examiner.

EX-101 FILMED

SEP 28 1987

May 1, 1985

Burl Scott
Rt. 2, Box 2766
Vale, OR 97918

Dear Mr. Scott:

Re: Permit No. 67-7370

Pursuant to your letter to David Shaw on February 21, 1985, enclosed is a copy of the Order correcting the priority date on the above-referenced permit.

I apologize if this caused you any inconvenience.

Sincerely,

RITA I. FLECK
Secretary/Records Manager

Enclosure

RECEIVED
MAY 1 1985

Don Shee

2-21-85

In proofing application
67-7370, it is noted the
applicant was 26 days late
(after notice) of submitting his
beneficial use notices; yet,
his priority date was moved
ahead 2 years and 26 days.
Why the extra (?) two years.
To help my understanding of the
process, a telephone call to me
would be beneficial.

The file should come back
to me since I have it checked
out.

Thanks Dave
Ralph

MICROFILMED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Western Region

Statehouse
Boise, Idaho 83720
(208) 334-2190

OCTOBER 14, 1983

BURL SCOTT
RT. 2 BOX 2766
VALE

OR 97918

RE: Permit No. 67-7370

Dear Permit Holder:

We acknowledge receipt of your statement submitted as proof of beneficial use for the above referenced permit.

Enclosed please find a copy of an order involving your permit.

Before a license can be issued, a field examination must be made by a representative of this department.

A condition of approval of your original permit required the installation of a measuring device which, according to the proof card submitted by you, has not been installed. A measuring device must be installed and operating at the time the field examination is made. If a measuring device is not installed your permit may be subject to cancellation.

A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office by phone at 334-2190 or in person in the third floor State Towers Building, 450 West State Street, Boise.

Sincerely,
s/Judy Pense
Secretary

Enclosure

MICROFILMED

CALCULATION OF NEW PRIORITY DATE

FROM: Rita Fleck

TO: File 67-7370

DATE: May 6, 1983

Date Proof Received

117 Apr. 27

Proof Due

- 91 Apr. 1

Number of Days Proof Late

26

Priority Date

+ 17

Jan. 17, 1981

New Priority Date

43

= Feb. 12, 1981

Remarks

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card a statement that the permit holder(s) has completed development to the extent shown below of Permit No. 67-7370.

Name(s) of Permit Holder: Beryl Scott

Post Office Address: Rt 2 Box 2766

Vale Oregon 97918 Tel. No. 473-2618

Source of Water: Wapinitia River

Extent of Use:

☐ Domestic	(number of households)
☐ Stockwater	(number and type of stock)
☐ Irrigation <u>200</u>	(acres)
☐ Other	

Measuring Device: Required? ☒ Yes ☐ No Installed? ☒ Yes ☐ No


Access Port: Required? ☐ Yes ☒ No Installed? ☐ Yes ☐ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

Apr. 23/83
Date

Beryl Scott
Signature of Permit Holder

Burl S. H.
Rt 2 Box 2766
Vale Oregon 97918



USA 13c



Crazy Horse



RECEIVED
APR 28 1972

IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

WARNING

CANCELLED OR LAPSED

This permit has been officially CANCELLED or LAPSED.

Ninety days following the date of official action this file will be DESTROYED.

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440

SCOTT, BURL
VALE, OR 97918

LAPSE NOTICE

APRIL 05, 1983

DEAR PERMIT HOLDER:

YOU ARE HEREBY NOTIFIED THAT UNDER THE PROVISIONS OF SECTION 42-218A OF THE IDAHO CODE, PERMIT NO. 67-7370 HAS LAPSED. THIS OFFICE DID NOT RECEIVE EITHER AN ACCEPTABLE NOTICE THAT YOU HAVE COMPLETED THE PROJECT (PROOF OF BENEFICIAL USE) BY THE DATE REQUIRED ON YOUR PERMIT OR AN ACCEPTABLE REQUEST FOR AN EXTENSION OF TIME. YOU WERE PROVIDED THE PROPER FORMS IN OUR PROOF DUE NOTICE TO YOU DATED JANUARY 31, 1983.

YOUR PERMIT CANNOT BE REINSTATED UNLESS YOU SUBMIT THE STATEMENT OF BENEFICIAL USE POSTCARD OR SUBMIT AN EXTENSION OF TIME REQUEST SHOWING REASONABLE CAUSE FOR DELAY. EITHER THE COMPLETED POSTCARD OR THE EXTENSION REQUEST MUST BE RECEIVED BY THIS OFFICE WITHIN SIXTY DAYS OF THE DATE OF THIS LAPSE NOTICE OR THE PERMIT WILL NO LONGER BE OF ANY FORCE OR EFFECT.

A STATEMENT OF BENEFICIAL USE POSTCARD AND A REQUEST FOR EXTENSION OF TIME FORM ARE AGAIN ENCLOSED FOR YOUR USE. PLEASE NOTE THAT A FEE OF \$15.00 MUST ACCOMPANY AN EXTENSION OF TIME REQUEST AND THAT ONLY ONE EXTENSION OF TIME CAN BE GRANTED UNLESS THE PROJECT HAS NOT BEEN COMPLETED BECAUSE OF LACK OF A NECESSARY APPROVAL BY A GOVERNMENTAL AGENCY OR BY LITIGATION.

L. GLEN SAXTON
CHIEF, OPERATIONS BUREAU

ENCLOSURES

LGS:RF

CERTIFICATION MAILING

I hereby certify that a copy of this notice was deposited in the United States mail, postage prepaid addressed to the individual(s) named above.

Reta Fleck

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
CERTIFIED MAIL

SCOTT, BURL
VALE, DR. 97918

138242

PROOF DUE NOTICE

JANUARY 31, 1983

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF YOUR WATER PERMIT NO. 67-7370 WAS THAT PROOF OF THE EXTENT OF YOUR BENEFICIAL USE MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE APRIL 01, 1983. (SEE LAST PAGE OF YOUR APPROVED PERMIT OR YOUR LAST APPROVED EXTENSION REQUEST). ENCLOSED IS A POSTCARD WHICH MAY BE USED TO SUBMIT THE REQUIRED PROOF.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU OR A PREVIOUS OWNER OF THIS PERMIT HAVE NOT RECEIVED A PRIOR EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME IF THE DELAY IS FOR REASONABLE CAUSE AS PROVIDED IN SECTION 42-204, IDAHO CODE. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED. AN EXTENSION OF TIME REQUEST FORM IS ENCLOSED FOR YOUR CONVENIENCE.

EITHER THE BENEFICIAL USE POSTCARD OR A REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE DESCRIBED PROOF DUE DATE. IF NEITHER IS RECEIVED, THE DEPARTMENT WILL SEND YOU A LAPSE NOTICE. WITHIN SIXTY (60) DAYS OF THE MAILING OF THE LAPSE NOTICE, THE PERMIT WILL NO LONGER BE OF ANY FORCE NOR EFFECT.

SINCERELY,

RITA FLECK
SECRETARY/RECORDS MANAGER

ENCLOSURES

WATER RIGHT NUMBER 67-7370

WATER RIGHTS EDIT REPORT

01/04/79

PAGE 66

ACT
ION

N OWNER LAST NAME - SCOTT

FIRST NAME - HURL

N

CITY - VALE

STATE - OR

N SOURCE - WEISER RIVER

TRIBUTARY OF - SNAKE RIVER

N STAGE - PERMIT

PRIORITY - 01-17-1978

COUNTY - WASHINGTON

TOTAL DIV. RATE -

3.2000CFS

N DIVERSION POINT - NESE 02 14N 03W

N FROM - 03-15 TO - 07-01 USE - IRRIGATION

USE DIV. RATE -

3.2000CFS

N USE - IRRIGATION

PLACE OF USE - TOWN 14N RANG 03W SEC 02

TRACT SESE

AC 02 TRACT NESW

AC 05

TRACT SFSW

AC 35 TRACT NESE

AC 35

TRACT NWSE

AC 25 TRACT SASE

AC 40

TRACT SESE

AC 08

N USE - IRRIGATION

PLACE OF USE - TOWN 14N RANG 03W SEC 11

TRACT NESE

AC 03 TRACT NWNE

AC 08

TRACT NENW

AC 08

N OTHER RIGHTS FOR SAME USE - MUST VALLEY RES. 150 AF.

N PROOF DUE - 04-01-1983 PERMIT/DENIED - 04-27-1978

COND. OF APPROVL - 01 03A 05

N DIVERSION MEANS - PUMP & SPRINKLER LINE.

IDENT.

67-7370

WATER RIGHT
DATA ENTRY LOG

[illegible]



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 373 W. Franklin Street, Boise, Idaho

JOHN V. EVANS
Governor

C. STEPHEN ALLRED
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 384-2215

May 3, 1978

Re: Permit No. 67-7370

Burl Scott
Vale,
Oregon 97918

Dear Mr. Scott:

Your approved copy of Application for Permit No. 67-7370 is enclosed and we direct your attention to the conditions of approval on the fourth page.

Please note that a special condition requiring you to install and maintain a measuring device at your point of diversion has been placed upon your permit. Enclosed is a letter describing the different types of measuring devices accepted by this Department.

The exercise of this permit may also be affected by the court's determination of water rights in the case of Idaho Power Company v. State of Idaho, et al., Civil No. 62237, currently pending before the District Court of Ada County.

Idaho Power officials tell us that because of Case No. U-1006-124 filed before the Idaho Public Utilities Commission, Idaho Power Company is asking the District Court of Ada County to determine whether the Power Company's water rights on the Snake River are protected against subsequent upstream appropriations in the waters of the Snake River and surface and subterranean tributaries between Milner Dam and Hells Canyon.

Since the use of water under your permit may affect the flows in this reach of the Snake River, the final decision in Idaho Power Company v. State of Idaho, et al. (Ada County Civil No. 62237) may determine to what extent the exercise of your permit may be subject to the water rights of Idaho Power.

While the Ada County court is examining this question, Idaho Power Company has not filed a specific protest to your permit.

However, the Department of Water Resources has been advised that the Power Company is not waiving any of its rights to contest or limit the exercise of your permit or a subsequent license or water right.

If you have any questions, please let us know.

Sincerely,

A handwritten signature in cursive script that reads "L. Glen Saxton".

L. GLEN SAXTON
Chief, Operations Bureau

LGS:kw
Enclosure

RECEIVED
FEB 11 1964

DEPARTMENT OF WATER RESOURCES
- STAFF ANALYSIS -

Item Initial Date

Application No. 67-7340

☒ Source
☒ Point of Diversion
☒ County
☒ Quantity of Water and Period of Use
☒ Description of Diverting Works
☒ Time required for B/U of water
☒ Place of Use or Acres Irrigated
☒ Map
☒ Signature
☒ Fee

(1) YH 1-17-78

In form to receipt

(2) _____

Send Copies to:

_____ Idaho State Health Department
_____ Idaho Fish and Game Department
_____ Bureau of Land Management

(3) _____

_____ Request Special Use Permit from U.S.F.S.
_____ Request Easement from B.L.M.
_____ Request Information from Applicant
_____ Request Dam Safety Information

(4) YH 1-17-78

In form for advertising

(5) _____

Platted on Map No. _____

(6) _____

Located within Water District No. 67

(7) _____

Critical groundwater area: yes _____ no _____

(8) _____

Groundwater levels:

_____ Declining, _____ Stable, _____ Increasing

(comment) _____

(9) _____

Other rights on the same place of use

(10) _____

Comments: ok

(11) y OK

Affidavit of Publication received (date) 3-1-78

(12) _____

Final date for protests 2/13/78

Protests received: yes _____ no ☒

(13) _____

All requested information received from agencies or applicant: yes _____ no _____

(14) _____

Action recommended:

☒ Approve _____ Deny

1-17-78 Proposed Priority

_____ Reason for Reduction _____

☒ Measuring device required

_____ See attached sheet for other conditions of approval

_____ No special conditions for approval

(15) District W

By [Signature] Date 3/2/78

SRL
G&T
Supplemental

February 17, 1978

Re: Notice of Application for Permit No. 67-7370 -- Burl Scott
Notice of Claim to a Water Right No. 67-4245 -- Clell &/or Delpha Williamson

Signal American
P. O. Box 709
Weiser, ID 83672

Gentlemen:

Please submit the affidavits of publication and certified bills in connection with the above referenced items. The legal notices were to have been published in your paper on January 26 and February 2, 1978 and should have reached this office by February 13, 1978.

Your prompt assistance in this matter will be appreciated.

Sincerely,

RITA FLECK
Secretary

RF



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
WESTERN REGION

John V. Evans
Governor

92 South Cole Road
Boise, Idaho 83705
(208) 384-2190

January 19, 1978

Re: Notice of Claim to a Water Right No. 67-4245 -- Clell &/or Delpha Williamson
Notice of Application for Water Permit No. 67-7340 -- Burl Scott

The Signal American
P. O. Box 709
Weiser, ID 83672

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. In order to receive payment, the following certification must appear on the bill:

"I hereby certify that the foregoing account is just and correct, that the amount claimed is legally due after allowing all just credits and that no part of the same has been paid."

(Signature of Claimant)

Please send the affidavit of publication and publication billing to this office before February 13, 1978.

Sincerely,

RITA FLECK
Secretary

Bill submitted
3-1-78
[Signature]

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that BURL SCOTT
Vale, Oregon
has on January 17, 1978 submitted Application No. 67-7340
for a permit to appropriate 3.2 cubic feet per second ~~xxxxxx feet~~
~~xxxxxx~~ of water from the Weiser River trib. Snake River
by means of pump and sprinkler line
within the NE $\frac{1}{4}$ SE $\frac{1}{4}$ Sec 2 T14N-R3W B.M., Washington County

to be used from Mar 15 to July 1

for irrigation ~~xxx~~ of 169 acres

within the SE $\frac{1}{4}$ NE $\frac{1}{4}$, NE $\frac{1}{4}$ SW $\frac{1}{4}$, SE $\frac{1}{4}$ SW $\frac{1}{4}$, SE $\frac{1}{4}$ Sec 2; NE $\frac{1}{4}$ NE $\frac{1}{4}$, NE $\frac{1}{4}$ NW $\frac{1}{4}$ Sec 11 T14N-R3W
B.M.

If issued, this permit will be subject to all prior water rights. Pro-
tests against the granting of the permit must be filed with the Director of
the Idaho Department of Water Resources, 92 South Cole Road, Boise, Idaho
83705 on or before February 13, 1978.

C. STEPHEN ALLRED

Director

Published in the The Signal American, Weiser, ID
on January 26, 1978 and February 2, 1978