

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

Sec 23

Top R

11N 6W

23

WELL

X X X

X X X

Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Rosemary Wilson
(Applicant)

(Applicant)

May 3, 1977

Weiser Idaho - 83672

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO, }
County of Washington } ss.

Dorothy A. Booth, being duly sworn,
deposes and says:

That he is the Clerk of
THE WEISER SIGNAL, a weekly newspaper published at
Weiser, in the County of Washington and State of Idaho; that
said paper has been and is in general circulation in the
county aforesaid, and in the vicinity of Weiser; that the ad-
vertisement, a copy of which is attached hereto, was pub-
lished in said newspaper once a week for 2 consecu-
tive weeks in the regular and entire issue of said paper dur-
ing the period and time of publication, and was published in
the newspaper proper and not in a supplement; that said
paper has been established and regularly published for more
than seventy-eight consecutive weeks prior to the date of
first publication of said advertisement.

Such notice was published in the issue beginning with
June 9, 1977, and ending
with the issue of June 16, 1977

Dorothy A. Booth

Fees, \$ 12.24

Subscribed and sworn to before me this 16
day of June, 19 77

Thurgood
Notary Public, Residing at Weiser, Idaho.

My Commission Expires 1-2, 1979

No. 91

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that ROSEMARY WILSON Route 1,
Box 160 Weiser, ID has on May 26, 1977 submitted
Application No. 67-7329 for a permit to appropriate 1.78
cubic feet per second of water from a groundwater source by
means of well & pump within the NE¼SE¼ Sec 23
T11N-R6W B.M., Washington County to be used from Mar 1
to Nov 1 for the irrigation of 89 acres within the SE¼ Sec 23
T11N-R6W B.M.

If issued, this permit will be subject to all prior water
rights. Protests against the granting of the permit must be
filed with the Director of the Idaho Department of Water
Resources, 92 South Cole Road, Boise, Idaho 83705 on or
before June 27, 1977.

C. STEPHEN ALLRED
Director

Published in the Signal American-Weiser, ID on June 9,
1977 and June 16, 1977.

26-2S

OK
7-6-77
my

RECEIVED

REPROFILING

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
FEB 19 1991
Department of Water Resources

A. GENERAL INFORMATION

1. Owner: ROSEMARY WILSON
Current Address: RT. 1 Box 160 WEISER ID. 83672
2. Accompanied by: VERNON Lolley EXAM. DATE: 7-21-88
Address: RT. 1 Box 167 WEISER Phone No. 549-0248
Relationship to Permit Holder: RENTER
3. Source: GROUND WATER tributary to _____


Permit No. 67-7329
Phone No. 549-0342

B. OVERLAP REVIEW

1. Other water rights with same place of use: 67-2169 & 67-2384 WEISER
IRR. DIST. WATER (GALLWAY DITCH) ☐ Copies Attached
2. Other water rights with same point of diversion: NONE
_____ ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION


1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = NO SCALE

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required). ☒ Aerial Photo Attached
(required for irrigation of 10 acres or more).
☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).


67-7329



SCALE 1:24000

1 MILE


ROAD CLASSIFICATION



CONTOUR INTERVAL 20 FEET

- Heavy-duty ——— 4 LANE 16 LANE
- Medium-duty ——— 4 LANE 16 LANE
- Unimproved ———
- U.S. Route ———
- State F ———

APR 15 1991



67-7329



P.D.

WELL LOOKING
NORTH EAST



P.U.

Looking EAST

MICROFILMED
APR 15 1991

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 67-07329

Priority: November 3, 1977

Maximum Diversion Rate: 1.28 CFS
Maximum Diversion Volume:¹ 315.0 AF

This is to certify, that ROSEMARY WILSON

RT. 1 BOX 160

WEISER, ID 83672

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated June 1, 1977; and has submitted Proof of Beneficial Use on September 12, 1978. An examination indicates that the works have a diversion capacity of 1.280 cfs of water from a **GROUNDWATER** source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	1.28 CFS	315.0 AF

LOCATION OF POINT(S) OF DIVERSION:

NESE , Sec. 23, Township 11N, Range 06W
WASHINGTON County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
11N	06W	23	NESE 18	NWSE 20	SWSE 17	
			SESE 15			70

Total number of acres irrigated: 70

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 4.5 afa per acre for the lands above.

MICROFILMED
APR 15 1991

State of Idaho
Department of Water Resources


PAGE 2

WATER RIGHT LICENSE

WATER RIGHT NO. 67-07329

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 2ND
day of APRIL, 1991.

Acting for


R. Keith Higginson, Director

RECEIVED
APR 15 1991

BEFORE THE DEPARTMENT OF WATER RESOURCES

OF THE

STATE OF IDAHO

IN THE MATTER OF PERMIT NO. 67-7329

IN THE NAME OF ROSEMARY WILSON

ORDER OR REINSTATEMENT

WHEREAS, on June 1, 1977, Rosemary Wilson filed with the Department of Water Resources an application to appropriate 1.78 cubic feet per second of water from a groundwater source to be diverted within the NE $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 23, Twp. 11N, Rge. 6W B.M., Washington County to be used for irrigation purposes; and,

WHEREAS, on July 29, 1977, the Department approved said application and issued Permit No. 67-7329 with the condition that proof of construction of works and application of water to beneficial use be submitted to the Department on or before August 1, 1978; and,

WHEREAS, on May 31, 1978, the Department notified the permit holder by certified mail that proof of beneficial use was due and instructed the permit holder as to the steps to be taken to make said proof; and,

WHEREAS, on August 8, 1978, the Department notified the permit holder that Permit No. 67-7329 had lapsed for failure to submit proof of beneficial use of water; and,

WHEREAS, Section 42-218a of the Idaho Code provides that a permit may be reinstated upon a showing of reasonable cause within 60 days from the date the notice of lapsing; and,

WHEREAS, the permit holder has provided a reasonable showing as to why said permit should be reinstated by submitting proof of beneficial use on September 12, 1978.

IT IS, THEREFORE, HEREBY ORDERED that Permit No. 67-7329 be REINSTATED and the priority advanced to July 13, 1977.

Dated this 18th day of September, 1978.

L. Glen Saxton
L. GLEN SAXTON

Chief, Operations Bureau

MICROFILMED

Identification No. _____

Application No. 67-7329

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT **APPROVED**

To Appropriate the Public Waters of the State of Idaho
(TYPE OR PRINT IN INK)

1. Name of applicant Rosemary Wilson Phone: 549-0542
post office address R # 1 - Box 160 - Weiser Idaho

2. Source of water supply Ground water which is a tributary of _____

3. a. Location of point of diversion is NE $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 23 Township 11N
Range 6W B.M. Washington County; additional points of diversion if any: _____

b. If water is not consumed, it will be discharged into _____ at a point in NE $\frac{1}{4}$
of SE $\frac{1}{4}$ of Section 23 Township 11N Range 6W B.M. _____

4. Water will be used for the following purposes: - Irrigation - Row crops - ^{for}
Amount 1.78 for Irrigation purpose from Mar. 1, 1977 to Nov. 1, 1982 (both dates inclusive) 5 years)
(cfs or acre-feet per annum)
per acre for purpose from to (both dates inclusive)
(cfs or acre-feet per annum)
Amount for purpose from to (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 1.78 cubic feet per second and/or
b. _____ acre feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. _____

b. Height of storage dam _____ feet, active reservoir capacity _____ acre feet; total reservoir
capacity _____ acre feet, materials used in storage dam: _____
Period of year during which storage will occur _____ to _____ inclusive.
(Mo. Day) (Mo. Day)

c. Proposed well diameter is 12 in. inches; proposed depth of well is 50 ft. feet. approx.

7. a. Time required for the completion of the works and application of the water to the proposed beneficial use
is Now years.

b. Estimated construction cost is \$ 1,500.00.

This is estimated cost given by well digger

8. Description of proposed uses:

a. If water is **not** for irrigation:

(1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____
Range _____ B.M. _____

(2) Amount of power to be generated: _____ hp under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(Dallas Drilling and Pump Co. Payette)

(4) Name of municipality to be served _____, or number of families to be
supplied with domestic water _____.

(5) If water is to be used for other purposes describe: _____

MICROFILMED

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP.	RANGE	SEC.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
11N	6W	23													29	20	20	20	89 Acres

Total number of acres to be irrigated 89 Acres

c. Describe any other water rights used for the same purposes as described above.

Land is irrigated out of Galloway Ditch - from Creek Reservoir


9. a. Who owns the property at the point of diversion Same

b. Who owns the land to be irrigated or place of use myself - Rosemary Wilson

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing

10. Remarks

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Rosemary Wilson
(Applicant)

May 3, 1977

Weiser Idaho - 83672

Proposed Priority 6/ 1/77

Received by if Date 5/26/77 Time 12:00
Preliminary check by PWH Fee \$ 35.00
Receipted by CS Date 6/1/77 # 8043
Publication prepared by SP Date June 2, 1977
Published in Signal American
Publication dates June 9, 1977 + June 16, 1977
Publication approved if Date 7-6-77
Priority reduced to _____ Reason _____

Protests filed by: _____

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by THH/g

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 67-7329, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before August 1, 19 78.
- c. Other: For licensing purposes a scientific measurement of the diversion rate of the system as it is normally operated shall be provided by either properly installing an approved type of measuring device or by having a professional engineer certify the rate of diversion the Department prior to submitting proof of beneficial use of water.

The rate of diversion of water for irrigation under this permit and all other water rights on the same land shall not exceed 0.02 cubic feet per second for each acre of land.

Witness my hand this 29th day of July 19 77.


Director

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO, } ss.
County of Washington

Dorothy A. Booth, being duly sworn,
deposes and says:

That he is the Clerk of
THE WEISER SIGNAL, a weekly newspaper published at
Weiser, in the County of Washington and State of Idaho; that
said paper has been and is in general circulation in the
county aforesaid, and in the vicinity of Weiser; that the ad-
vertisement, a copy of which is attached hereto, was pub-
lished in said newspaper once a week for 2 consecu-
tive weeks in the regular and entire issue of said paper dur-
ing the period and time of publication, and was published in
the newspaper proper and not in a supplement; that said
paper has been established and regularly published for more
than seventy-eight consecutive weeks prior to the date of
first publication of said advertisement.

Such notice was published in the issue beginning with
June 9, 1977, and ending
with the issue of June 16, 1977.
Dorothy A. Booth
Fees, \$ 12.24

Subscribed and sworn to before me this 16
day of June, 1977.
[Signature]
Notary Public, Residing at Weiser, Idaho.
My Commission Expires 1-2, 1979.

No. 91
NOTICE OF APPLICATION FOR WATER PERMIT
Notice is hereby given that ROSEMARY STEPHENSON, of
Box 160, Weiser, Idaho, on August 1, 1977, submitted
Application No. 23-7320 for a permit to divert 1.70
cubic feet per second of water from a groundwater source by
means of well and pump within the NE1/4 Sec 23
T11N-R6W E 1/4, Washington County to be used from Mar. 1
to Nov. 1 for the irrigation of 89 acres within the NE1/4 Sec 23
T11N-R6W E 1/4.
If issued, this permit will be subject to all prior water
rights. Protests against the granting of the permit must be
filed with the Director of the Idaho Department of Water
Resources, 92 South Calk Road, Boise, Idaho 83726, on or
before August 1, 1977.
C. STEPHENSON
Director
Published in the Idaho Agricultural Journal, on June 9,
1977 and June 16, 1977.

26-25

OK
7-6-77
[Signature]

MICROFILMED

April 4, 1991

ROSEMARY WILSON
RT. 1 BOX 160
WEISER, ID 83672

RE: WATER RIGHT NO. 67-07329

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:blm

Enclosure

MICROFILMED

APR 15 1991

March 22, 1991

ROSEMARY WILSON
RT. 1 BOX 160
WEISER, ID 83672

RE: WATER RIGHT NO. 67-07329

Dear Water Right Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

Sincerely,

SHARLA CURTIS
Technical Records Specialist

SC:blm

Enclosure

MICROFILMED

APR 15 1991

LICENSE REVIEW CHECKLIST

Permit No. 67-7329

Name/Address change? ok ☒

Priority date Advance? yes ☒ no ☐

Memo to advance ☒

Order to reinstate needed? yes ☐ no ☒

Total cfs

Limited by fee ☒

Limited by capacity ☒

Total volume

Limited by flow ☐

Chart checked for AF rate/ac ☒ 4.5

Capacity

Actual measurement checked ☒

Theoretical checked ☒

If greater than permit, check for other rts ☐

Source

Changed? yes ☐ no ☒

If so, is memo needed to clarify? ☐

P/D

Verify with map ☒ permit ☒

More than one per 1/4? Remember remark ☐

Check p/d overlap ☐

Uses

Check irrigation period of use w/ chart 3/15-11/15

P/U

Verify with map ☒ permit ☒

> 5 acres irrigated, run overlap ☐

Remarks

More than one p/d in 1/4

Description of non-irrig uses ☐

Special overlap condition ☐

Conditions -

Measuring device ☐

W.Master control R32

Overlap ☐

Water quality ☐

Other ☐

Dates/Misc. -

Water Dist ☐

App Rec'd ☒

Proof Rec'd ☒

CHECK FOR ADJ. CLAIM

Needed according to proof filed ☐

Filed - needs amended ☒

Add'l fee required ☐

Not filed - ☐

Not needed ☐

Comments/Changes to Examiner's Recommendations:

License ☐ 10-day ☒ 30-day ☐

Back of field report signed? ☒
Reviewer S. Curtis Date 2/21/91 Review time 8 min.

APR 15 1991

WATER RIGHT NO.	LAST NAME	STG	PRIORITY DATE	P F	WATER SOURCE	WATER USE	RATE cfs	CAPACITY	TWP	RNG	SECT	TRACT	LOT
L67-07329	WILSON	L	11/03/1977		GROUNDWATER	IRR	1.28	1.28	11N	06W	23	NESE	
~~L67-07330~~	~~WILSON~~	P	07/13/1977		GROUNDWATER	IRR	1.78		11N	06W	23	NESE	

MICROFILMED

APR 15 1991

WR5810NP
(00-138)IDAHO DEPARTMENT OF WATER RESOURCES
PLACE OF USE 1/4 1/4 COMPARISON REPORTDATE: 03/05/91
PAGE: 1

WR-NUMBER	NAME	STG	SOURCE	T	R	S	NE				NW				SW				SE				SUM
							NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
L6707329																							
6702168	COULTER	L	WEISER RIVER	11N	06W	23	:	10			20	:									30		
6702169	WEISER IRRIGATION DIST	L	WEISER RIVER	11N	06W	23	:	10	40			:	40	40			40	40		20	40		
A6702169	WEISER IRRIGATION DIST		WEISER RIVER	11N	06W	23	:	10	40			:	40	40			40	40		20	40		
6702384A	WEISER RIVER IRRIGATION	L	CRANE CREEK	11N	06W	23	:	10	40	40	20	:	40	40	40	40	40	40	40	40	590		
A6702384A	WEISER RIVER IRRIGATION	L	CRANE CREEK	11N	06W	23	:	10	40	40	20	:	40	40	40	40	40	40	40	40	590		
6707299	AMANO	L	GROUNDWATER	11N	06W	23	:					:	39		40						79		
6707329	WILSON	P	GROUNDWATER	11N	06W	23	:					:							20	20	20		
A6707329	WILSON	P	GROUNDWATER	11N	06W	23	:					:							20	20	20		
L6707329	WILSON	L	GROUNDWATER	11N	06W	23	:					:							18	20	17		
6707712	SAITO BROS. INC.	P	GROUNDWATER	11N	06W	23	:	30	35	4	36	:									105		
A6707712	SAITO BROS. INC.	P	GROUNDWATER	11N	06W	23	:	30	35	4	36	:									105		
A6710279	WEISER IRRIGATION DIST	J	CRANE CREEK	11N	06W	23	:	40	40	40	40	:	40	40	40	40	40	40	40	40	640		
	1986 MAPPING DATA ---	-	COUNTY 87 QUAD U 52	11N	06W	23	:	36	39	39	40	:	37	39	40	39	37	40	42	37	36		
																					614		

ok

RECEIVED

APR 15 1991

BENEFICIAL USE FIELD REPORT REVIEW

TO: FILE 67-7329

FROM: SHARLA CURTIS

RE: PRIORITY ADVANCE REVIEW

DATE: 21-FEB-1991

This review memo is prepared to show the process for determining what elements were involved in advancement of the priority.

	<u>DATE</u>	<u>JULIAN</u>
PERMIT		
Permit priority Date:	JULY 13 1977	194
EXAM FEE NOTICE		
Exam Fee Notice Date:	APRIL 10 1987	100
Exam Fee/Info Sheet Received Date:	SEPTEMBER 30 1987	273
Exam Fee or Info Due Date:	JUNE 09 1987	160
Days Late:		113 DAY(S)
NEW PRIORITY DATE		
Original Priority Date:	JULY 13 1977	194
Total Days Late:		113 DAY(S)
New Priority Date:	NOVEMBER 03 1977	307

MICROFILMED

APR 15 1991

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

67-7329
Permit No.

Staff Analysis Sheet
for
Beneficial Use Field Report

A. Prior to Conducting the Exam, the File Contains:

- ☒ Blank Field Report Form
 - ☒ Copy of Permit
 - ☒ Copies of any Amendments/Orders with conditions of approval
 - ☒ ^{NO} Computer Data Proof Report
 - ☒ Copy of U.S.G.S. Quad
 - ☐ Check for Government Lots. If so, make a copy of Government Plat
- Check of P/D index ON 7-20-88 (Initial and date)
- Overlap? ☐ yes ☒ no If yes: ☐ copy of exam(s) attached?
- Type of Overlap? ☐ Add acres or uses to existing system
☐ Increase rate of flow or volume
☐ Other: _____
- Check of P/U index ON 7-20-88 (Initial and date)
- Overlap? ☒ yes ☐ no If yes: ☐ copy of water right(s) attached?
- Type of Overlap? ☐ Increase rate of flow or volume
☐ Add P/D's
☐ Increase number of acres within tracts
☐ Other: SUPPLEMENTAL WATER
- Aerial Photo
- Required? ☒ yes ☐ no If yes: ☐ copy attached?
- Scheduling Letter sent? ON 7-18-88 (Initial and date)
- ☐ Appointment made and telephone conversation memo attached

B. After Conducting the Exam, the File Contains:

- ☒ Fully completed and signed Field Report Form
- ☒ Photographs of Point of Diversion and Place of Use
- ☒ ^{NO} Corrected Computer Data Proof Report with recommended license information, and date and signature of examiner.

C. Review and Processing:

Exam Completed Quentin Norbett 8-9-88 (Signature of examiner and date)

Exam Reviewed by Senior Water Resource Agent SW 1/29/91 (Initial and date)

Exam Reviewed by Manager of Regional Office ON 2/5/91 (Initial and date)

Exam Date Entered in Computer ✓ (Initial and date)

Exam sent to State Office 2-15-91 (Initial and date)

Copy of Staff Analysis Sheet sent to Manager of Regional Office and Original
Refiled in White File _____ (Initial and date)

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
FEB 19 1991

A. GENERAL INFORMATION

1. Owner: ROSEMARY WILSON
Current Address: RT. 1 BOX 160 WEISER
2. Accompanied by: VERNON LALLEY
Address: RT. 1 BOX 167 WEISER
Relationship to Permit Holder: RENTER
3. Source: GROUND WATER tributary to _____


Permit No. 67-7329
Department of Water Resources
Phone No. 549-0342
EXAM. DATE: 7-21-88
Phone No. 549-0248

B. OVERLAP REVIEW

1. Other water rights with same place of use: 67-2169 & 67-2384 WEISER
IRR. DIST. WATER (GALLOWAY DITCH) ☐ Copies Attached
2. Other water rights with same point of diversion: NONE
☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



RECEIVED

APR 15 1991

Scale: 1" = NO SCALE

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and place(s) of use (required).
☒ Aerial Photo Attached (required for irrigation of 10 acres or more).
☒ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater).

System Description (continued)

3. **Narrative:** Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

THE WELL IS CASED WITH 12" CASING AS IS
ABOUT 50 FT DEEP WITH THE PUMPING LEVEL
BEING AT ABOUT 20 FT. IT HAS A 15HP TURBINE
PUMP, PUMPING INTO A CEMENT DITCH.

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	GENERAL	15	ENJ 518519	JOHNSTON	272201
	ELECTRIC				

*Code to correspond with No. on map and aerial photo

5. **Point(s) of Diversion:**

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			NE	SE	23	11N	6W	WASHINGTON	USGS QUAD & AERIAL PHOTO

6. **Place(s) of Use:**

Indicate Method of Determination

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
11N	6W	23													18	20	17	15	70 ac

Do not use this space

MICROFILMED

APR 15 1991

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
ANNUBAR				57.1D# 091403	6"	
MANOMETER		IDWR			5'	

2. Measurements:

SEE ANNUBAR SUPPLEMENTAL SHEET

$H_1 = 18\frac{1}{2}$ $H_2 = 36\frac{1}{2}$

DIFF = 18" $\Rightarrow$ 1.28 cfs

THEORETICAL: $15 \times 8.8 \times .8 = 5.28$ cfs > 1.28 cfs O.K.

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method: ANNUBAR: 1.28 cfs $\rightarrow$ 572.76 G.P.M

2. Alternate Method for Checking Purposes: CALIFORNIA PIPE METHOD:
VERTICAL RISE 10' IN 6" PIPE $\rightarrow$ 635 G.P.M

F. PUMP EFFICIENCY DATA (Optional) SYSTEM WAS VALVED DOWN SO DIDNT SUCK AIR.

Discharge Pressure: 0 psi x 2.31 = 0 ft (1); Dynamic pumping level: 20 ft (2)

Total Head: (1) + (2) = 20 (3); Flow rate: 1.28 cfs (4)

Water HP: (3) x (4) $\div$ 8.8 = 2.9 (5)

Meter Input KW: 3.6×28.8 KH x 1 CTR or 1 MULT x 1 PTR x 1 N/ 9.4 T = 11 (6)

Meter Input HP: (6) x 1.34 = 14.74 (7)

Panel Input KW: Ave PF x Ave Volts x Ave Amps x .001732 = (6)

Panel Input HP: (6) x 1.34 = (7) Efficiency: (5)/(7) x 100 = 57 %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 70 \text{ acres} \times 4.5 \text{ cfs/acre} = 315 \text{ cfs}$

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 1.28 \text{ cfs} \times 245 \text{ days} \times 1.9835 = 622.03 \text{ cfs}$

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 315 \text{ cfs}$

2. Volume Calculations for Other Uses:

N/A

APR 15 1991

H. REMARKS AND OVERLAP REVIEW ANALYSIS

- THIS IS SUPPLEMENTAL WATER TO
WEISER IRRIGATION DISTRICT WATER.

I. RECOMMENDATIONS

1. Recommended Amounts


Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
IRRIGATION	3/1	11/1	1.28 cfs	315 afa
Totals:			1.28 cfs	315 afa

2. Recommended Amendments

- ☐ Change P.D. as reflected above ☐ Add P.D. as reflected above
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above

J. AUTHENTICATION


Field Examiner's Name QUENTIN NESBITT
Signature Quentin Nesbitt
Certification Date _____
Field Report Preparation Date 8-9-88



- K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

MICROFILMED

APR 15 1991



102

C 2.7

B 3.8

A 9.8

E-47

E-47

E-45

E-45

E-45

E-45

E-45

E-45

E-45

E-45

E-45

E-45

E-45

E-45

E-45

E-45

67-7229

B 27.8

C 9.2

E-44

E-44

E-44

E-44

E-44

E-44

E-44

E-44

E-44

E-44

E-44

E-44

E-44

30.7

P.D.

1997

E-501
E-507
T982

18.8

State of Idaho
DEPARTMENT OF WATER RESOURCES
SUPPLEMENTAL FIELD REPORT FOR ANNUBAR MEASUREMENT

Measured by: QUENTIN NESBITT Date 7-21-88
Owner: ROSEMARY WILSON Permit No. 67-7329

Description of well &/or measuring site
- Include any clarifications of the sketch
- Include legal description if more than one p.d. is described in the Field Report

MEASURED INSIDE PIPE DIAMETER IN INCHES (ID)

CIR = Pipe Circumference in Inches = _____

T = Pipe Thickness in Inches = _____

ID = $2 [(0.1592 \times \text{CIR}) - T] = \dots\dots\dots 6.0''$

ANNUBAR DESCRIPTION & CONSTANT (C)

Size Used in Test 6''

State ID No. 091403

Select C based on size from Table below.

Nominal Pipe Size	C
4"	4.23
6"	3.75
8"	3.87
10"	3.94
12"	3.99
14"- 16"	4.01
18"- 24"	4.02
30" or larger	4.03

C selected 3.75

DIFFERENTIAL PRESSURE READING IN INCHES OF H₂O (H)

High Reading = 36.5

Low Reading = 18.5

High - Low = H = 18'

CALCULATION OF DISCHARGE IN CFS (Q)

$$Q = \frac{(ID)^2 \cdot (\sqrt{H}) \cdot (C)}{448.8}$$

$$Q = \frac{(6)^2 \cdot (\sqrt{18}) \cdot (3.75)}{448.8} = 1.28 \text{ cfs}$$

572.76 G.P.M

SKETCH (If not shown on Field Report)

6.0 INCHES


APR 15 1991

67-721



P.D.

12-1-1946
10:15 PM



P.U.

12-1-1946

MICROFILMED
APR 15 1991

4/86

RECEIVED

DEC 17 1987

STATE OF IDAHO

Department of Water Resources

DEPARTMENT OF WATER RESOURCES

EXAMINATION FEE INFORMATION

For Office Use Only

Fee Received 25

Date 10/10/87

Receipt # 43950

Receipt by [Signature]

Sent to S.O. 10/10/87

RECEIVED

SEP 30 1987

KEYPUNCHED

Department of Water Resources
Western Regional Office

1. Permit No. 67-7329

ONE OF THE FOLLOWING BOXES SHOULD BE MARKED TO DESIGNATE YOUR CHOICE:

☒ I choose to have the department make the field examination of this permit; attached is the examination fee. (If this box is marked, complete items 1 thru 8.)

2. Permit Holder: WILSON, ROSEMARY

3. Post Office Address: RT. 1 Box 160 WEISER

IDAHO 83672 Telephone No. 208-549-0542

4. Source of Water: WELL

5. Extent of Use:

Domestic _____ (No. of households) Stockwater _____ (No. and type of stock)

Irrigation 89 (acres) Other/Remark _____

6. Total rate &/or volume for which proof is submitted 1.78 cfs 178 acre-feet

7. Show the date water was first used and officially used under this permit:

SUMMER 1987

8. Person to contact to accompany the department representative during the field examination:

VERNON Lolley (Name)

APR 15 1991

RT. 1 Box 160 WEISER IDAHO 549-0548
(Address) (Telephone Number)

☐ I choose to have the field examination conducted by a certified water right examiner. Attached is a statement from the certified examiner I have selected verifying that he has been retained to conduct the examination. (If this box is marked, complete items 1 thru 7.)

SEPT. 25, 1987
Date

Rosemary Wilson
Signature of Permit Holder (and title, if appropriate)

State of Idaho

Department of Water Resources

LICENSE EXAMINATION FEE SCHEDULE

(c.f.s. = cubic feet per second
AF = acre feet)

cfs	AF	Fee
0 - 0.04	0 - 4	\$ 0
.05 - 0.20	5 - 20	50.00
.21 - 1.0	21 - 100	100.00
1.01 - 2.0	101 - 200	125.00
2.01 - 3.0	201 - 300	150.00
3.01 - 4.0	301 - 400	175.00
4.01 - 5.0	401 - 500	200.00
5.01 - 6.0	501 - 600	225.00
6.01 - 7.0	601 - 700	250.00
7.01 - 8.0	701 - 800	275.00
8.01 - 9.0	801 - 900	300.00
9.01 - 10.0	901 - 1000	325.00
10.01 - 11.0	1001 - 1100	350.00
11.01 - 12.0	1101 - 1200	375.00
12.01 - 13.0	1201 - 1300	400.00
13.01 - 14.0	1301 - 1400	425.00
14.01 - 15.0	1401 - 1500	450.00
15.01 - 16.0	1501 - 1600	475.00
16.01 - 17.0	1601 - 1700	500.00
17.01 - 18.0	1701 - 1800	525.00
18.01 - 19.0	1801 - 1900	550.00
19.01 - 20.0	1901 - 2000	575.00
20.01 & over	2001 & over	600.00

Checks should be payable to the
Department of Water Resources

No fee is required for single family
domestic use or stockwater use.



State of Idaho
DEPARTMENT OF WATER RESOURCES
Western Region

Cecil D. Andrus
Governor

2735 Airport Way
Boise, Idaho 83705
(208) 334-2190

67-7329
WILSON, ROSEMARY
RT. 1 BOX 160
WEISER, ID 83672

138231

April 10, 1987

CERTIFIED MAIL

EXAMINATION FEE NOTICE

Dear Permit Holder:

Department records show that proof of beneficial use has been submitted for the above-referenced permit, but that a field examination has not yet been conducted to determine the extent of beneficial use of the water for licensing purposes.

House Bill 671 (effective April 4, 1986) enacted by the 1986 Idaho Legislature requires the payment of a fee before this department can conduct the field examination needed to issue a license confirming use of water under the permit. This letter is notification that the license examination fee is due within sixty (60) days of the date of this letter. The examination fee information sheet (enclosed) must be returned with the fee.

As an alternative to submitting the fee, the department will accept a field examination report completed by a certified water right examiner from the private sector. If you choose to have the examination done by a certified water right examiner, you need not submit the license examination fee to the department, but you must within sixty (60) days of the date of this letter return to the department, the examination fee information sheet showing appropriate information together with a statement from the certified examiner to verify that you have retained a certified examiner to conduct the field examination. If you choose this alternative, a completed field examination report must be submitted within one year of the date of this letter. You cannot later change your decision to use this alternative and submit the fee needed for the department to conduct the field examination, but you **APR 15 1991** to another certified examiner.



State of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 373 W. Franklin Street, Boise, Idaho

JOHN V. EVANS
Governor

C. STEPHEN ALLRED
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 384-2215

September 18, 1978

Rosemary Wilson
Route 1, Box 160
Weiser, ID 83672

Dear Mr. Wilson:

Re: Permit No. 67-7329

Enclosed is a copy of the Order reinstating your permit and advancing your priority date to July 13, 1977.

We acknowledge receipt of the affidavit submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department. We cannot tell just when this examination will be made, but our examiner will try to contact you at the time he makes the examination so that you may show him the system.

If you have any questions regarding the field examination, please contact our regional office in **Boise**.

Sincerely,

RITA FLECK
Water Rights

MICROFILMED



State of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 373 W. Franklin Street, Boise, Idaho

JOHN V. EVANS
Governor

C. STEPHEN ALLRED
Director

RECEIVED

SEP 12 1978

Department of Water Resources

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 384-2215


August 8, 1978

Rosemary Wilson
Route 1, Box 160
Weiser, ID 83672

Dear Ms. Wilson:

You are hereby notified that under the provisions of Section 42-218a of the Idaho Code, Permit No. 67-7329 has lapsed since you have not notified us that you have completed the project by the date required on your permit. You were provided forms for that purpose in our notice to you dated May 31, 1978.

Your permit cannot be reinstated unless you submit the proof of beneficial use affidavit, enclosed, or show other reasonable cause why the permit should be reinstated within 60 days from the date of this lapse notice.


C. STEPHEN ALLRED
Director

CSA:jfr

Encl.


Att. Rit. Fleck: - (2 talked to you on the phone)

Am enclosing filled in form as requested.

Emory Hutchison - Engineer - tested the well and filled in the form


Please let me know if this form is as it should be
completes proof of well.

Sincerely,


Rosemary Wilson

Identification No. _____

Permit No. _____



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

PROOF OF APPLICATION OF WATER TO BENEFICIAL USE

Department of Water Resources

1. a) Name of Permit Holder Rosemary Wilson
- b) Post Office Address Rte #1 box 160 Waiyer, Idaho 83672
2. Permit Number 67-7329
3. Date of Priority that you are prepared to establish 6-77
4. a) Source from which water was appropriated Well
- b) Location of the point of diversion: NE 1/4 SE 1/4, Section 23
Township 11-N, Range 6-W Boise Meridian, Other points of diversion: _____

5. a) The amount of water and use to which the water has been applied:

Amount 0.998 for irrigation purposes from 3-15 to 10-15 incl.
(cfs and/or acre-feet per annum) (Month-Day) (Month-Day)

Amount _____ for _____ purposes from _____ to _____ incl.
(cfs and/or acre-feet per annum) (Month-Day) (Month-Day)

Amount _____ for _____ purposes from _____ to _____ incl.
(cfs and/or acre-feet per annum) (Month-Day) (Month-Day)

b) Total amount appropriated 0.998 cfs cfs and/or acre-feet per annum

c) Describe how and by whom measurement of rate of flow or amount of storage was made and the qualifications of the person making the measurement: Portable rectangular weir, George E. Hutchison Soil Conservation Service

6. If the means of diversion and conveyance are owned by someone other than the Permit Holder:

a) Give the name or description of the canal, ditch or other works by which the water is conducted to the place of use:
Pumped directly into concrete ditch head end of field

b) Describe the agreement or understanding by which you take water from the works: Supplemental water

7. a) Briefly describe the works for diverting and conveying the water to the place of use, (if from a subterranean source, give the pump size, motor size, size of well casing, depth of well; if from surface water, give brief description of diversion structure and/or canal or ditch) 15 hp 12" depth 73 ft

b) Describe the type and size of measuring device which you have installed at your point of diversion: Portable

c) Give well driller's name and address and the date the well was completed: Goff Drilling
Payette, Idaho

8. If for other than irrigation, describe the beneficial use to which you have applied the water and the place of use:

NONE

MICROFILMED

Exam type 9/18/78 5/24

9. Irrigation uses: describe the lands irrigated by giving the acreages irrigated within each 40 acre subdivision: _____

T	R	SEC.	NE¼				NW¼				SW¼				SE¼				TOTAL
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
11 N	6W	23													20 ^A	20 ^A	20 ^A	20 ^A	80 ^{Ac}

Total number of acres irrigated _____

10. Remarks: _____

The above information is a true statement of the extent to which the above numbered permit has been developed.

 (Date) Romany Wilson
 (Signature)

State of Idaho)
) ss.
 County of Washington)

On this 8th day of September, 1978, personally appeared before me the signer(s) of the above instrument, who duly acknowledged to me that he (she) (they) executed the same.

Mary Gault
 Notary Public residing at
Chad of West Ct

My commission expires _____

MICROFILMED

WARNING

CANCELLED OR LAPSED

This permit has been officially CANCELLED or LAPSED.

Ninety days following the date of official action this file will be DESTROYED.

MICROFILMED



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 373 W. Franklin Street, Boise, Idaho

JOHN V. EVANS

Governor

C. STEPHEN ALLRED

Director

Mailing address
Statehouse
Boise, Idaho 8
(208) 384-27

August 8, 1978

Rosemary Wilson
Route 1, Box 160
Weiser, ID 83672

Dear Ms. Wilson:

You are hereby notified that under the provisions of Section 42-218a of the Idaho Code, Permit No. 67-7329 has lapsed since you have not notified us that you have completed the project by the date required on your permit. You were provided forms for that purpose in our notice to you dated May 31, 1978.

Your permit cannot be reinstated unless you submit the proof of beneficial use affidavit, enclosed, or show other reasonable cause why the permit should be reinstated within 60 days from the date of this lapse notice.


C. STEPHEN ALLRED
Director

CSA:jfr

Encl.

MICROFILMED



State of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 373 W. Franklin Street, Boise, Idaho

JOHN V. EVANS
Governor

C. STEPHEN ALLRED
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 384-2215

138838

May 31, 1978

CERTIFIED MAIL

Re: Permit No. 67-7329

Rosemary Wilson
Route 1, Box 160
Weiser, Idaho 83672

Dear Ms. Wilson:

One of the conditions of approval of the above referenced water right permit was that evidence of the extent of development be submitted as proof of application of water to beneficial use to this office on or before August 1, 1978. The enclosed affidavit form is the document you must complete and submit as the proof of application of water to beneficial use.

If you have not fully completed your project, and you have not previously received an extension of time, you may request an extension of time provided the delay is for reasonable cause as indicated in Section 42-204, Idaho Code, amended. If you have been prevented from proceeding by a governmental agency or by litigation, more than one extension of time can be granted.

Either the beneficial use affidavit or a request for an extension of time must be received by this Department on or before the above mentioned date, otherwise the permit will lapse and be of no further force or effect.

JANICE RENK
Water Rights

Encl: **MICROFILMED** Proof affidavit

August 1, 1977

Re: Permit No. 67-7329

Rosemary Wilson
Route #1
Box 160
Weiser, ID 83672

Dear Rosemary:

Enclosed is a copy of your approved Application for Permit No. 67-7329. We direct your attention to the conditions of approval as listed on the fourth page.

Be sure to note that a special condition requiring you to either install and maintain a measuring device at your point of diversion or to provide the Department a certified measurement of the systems diversion capacity prior to submitting proof of beneficial use of water. We have enclosed a letter describing the different types of measuring devices accepted by this office.

Sincerely,

BOBBY D. FLEENOR
Chief, Operations Bureau

BDF/cah

Enclosure

RECEIVED

DEPARTMENT OF WATER RESOURCES
- STAFF ANALYSIS -

Item Initial Date

Application No. 67-

☒ Source
☒ Point of Diversion
☒ County
☒ Quantity of Water and Period of Use
☒ Description of Diverting Works
☒ Time required for B/U of water
☒ Place of Use or Acres Irrigated
☒ Map
☒ Signature
☒ Fee

☐ Pre-permit exam
☐ Adjudication Claim
☐ Dam Construction
☐ Papers Sent

(1) R.W.H. 5-31-77

In form to receipt

(2) _____

Send Copies to:

☐ Idaho State Health Department
☐ Idaho Fish and Game Department
☐ Bureau of Land Management

(3) _____

☐ Request Special Use Permit from U.S.F.S.
☐ Request Easement from B.L.M.
☐ Request Information from Applicant
☐ Request Dam Safety Information

(4) R.W.H. 5-31-77

In form for advertising

(5) _____

Platted on Map No. _____

(6) _____

Located within Water District No. _____

(7) _____

Critical groundwater area: yes _____ no ☒

(8) _____

Groundwater levels:

_____ Declining, _____ Stable, _____ Increasing

(comment) _____

(9) _____

RMS.

Other rights on the same place of use *none*
platted

(10) _____

Comments: _____

(11) af OK

Affidavit of Publication received (date) 7-6-77

(12) D _____

Final date for protests 6-27-77

Protests received: yes _____ no ☒

(13) _____

All requested information received from agencies or applicant: yes _____ no _____

(14) _____

Action recommended:

☒ Approve _____ Deny

_____ Proposed Priority

_____ Reason for Reduction _____

☒ Measuring device required

_____ See attached sheet for other conditions of approval

_____ No special conditions for approval

(15) District W

By TLA Date 7-6-77

RECEIVED

Supplemental



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
WESTERN REGION

Cecil D. Andrus
Governor

R. Keith Higginson
Director

92 South Cole Road
Boise, Idaho 83705
(208) 384-2190

June 3, 1977

RE: Notice of Correction No. 67-4198 - Garold D. Dick &/or Carol M. Dick
Notice of Application for Water Permit No. 67-7329 - Rosemary Wilson
67-7331 - Dale Castagno
67-7332 - Everett H. or Mary L. Monteer

The Signal American
P.O. Box 709
Weiser, Idaho 83672

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. In order to receive payment, the following certification must appear on the bill:

"I hereby certify that the foregoing account is just and correct, that the amount claimed is legally due after allowing all just credits and that no part of the same has been paid."

(Signature of Claimant)

Please send the affidavit of publication and publication billing to this office before June 27, 1977.

Sincerely,

Bill submitted
7-6-77
y

MICROFILMED

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that ROSEMARY WILSON
Route 1, Box 160 Weiser, ID
has on May 26, 1977 submitted Application No. 67-7329
for a permit to appropriate 1.78 cubic feet per second ~~and to use~~
~~permanently~~ of water from a groundwater source
by means of well & pump
within the NE $\frac{1}{4}$ SE $\frac{1}{4}$ Sec 23 T11N-R6W B.M., Washington County

to be used from Mar 1 to Nov 1
for the irrigation of 89 acres

within the SE $\frac{1}{4}$ Sec 23 T11N-R6W B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Director of the Idaho Department of Water Resources, 92 South Cole Road, Boise, Idaho 83705 on or before June 27, 1977.

C. STEPHEN ALLRED

Director

Published in the The Signal American - Weiser, ID
on June 9, 1977 and June 16, 1977.

MICROFILMED



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
WESTERN REGION

John V. Evans
Governor

92 South Cole Road
Boise, Idaho 83705
(208) 384-2190

June 6, 1977

Rosemary Wilson
Route 1, Box 160
Weiser, Idaho 83672

Dear Ms. Wilson:

Enclosed is your Receipt No. 67-7329 in the amount of \$ 35.00
for an application for water permit which was received in
this office on May 26, 1977.

Sincerely,

RITA FLECK
Secretary

RF

Enclosure

MICROFILMED

May 11, 1977

RE: Application for Permit

Rosemary Wilson
Rt. #1, Box 160
Weiser, ID 83672

Dear Mrs. Wilson:

We are returning your application for permit and check no. 1241 for \$35.00 for additional information.

On line 3a we need the 40 acre tract in which the well will be located.

We have shown the amount of water applied for at the rate of 1 inch per acre.

The map on page 3 appears to show land irrigated in four different 40 acre tracts. The land description given on page 2 indicates the land to be irrigated is in the S $\frac{1}{2}$ SE $\frac{1}{4}$, Section 23, Township 11 North, Range 6 West, B.M. Please indicate which is correct.

Please make the necessary corrections and return the application and check to us for processing.

Sincerely,

ROBERT W. HAMILTON
Supervisor of Water Distribution

RWH:cs

Enclosure

MICROFILMED



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
WESTERN REGION

John V. Evans
Governor

92 South Cole Road
Boise, Idaho 83705
(208) 384-2190

May 11, 1977

RECEIVED
MAY 23 1977

RE: Application for Permit

Department of Water Resources
Western Regional Office

Rosemary Wilson
Rt. #1, Box 160
Weiser, ID 83672

Dear Mrs. Wilson:

We are returning your application for permit and check no. 1241 for \$35.00 for additional information.

On line 3a we need the 40 acre tract in which the well will be located.

We have shown the amount of water applied for at the rate of 1 inch per acre.

The map on page 3 appears to show land irrigated in four different 40 acre tracts. The land description given on page 2 indicates the land to be irrigated is in the S $\frac{1}{2}$ SE $\frac{1}{4}$, Section 23, Township 11 North, Range 6 West, B.M. Please indicate which is correct.

Please make the necessary corrections and return the application and check to us for processing.

Sincerely,

Robert W. Hamilton
ROBERT W. HAMILTON
Supervisor of Water Distribution

RWH:cs

May 23, 1977

Enclosure Mr. Robert Hamilton;
=====

In answer to above question, I asked Washington County Title & Trust man, Mr. Vincent Derig and he pencilled in the required information. I hope that the description is correct. I also indicated position of well on map. Following this other land description he gave me. Part of my land is described as a Tax number, because Jenkins Creek runs thru our place.

NE $\frac{1}{4}$ -SE $\frac{1}{4}$ Sec. 23 - 11 - 6

E $\frac{1}{2}$ -W $\frac{1}{2}$ -SE $\frac{1}{4}$

W $\frac{1}{2}$ -E $\frac{1}{2}$ -SE $\frac{1}{4}$ Sec. 23-11-6

Hoping all this description will help,

Sincerely yours,

Rosemary Wilson

MICROFILMED