


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Norman E. Lally
(Applicant)

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO, } ss.
County of Washington }

Dorothy J. Roth, being duly sworn,
deposes and says:

That he is the Clark of
THE WEISER SIGNAL, a weekly newspaper published at
Weiser, in the County of Washington and State of Idaho; that
said paper has been and is in general circulation in the
county aforesaid, and in the vicinity of Weiser; that the ad-
vertisement, a copy of which is attached hereto, was pub-
lished in said newspaper once a week for 2 consecu-
tive weeks in the regular and entire issue of said paper dur-
ing the period and time of publication, and was published in
the newspaper proper and not in a supplement; that said
paper has been established and regularly published for more
than seventy-eight consecutive weeks prior to the date of
first publication of said advertisement.

Such notice was published in the issue beginning with
May 19, 1977, and ending
with the issue of May 26, 1977.

Fees, \$ 12.58

Subscribed and sworn to before me this 26
day of May, 1977.

Paul Lee
Notary Public, Residing at Weiser, Idaho.

My Commission Expires 1-2, 1979.

No. 70
NOTICE OF APPLICATION
FOR WATER PERMIT

Notice is hereby given that
VERNON E. LOLLEY Route
1, Weiser, ID has on May 9,
1977 submitted Application
No. 67-7322 for a permit to
appropriate 1.2 cubic feet per
second of water from a
groundwater source by
means of well with pump
within the NE $\frac{1}{4}$ NE $\frac{1}{4}$ Sec 28
T11N-R6W B.M., Washing-
ton County to be used from
Mar 15 to Nov 15 for the
irrigation of 60 acres within
the NE $\frac{1}{4}$ NE $\frac{1}{4}$ Sec 28,
SW $\frac{1}{4}$ SE $\frac{1}{4}$ Sec 21, T11N-
R6W B.M.

If issued, this permit will
be subject to all prior water
rights. Protests against the
granting of the permit must
be filed with the Director of
the Idaho Department of
Water Resources, 92 South
Cole Road, Boise, Idaho
83705 on or before June 6,
1977.

C. STEPHEN ALLRED

Director

Published in the Signal
American, Weiser, ID on
May 19, 1977 and May 26,
1977.


20-2s

RECEIVED

MAY 31 1977

Department of Water Resources
Western Regional Office

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = _____

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☒ Aerial Photo Attached (required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	Birkley	15	unknown	Birkley	5"
	3 phase			3 phase	
	submersa.			submersa.	

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date


2. Measurements: _____


MICROFILMED

DEC 23 1995

67-07322

T11N R06W





E-601
71052
A 7.0
B 9.0

A 37.8

E 20.6

D 18.4

D 9.9

C 8.9 8.4

E-58
E-58

E-58
E-58

(9.9)

B 9.5

A 9.9

B 7.9

C 6.6

D 8.2

A 13.5

C 8.1

A 19.6

C 19.3

B 7.8

E-5
E-5
17.7
20.0

B 28.6

C 21.9

I 20.5

A 10.5

B 7.7

20.0

20.0

MICROFILMED
DEC 23 1956

PERMIT 67-07322 INIT 3.4
T. R. S. Q/Q
P/D 11N 6W 38 NENE
SCALE
PHOTO ID. ASIS Aerial

8. POSSIBLE CONTAMINATION SOURCES:

Is there evidence of Chemigation? ☐ Yes ☒ No

If yes, is there a check-valve present? ☐ Yes ☐ No

Is there a possible source of contamination nearby? ☐ Yes ☒ No

If yes, what Type? _____

How far away from the well is this source? _____


9. REMARKS: _____

Paul Hemenway WR Agent
Signature of Dept. Representative & Title

8/16/94
Inspection Date

PHOTOS, DRAWINGS, OTHER ATTACHMENTS:

(photo on another sheet)



MICROFILMED
DEC 23 1996



67-07322

8/16/94 S.H

P/D: shut off valve

5" diameter steel pipe (discharge)

12" casing submers. pump.

P/u: alfalfa field

power source

cement ditches



MICROFILMED

DEC 23 1996

underground culvert leading to dirt cement ditches going to corn field



67-07322
8/16/94 S.H

P/u:
corn field
on North side
of road

flows west +
then north,
gravity flow
w/ siphon tubes



cement
ditch going
west then south
into grain field,
gravity flow w/
siphon tubes



P/u:
grain
field

MICROFILMED
DEC 23 1995

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 67-07322

Priority: August 30, 1977

Maximum Diversion Rate:

0.85 CFS

This is to certify, that VERNON E LOLLEY

RT 1 BOX 167

WEISER ID 83672

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated May 9, 1977; and has submitted Proof of Beneficial Use on May 7, 1982. An examination indicates that the works have a diversion capacity of 0.850 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.85 CFS	

LOCATION OF POINT(S) OF DIVERSION:

NENE , Sec. 28, Township 11N, Range 06W
WASHINGTON County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
11N	06W	21	SWSE	20		20
		28	NENE	40		40

Total number of acres irrigated: 60

CONDITIONS OF APPROVAL AND REMARKS

1. This water right is appurtenant to the described place of use.
2. This right is subject to all prior water rights and may be forfeited by five years of non-use.
3. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
4. This right when combined with all other rights shall provide no more than 4.5 afa per acre for the lands above.
5. The right holder shall use the full allotment of appurtenant surface water rights in conjunction with groundwater diverted under this right and shall only divert groundwater under this right when water from the appurtenant surface water rights cannot be delivered to the right holder.
6. This right shall not be used if the surface water right(s) appurtenant to the place of use is sold, transferred, leased, or used on any other place of use.
7. This right when combined with all other rights shall provide no more than .02 cfs per acre nor exceed a combined annual diversion volume of 270.0 af for the lands above.

RECORDED
DEC 2 1 1986

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 67-07322

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 25th
day of November, 1996.


Acting for KARL J. DREHER, Director



MICROFILMED
DEC 7 8 1996

BEFORE THE DEPARTMENT OF WATER RESOURCES

OF THE

STATE OF IDAHO

IN THE MATTER OF PERMIT NO.)
67-07322 IN THE NAME OF)
VERNON E. LOLLEY)
_____)

**ORDER ADVANCING
DATE OF PRIORITY**

This matter having come before the Department of Water Resources (Department) as a result of preparing Permit No. 67-07322 for the issuance of a license, the Department finds, concludes and orders as follows:

FINDINGS OF FACT

1. On July 18, 1977, the Department approved Application for Permit No. 67-07322 to appropriate water with a proposed priority of May 9, 1977.

2. On May 7, 1982, the original permit holder submitted proof of beneficial use;

3. On April 10, 1987, the department sent the original permit holder an Examination Fee Notice and informed him that he had sixty (60) days to submit the required examination fee.

4. On September 30, 1987, the permit holder submitted the \$125.00 examination fee. The fee was submitted 113 days late, however, the department did not issue an order advancing the date of priority.


CONCLUSIONS OF LAW

1. The Department should issue an order showing that the priority has been advanced to August 30, 1977.

ORDER

IT IS THEREFORE HEREBY ORDERED that the date of priority of Permit No. 67-07322 is advanced to August 30, 1977.

Dated this 25th day of November, 1996.



L. GLEN SAXTON, Chief
Water Allocation Bureau

MICROFILMED

DEC 7 1996

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE
STATE OF IDAHO

IN THE MATTER OF CHANGING THE MEASURING
DEVICE REQUIREMENT FOR PERMIT NO. 67-7322

ORDER

WHEREAS, the above numbered permit was approved with the condition that a measuring device of a type approved by the Department be permanently installed and maintained as part of the diverting works; and,

WHEREAS, on July 1, 1978, the Department adopted a new water measurement condition which states: "An access port or other device as specified by the Department shall be installed by the permit holder to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department"; and,

WHEREAS, the former condition required the permit holder to purchase and install a measuring device or hire a professional engineer to certify the rate of diversion; and,


WHEREAS, the measuring device condition effective July 1, 1978, requires less capital expenditure by the permit holder; and,

WHEREAS, to be equitable to holders of permits issued prior to July 1, 1978, the new condition should be retroactive;

NOW THEREFORE, it is hereby ordered that the condition of approval of this permit related to water measurement is hereby changed as follows:

"The permit holder shall either install a measuring device or provide a certified measurement by a professional engineer or install an access port or other device as specified by the Department".

Dated this 1st day of June 1981.



GLEN SAXTON
Chief, Operations Bureau

Identification No. _____

Application No. 67-7322

**STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES**

APPLICATION FOR PERMIT

APPROVED

To Appropriate the Public Waters of the State of Idaho

(TYPE OR PRINT IN INK)

1. Name of applicant Vernon E. Lolley Phone: 549-0248
post office address Route 1, Box 167 Weiser, ID 83672
2. Source of water supply groundwater which is a tributary of _____
3. a. Location of point of diversion is NE $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 28 Township 11N
Range 6W B.M. Washington County; additional points of diversion if any: _____

b. If water is not consumed, it will be discharged into _____ at a point in _____ $\frac{1}{4}$
of _____ $\frac{1}{4}$ of Section _____ Township _____ Range _____ B.M. _____
4. Water will be used for the following purposes:
Amount 1.2 for irrigation purpose from 3-15 to 11-15 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated:
a. 1.2 cubic feet per second and/or
b. _____ acre feet per annum.
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. _____
well with pump

b. Height of storage dam _____ feet, active reservoir capacity _____ acre feet; total reservoir
capacity _____ acre feet, materials used in storage dam: _____
Period of year during which storage will occur _____ to _____ inclusive.
(Mo. Day) (Mo. Day)
c. Proposed well diameter is 14 inches; proposed depth of well is 40 feet.
7. a. Time required for the completion of the works and application of the water to the proposed beneficial use
is 5 years.
b. Estimated construction cost is \$ 5000.00.
8. Description of proposed uses:
a. If water is **not** for irrigation:
(1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____
Range _____ B.M. _____
(2) Amount of power to be generated: _____ hp under _____ feet of head.
(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be
supplied with domestic water _____.
(5) If water is to be used for other purposes describe: _____

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP.	RANGE	SEC.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
11N	6W	28	40																40
		21															20		20

Total number of acres to be irrigated 60

c. Describe any other water rights used for the same purposes as described above. Weiser Irrigation District


9. a. Who owns the property at the point of diversion Applicant

b. Who owns the land to be irrigated or place of use Applicant

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing _____

10. Remarks This is supplemental to Weiser Irrigation District water.

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Hermon E. Talley
(Applicant)

Proposed Priority 5/ 9/77

Received by WHL Date 5/9/77 Time 2:30

Preliminary check by LHS Fee \$ 35.00

Receipted by WHL Date 5/9/77 # 7713

Publication prepared by CS Date May 12, 1977

Published in The Signal American

Publication dates May 19, 1977 + May 26, 1977

Publication approved Y Date 6-2-77

Priority reduced to 0 Reason

Protests filed by:

Copies of protests forwarded by

Hearing held by Date

Recommended for approval denial by WHL

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 67-7322, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:


a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before July 1, 19 82.

c. Other: A measuring device of a type approved by this Department shall be permanently installed and maintained as part of the diverting works.

The rate of diversion of water for irrigation under this permit and all other water rights on the same land shall not exceed 0.02 cubic feet per second for each acre of land.

Witness my hand this 18th day of July, 19 77.


Director



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

November 25, 1996

VERNON E LOLLEY
RT 1 BOX 167
WEISER ID 83672

RE: WATER RIGHT NO. 67-07322

Dear Water Right Holder(s):

Enclosed are copies of the Water Right License issued on the above referenced permit and an Order Advancing the Date of Priority to August 30, 1977. If you have any questions, please contact me within 10 days of receipt of this license.

Also, please note that as of July 1, 1996, water right owners are required to report any change of water right ownership and any change of mailing address to the department. If you have acquired a water right or have changed your mailing address PRIOR TO July 1, 1996, you have until July 30, 1998, to notify the department. If you acquire a water right or change your mailing address AFTER July 1, 1996, you must notify the department within 120 days of the change.

Failure to report these changes could result in a \$100 late filing fee. Contact any office of the department to obtain the proper reporting form.

Sincerely,

A handwritten signature in cursive script that reads "Shelley W. Keen".

Shelley W. Keen
Water Rights Supervisor

SK:ph

Enclosure

MICROFILMED

DEC 23 1996

MEMORANDUM

TO: File 67-07322

FROM: Sharla

DATE: November 20, 1996

RE: Recommendation Adjustment(s)

The final license recommendations for Right 67-07322 are based on the following:

H. RECOMMENDATIONS

1. Recommended Amounts

Irrigation	3/15 - 11/15	0.85 cfs
------------	--------------	----------

The annual volume per acre for this area is 4.5 af; 60 acres X 4.5 af/acre is 270.0 af. Because there are overlapping surface water rights, the volume total will be found in the remarks section.

Examiner: Sandy Hemenway

Exam date: August 16, 1994

MICROFILMED
DEC 23 1995

LICENSE REVIEW CHECKLIST

PERMIT NO. 67-07322

DATE 11/20/96

REVIEWER: S H A R L A

NAME	Change <u>—</u>	OK <u>✓</u>	Address Change <u>NO</u>
SOURCE	<u>—</u>	<u>✓</u>	Is change clarification of originally intended source? <u>—</u> If not, prepare Notice of Intent to Void <u>—</u>
POINT OF DIV	<u>—</u>	<u>✓</u>	Amendment required <u>NO</u>
PLACE OF USE	<u>—</u>	<u>✓</u>	Amendment required <u>NO</u>

Does map agree with written description? — yes — no

OVERLAPS — P/D — P/U

RATE OF DIV

Permitted Rate	<u>1.2</u>	cfs
Fee limit	<u>2.0</u>	cfs \$125 ⁰⁰
Measured	<u>—</u>	cfs
Theoretical	<u>.85</u>	cfs

Recommended Total Div Rate .85 cfs

ANNUAL VOLUME/ NATURE OF USES

<u>—</u>	<u>✓</u>	Use <u>W.S.</u>	Volume Calculation <u>60K 4.5 = 270.0</u> af
<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u> af
<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u> af
<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u> af
SUBTOTAL			<u>270.0</u> af

Flow rate .85 cfs X — days X 1.9835 = 412.3 af
 Total volume recommended 270.0 af
 (SUBTOTAL or Flow Rate, whichever is less)

REMARKS

WB7
WB8
~~WB9~~

CONDITIONS — Watermaster Control WD# —

— GW Measurement/Measuring Device
~~Overlap~~
27 Use-specific conditions 065

Advancement of Priority Date Required ✓ yes — no 8/30/77

SRBA Claim Filed ✓
 Adjustment Memo Volume

1st Amend Letter N/A
 2nd Amend Letter N/A

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

DEC 17 1995

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 67-07322

1. Owner: Vernon E. Lolley Phone No. (208) 549-0248

Current Address: Rt. 1 Box 167 Weiser, Id 83672

2. Accompanied by: Vernon E. Lolley EXAM DATE: 8/16/94

Address: Rt 1 Box 167 Weiser, Id 83672 Phone No. (208) 549-0248

Relationship to Permit Holder: self

3. Source: groundwater tributary to —

B. OVERLAP REVIEW

1. Other water rights with the same place of use: 63-11966, 67-02169, 67-02384A

2. Other water rights with the same point of diversion: 63-11966

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			NE	NE	28	11N	6W	Washington	Exam, USGS Topo. & ASCS aerial - see narrative

2. Place(s) of Use:

Indicate Method of Determination Exam, USGS Topo & ASCS aerial map


TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
11N	6W	28	40																40.0
11N	6W	21															20.5		20.5

MICROFILMED

DEC 23 1996

60.0
5H. 60.5 total
per permit

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = _____

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☒ Aerial Photo Attached (required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	Birkley	15	unknown	Birkley	5"
	3 phase			3 phase	
	submers.			submers.	

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

MICROFILMED

DEC 23 1955

E. NARRATIVE/REMARKS/COMMENTS

- Tried to do Trapezoidal Cement Ditch Volume + Diversion rate calculation, but never could get a good seal, even when I tried sealing w/ shovel fulls of sand from the bank sides. So, the Theoretical Pump Efficiency calculation was used as the method of measurement, since the fields are otherwise watered with gravity flow via siphon tubes.
- Use is for irrigation of 60.5 acres (gravity flow).
- No govt lots were in Sections 21 or 28.
- Other WR # 63-11966 in application stage.
- Overlaps for P/D were other source, + overlaps for P/U were other lands +/or other uses.
- Other water sources: Gallows Canal w/ Weiser Irrigation — which may be one of the WR listed in P/U overlaps: 67-02169 or 67-02384A by licensed + listed under Weiser River Irrigation. If this is the case, it would be P/U same land, other source (applicant wasn't sure).

{ An access port was available, but no measuring device was install on the well.

Have conditions of permit approval been met? ☒ yes ☐ no

MICROFILMED
2011 11 23

F. FLOW CALCULATIONS☒ Additional Computation Sheets Attached

Measured Method:

Theoretical pump efficiency calculation (see attachment)
= .85 cfs

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

 $V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = \underline{240 \text{ Afa}}$ $V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = \underline{414.74}$ $V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = \underline{240 \text{ Afa}}$

2. Volume Calculations for Other Uses:

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Irrigation	3/15	11/15	.85	240
Totals:			.85	240

2. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other


I. AUTHENTICATIONField Examiner's Name And Hemenway Date 12/4/94

Reviewer _____ Date _____

MICROFILMED
DEC 23 1995

67-07322

TIIN RO6W



MICROFILMED
DEC 23 1966

PERMIT 67-07322 INIT SH.
T. R. S. Q/Q
P/D LN 6W 28 NENE
SCALE 7.5 USGS T-PO.
PHOTO ID.

71552
A
7.0

E
20.6

D
8.4

C
8.9

E
9.9

(2.3)

2.5

A
19.6

B
7.8

C
19.3

PERMIT 67-07322 INIT S.A
T. R. S. Q/Q
P/D 11N 6W 28 NE NE
SCALE
PHOTO ID. ASIS Aerial

MICROFILMED
DEC 23 1955

IDAHO DEPARTMENT OF WATER RESOURCES

WELL INSPECTION FORM

1. DRILLING PERMIT NO: report found but no # found OTHER APPLICABLE NO: WR# 67-07322

2. OWNER: Vernon E. Lolley Phone: (208) 549-0248
Address: Rt 1 Box 167 Weiser Id 83672

3. WELL LOCATION: Twp 11N, Rge. 6W, Sec. 28, NE 1/4 NE 1/4
County Washington (Provide sketch map and photo on reverse.)

4. DRILLER: Dallas Drilling Lic. No. 224
When Drilled? 6/29/77

5. WELL CONSTRUCTION:

Casing Diameter 12 inches Water tight cap? ☒ Yes ☐ No Access Port: ☒ Yes ☐ No
Casing $\geq$ 12 inches above ground? ☒ Yes ☐ No - Describe _____
Depth of Casing 48 ft. Method Drilled Cable
Condition of Well Casing: ☒ Good ☐ Fair ☐ Poor Describe _____
Control Valve? ☒ Yes ☐ No Pressure Gauge: ☐ Yes ☒ No
Condition of Piping and Valving good
Auger to a depth of _____ ft. Evidence of Annular Seal ☒ Yes ☐ No
Are there obvious construction problems that may be a source for contamination or waste of water?
☐ Yes ☒ No (Describe in Remarks and Attach Photo - On Reverse)

6. HYDROLOGIC INFORMATION:

Depth to Static Water 6 ft. Water Temperature Cold °F
Flowing Artesian ☐ Yes ☒ No Pressure: _____ (psi)
Water Sample Taken? ☐ Yes ☒ No If yes, describe purpose _____
Water Quality Measurements/Observations (Describe) _____

7. WELL USE:

☐ Domestic ☒ Irrigation ☐ Stock
☐ Test ☐ Municipal ☐ Industrial
☐ Abandoned ☐ Waste Disposal/Injection ☐ Not Used
☐ Other: _____

MICROFILMED
DEC 23 1985

8. POSSIBLE CONTAMINATION SOURCES:

Is there evidence of Chemigation? ☐ Yes ☒ No

If yes, is there a check-valve present? ☐ Yes ☐ No

Is there a possible source of contamination nearby? ☐ Yes ☒ No

If yes, what Type? _____

How far away from the well is this source? _____


9. REMARKS:

Paul H. Hemenway, WR Agent
Signature of Dept. Representative & Title

8/16/94
Inspection Date

PHOTOS, DRAWINGS, OTHER ATTACHMENTS:

(photo on another sheet)



MICROFILMED

DEC 23 1995

Department of Water Resources

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

[illegible]

67-07322

Measured Method:

Theoretical pump efficiency calculation
(see attachment) = .85 cfs

① permit irrigation 3/15 - 11/15 1.20 cfs 60 acres

② B/U fee \$125.00 pd 10/6/87 1.01 - 2.0 cfs

③ max. allowable $.02 \frac{\text{cfs}}{\text{acre}} \times 60 = 1.20 \text{ cfs}$

④ $V_{IR} = 60 \text{ acres} \times 4.0 = 240 \text{ Afa}$

$V_{DR} = .85 \text{ cfs} \times 246 \text{ days} \times 1.9835 = 414.74$

~~IF~~ $V = 240 \text{ Afa}$

MICROFILMED

SEE 73 626

THEORETICAL PUMP EFFICIENCY CALCULATIONS

FILE: 67-07322

DATE: 2-DEC-94

COMPLETE BY: SANDY HEMENWAY

HORSEPOWER = 15

PUMP EFFICIENCY = 70%

DYNAMIC LIFT = 16 FEET *6' static + 10'*

SYSTEM PRESSURE = 40 PSI *assumed for irrigation*

QUANTITY = 0.85 CFS

MICROFILMED
DEC 23 1994

67-07322

8/16/94 3.4

P/D:

shut off valve

5" diameter steel
pipe (discharge)

12" casing
submers. pump.

1/4:
alfalfa field

power source

cement ditches

MICROFILMED

DEC 23 1995

underground
culvert leading to
ditch cement ditches going
to corn field

67-07322
8/16/94 S.H

P/u:
corn field
on North side
of road

flows west +
then north,
gravity flow
w/ siphon tubes

cement
ditch going
west then south
into grain field,
gravity flow w/
siphon tubes

P/u:
w/ grain
field

MICROFILMED
DEC 23 1995

4/86

RECEIVED RECEIVED
SEP 20 1987

DEC 17 1987

STATE OF IDAHO Water Resources
Western Regional Office

DEPARTMENT OF WATER RESOURCES
Department of Water Resources

EXAMINATION FEE INFORMATION

For Office Use Only
Fee Received 125
Date 10/6/87
Receipt # 43951
Receipt by [Signature]
Sent to S.O. 11/4/87

KEYPUNCHED

1. Permit No. 67-7322

ONE OF THE FOLLOWING BOXES SHOULD BE MARKED TO DESIGNATE YOUR CHOICE:

☒ I choose to have the department make the field examination of this permit; attached is the examination fee. (If this box is marked, complete items 1 thru 8.)

2. Permit Holder: LOLLEY, VERNON E.

3. Post Office Address: RT. 1, Box 167
WEISER, IDAHO 83672 Telephone No. 208-549-0248

4. Source of Water: WELL

5. Extent of Use:

Domestic _____ (No. of households) Stockwater _____ (No. and type of stock)

Irrigation 60 (acres) Other/Remark _____

6. Total rate &/or volume for which proof is submitted 1.2 cfs 120 acre-feet

7. Show the date water was first diverted and beneficially used under this permit:

JUNE 1977

8. Person to contact to accompany the department representative during the field examination:

VERNON LOLLEY (Name) MICROFILMED
DEC 23 1986

RT. 1 Box 167 WEISER, IDAHO 549-0248
(Address) (Telephone Number)

☐ I choose to have the field examination conducted by a certified water right examiner. Attached is a statement from the certified examiner I have selected verifying that he has been retained to conduct the examination. (If this box is marked, complete items 1 thru 7.)

SEPT. 25, 1987
Date

Vernon E. Lolley
Signature of Permit Holder (and title, if appropriate)

State of Idaho

Department of Water Resources

LICENSE EXAMINATION FEE SCHEDULE

(c.f.s. = cubic feet per second
AF = acre feet)

cfs	AF	Fee
0 - 0.04	0 - 4	\$ 0
.05 - 0.20	5 - 20	50.00
.21 - 1.0	21 - 100	100.00
1.01 - 2.0	101 - 200	125.00
2.01 - 3.0	201 - 300	150.00
3.01 - 4.0	301 - 400	175.00
4.01 - 5.0	401 - 500	200.00
5.01 - 6.0	501 - 600	225.00
6.01 - 7.0	601 - 700	250.00
7.01 - 8.0	701 - 800	275.00
8.01 - 9.0	801 - 900	300.00
9.01 - 10.0	901 - 1000	325.00
10.01 - 11.0	1001 - 1100	350.00
11.01 - 12.0	1101 - 1200	375.00
12.01 - 13.0	1201 - 1300	400.00
13.01 - 14.0	1301 - 1400	425.00
14.01 - 15.0	1401 - 1500	450.00
15.01 - 16.0	1501 - 1600	475.00
16.01 - 17.0	1601 - 1700	500.00
17.01 - 18.0	1701 - 1800	525.00
18.01 - 19.0	1801 - 1900	550.00
19.01 - 20.0	1901 - 2000	575.00
20.01 & over	2001 & over	600.00

Checks should be made payable to the
Department of Water Resources

No fee is required for single family
domestic use or stockwater use.



Cecil D. Andrus
Governor

State of Idaho
DEPARTMENT OF WATER RESOURCES
Western Region

2735 Airport Way
Boise, Idaho 83705
(208) 334-2190

67-7322
LULLEY, VERNON E.
RT. 1 BOX 167
WEISER, ID 83672

138229

April 10, 1987

CERTIFIED MAIL

EXAMINATION FEE NOTICE

Dear Permit Holder:

Department records show that proof of beneficial use has been submitted for the above-referenced permit, but that a field examination has not yet been conducted to determine the extent of beneficial use of the water for licensing purposes.

House Bill 671 (effective April 4, 1986) enacted by the 1986 Idaho Legislature requires the payment of a fee before this department can conduct the field examination needed to issue a license confirming use of water under the permit. This letter is notification that the license examination fee is due within sixty (60) days of the date of this letter. The examination fee information sheet (enclosed) must be returned with the fee.

As an alternative to submitting the fee, the department will accept a field examination report completed by a certified water right examiner from the private sector. If you choose to have the examination done by a certified water right examiner, you need not submit the license examination fee to the department, but you must within sixty (60) days of the date of this letter return to the department, the examination fee information sheet showing appropriate information together with a statement from the certified examiner to verify that you have retained a certified examiner to conduct the field examination. If you choose this alternative, a completed field examination report must be submitted within one year of the date of this letter. You cannot later change your decision to use this alternative and submit the fee needed for the department to conduct the field examination, but you may change to another certified examiner.

MICROFILMED

DEC 23 1986



State of Idaho
DEPARTMENT OF WATER RESOURCES
WESTERN REGION, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-2190

December 7, 1982

Rafter HL Farms, Inc.
c/o Vernon E. Lolley
Route #1 P.O. Box 167
Weiser, Idaho 83672

Re: 67-7322

Dear Mr. Lolley:

We acknowledge receipt of your statement submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department.

☐

A field examination of your system has been scheduled for _____.

If this time and date is not convenient for you, please contact this office as soon as possible.

☒

A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office.

Sincerely,

Judy Pense

Judy Pense
Secretary

MICROFILMED

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this as a statement that the permit holder(s) completed development to the extent shown below. Permit No. 67-7322

Name(s) of Permit Holder: Rafter H L Farms Inc.

Post Office Address: Rt. 1 Box 167 Weiser Idaho

83672

Tel. No. 208-549-0248

Source of Water: WELL

Extent of Use:

☐ Domestic

(number of households)

☐ Stockwater

(number and type of stock)

☒ Irrigation

50

(acres)

☐ Other

Measuring Device: Required?

☐ Yes

☐ No

Installed?

☐ Yes

☐ No

Access Port: Required?

☒ Yes

☐ No

Installed?

☒ Yes

☐ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

MAY 6, 1982

Date


Vernon Kelly, Pres.

Signature of Permit Holder

VERNON 29507

RT. 1 Box 167

WEISER IDAHO 83672



RECEIVED

MAY 7 1982



Department of Water Resources

IDAHO DEPARTMENT OF WATER RESOURCES

STATEHOUSE

BOISE, IDAHO 83720

S T A T E O F I D A H O
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
CERTIFIED MAIL

138895

LOLLEY, VERNON E.
RT. 1 BOX 167
WEISER, ID 83672

APRIL 30, 1982

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF YOUR WATER PERMIT NO. 67-7322 WAS THAT EVIDENCE OF THE EXTENT OF DEVELOPMENT MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE JULY 01, 1982. (SEE LAST PAGE OF YOUR APPROVED PERMIT). ENCLOSED IS A POST CARD WHICH MAY BE USED TO SUBMIT THE REQUIRED PROOF OF BENEFICIAL USE.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU HAVE NOT PREVIOUSLY RECEIVED AN EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME PROVIDED THE DELAY IS FOR REASONABLE CAUSE AS INDICATED IN SECTION 42-204, IDAHO CODE, AMENDED. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED.

EITHER THE BENEFICIAL USE POST CARD OR A REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE MENTIONED DATE, OTHERWISE, THE PERMIT WILL LAPSE AND BE OF NO FURTHER FORCE OR EFFECT WITHIN 60 DAYS.

SINCERELY,

RITA FLECK
SR. SECRETARY

ENC: 1



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

April 30, 1982

Dear Wateruser:

The enclosed Order changes the measuring device condition of approval on your water right permit.

The changed condition is less restrictive and provides you the option to install an access port or have your system measured and certified by a professional engineer. Instructions for access port installation are also enclosed.

If you have questions regarding this matter, please contact the regional office nearest to you.

Sincerely,

DAVID R. TUTHILL JR., P. E.
Supervisor, Water Allocations Section

DRT:jg

Enclosures

NORTHERN REGION OFFICE
Route #5, Box 203, Government Way
Coeur d'Alene, Idaho 83814
Telephone 667-6484

EASTERN REGION OFFICE
150 Shoup Avenue
Idaho Falls, Idaho 83401
Telephone 525-7161

SOUTHERN REGION OFFICE
1041 Blue Lake Boulevard North
Twin Falls, Idaho 83301
Telephone 734-3578

WESTERN REGION OFFICE
92 South Cole Road
Boise, Idaho 83709
Telephone 334-2190

July 19, 1977

Re: Permit No. 67-7322

Vernon E. Lolley
Route #1
Box 167
Weiser, ID 83672

Dear Vernon:

Enclosed is a copy of your approved Application for Permit No. 67-7322. We direct your attention to the conditions of approval as listed on the fourth page.

Be sure to note that a special condition requiring you to install and maintain a measuring device at your point of diversion has been placed upon your permit. We are enclosing a letter describing different types of measuring devices accepted by this office.

Sincerely,

BOBBY D. FLEENOR
Chief, Water Rights

Enclosure: Copy of permit

RECEIVED
JUL 20 1977
WATER RIGHTS
DIVISION
BOBBY D. FLEENOR

DEPARTMENT OF WATER RESOURCES
- STAFF ANALYSIS -

Item Initial Date

Application No. _____

☒ Source
☒ Point of Diversion
☒ County
☒ Quantity of Water and Period of Use
☒ Description of Diverting Works
☒ Time required for B/U of water
☒ Place of Use or Acres Irrigated
☒ Map
☒ Signature
☒ Fee

____ Pre-permit exam
____ Adjudication Claim
____ Dam Construction
____ Papers Sent

(1) 6LS 5/9/77

In form to receipt

(2) _____

Send Copies to:

____ Idaho State Health Department
____ Idaho Fish and Game Department
____ Bureau of Land Management

(3) _____

____ Request Special Use Permit from U.S.F.S.
____ Request Easement from B.L.M.
____ Request Information from Applicant

(4) 6LS 5/9/77

In form for advertising

(5) _____

Platted on Map No. _____

(6) _____

Located within Water District No. _____

(7) _____

Critical groundwater area: yes _____ no ☒

(8) _____

Groundwater levels:

____ Declining, ____ Stable, ____ Increasing

(comment) _____

(9) _____

Other rights on the same place of use none
platted

(10) _____

Comments: _____

(11) ry CL

Affidavit of Publication received(date) 6-2-77

(12) _____

Final date for protests 6-6-77

Protests received: yes _____ no ☒

(13) _____

All requested information received from agencies or
applicant: yes _____ no _____

(14) _____

Action recommended:

☒ Approve _____ Deny

____ Proposed Priority

____ Reason for Reduction _____

☒ Measuring device required

____ See attached sheet for other conditions of
approval

____ No special conditions for approval

(15) District W

By THS

Date 6-6-77

Supplemental



STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES WESTERN REGION

Cecil D. Andrus
Governor

R. Keith Higginson
Director

92 South Cole Road
Boise, Idaho 83705
(208) 384-2100

67-7322

May 13, 1977

RE: SEE ATTACHED SHEET

The Signal American
P. O. Box 709
Weiser, ID 83672

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. In order to receive payment, the following certification must appear on the bill:

"I hereby certify that the foregoing account is just and correct, that the amount claimed is legally due after allowing all just credits and that no part of the same has been paid."

(Signature of Claimant)

Please send the affidavit of publication and publication billing to this office before June 6, 1977.

Sincerely,

Bill submitted
6-2-77
y

PUBLISHED IN THE SIGNAL AMERICAN, Weiser, ID, on May 19, 1977 and May 26, 1977

CLAIMS TO A WATER RIGHT

67-4185	Art A. Correia &/or Mary J. Correia
67-4187	Amos Rodabaugh
67-4195	John E. &/or Esther C. Kyle
67-4196	John E. &/or Esther C. Kyle
67-4197	Garold &/or Carol M. Dick
67-4198	Garold D. &/or Carol M. Dick
67-4199	Bill M. &/or Carol &/or Carol &/or Don &/or Elsie Youghblood
67-4200	Bill J. &/or Carol Youngblood

APPLICATIONS FOR WATER PERMIT

67-7321	James D. Craig
67-7322	Vernon E. Lolley
67-7323	Bill J. &/pr Carol Youghblood

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that VERNON E. LOLLEY
Route 1, Weiser, ID
has on May 9, 1977 submitted Application No. 67-7322
for a permit to appropriate 1.2 cubic feet per second ~~XXXXXXXXXX~~
~~XXXXXXXXXX~~ of water from a groundwater source
by means of well with pump
within the NE1/4NE1/4 Sec 28 T11N-R6W B.M., Washington County

to be used from Mar 15 to Nov 15
for the irrigation of 60 acres

within the NE1/4NE1/4 Sec 28, SW1/4SE1/4 Sec 21, T11N-R6W B.M.

If issued, this permit will be subject to all prior water rights. Pro-
tests against the granting of the permit must be filed with the Director of
the Idaho Department of Water Resources, 92 South Cole Road, Boise, Idaho
83705 on or before June 6, 1977.

C. STEPHEN ALLRED
Director

Published in the The Signal American, Weiser, ID
on May 19, 1977 and May 26, 1977.