


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Reuben Fungg
(Applicant)

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO, }
County of Washington } ss.

Dorothy A. Booth, being duly sworn,
deposes and says:

That he is the Clerk of
THE WEISER SIGNAL, a weekly newspaper published at
Weiser, in the County of Washington and State of Idaho; that
said paper has been and is in general circulation in the
county aforesaid, and in the vicinity of Weiser; that the ad-
vertisement, a copy of which is attached hereto, was pub-
lished in said newspaper once a week for Two consecu-
tive weeks in the regular and entire issue of said paper dur-
ing the period and time of publication, and was published in
the newspaper proper and not in a supplement; that said
paper has been established and regularly published for more
than seventy-eight consecutive weeks prior to the date of
first publication of said advertisement.

Such notice was published in the issue beginning with
May 5, 1977, and ending
with the issue of May 12, 1977.
Dorothy A. Booth
Fees, \$ 12.58

Subscribed and sworn to before me this 12
day of May, 1977.
Paul Dee
Notary Public, Residing at Weiser, Idaho.
My Commission Expires 1-2, 1978.

No. 50
NOTICE OF APPLICATION
FOR WATER PERMIT

Notice is hereby given that
RULON ZAUGG Rt. 3,
Weiser, ID has on April 22,
1977 submitted Application
No. 67-7316 for a permit to
appropriate 1.6 cubic feet per
second of water from a
groundwater source by
means of well, pump, pipe &
ditches within the
SE $\frac{1}{4}$ NW $\frac{1}{4}$ Sec 23 T10N-
R5W B.M., Washington
County to be used from Mar
15 to Nov 15 for the irriga-
tion of 80 acres within the
W $\frac{1}{2}$ NW $\frac{1}{4}$, SE $\frac{1}{4}$ NW $\frac{1}{4}$ Sec
23 T10N-R5W. B.M.

If issued, this permit will
be subject to all prior water
rights. Protests against the
granting of the permit must
be filed with the Director of
the Idaho Department of
Water Resources, 92 South
Cole Road, Boise, Idaho
83705 on or before May 23,
1977.

C. STEPHEN ALLRED

Director

Published in The Signal
American, Weiser, ID on
May 5, 1977 and May 12,
1977.

16-2s

ok 5/17/77
453

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
MAR 13 1991

A. GENERAL INFORMATION

Department of Water Resources
Permit No. 87-1316

1. Owner: RULON FAUGG
Current Address: 270 Hwy 95 WEISER, ID 83672
Phone No. 549-2679
2. Accompanied by: SAME
Address: _____
Phone No. _____
Relationship to Permit Holder: PERMIT HOLDER
3. Source: GROUNDWATER tributary to _____


EXAM. DATE: 8-3-88

B. OVERLAP REVIEW

1. Other water rights with same place of use: 67-2123, 2124, 2398, 4238, 65-0165x
65-11413, 67-7024 ☒ ^{SOME} Copies Attached
2. Other water rights with same point of diversion: 67-2124 + 67-2123
_____ ☒ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = NO SCALE

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).
- ☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).
- ☒ Aerial Photo Attached
(required for irrigation of 10-acres or more).

67-7316

573

52.1

32

F-240
F-240
T1164

A
10.6

B
13.6

F-240
F-240
T1179

8.7

T1130

D
8.8

C
13.0

29.9

F-20
F-10
T1067

A
16.7

A
31.6

F-240
F-240
T1165

19.9

2
16.4

3
17.9

20.5

3
15.9

F-162
F-162
T1153

A
3.9

54
17.0

F-20
F-20
T1068

7.5

B
8.3

C
13.4

F-13
F-133
T1133

1.1
2.2

3
17.2

F
12.7

E
11.8

G
3.9

F-69
F-6
T1108

A
24.4

DEC 09 1992

MEASUREMENT
15.2

8" BURIED
PIPE

CEMENT
CURB

17.2

17.0

17.0

17.0

17.0

17.0

17.0

17.0

17.0

17.0

17.0


17.0

17.0

17.0

67-7316-23

67-7318



RECORDED
DEC 09 1992

P.D.

67-7316



P.D.
TAKEN
LOOKING
NORTHWEST



TAKEN
LOOKING
WEST

P.U.
+
POINT OF
MEASUREMENT
+
POINT OF
DEPLETION
TO FIELD

FILMED

DEC 09 1992

67-7316



P.U.

MICROFILMED

DEC 09 1992



State of Idaho

DEPARTMENT OF WATER RESOURCES

WESTERN REGION, 92 South Cole Road, Boise, Idaho 83709

JOHN V. EVANS
Governor

(Office at the corner of
Franklin and Cole Roads)

A. Kenneth Dunn
Director

(208) 334-2190

June 1, 1982

Rulon Zaugg
Box 239 Route 3
Weiser, ID 83672

RE: 67-7316

Dear Mr. Zaugg:

We acknowledge receipt of your statement submitted as proof as beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department.

☐ A field examination of your system has been scheduled for _____.

If this time and date is not convenient for you, please contact this office as soon as possible.

☐ A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office.

Sincerely,

Judy Pense

Judy Pense
Secretary

MICROFILMED

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 67-07316

Priority: April 22, 1977

Maximum Diversion Rate: 1.52 CFS
Maximum Diversion Volume: 342.0 AF

This is to certify, that RULON ZAUGG
270 HWY 95
WEISER ID 83672

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated April 22, 1977; and has submitted Proof of Beneficial Use on April 6, 1982. An examination indicates that the works have a diversion capacity of 2.530 cfs of water from a **GROUNDWATER** source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	1.52 CFS	342.0 AF

LOCATION OF POINT(S) OF DIVERSION: SENW , Sec. 23, Township 10N, Range 05W
WASHINGTON County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
10N	05W	23	NWNW 39	SWNW 18	SENW 19	76
Total number of acres irrigated:						76

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right limited to the amount that can actually be beneficially use used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 4.5 afa per acre for the lands above.

MICROFILMED

DEC 09 1992

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE
WATER RIGHT NO. 67-07316

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 24TH
day of NOVEMBER, 1992.

Acting for 
R. Keith Higginson, Director

RECORDED

DEC 09 1992

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE
STATE OF IDAHO

IN THE MATTER OF CHANGING THE MEASURING
DEVICE REQUIREMENT FOR PERMIT NO. 67-7316

ORDER

WHEREAS, the above numbered permit was approved with the condition that a measuring device of a type approved by the Department be permanently installed and maintained as part of the diverting works; and,

WHEREAS, on July 1, 1978, the Department adopted a new water measurement condition which states: "An access port or other device as specified by the Department shall be installed by the permit holder to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department"; and,

WHEREAS, the former condition required the permit holder to purchase and install a measuring device or hire a professional engineer to certify the rate of diversion; and,

WHEREAS, the measuring device condition effective July 1, 1978, requires less capital expenditure by the permit holder; and,

WHEREAS, to be equitable to holders of permits issued prior to July 1, 1978, the new condition should be retroactive;

NOW THEREFORE, it is hereby ordered that the condition of approval of this permit related to water measurement is hereby changed as follows:

"The permit holder shall either install a measuring device or provide a certified measurement by a professional engineer or install an access port or other device as specified by the Department".

Dated this 1st day of June 1981.

Glen Saxton

GLEN SAXTON
Chief, Operations Bureau

Identification No. _____

Application No. 67-1316

**STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES**

APPLICATION FOR PERMIT

APPROVED

To Appropriate the Public Waters of the State of Idaho

(TYPE OR PRINT IN INK)

1. Name of applicant Rulon Zaugg Phone: 549-2679
post office address Box 239 Route 3 Weiser, Idaho 83672

2. Source of water supply groundwater which is a tributary of _____

3. a. Location of point of diversion is SE $\frac{1}{4}$ of NW $\frac{1}{4}$ of Section 23 Township 10N
Range 5W B.M. Washington County; additional points of diversion if any: _____

b. If water is not consumed, it will be discharged into _____ at a point in _____ $\frac{1}{4}$
of _____ $\frac{1}{4}$ of Section _____ Township _____ Range _____ B.M. _____

4. Water will be used for the following purposes:

Amount 1.6 cfs for irrigation purpose from Mar. 15 to Nov. 15 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 1.6 cfs cubic feet per second and/or

b. _____ acre feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. well, pump, pipe & ditches

b. Height of storage dam _____ feet, active reservoir capacity _____ acre feet; total reservoir
capacity _____ acre feet, materials used in storage dam: _____

Period of year during which storage will occur _____ to _____ inclusive.
(Mo. Day) (Mo. Day)

c. Proposed well diameter is 16 inches; proposed depth of well is 45 feet.

7. a. Time required for the completion of the works and application of the water to the proposed beneficial use
is 5 years.

b. Estimated construction cost is \$ 5000.

8. Description of proposed uses:

a. If water is **not** for irrigation:

(1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____
Range _____ B.M. _____

(2) Amount of power to be generated: _____ hp under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be
supplied with domestic water _____

(5) If water is to be used for other purposes describe: _____

NOTED

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP.	RANGE	SEC.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
10N	5W	23						40	20	20									80

Total number of acres to be irrigated 80

c. Describe any other water rights used for the same purposes as described above.

Buttermilk Slough


9. a. Who owns the property at the point of diversion Applicant

b. Who owns the land to be irrigated or place of use Applicant

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing.

10. Remarks This supplemental to water out of Buttermilk Slough.

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Rulon Fungg
(Applicant)

Proposed Priority 4/22/77

Received by WMM Date 4/22/77 Time 1:36

Preliminary check by WMM Fee \$ 35.00

Received by WMM Date 4/22/77 # 7607

Publication prepared by CS Date April 28, 1977

Published in The Signal American

Publication dates May 5, 1977 + May 12, 1977

Publication approved y Date 5-17-77

Priority reduced to _____ Reason _____

Protests filed by: _____

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by WMM

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 67-7316, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before June 1, 19 82.
- c. Other: A measuring device of atype approved by the Director shall be permanently installed and maintained as apart of the diverting works.
The rate of diversion of water for irrigation under this permit and all other water rights on the same land shall not exceed 0.02 cubic feet per second for each acre of land.

Witness my hand this 23 day of June 19 77.


Director

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO, }
County of Washington } ss.

Dorothy A. Barth, being duly sworn,
deposes and says:

That he is the Clerk of
THE WEISER SIGNAL, a weekly newspaper published at
Weiser, in the County of Washington and State of Idaho; that
said paper has been and is in general circulation in the
county aforesaid, and in the vicinity of Weiser; that the ad-
vertisement, a copy of which is attached hereto, was pub-
lished in said newspaper once a week for Two consecu-
tive weeks in the regular and entire issue of said paper dur-
ing the period and time of publication, and was published in
the newspaper proper and not in a supplement; that said
paper has been established and regularly published for more
than seventy-eight consecutive weeks prior to the date of
first publication of said advertisement.

Such notice was published in the issue beginning with
May 5, 1977, and ending
with the issue of May 12, 1977
Dorothy A. Barth
Fees, \$ 12.58

Subscribed and sworn to before me this 12
day of May, 1977
Frank Dee
Notary Public, Residing at Weiser, Idaho.
My Commission Expires 1-2, 1978

NOTARY PUBLIC
FOR THE STATE OF IDAHO

Notary Public, given that
RULON, LARRY M., 3.
Weiser, ID. has on April 22,
1977 submitted Application
No. 67-1316 for a permit to
appropriate 1.6 cubic feet per
second of water from a
groundwater source by
means of well, pump, pipe &
ditches within the
SE 1/4 NW 1/4 Sec 23 T10N-
R5W B.M., Washington
County to be used from Mar
15 to May 15 for the irriga-
tion of 80 acres within the
W 1/4 NW 1/4, SE 1/4 NW 1/4, Sec
23 T10N-R5W B.M.

If issued, this permit will
be subject to all prior water
rights. Protests against the
granting of the permit must
be filed with the Director of
the Idaho Department of
Water Resources, 92 South
Cole Road, Boise, Idaho
83705 on or before May 28,
1977.

C. STEPHEN ALLRED
Director
Published in The States
American, Weiser, ID. on
May 5, 1977 and May 12,
1977.

16-2a

OK 5/17/77
453



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

November 24, 1992

RULON ZAUGG
270 HWY 95
WEISER ID 83672

RE: WATER RIGHT NO. 67-07316

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

PAMELA SKAGGS
Water Resource Agent

PS:cz

Enclosure

RECORDED
DEC 09 1992



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000
Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

October 26, 1992

RULON ZAUGG
270 HWY 95
WEISER ID 83672

RE: WATER RIGHT NO. 67-07316

Dear Water Right Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

Sincerely,

PAMELA SKAGGS
Water Resource Agent

PS:cz

Enclosure

RECEIVED
DEC 09 1992

LICENSE REVIEW CHECKLIST

Permit # 67-7316

Date 9-29-92
28

	<u>Yes</u>	<u>No</u>	
NAME	☒	☐	Address Change?
PRIORITY DATE	☐	☒	Advance? _____
	☐	☒	Memo to Advance _____
	☐	☒	Order to Reinstate Needed? _____
TOTAL CFS	☐	☒	Incorrect Fee for rate recommended? _____
	☐	☒	Disagree with Actual Measurement? _____
	☐	☒	<u>76 x .02 = 1.52 cfs (IRR)</u>
	☐	☒	Disagree with Theoretical? _____
	☐	☒	Limited by Capacity? <u>2.53 cfs</u> (measured)
TOTAL VOLUME			Rate/ac <u>4.5</u> AFA Irr. Season <u>D</u>
			<u>3-15 to 11-15</u> Standard Irr. Season
			<u>Same Per Permit</u> Season Recommended
	☒	☐	Disagree with Examiner's Calculations? _____
	☒	☐	<u>76 x 4.5 = 342 cfs (IRR)</u>
	☒	☐	Limited by Flow? _____
SOURCE	☐	☒	Changes? Clarification of <u>Originally</u>
	☐	☒	<u>Intended</u> source _____
	☐	☒	Notice of Intent to Void. _____
P/D	☐	☒	Verify with Map
	☐	☒	Amendment Needed? _____
	☐	☐	Is Overlap Analysis a Consideration? _____
P/U	☐	☒	Verify with Map
	☐	☒	Amendment Needed? _____
	☐	☒	Is Overlap Analysis a Consideration? _____
USES	☐	☒	Change(s) in Nature of Use? _____
	☐	☒	Amendment Needed? _____
REMARKS	☐	☒	Multiple P/Ds in 1/4 1/4? _____
	☐	☒	Non-Irr. Uses _____
	☐	☒	Special Overlap Condition _____
	☐	☒	Other _____
CONDITIONS	☐	☒	Measuring Device
	☐	☒	W/Master Control
	<u>R32</u>	☐	Overlap
	☐	☒	Water Quality
		☒	DATES/MISC
		☒	Water Dist.
		☒	App Rec'd
		☒	Exam Made
COMMENTS/MEMOS NEEDED:	<u>Reduced Acres, rate</u>		
	<u>No P/D Overlap - Different source</u>		
License	☐	10-Day ☒	15-Day ☐
			Special Correspondence _____

WR0749NP
No. 167-07316

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT
(REGIONAL)

DATE: 09/29/92
PAGE: 1

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	RULON ZAUGG 270 HWY 95 WEISER ID 83672 (208) 549-2679	04/22/1977	IRRIGATION	03-15 11-15	1.52 CFS	342.0 AFA
TOTAL DIVERSION:					1.52 CFS	342.0 AFA

Water Source: GROUNDWATER

Tributary to:

Stage: LICENSE

Point(s) of Diversion Capacity: 2.53 CFS

Point(s) of Diversion: T10N R05W S23 SE NW

Place of use Legal Description for: IRRIGATION

				NE				NW				SW				SE				
T	R	S	:	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	:	SUM	
10N	05W	23	:									39	18	19				:	76.0	
																			TOTAL ACRES	76.0

Pou County: WASHINGTON

Other Water Rights with Same Point(s) of Diversion and Source:
67-07316

Other Water Rights Listing Overlapping Place(s) of use:
65-00165X 65-11413 67-02123 67-02124 67-02398 67-04238 67-07024 67-07316

Conditions of Approval:

- R32 - This right when combined with all other rights shall provide no
- more than .02 cfs per acre nor more than 4.5 afa per acre for the
- lands above.

Dates:	App. Received:	04/22/1977	Priority Date:	04/22/1977
	Proof Due Date:	06/01/1982	Proof Made Date:	04/06/1982
	Exam Made Date:	08/03/1988	Exam Sent to S.O.:	03/13/1991
	Licensed Date:			

Misc: Water District Number: Field Exam Fee: R (Received)

Audit: 09/29/92 SKAGGS

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

Staff Analysis Sheet
for
Beneficial Use Field Report

67-7316
Permit No.

P.D. SENW 23 10N
5W

P.U. NWNW } 23
SWNW } 10N 5W
SENW }

A. Prior to Conducting the Exam, the File Contains:

- ☒ Blank Field Report Form
- ☒ Copy of Permit
- ☐ Copies of any Amendments/Orders with conditions of approval
- ☒ Computer Data Proof Report
- ☒ Copy of U.S.G.S. Quad
- ☒ Check for Government Lots. If so, make a copy of Government Plat

Check of P/D index CA 9-28-87 (Initial and date)

Overlap? ☒ yes ☐ no If yes: ☐ copy of exam(s) attached?
Type of Overlap? ☐ Add acres or uses to existing system
☐ Increase rate of flow or volume
☐ Other: _____

Check of P/U index CA 9-28-87 (Initial and date)

Overlap? ☒ yes ☐ no If yes: ☐ copy of water right(s) attached?
Type of Overlap? ☐ Increase rate of flow or volume
☐ Add P/D's
☐ Increase number of acres within tracts
☐ Other: _____

Aerial Photo

Required? ☒ yes ☐ no If yes: ☒ copy attached?

Scheduling Letter sent? ON 8-2-88 (Initial and date)

☐ Appointment made and telephone conversation memo attached

B. After Conducting the Exam, the File Contains:

- ☒ Fully completed and signed Field Report Form
- ☒ Photographs of Point of Diversion and Place of Use
- ☒ ~~Corrected~~ Computer Data Proof Report with recommended license information, and date and signature of examiner.

C. Review and Processing:

Exam Completed Dean Nashett 8-16-88 (Signature of examiner and date)

Exam Reviewed by Senior Water Resource Agent JFW 3/14/91 (Initial and date)

Exam Reviewed by Manager of Regional Office DM 3/15/91 (Initial and date)

Exam Date Entered in Computer ✓ AT (Initial and date)

Exam sent to State Office 3-15-91 AT (Initial and date)

Copy of Staff Analysis Sheet sent to Manager of Regional Office and Original
Refiled in White File _____ (Initial and date)

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
MAR 13 1991

A. GENERAL INFORMATION

Department of Water Resources
Permit No. 07-7316


1. Owner: RULON FAUGG Phone No. 549-2679
Current Address: 270 Hwy 95 WEISER, ID 83672
2. Accompanied by: SAME EXAM. DATE: 8-3-88
Address: _____ Phone No. _____
Relationship to Permit Holder: PERMIT HOLDER
3. Source: CLOUDWATER tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: 67-2123, 2124, 2398, 4238, 65-0165x
65-11413, 67-7024 ☒ Same Copies Attached
2. Other water rights with same point of diversion: 67-2124 + 67-2123
_____ ☒ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = NO SCALE

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required). ☒ Aerial Photo Attached
(required for irrigation of 10-acres or more).
☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).

System Description (continued)

3. **Narrative:** Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

A 12" Cased Well 54 ft. Deep with 25 HP Turbine Pump. Has a 8" Discharge Line Buried Through Field and then it discharges into a Cement Ditch. All Land is Irrigated with Siphon Tubes from Cement Ditches.

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	GENERAL			JOHNSTON	17636
	ELECTRIC	25	ENJ525335		

*Code to correspond with No. on map and aerial photo

5. **Point(s) of Diversion:**

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			SE	NW	23	10N	SW	WASHINGTON	USGS QUAD & AERIAL PHOTO

6. **Place(s) of Use:**

Indicate Method of Determination AERIAL PHOTO

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
10N	SW	23						39	18	19									76 ac

MICROFILMED

DEC 09 1992

Do not use this space

☐ Additional Data Sheets Attached

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
ANNUBAR			ST. #10	091413	8"	
MANOMETER		1DW12			5"	

SEE ANNULAR SUPPLEMENT SHEET

☒ Additional Computation Sheets Attached

$$76ac \times \frac{.02ct}{ac} = 1.52ct$$
$$\frac{25 \text{ Hp} \times 8.8 \times .8}{(2.31 \times 5 \text{ psi}) + 25 \text{ FT}} = 4.82 \text{ cfs}$$

$$4.82 \text{ cfs} > 2.53 \text{ cfs}$$

4.82 cfs > 2.53 cfs
O.K.

O.K.

ESTIMATE (NO WAY INTO WELL) ; Flow rate: 2.53 cfs (4)

Meter Input KW: $3.6 \times \underline{27.8}$ KH x 1 CTR or 1 MULT x 1 PTR x 2 N/ 12.28 T = 17.28 (6)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Ampsx .001732 = _____ (6)

Panel Input HP: $(6) \times 1.34 = \underline{\hspace{1cm}} (7)$ Efficiency: $(5)/(7) \times 100 = \underline{45} \%$

N/A

$$V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 76 \text{ ac} \times 4.5 \text{ in./ac} = 342 \text{ afa}$$
$$V_{DR} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = \underline{1.52 \text{ cfs} \times 245 \text{ days} \times 1.98 = 738.7}$$
$$V = \text{Smaller of } V_{IR} \text{ and } V_{DR} = \underline{342 \text{ afu}}$$

2. Volume Calculations for Other Uses:

MICROFILMED

DEC 09 1992

H. REMARKS AND OVERLAP REVIEW ANALYSIS

OVERLAP

- THIS WELL PROVIDES SUPPLEMENTAL WATER
TO DECREE LICENSE # 67-2123 + 2124.

- OTHER RIGHTS ARE JUST FOR OTHER LAND
IN SAME $\frac{1}{4}$ $\frac{1}{4}$.

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
IRRIGATION	3/15	11/15	1.52 cfs	342 afa
Totals:			1.52 cfs	342 afa

2. Recommended Amendments


- ☐ Change P.D. as reflected above ☐ Add P.D. as reflected above
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above

☒ None

☐ Other

J. AUTHENTICATION


Field Examiner's Name QUENTIN NESBITT
JFW 3/14/91 Signature Quentin Nesbitt
Certification Date _____
Field Report Preparation Date 8-17-88



- K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.


MICROFILMED

DEC 09 1992



67-7316-23

67-7316



State of Idaho
DEPARTMENT OF WATER RESOURCES
SUPPLEMENTAL FIELD REPORT FOR ANNUBAR MEASUREMENT

Measured by: QUINTON NEBITT Date 8-3-88
Owner: RULON FAUGG Permit No. 67-7316

Description of well &/or measuring site

- Include any clarifications of the sketch
- Include legal description if more than one p.d. is described in the Field Report

MEASURED INSIDE PIPE DIAMETER IN INCHES (ID)

CIR = Pipe Circumference in Inches = _____
T = Pipe Thickness in Inches = _____
ID = $2 [(0.1592 \times CIR) - T] = \dots\dots\dots 8''$

ANNUBAR DESCRIPTION & CONSTANT (C)

Size Used in Test 8''
State ID No. _____

Select C based on size from Table below.

Nominal Pipe Size	C
4"	4.23
6"	3.75
8"	<u>3.87</u>
10"	3.94
12"	3.99
14"- 16"	4.01
18"- 24"	4.02
30" or larger	4.03

C selected 3.87

DIFFERENTIAL PRESSURE READING IN INCHES OF H₂O (H)

High Reading = 35
Low Reading = 14
High - Low = H = 21

CALCULATION OF DISCHARGE IN CFS (Q)

$$Q = \frac{(ID)^2 \cdot (\sqrt{H}) \cdot (C)}{448.8}$$

$$Q = \frac{(8)^2 \cdot (\sqrt{21}) \cdot (3.87)}{448.8} = \dots\dots\dots \text{CFS}$$

SKETCH (If not shown on Field Report)

1 1/2
Rise

1,135 G.P.M

2.53 cfs

126.5 INCHES

DEC 09 1992

67-7316



P.D.
TAKEN
LOOKING
NORTHWEST



TAKEN
LOOKING
WEST

P.U.

+

RENT

ME

IN

LEVER

FIELD

FIELD

FIELD

FIELD

FIELD

FIELD

FIELD

FIELD

FIELD

FIELD

FIELD

FIELD

FIELD

DEC 09 1992

67-7316



P.U.

MICROFILMED

DEC 09 1992

4/86

Rec'd
5/21/87
JP

RECEIVED

JUN 18 1987

KEYPUNCHED

For Office Use Only

Fee Received \$125

Date 6-3-87

Receipt # 44892

Receipt by

Sent to S.O. 6/8/87 e #

STATE OF IDAHO
Department of Water Resources

DEPARTMENT OF WATER RESOURCES

EXAMINATION FEE INFORMATION

1. Permit No. 67-7316

ONE OF THE FOLLOWING BOXES SHOULD BE MARKED TO DESIGNATE YOUR CHOICE:

☐ I choose to have the department make the field examination of this permit; attached is the examination fee. (If this box is marked, complete items 1 thru 8.)

2. Permit Holder: RUXON ZAUGG

3. Post Office Address: Rt. 3, Box 239, WELSER, ID 83672

Telephone No. 549-2679

4. Source of Water: GROUNDWATER

5. Extent of Use:

Domestic _____ (No. of households) Stockwater _____ (No. and type of stock)

Irrigation 80 (acres) Other/Remark _____

6. Total rate &/or volume for which proof is submitted 1.6 cfs _____ acre-feet

7. Show the date water was first diverted and beneficially used under this permit:

4/22/77

8. Person to contact to accompany the department representative during the field examination:

SAME AS ABOVE
(Name)

RECORDED

DEC 09 1992

(Address)

(Telephone Number)

☐ I choose to have the field examination conducted by a certified water right examiner. Attached is a statement from the certified examiner I have selected verifying that he has been retained to conduct the examination. (If this box is marked, complete items 1 thru 7.)

Date _____

Signature of Permit Holder (and title, if appropriate) _____

State of Idaho

Department of Water Resources

LICENSE EXAMINATION FEE SCHEDULE

(c.f.s. = cubic feet per second
AF = acre feet)

cfs	AF	Fee
0 - 0.04	0 - 4	\$ 0
.05 - 0.20	5 - 20	50.00
.21 - 1.0	21 - 100	100.00
1.01 - 2.0	101 - 200	125.00
2.01 - 3.0	201 - 300	150.00
3.01 - 4.0	301 - 400	175.00
4.01 - 5.0	401 - 500	200.00
5.01 - 6.0	501 - 600	225.00
6.01 - 7.0	601 - 700	250.00
7.01 - 8.0	701 - 800	275.00
8.01 - 9.0	801 - 900	300.00
9.01 - 10.0	901 - 1000	325.00
10.01 - 11.0	1001 - 1100	350.00
11.01 - 12.0	1101 - 1200	375.00
12.01 - 13.0	1201 - 1300	400.00
13.01 - 14.0	1301 - 1400	425.00
14.01 - 15.0	1401 - 1500	450.00
15.01 - 16.0	1501 - 1600	475.00
16.01 - 17.0	1601 - 1700	500.00
17.01 - 18.0	1701 - 1800	525.00
18.01 - 19.0	1801 - 1900	550.00
19.01 - 20.0	1901 - 2000	575.00
20.01 & over	2001 & over	600.00

Checks should be made payable to the
Department of Water Resources

No fee is required for single family
domestic use or stockwater use.



State of Idaho
DEPARTMENT OF WATER RESOURCES
Western Region

Cecil D. Andrus
Governor

2735 Airport Way
Boise, Idaho 83705
(208) 334-2190

67-7316
ZAUGG, RULON
RT. 3 BOX 239
WEISER, ID 83672

138227

April 10, 1987

CERTIFIED MAIL

EXAMINATION FEE NOTICE

Dear Permit Holder:

Department records show that proof of beneficial use has been submitted for the above-referenced permit, but that a field examination has not yet been conducted to determine the extent of beneficial use of the water for licensing purposes.

House Bill 671 (effective April 4, 1986) enacted by the 1986 Idaho Legislature requires the payment of a fee before this department can conduct the field examination needed to issue a license confirming use of water under the permit. This letter is notification that the license examination fee is due within sixty (60) days of the date of this letter. The examination fee information sheet (enclosed) must be returned with the fee.

As an alternative to submitting the fee, the department will accept a field examination report completed by a certified water right examiner from the private sector. If you choose to have the examination done by a certified water right examiner, you need not submit the license examination fee to the department, but you must within sixty (60) days of the date of this letter return to the department, the examination fee information sheet showing appropriate information together with a statement from the certified examiner to verify that you have retained a certified examiner to conduct the field examination. If you choose this alternative, a completed field examination report must be submitted within one year of the date of this letter. You cannot later change your decision to use this alternative and submit the fee needed for the department to conduct the field examination, but you may change to another certified examiner.

RECORDED

DEC 09 1992



State of Idaho

DEPARTMENT OF WATER RESOURCES

WESTERN REGION, 92 South Cole Road, Boise, Idaho 83709

JOHN V. EVANS

Governor

(Office at the corner of
Franklin and Cole Roads)

A. Kenneth Dunn

Director

(208) 334-2190

June 1, 1982

Rulon Baugg
Box 239 Route 3
Boise, ID 83672

RE: 67-7310

Dear Mr. Baugg:

We acknowledge receipt of your statement submitted as proof as beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department.

☐ A field examination of your system has been scheduled for _____.

If this time and date is not convenient for you, please contact this office as soon as possible.

☐ A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office.

Sincerely,

Judy Pense

Judy Pense
Secretary

MICROFILMED

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card a statement that the permit holder(s) has completed development to the extent shown below of Permit No. 67-7316.

Name(s) of Permit Holder: Rulon Zaugg

Post Office Address: Weiser RH3 Box 239 Idaho

Tel. No. 549-2679

Source of Water: Well

Amount of Use: ☐ Domestic _____ (number of households)
☐ Stockwater _____ (number and type of stock)
☒ Irrigation 80 (acres)
☐ Other _____


Measuring Device: Required? ☐ Yes ☐ No Installed? ☐ Yes ☐ No By
Access Port: Required? ☒ Yes ☐ No Installed? ☒ Yes ☐ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

April 2, 1982
Date

Rulon Zaugg
Signature of Permit Holder

Rulon Oang
Weiser RH 3 Box
Idaho Zip 83612



U.S. POSTAGE
A PUBLIC THAT READS A LOT OF BOOKS



U.S. POSTAGE
A PUBLIC THAT READS A LOT OF BOOKS



RECEIVED



APR 6 1982

IDAHO DEPARTMENT OF WATER RESOURCES

Department of Water Resources
STATEHOUSE
BOISE, IDAHO 83720

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
CERTIFIED MAIL

138688

ZAUGG, RULON
RT. 3 BOX 239
WEISER, ID 83672

MARCH 31, 1982

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF YOUR WATER PERMIT NO. 67-7316 WAS THAT EVIDENCE OF THE EXTENT OF DEVELOPMENT MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE JUNE 01, 1982. (SEE LAST PAGE OF YOUR APPROVED PERMIT). ENCLOSED IS A POST CARD WHICH MAY BE USED TO SUBMIT THE REQUIRED PROOF OF BENEFICIAL USE.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU HAVE NOT PREVIOUSLY RECEIVED AN EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME PROVIDED THE DELAY IS FOR REASONABLE CAUSE AS INDICATED IN SECTION 42-204, IDAHO CODE, AMENDED. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED.

EITHER THE BENEFICIAL USE POST CARD OR A REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE MENTIONED DATE, OTHERWISE, THE PERMIT WILL LAPSE AND BE OF NO FURTHER FORCE OR EFFECT WITHIN 60 DAYS.

SINCERELY,

RITA FLECK
SR. SECRETARY

ENC: 1

RECEIVED
MAY 1 1982
DEPT. OF WATER RESOURCES



State of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

March 19, 1982

Dear Wateruser:

The enclosed Order changes the measuring device condition of approval on your water right permit.

The changed condition is less restrictive and provides you the option to install an access port or have your system measured and certified by a professional engineer. Instructions for access port installation are also enclosed.

If you have questions regarding this matter, please contact the regional office nearest to you.

Sincerely,

DAVID R. TUTHILL JR., P. E.
Supervisor, Water Allocations Section

DRT:jg

Enclosures

NORTHERN REGION OFFICE
Route #5, Box 203, Government Way
Coeur d'Alene, Idaho 83814
Telephone 667-6484

SOUTHERN REGION OFFICE
1041 Blue Lake Boulevard North
Twin Falls, Idaho 83301
Telephone 734-3578

EASTERN REGION OFFICE
150 Shoup Avenue
Idaho Falls, Idaho 83401
Telephone 525-7161

WESTERN REGION OFFICE
92 South Cole Road
Boise, Idaho 83709
Telephone 334-2190

RECEIVED

June 24, 1977

Re: Permit No. 67-7316

Rulon Zaugg
Route #3, Box 239
Weiser, ID 83672

Dear Mr. Zaugg:

Enclosed is a copy of your approved Application for Permit No. 67-7316. We direct your attention to the conditions of approval as listed on the fourth page.

Be sure to note that a special condition requiring you to install and maintain a measuring device at your point of diversion has been placed upon your permit. We are enclosing a letter describing different types of measuring devices accepted by this office.

Sincerely,

BOBBY D. FLEENOR
Chief, Water Rights

Enclosure: Copy of permit

DEPARTMENT OF WATER RESOURCES
- STAFF ANALYSIS -

Item Initial Date

Application No. 167

☒ Source
☒ Point of Diversion
☒ County
☒ Quantity of Water and Period of Use
☒ Description of Diverting Works
☒ Time required for B/U of water
☒ Place of Use or Acres Irrigated
☒ Map
☒ Signature
☒ Fee

(1) WMM 4/25/77

In form to receipt

(2) _____

Send Copies to:

_____ Idaho State Health Department
_____ Idaho Fish and Game Department
_____ Bureau of Land Management

(3) _____

_____ Request Special Use Permit from U.S.F.S.
_____ Request Easement from B.L.M.
_____ Request Information from Applicant
_____ Request Dam Safety Information

(4) WMM 4/25/77

In form for advertising

(5) _____

Platted on Map No. _____

(6) _____

Located within Water District No. _____

(7) _____

Critical groundwater area: yes _____ no ☒

(8) _____

Groundwater levels:

_____ Declining, _____ Stable, _____ Increasing

(comment) _____

(9) _____

Other rights on the same place of use none platted

(10) _____

Comments: _____

(11) Y OK

Affidavit of Publication received(date) 5-17-77

(12) _____

Final date for protests 5-23-77

Protests received: yes _____ no ☒

(13) _____

All requested information received from agencies or applicant: yes _____ no _____

(14) _____

Action recommended:

☒ Approve _____ Deny

_____ Proposed Priority

_____ Reason for Reduction _____

☒ Measuring device required

_____ See attached sheet for other conditions of approval

_____ No special conditions for approval

(15) District W

By WMM

Date 5-23-77

Supplemental



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
WESTERN REGION

Cecil D. Anderson
Governor

R. Keith Higginson
Director

92 South Cole Road
Boise, Idaho 83705
(208) 384-2190

April 29, 1977

Re: Application for Water Permit No. 67-7313 -- Joseph P. Reitman
67-7315 -- Rodney C. Panike &/or
Robert Woods
67-7316 -- Rulon Zaugg
67-7317 -- Art &/or Mary Correia

The Signal American
P. O. Box 709
Weiser, ID 83672

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. In order to receive payment, the following certification must appear on the bill:

"I hereby certify that the foregoing account is just and correct, that the amount claimed is legally due after allowing all just credits and that no part of the same has been paid."

(Signature of Claimant)

Please send the affidavit of publication and publication billing to this office before May 23, 1977.

Sincerely,

Bill submitted
5-17-77
J

NOTICE OF APPLICATION FOR WATER PERMIT

RULON ZAUGG

Notice is hereby given that
Rt. 3, Weiser, ID

has on April 22, 1977 submitted Application No. 67-7316
for a permit to appropriate 1.6 cubic feet per second XXXXXXXXXX
per annum of water from a groundwater source acre feet
by means of well, pump, pipe & ditches
within the SE1/4 Sec 23 T10N-R5W B.M., Washington County

to be used from Mar 15 to Nov 15
the irrigation of 80 acres
for

within the W1/4, SE1/4 Sec 23 T10N-R5W B.M.

If issued, this permit will be subject to all prior water rights. Pro-
tests against the granting of the permit must be filed with the Director of
the Idaho Department of Water Resources, 92 South Cole Road, Boise, Idaho
83705 on or before May 23, 1977.

C. STEPHEN ALLRED

Director

The Signal American, Weiser, ID

Published in the
May 5, 1977

and May 12, 1977