


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Arma Bros by Jon Arma
(Applicant) Partner

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO, } ss.
County of Washington }

Dorothy A. Barth, being duly sworn,
deposes and says:

That he is the Clerk of
THE WEISER SIGNAL, a weekly newspaper published at
Weiser, in the County of Washington and State of Idaho; that
said paper has been and is in general circulation in the
county aforesaid, and in the vicinity of Weiser; that the ad-
vertisement, a copy of which is attached hereto, was pub-

lished in said newspaper once a week for 2 consecu-
tive weeks in the regular and entire issue of said paper dur-
ing the period and time of publication, and was published in
the newspaper proper and not in a supplement; that said
paper has been established and regularly published for more
than seventy-eight consecutive weeks prior to the date of
first publication of said advertisement.

Such notice was published in the issue beginning with

April 28, 1977, and ending
with the issue of May 5, 1977

Dorothy A. Barth
Fees, \$ 11.90

Subscribed and sworn to before me this 5

day of May, 1977

Paul Lee
Notary Public, Residing at Weiser, Idaho.

My Commission Expires 1-2, 1979

No. 44

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that
ARIMA BROTHERS Rt. #1,
Weiser, ID has on April 19,
1977 submitted Application
No. 67-7314 for a permit to
appropriate 2.0 cubic feet per
second of water from a
groundwater source by
means of pump within the
NW $\frac{1}{4}$ NE $\frac{1}{4}$ Sec 26
T11N-R6W B.M., Washing-
ton County to be used from
Mar. 15 to Oct. 15 for the
irrigation of 150 acres within
the W $\frac{1}{2}$ NE $\frac{1}{4}$, SE $\frac{1}{4}$ NE $\frac{1}{4}$,
SE $\frac{1}{4}$ NW $\frac{1}{4}$, NE $\frac{1}{4}$ SW $\frac{1}{4}$,
N $\frac{1}{2}$ SE $\frac{1}{4}$, Sec 26 T11N-R6W
B.M.

If issued, this permit will
be subject to all prior water
rights. Protests against the
granting of the permit must
be filed with the Director of
the Idaho Department of
Water Resources, 92 South
Cole Road, Boise, Idaho
83705 on or before May 16,
1977.

C. STEPHEN ALLRED
Director

Published in The Signal
American, Weiser, ID April
28, 1977 and May 5, 1977.

14-25

OK
5-17-77
M

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION

Permit No. 67-7314

1. Owner: Arima Brothers c/o Jim Arima Phone No. 549-1357

Current Address: Rt #1 Box 255, Weiser, ID 83472

2. Accompanied by: Jim Arima EXAM. DATE: 6-29-87

Address: same as above Phone No. 549-1357

Relationship to Permit Holder: Owner

3. Source: Groundwater tributary to _____


B. OVERLAP REVIEW

1. Other water rights with same place of use: 67-2169 67-2384A 03-2006 03-7005
surface water 67-4491 & 67-7311 for adjacent lands ☒ Copies Attached

2. Other water rights with same point of diversion: none
_____ ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = 5'

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).

☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater.

☒ Aerial Photo Attached
(required for irrigation of 10 acres or more).

JUN 26 1990

67- 7313



P.D. Looking
North



Weir Looking
North (Pump
had just
been shut-
off and the
water level
in the ditch
was dropping.

JUN 26 1961

MICROFILMED


67-7313



P.U. Looking
south west
from a point
just south
of the P.D.

JUN 26 1990

MICROFILMED



State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 67-07314

Priority: April 25, 1977

Maximum Diversion Rate: 0.94 CFS
Maximum Diversion Volume:¹ 399.0 AF

This is to certify, that ARIMA BROTHERS
1034 HWY. 70
WEISER, ID 83672

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated April 19, 1977; and has submitted Proof of Beneficial Use on June 29, 1978. An examination indicates that the works have a diversion capacity of .940 cfs of water from a **GROUNDWATER** source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 10/15	0.94 CFS	399.0 AF

LOCATION OF POINT(S) OF DIVERSION: NWNE , Sec. 26, Township 11N, Range 06W
WASHINGTON County

PLACE OF USE: IRRIGATION

<u>TWN RGE SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
11N 06W 26	NWNE 29	SWNE 37	SENE 6	
	NENW 8	SWNW 6	SENW 30	
	NESW 4	NWSE 17		137

Total number of acres irrigated: 137

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 4.5 afa per acre for the lands above.

MICROFILMED

JUN 26 1990

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 67-07314

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 19th
day of APRIL, 1990.

Acting for R. Keith Higginson, Director

MICROFILMED

JUN 26 1990

State of Idaho
Department of Water Resources

RECEIVED
MAR 28 1990

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 67-07314

Department of Water Resources

Date of Priority: April 25, 1977

Maximum Diversion Rate: 0.94 CFS
Maximum Diversion Volume: 399.0 AF

Comes now
C/O JIM ARIMA
RT. 1 BOX 255
WEISER, ID 83672

ARIMA BROTHERS

and represents to the Director of the

Idaho Department of Water Resources:

That he is the owner and holder of Permit to appropriate the Public Waters of the State of Idaho No. 67-07314, and requests that the permit be changed as follows:

Source: **GROUNDWATER**

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 10/15	0.94 CFS	399.0 AF

LOCATION OF POINT(S) OF DIVERSION: NWNE, Sec. 26, Township 11N, Range 06W
WASHINGTON County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
11N	06W	26	NWNE 29	SWNE 37	SENE 6	
			NENW 8	SWNW 6	SENW 30	
			NESW 4	NWSE 17		137
Total number of acres irrigated:						137

Permit holder asserts that no one will be injured by such change and that such change will be made at permit holder's own risk.

Signed at Weiser, Idaho, this 27 day of March, 1990

MICROFILMED

JUN 26 1990

Jim Arima
(Signature)

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 67-07314

FOR DEPARTMENT USE ONLY

Preliminary check by KW Fee = \$20.00 ✓ Received by fy Date 3-28-90 #C015975

ACTION OF THE DEPARTMENT OF WATER RESOURCES

I, R. Keith Higginson, of the Department of Water Resources hereby approve the above Application for Amendment for Permit No. 67-07314 with the following;

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
- ✓ 5. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 4.5 afa per acre for the lands above.

Witness my hand this 19th day of APRIL, 1990.

R. Keith Higginson
Acting for R. Keith Higginson, Director

MICROFILMED

JUN 26 1990

CONCLUSIONS OF LAW

1. The Director may advance the priority date of the permit one day for each day the license examination fee is late, pursuant to the provisions of Section 42-217, Idaho Code.

2. The date of priority of Permit No. 67-7314 should be advanced 6 day(s).

ORDER

IT IS HEREBY ORDERED that the date of priority of Permit No. 67-7314 is advanced to APRIL 25, 1977.

Dated this 7th day of November, 1989.

J. Glen Saylor
Chief, Water Allocation Bureau

MICROFILMED

JUN 26 1990

Identification No. _____

Application No. 67-7314

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To Appropriate the Public Waters of the State of Idaho
(TYPE OR PRINT IN INK)

1. Name of applicant Arima Bros. Phone: 549-1357
post office address Rte #1 Box 255 Weiser Idaho 83672
2. Source of water supply Ground Water which is a tributary of _____
3. a. Location of point of diversion is NW $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 26 Township 11-N
Range 6-W B.M. Washington County; additional points of diversion if any: _____

b. If water is not consumed, it will be discharged into _____ at a point in _____ $\frac{1}{4}$
of _____ $\frac{1}{4}$ of Section _____ Township _____ Range _____ B.M. _____
4. Water will be used for the following purposes:
Amount 2.2 for irrigation purpose from March 15 to Oct - 15 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated:
a. 2.2 cubic feet per second and/or
b. _____ acre feet per annum.
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. Pump

b. Height of storage dam _____ feet, active reservoir capacity _____ acre feet; total reservoir
capacity _____ acre feet, materials used in storage dam: _____
Period of year during which storage will occur _____ to _____ inclusive.
(Mo. Day) (Mo. Day)
c. Proposed well diameter is 10" inches; proposed depth of well is 50 feet.
7. a. Time required for the completion of the works and application of the water to the proposed beneficial use
is 1.2 years.
b. Estimated construction cost is \$ 2000.00.
8. Description of proposed uses:
a. If water is **not** for irrigation:
(1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____
Range _____ B.M. _____
(2) Amount of power to be generated: _____ hp under _____ feet of head.
(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be
supplied with domestic water _____.
(5) If water is to be used for other purposes describe: _____

TWP.	RANGE	SEC.	NE1/4				NW1/4				SW1/4				SE1/4				TOTALS
			NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	
11-N	6-W	26		40	40	16			40	2					6		6		150

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

Total number of acres to be irrigated 150

c. Describe any other water rights used for the same purposes as described above. Water Storage Rights in Crane Creek Reservoir

9. a. Who owns the property at the point of diversion Arima Bros

b. Who owns the land to be irrigated or place of use


c. If the property is owned by a person other than the applicant, describe the arrangement enabling the

applicant to make this filing

10. Remarks

Well to be used on short water years & early spring before water is available in canal March-15 to April 15

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Arma Bros by Jim Arma
(Applicant) Partner

Proposed Priority 4/19/77

Received by if Date 4-19-77 Time 10:30 am

Preliminary check by Will M Fee \$ 55.00

Receipted by if Date 4-19-77 # 7189

Publication prepared by CS Date April 22, 1977

Published in The Signal American

Publication dates April 22, 1977 + May 5, 1977

Publication approved if Date 5-17-77

Priority reduced to _____ Reason _____

Protests filed by: _____

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by 1228

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 67-7314, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:


a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before July 1, 1978.

c. Other: A measuring device of a type approved by the Director shall be permanently installed and maintained as part of the diverting works.

The rate of diversion of water for irrigation under this permit and all other water rights on the same land shall not exceed 0.02 cubic feet per second for each acre of land.

Witness my hand this 10 day of June, 19 77.


Deputy Director

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO, }
County of Washington } ss.

Dorothy A Barth, being duly sworn,
deposes and says:

That he is the Clerk of
THE WEISER SIGNAL, a weekly newspaper published at
Weiser, in the County of Washington and State of Idaho; that
said paper has been and is in general circulation in the
county aforesaid, and in the vicinity of Weiser; that the ad-
vertisement, a copy of which is attached hereto, was pub-
lished in said newspaper once a week for 2 consecu-
tive weeks in the regular and entire issue of said paper dur-
ing the period and time of publication, and was published in
the newspaper proper and not in a supplement; that said
paper has been established and regularly published for more
than seventy-eight consecutive weeks prior to the date of
first publication of said advertisement.

Such notice was published in the issue beginning with
April 28, 1977, and ending
with the issue of May 5, 1977
Dorothy A Barth
Fees, \$ 11.90

Subscribed and sworn to before me this 5
day of May, 1977
Paul Lee
Notary Public, Residing at Weiser, Idaho.
My Commission Expires 1-2, 1979

No. 44 NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that
ARIMA BROTHERS Rt. #1,
Weiser, ID has on April 19,
1977 submitted Application
No. 67-7314 for a permit to
appropriate 2.0 cubic feet per
second of water from a
groundwater source by
means of pump within the
NW 1/4 NE 1/4 Sec 26
T11N-R6W-B1M, Washing-
ton County, to be used from
Mar. 15 to Oct. 15 for the
irrigation of 150 acres within
the W 1/2 NE 1/4, SE 1/4 NE 1/4,
SE 1/4 NW 1/4, NE 1/4 SW 1/4,
N 1/4 SE 1/4, Sec 26 T11N-R6W
B.M.

If issued, this permit will
be subject to the water
rights. Protests against the
granting of the permit must
be filed with the Director of
the Idaho Department of
Water Resources, 200 South
Cole Road, Boise, Idaho
83705 on or before May 16,
1977.

C. STEPHENSON
Director
Published in the Signal
American, Weiser, ID April
25, 1977 and May 5, 1977.

14-25

OIC
5-17-77
M

April 19, 1990

ARIMA BROTHERS
1034 HWY. 70
WEISER, ID 83672

RE: PERMIT NO. 67-07314

Dear Permit Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit along with a copy of your approved application for amendment.

Should you have any questions regarding these documents, please feel free to contact our office.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MICROFILMED

JUN 26 1990

Jim Arima
1034 Hwy 70
Weiser, Idaho 83672

NOTE
ADDRESS
CORRECTION



JUN 26 1990

MICROFILMED

State of Idaho
Department of Water Resources
1301 North Orchard St
Boise, Idaho 83706-2237

March 23, 1990

ARIMA BROTHERS
C/O JIM ARIMA
RT. 1 BOX 255
WEISER, ID 83672

RE: PERMIT NO. 67-07314

Dear Permit Holder(s):

We previously forwarded to you an Amendment for Water Permit so that you could amend your permit to correspond with the findings of the Department's field examiner.

As of this date, we have not received this amendment. If we do not receive the amendment within fifteen (15) days, we will issue a Water Right License which reduces the amount that could have been allowable to you. Enclosed for your convenience is another amendment form in the event the first one was misplaced.

Since the license will be permanent water right you prompt attention to this matter will be appreciated.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MICROFILMED

JUN 26 1990

November 7, 1989

ARIMA BROTHERS
C/O JIM ARIMA
RT. 1 BOX 255
WEISER, ID 83672

RE: PERMIT NO. 67-07314

Dear Permit Holder(s):

The above referenced water right is in the process of being licensed. However, before a license can be issued, your permit must be amended to correspond with the findings of the Department's field examiner.

The enclosed application for amendment contains information that will be included on the license when it is issued. Please review carefully and if you concur, sign the amendment and return with the \$20.00 filing fee within 30 days.

Also enclosed is an order advancing the date of priority of this right due to late submittal of the examination fee.

If you do not concur with these findings or if you have any questions, please contact us within the 30-day period.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MICROFILMED
JUN 26 1990

BENEFICIAL USE FIELD REPORT REVIEW

TO: FILE 67-7314

FROM: ROXANNE MC CARTHY

RE: PRIORITY ADVANCE REVIEW

DATE: 28-AUG-1989

This review memo is prepared to show the process for determining what elements were involved in advancement of the priority.

	<u>DATE</u>	<u>JULIAN</u>
PERMIT		
Permit priority Date:	APRIL 19 1977	109
EXAM FEE NOTICE		
Exam Fee Notice Date:	APRIL 10 1987	100
Exam Fee/Info Sheet Received Date:	JUNE 15 1987	166
Exam Fee or Info Due Date:	JUNE 09 1987	160
Days Late:		6 DAY(S)
NEW PRIORITY DATE		
Original Priority Date:	APRIL 19 1977	109
Total Days Late:		6 DAY(S)
New Priority Date:	APRIL 25 1977	115

MICROFILMED


JUN 26 1990

POINT OF DIVERSION OVERLAP REVIEW

WR-NUMBER	TWP	RNG	SC	TRACT	LT	#SOURCE	#NAME
				1\4 1\4 1\4			
6707314	11N	06W	26	NW NE		GROUNDWATER	ARIMA BROTHERS

MICROFILMED

JUN 25 1990



MAR 20 1988

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

Staff Analysis Sheet
for
Department of Water Resources
Beneficial Use Field Report

67-7314
Permit No.

P D NWNE 26 11 N 6W

P. U. NWNE } 26
SWNE } 11 N 6W
SENE
SE NW
NE SW
NE SE
NW SE

A. Prior to Conducting the Exam, the File Contains:

- ☒ Blank Field Report Form
- ☒ Copy of Permit
- ☒ Copies of any Amendments/Orders with conditions of approval
- ☒ Computer Data Proof Report
- ☒ Copy of U.S.G.S. Quad
- ☒ Check for Government Lots. If so, make a copy of Government Plat

Check of P/D index CA 9-28-87 (Initial and date)

Overlap? ☐ yes ☒ no If yes: ☐ copy of exam(s) attached?
Type of Overlap? ☐ Add acres or uses to existing system
☐ Increase rate of flow or volume
☐ Other: _____

Check of P/U index CA 9-28-87 (Initial and date)

Overlap? ☒ yes ☐ no If yes: ☐ copy of water right(s) attached?
Type of Overlap? ☒ Increase rate of flow or volume
☐ Add P/D's
☐ Increase number of acres within tracts
☐ Other: _____

Aerial Photo

Required? ☒ yes ☐ no If yes: ☒ copy attached?

Scheduling Letter sent? CA 9-21-87 (Initial and date)

☒ Appointment made and telephone conversation memo attached

B. After Conducting the Exam, the File Contains:

- ☒ Fully completed and signed Field Report Form
- ☒ Photographs of Point of Diversion and Place of Use
- ☒ Corrected Computer Data Proof Report with recommended license information, and date and signature of examiner.

C. Review and Processing:

Exam Completed Ante Antuella 9-29-87 (Signature of examiner and date)

Exam Reviewed by Senior Water Resource Agent JA 9/1/88 (Initial and date)

Exam Reviewed by Manager of Regional Office ONE 2/29/88 (Initial and date)

Exam Date Entered in Computer _____ (Initial and date)

Exam sent to State Office AA 3/6/88 (Initial and date)

Copy of Staff Analysis Sheet sent to Manager of Regional Office and Original
Refiled in White File _____ (Initial and date)

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION

Permit No. 67-2314

1. Owner: Arima Brothers c/o Jim Arima Phone No. 549-1357

Current Address: Rt #1 Box 255, Weiser, ID 83672

2. Accompanied by: Jim Arima EXAM. DATE: 6-29-87

Address: same as above Phone No. 549-1357

Relationship to Permit Holder: owner

3. Source: Groundwater tributary to _____


B. OVERLAP REVIEW

1. Other water rights with same place of use: 67-2169 67-2384A 03-2006 03-7005
surface water 67-4491 & 67-7311 for adjacent lands ☒ Copies Attached

2. Other water rights with same point of diversion: NONE
_____ ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = 5'

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).

☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater.

☒ Aerial Photo Attached
(required for irrigation of 10 acres or more).

JUN 26 1990

MICROFILMED

System Description (continued)

3. **Narrative:** Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

The system has a 12" cased well 53' deep, with a 25 H.P. turbine pump. Water is discharged into an 18" concrete ditch that leads to a system of concrete and dirt ditches and underground pipelines. The system has approximately 7000' of concrete ditches (18" 16" and 14") 5000' of dirt ditches and 750' of underground pipelines. All the fields are

☒ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	G.E.	25	ENJ504334	Johnstone	6" discharge

*Code to correspond with No. on map and aerial photo

5. **Point(s) of Diversion:**

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			NW	NE	26	11 N	6 W	Washington	Aerial Photo

6. **Place(s) of Use:**

Indicate Method of Determination Aerial Photo

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
11 N	6 W	26		29	37	6	8		6	30	4					17			137

MICROFILMED

JUN 26 1990

Do not use this space

H. REMARKS AND OVERLAP REVIEW ANALYSIS

Furrow irrigated with siphon tube take out.
Water Right No.s 67-2169, 67-2384A, 03-2006 &
03-7005 are for surface water that is
supplemented by this well. Water Right
No.s 67-4491 & 67-7311 are for groundwater
used on adjacent lands.

I. RECOMMENDATIONS

1. Recommended Amounts


Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Irrigation	3-15	10-15	0.94	399.0
Totals:			0.94	399.0

2. Recommended Amendments

- ☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☐ None
☐ Change P.U. as reflected above ☒ Add P.U. as reflected above ☐ Other

J. AUTHENTICATION

Field Examiner's Name Carter Fritschle
Signature Carter Fritschle
Certification Date _____
Field Report Preparation Date 9-29-87



K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

JOM 6/5/89

MICROFILMED

JUN 26 1990

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
1.25' rectangular weir					1.25'	
staff gauge					1.1'	

2. Measurements:

0.38' head over 1.25' crest length rectangular weir.
DIFFERENCE BETWEEN THESE TWO = 1' + 1.5' (1.25' is in middle)
0.38' over 1' crest = 0.745 cfs 0.38' over 1.5' crest = 1.13 cfs
(0.745 + 1.13) ÷ 2 = 0.94 cfs Table 3 pg. 22 Nat'l No. 552

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method: $\frac{0.745 + 1.13}{2} = 0.94 \text{ cfs}$

2. Alternate Method for Checking Purposes: $\frac{25 \times 8.8 \times 0.8}{40 + 2.3(0)} = 4.4 \text{ cfs}$
Est. 40' lift

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: 0 psi x 2.31 = 0 ft (1); Dynamic pumping level: 40 ft (2)

Total Head: (1) + (2) = 40 (3) ; Flow rate: 0.94 cfs (4)

Water HP: (3) x (4) ÷ 8.8 = 4.3 (5)

Meter Input KW: 3.6 x 14.4 KH x _____ CTR or _____ MULT x _____ PTR x 10 N/ 45 T = 11.5 (6)

Meter Input HP: (6) x 1.34 = 15.4 (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = 27.9 %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 4.5 \times 137 = 616.5 \text{ afa}$

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 0.94 \times 214 \times 1.9835 = 399.0 \text{ afa}$

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 399.0 \text{ afa}$

2. Volume Calculations for Other Uses:

MICROFILMED

JUN 26 1990

E 3

NR156

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHTS BY PLACE OF USE


PAGE 3532
06/28/1987

TOWNSHIP	RNG	SEC	TRACT	LOT	ACRES	USES	WATER RIGHT NUMBER	LAST NAME	OWNER STAGE CODE	PRIORITY DATE	SOURCE OF WATER	
T1N	06W	26	NESH	02	01.43		67-2384A	SNOW	C	L	04-09-1920	CRANE CREEK
			NESH	01	01.04.43		67-4491	WEISER RIVER IRRIG STOVER STOVER MITCHELL MITCHELL	D D D A A	S	01-01-1944	GROUNDWATER
			NESH	02	01		67-7314	ARIMA BROTHERS	C	P	04-19-1977	GROUNDWATER
			NHSH	40	01.43		03-2006	WEISER FLAT PIPE L	C	L	08-27-1910	SNAKE RIVER
			NHSH	40	01		03-7005	WEISER IRRIGATION	C	P	04-20-1970	SNAKE RIVER
			NHSH	40	01.43		67-2169	WEISER IRRIGATION	C	L	12-18-1936	WEISER RIVER
			SHSH	40	01.43		03-2006	WEISER FLAT PIPE L	C	L	08-27-1910	SNAKE RIVER
			SHSH	40	01		03-7005	WEISER IRRIGATION	C	P	04-20-1970	SNAKE RIVER
			SHSH	02	01		67-7603	LAMB	C	P	01-17-1983	GROUNDWATER
			SESH	40	01.43		03-2006	WEISER FLAT PIPE L	C	L	08-27-1910	SNAKE RIVER
			SESH	40	01		03-7005	WEISER IRRIGATION	C	P	04-20-1970	SNAKE RIVER
			SESH	01	01.04.43		67-4209	SMITH	C	S	06-01-1943	GROUNDWATER
			NESE	08	01		03-7005	SMITH	C	P	04-20-1970	SNAKE RIVER
			NESE	40	01.43		67-2169	WEISER IRRIGATION	C	L	12-18-1936	WEISER RIVER
			NESE	35	01.43		67-2384A	SNOW	C	L	04-09-1920	CRANE CREEK
			NESE	35	01		67-7311X	WEISER RIVER IRRIG	D			
			NESE	06	01		67-7314	RAFTER HL FARMS IN	C	P	05-25-1977	GROUNDWATER
			NESE	28	01.43		03-2006	ARIMA BROTHERS	C	P	04-19-1977	GROUNDWATER
			NESE	40	01.43		67-2169	WEISER FLAT PIPE L	C	L	08-27-1910	SNAKE RIVER
			NESE	18	01.43		67-2384A	WEISER IRRIGATION	C	L	12-18-1936	WEISER RIVER
			NESE	18	01.43		67-2384A	SNOW	C	L	04-09-1920	CRANE CREEK
			NESE	06	01		67-7314	WEISER RIVER IRRIG	D			
			SHSE	40	01.43		03-2006	ARIMA BROTHERS	C	P	04-19-1977	GROUNDWATER
			SHSE	12	01		03-7005	WEISER FLAT PIPE L	C	L	08-27-1910	SNAKE RIVER
			SHSE	43			67-4414	WEISER IRRIGATION	C	P	04-20-1970	SNAKE RIVER
			SESE	38	01.43		03-2006	GENTRY	C	S	05-01-1973	GROUNDWATER
27			SESE	40	01.43		67-2169	WEISER FLAT PIPE L	C	L	08-27-1910	SNAKE RIVER
			SENE	40	01.43		67-2169	WEISER IRRIGATION	C	L	12-18-1936	WEISER RIVER
			SENE	40	01.43		67-2384A	SNOW	C	L	04-09-1920	CRANE CREEK
			SENE	05	01		03-7005	WEISER RIVER IRRIG	D			
			SENE	40	01.43		67-2169	WEISER IRRIGATION	C	P	04-20-1970	SNAKE RIVER
			SENE	34	01.43		67-2384A	WEISER IRRIGATION	C	L	12-18-1936	WEISER RIVER
			SENE	34	01.43		67-2384A	SNOW	C	L	04-09-1920	CRANE CREEK
			SENE	39	01.43		03-2006	WEISER RIVER IRRIG	D			
			SENE	14	01		03-7005	WEISER FLAT PIPE L	C	L	08-27-1910	SNAKE RIVER
			SENE	07	01.43		67-2384A	WEISER IRRIGATION	C	P	04-20-1970	SNAKE RIVER
			SENE	07	01.43		67-2384A	SNOW	C	L	04-09-1920	CRANE CREEK
			SENE	25	01.43		03-2006	WEISER RIVER IRRIG	D			
			SENE	14	01		03-7005	WEISER FLAT PIPE L	C	L	08-27-1910	SNAKE RIVER
			SENE	07	01.43		67-2384A	WEISER IRRIGATION	C	P	04-20-1970	SNAKE RIVER
			SENE	07	01.43		67-2384A	SNOW	C	L	04-09-1920	CRANE CREEK
			SENE	07	01.43		67-2384A	WEISER RIVER IRRIG	D			


RECEIVED
JUN 26 1990

RECEIVED
JUN 26 1987

67- 7313




P.D. Looking
North



Weir looking
North (Pump
had just
been shut
off and the
water level
in the ditch
was dropping.

JUN 26 1961


MICROFILMED



P.U. Looking
south west
from a point
just south
of the P.D.

JUN 26 1990

MICROFILMED



MICROFILMED
JUN 26 1990

SCALE 1:24,000



CONTOUR INTERVAL 20 FEET



ROAD CLASSIFICATION

- Heavy-duty ——— 4 LANE 16 LANE Light-du
- Medium-duty ——— 4 LANE 16 LANE Unimpr
- U. S. Route
- State f

67-7314-26

T 11 N R 6 W

9.8

E-44

E-44

T814

72

B
21.8

C
9.2

1
30.7

6
21.1

5
27.1

E-45

E-45

T815

E-46

(E-46)

T962

5.9

A
12.9

E-613

(E-613)

A
8.9

T1057

2
12.1

E-47

(E-47)

T815

T124

3.2

3.5

2.0

1.6

2
9.0

5
12.4

9
9.5

5
5.0

E-48

E-48

T874

3.0

2
18.7

E-533

(E-533)

T998

E-560

(E-560)

T1024

P.D.

2.2

23.7
MICROFILM

JUN 26 1990

NWNE

A

8
16.4

E-103

E-103

T943

1
18.7

C
6.8

NESW NW

CALCULATION OF NEW PRIORITY DATES
LATE EXAM FEES

FOR PERMIT NO. 67-7314

BY: BD

	<u>DATE</u>	<u>NUMBER OF DAYS</u> (From Table of Days Between Two Dates)
A. EXAMINATION FEE NOTICE SENT	<u>4/16/87</u>	<u>~~160~~</u>
B. DATE FEE DUE(60 days)	<u>6/9/87</u>	<u>160</u>
C. DATE FEE RECEIVED	<u>6/15/87</u>	<u>166</u>
D. NUMBER OF DAYS LATE : (C - B)		<u>6</u>
E. ORIGINAL PRIORITY DATE (Check Reinstatement, etc.)	<u>4/19/77</u>	<u>109</u>
F. NEW PRIORITY DATE (D + E)	<u>4/25/77</u>	<u>115</u>

REMARKS:

MICROFILMED

JUN 26 1990

4/86

RECEIVED
JUN 15 1987

Department of Water Resources
Western Regional Office

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

EXAMINATION FEE INFORMATION

KEYPUNCH

For Office Use Only

Fee Received \$ 100

Date 7/14/87

Receipt # 23808

Receipt by [Signature]

RECEIVED

JUL 28 1987

1. Permit No. 67-7314 Department of Water Resources

ONE OF THE FOLLOWING BOXES SHOULD BE MARKED TO DESIGNATE YOUR CHOICE:

☐ I choose to have the department make the field examination of this permit; attached is the examination fee. (If this box is marked, complete items 1 thru 8.)

2. Permit Holder: Arima Bros. c/o Jim Arima

3. Post Office Address: Rt #1 Box 255 Weiser, Idaho 83672

Telephone No. 549-1357

4. Source of Water: Well

5. Extent of Use:

Domestic _____ (No. of households) Stockwater _____ (No. and type of stock)

Irrigation 160 (acres) Other/Remark Supplemental

6. Total rate &/or volume for which proof is submitted 0.74 cfs _____ acre-feet

7. Show the date water was first diverted and beneficially used under this permit:

June 1977

8. Person to contact to accompany the department representative during the field examination:

Jim Arima (Name) JUN 26 1990

Rt #1 Box 255 Weiser, Idaho 83672 (Address) 549-1357 (Telephone Number)

☒ I choose to have the field examination conducted by a certified water right examiner. Attached is a statement from the certified examiner I have selected verifying that he has been retained to conduct the examination. (If this box is marked, complete items 1 thru 7.)

6-10-87
Date

Arima Bros. c/o Jim Arima
Signature of Permit Holder (and title, if appropriate)

State of Idaho

Department of Water Resources

LICENSE EXAMINATION FEE SCHEDULE

(c.f.s. = cubic feet per second
AF = acre feet)

cfs	AF	Fee
0 - 0.04	0 - 4	\$ 0
.05 - 0.20	5 - 20	50.00
.21 - 1.0	21 - 100	100.00
1.01 - 2.0	101 - 200	125.00
2.01 - 3.0	201 - 300	150.00
3.01 - 4.0	301 - 400	175.00
4.01 - 5.0	401 - 500	200.00
5.01 - 6.0	501 - 600	225.00
6.01 - 7.0	601 - 700	250.00
7.01 - 8.0	701 - 800	275.00
8.01 - 9.0	801 - 900	300.00
9.01 - 10.0	901 - 1000	325.00
10.01 - 11.0	1001 - 1100	350.00
11.01 - 12.0	1101 - 1200	375.00
12.01 - 13.0	1201 - 1300	400.00
13.01 - 14.0	1301 - 1400	425.00
14.01 - 15.0	1401 - 1500	450.00
15.01 - 16.0	1501 - 1600	475.00
16.01 - 17.0	1601 - 1700	500.00
17.01 - 18.0	1701 - 1800	525.00
18.01 - 19.0	1801 - 1900	550.00
19.01 - 20.0	1901 - 2000	575.00
20.01 & over	2001 & over	600.00

Checks should be made payable to the
Department of Water Resources

No fee is required for single family
domestic use or stockwater use.



State of Idaho
DEPARTMENT OF WATER RESOURCES
Western Region

Cecil D. Andrus
Governor

2735 Airport Way
Boise, Idaho 83705
(208) 334-2190

67-7314
ARIMA BROTHERS
C/O JIM ARIMA
RT. 1 BOX 255
WEISER, ID 83672

138226

April 10, 1987

CERTIFIED MAIL

EXAMINATION FEE NOTICE

Dear Permit Holder:

Department records show that proof of beneficial use has been submitted for the above-referenced permit, but that a field examination has not yet been conducted to determine the extent of beneficial use of the water for licensing purposes.

House Bill 671 (effective April 4, 1986) enacted by the 1986 Idaho Legislature requires the payment of a fee before this department can conduct the field examination needed to issue a license confirming use of water under the permit. This letter is notification that the license examination fee is due within sixty (60) days of the date of this letter. The examination fee information sheet (enclosed) must be returned with the fee.

As an alternative to submitting the fee, the department will accept a field examination report completed by a certified water right examiner from the private sector. If you choose to have the examination done by a certified water right examiner, you need not submit the license examination fee to the department, but you must within sixty (60) days of the date of this letter return to the department, the examination fee information sheet showing appropriate information together with a statement from the certified examiner to verify that you have retained a certified examiner to conduct the field examination. If you choose this alternative, a completed field examination report must be submitted within one year of the date of this letter. You cannot later change your decision to use this alternative and submit the fee needed for the department to conduct the field examination, but you may change to another certified examiner.

MICROFILMED

JUN 26 1990

WATER RIGHT
DATA ENTRY LOG

[illegible]

June 30, 1978

Re: Permit No. 67-7314

Arima Brothers
Route 1, Box 255
Weiser, ID 83672

Gentlemen:

We acknowledge receipt of the affidavit submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department. We cannot tell just when this examination will be made, but our examiner will try to contact you at the time he makes the examination so that you may show him the system.

If you have any questions regarding the field examination, please contact our Regional Office in Boise.

Sincerely,

JANICE RENK
Water Rights

11000FILMED

RECEIVED

JUN 29 1978

Department of Water Resources

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

Identification No. _____

Permit No. 67-7314

PROOF OF APPLICATION OF WATER TO BENEFICIAL USE

1. a) Name of Permit Holder Arima Bros.
b) Post Office Address Route 1, Box 255 Weiser, Idaho 83672
2. Permit Number 67-7314
3. Date of Priority that you are prepared to establish 6-10-77
4. a) Source from which water was appropriated Well
b) Location of the point of diversion: NW $\frac{1}{4}$ NE $\frac{1}{4}$, Section 26
Township 11-N, Range 6-W Boise Meridian, Other points of diversion: _____
5. a) The amount of water and use to which the water has been applied:
Amount 0.739 cfs. for irrigation purposes from May-1 to Oct-15 incl.
(cfs and/or acre-feet per annum) (Month-Day) (Month-Day)
Amount _____ for _____ purposes from _____ to _____ incl.
(cfs and/or acre-feet per annum) (Month-Day) (Month-Day)
Amount _____ for _____ purposes from _____ to _____ incl.
(cfs and/or acre-feet per annum) (Month-Day) (Month-Day)
b) Total amount appropriated 0.739 cfs. cfs and/or acre-feet per annum
c) Describe how and by whom measurement of rate of flow or amount of storage was made and the qualifications of the person making the measurement: Soil Conservation Service,
George E. Hutchison Rectangular Weir
6. If the means of diversion and conveyance are owned by someone other than the Permit Holder:
a) Give the name or description of the canal, ditch or other works by which the water is conducted to the place of use: _____
b) Describe the agreement or understanding by which you take water from the works: _____
7. a) Briefly describe the works for diverting and conveying the water to the place of use, (if from a subterranean source, give the pump size, motor size, size of well casing, depth of well; if from surface water, give brief description of diversion structure and/or canal or ditch) 2.5-hp Pump 12" diam. depth well = 62 ft.
b) Describe the type and size of measuring device which you have installed at your point of diversion: Portable Rectangular Weir Crest length = 16"
c) Give well driller's name and address and the date the well was completed: Dallas Drilling & Pump Co. Fayette Idaho 6-10-77

MICROFILMED

8. If for other than irrigation, describe the beneficial use to which you have applied the water and the place of use: _____

Exam typed 6/30/78 by AF

9. Irrigation uses: describe the lands irrigated by giving the acreages irrigated within each 40 acre subdivision: _____

T	R	SEC.	NE¼				NW¼				SW¼				SE¼				TOTAL
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
11W	6N	26		40	40				40										120

Total number of acres irrigated 120

10. Remarks: Supplemental water for this farm.

The above information is a true statement of the extent to which the above numbered permit has been developed.

6-27-78
(Date)

Arma Bros by Jim Arma
(Signature)

State of Idaho)
) ss.
County of Wm)

On this 27th day of June, 1978, personally appeared before me the signer(s) of the above instrument, who duly acknowledged to me that he (she) (they) executed the same.

Spencer D. Thompson
Notary Public residing at 5419 E. 1st St.
Wiser, Idaho

My commission expires 5-1-79



STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

Cecil D. Andrus
Governor

R. Keith Higginson
Director

Statehouse
Boise, Idaho 83720
(208) 384-2215

April 28, 1978

CERTIFIED MAIL

138682

Re: Permit No. 67-7314

Arma Boethers
Route 1, Box 255
Weiser, Idaho 83672

Dear Sirs:

One of the conditions of approval of your water Permit No. 67-7314 (see last page of your approved permit) was that evidence of the extent of development be submitted as proof of application of water to beneficial use to this office on or before July 1, 1978. Enclosed is an affidavit form which must be used to submit the required proof of beneficial use.

If you have not fully completed your project, and you have not previously received an extension of time, you may request an extension of time provided the delay is for reasonable cause as indicated in Section 42-204, Idaho Code, amended. If you have been prevented from proceeding by a governmental agency or by litigation, more than one extension of time can be granted.

Either the beneficial use affidavit or a request for an extension of time must be received by this Department on or before the above mentioned date, otherwise the permit will lapse and be of no further force or effect.

Norman C. Young
NORMAN C. YOUNG
Administrator,
Resources Administration Division

NCY:jfr

Encl: Proof affidavit

MICROFILMED

June 15, 1977

Re: Permit No. 67-7314

Arima Brothers
Route #1, Box 255
Weiser, ID 83672

Gentlemen:

Enclosed is a copy of your approved Application for Permit No. 67-7314 . We direct your attention to the conditions of approval as listed on the fourth page.

Be sure to note that a special condition requiring you to install and maintain a measuring device at your point of diversion has been placed upon your permit. We are enclosing a letter describing different types of measuring devices accepted by this office.

Sincerely,

BOBBY D. FLEENOR
Chief, Water Rights

Enclosure: Copy of permit

RECEIVED
JUN 16 1977
WATER RIGHTS
DIVISION
BOB FLEENOR

DEPARTMENT OF WATER RESOURCES
- STAFF ANALYSIS -

Item Initial Date

Application No. 67-7314

☒ Source
☒ Point of Diversion
☒ County
☒ Quantity of Water and Period of Use
☒ Description of Diverting Works
☒ Time required for B/U of water
☒ Place of Use or Acres Irrigated
☒ Map
☒ Signature
☒ Fee

(1) WAM 4/29/77

In form to receipt

(2) _____

Send Copies to:

_____ Idaho State Health Department
_____ Idaho Fish and Game Department
_____ Bureau of Land Management

(3) _____

_____ Request Special Use Permit from U.S.F.S.
_____ Request Easement from B.L.M.
_____ Request Information from Applicant
_____ Request Dam Safety Information

(4) WAM 4/29/77

In form for advertising

(5) _____

Platted on Map No. _____

(6) _____

Located within Water District No. _____

(7) _____

Critical groundwater area: yes _____ no ☒

(8) _____

Groundwater levels:

_____ Declining, _____ Stable, _____ Increasing

(comment) _____

(9) _____

Other rights on the same place of use none platted

(10) _____

Comments: _____

(11) y OK

Affidavit of Publication received(date) 5-17-77

(12) _____

Final date for protests 5-16-77

Protests received: yes _____ no ☒

(13) _____

All requested information received from agencies or applicant: yes _____ no _____

(14) _____

Action recommended:

☒ Approve _____ Deny

_____ Proposed Priority

_____ Reason for Reduction _____

☒ Measuring device required

_____ See attached sheet for other conditions of approval

_____ No special conditions for approval

(15) District W

By ZYS Date 5-18-77

MICROFILMED

Supplemental



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
WESTERN REGION

Cecil D. Andrus
Governor

R. Keith Higginson
Director

92 South Cole Road
Boise, Idaho 83705
(208) 384-2190

April 25, 1977

Arima Brothers
Route 1, Box 255
Weiser, ID 83672

Gentlemen:

Enclosed is your Receipt No. 7189 in the amount of \$ 35.00
for Application for Permit No. 67-7314 which was received in
this office on April 19, 1977.

Sincerely,

RITA FLECK
Secretary

RF

Enclosure

RECEIVED
APR 27 1977
WATER RESOURCES
DIVISION
BOISE, IDAHO



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
WESTERN REGION

Cecil D. Andrus
Governor

R. Keith Higgison
Director

92 South Cole Road
Boise, Idaho 83705
(208) 384-2190

April 22, 1977

Re: Notice of Application for Water Permit No. 67-7314
Arma Brothers

The Signal American
P. O. Box 709
Weiser, ID 83872

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. In order to receive payment, the following certification must appear on the bill:

"I hereby certify that the foregoing account is just and correct, that the amount claimed is legally due after allowing all just credits and that no part of the same has been paid."

(Signature of Claimant)

Please send the affidavit of publication and publication billing to this office before May 16, 1977.

Sincerely,

Bill submitted
y

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that ARIMA BROTHERS
Rt. #1, Weiser, ID
has on April 19, 1977 submitted Application No. 67-7314
for a permit to appropriate 2.0 cubic feet per second acre feet
XXXXXXXXXX of water from X a groundwater source
by means of pump
within the NW1/4, Sec 26 T11N R6W B.M., Washington County

to be used from Mar 15 to Oct 15
for the irrigation of 150 acres

within the W2NE1/4, SE1NE1/4, SE1NW1/4, NE1SW1/4, N1SE1/4, Sec 26 T11N R6W B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Director of the Idaho Department of Water Resources, 92 South Cole Road, Boise, Idaho 83705 on or before May 16, 1977.

C. STEPHEN ALLRED

Acting Director
XXXXXX

Published in the The Signal American, Weiser, ID

April 28, 1977 and May 5, 1977

No. 44
NOTICE OF APPLICATION
FOR WATER PERMIT

Notice is hereby given that
ARIMA BROTHERS Rt. #1,
Weiser, ID has on April 19,
1977 submitted Application
No. 67-7314 for a permit to
appropriate 2.0 cubic feet per
second of water from a
groundwater source by
means of pump within the
NW $\frac{1}{4}$ NE $\frac{1}{4}$ Sec 26
T11N-R6W B.M., Washing-
ton County to be used from
Mar. 15 to Oct. 15 for the
irrigation of 150 acres within
the W $\frac{1}{2}$ NE $\frac{1}{4}$, SE $\frac{1}{4}$ NE $\frac{1}{4}$,
SE $\frac{1}{4}$ NW $\frac{1}{4}$, NE $\frac{1}{2}$ SW $\frac{1}{4}$,
N $\frac{1}{2}$ SE $\frac{1}{4}$, Sec 26 T11N-R6W
B.M.

If issued, this permit will
be subject to all prior water
rights. Protests against the
granting of the permit must
be filed with the Director of
the Idaho Department of
Water Resources, South
Cole Road, Boise, Idaho
83705 on or before May 16,
1977.

C. STEPHEN ALFRED
Director
Published in The Signal
American, Weiser, ID April
28, 1977 and May 5, 1977.
14-25

Department of Water Resource
Boise, Idaho.

Dear Sir,
Will you please send me
a water permit application paper.
Thank You.

Your truly,
Jim Armin

Rt. 1 Box 255
Weiser, Idaho

Sent by
JF
4-12-77

MICROFILMED

RECEIVED

APR 12 1977

Department of Water Resources
Western Regional Office