


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Rafter H. L. Farms Inc
(Applicant)

Harley W. Lolley
Vice President

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO, }
County of Washington } ss.

Barth A. Barth, being duly sworn,
deposes and says:

That he is the Cleric of
THE WEISER SIGNAL, a weekly newspaper published at
Weiser, in the County of Washington and State of Idaho; that
said paper has been and is in general circulation in the
county aforesaid, and in the vicinity of Weiser; that the ad-
vertisement, a copy of which is attached hereto, was pub-
lished in said newspaper once a week for 2 consecu-
tive weeks in the regular and entire issue of said paper dur-
ing the period and time of publication, and was published in
the newspaper proper and not in a supplement; that said
paper has been established and regularly published for more
than seventy-eight consecutive weeks prior to the date of
first publication of said advertisement.

Such notice was published in the issue beginning with
April 28, 1977, and ending
with the issue of May 5, 1977.

Barth A. Barth
Fees, \$ 12.24

Subscribed and sworn to before me this 5
day of May, 1977.

Thom Lee
Notary Public, Residing at Weiser, Idaho.

My Commission Expires 1-2, 1979

No. 46

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that
RAFTER HL FARMS, INC.
Route 1, Box 167 Weiser, ID
has on April 19, 1977 sub-
mitted Application No. 67-
7311 for a permit to ap-
propriate 1.8 cubic feet per
second of water from a
groundwater source by
means of well, pump, and
ditches, within the
NW $\frac{1}{4}$ SW $\frac{1}{4}$ Sec 25 T11N-
R6W B.M., Washington
County to be used from Mar
15 to Nov 15 for irrigation of
90 acres within the
W $\frac{1}{2}$ SW $\frac{1}{4}$ Sec 25; NE $\frac{1}{4}$ SE $\frac{1}{4}$
Sec 26, T11N-R6W B.M.

If issued, this permit will
be subject to all prior water
rights. Protests against the
granting of the permit must
be filed with the Director of
the Idaho Department of
Water Resources, 92 South
Cole Road, Boise, Idaho
83705 on or before May 16,
1977.

C. STEPHEN ALLRED
Director

Published in the Signal-
American, Weiser, ID April
28, 1977 and May 5, 1977.

14-2s

OK
5-17-77
M

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION


Permit No. 67-7311
1. Owner: RAFTER HL FARMS INC. Phone No. 549-0248
Current Address: RT. 1 Box 167 WEISER ID. 83672
2. Accompanied by: VERNON LOLLEY EXAM. DATE: 7-21-88
Address: SAME Phone No. _____
Relationship to Permit Holder: OWNER / PRESIDENT
3. Source: GROUNDWATER tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: 67-2384A & 67-2169
WEISER IRR. DISTRICT ☐ Copies Attached
2. Other water rights with same point of diversion: NONE
☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = NO SCALE

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required). ☒ Aerial Photo Attached
(required for irrigation of 10 acres or more).
☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).

RECEIVED
DEC 09 1992

State of Idaho
DEPARTMENT OF WATER RESOURCES
SUPPLEMENTAL FIELD REPORT FOR ANNUBAR MEASUREMENT

Measured by: QUENTIN NESBITT Date 7/21/88
Owner: RAFTER HL FARMS Permit No. 67-7311
VERNON LALLEY

Description of well &/or measuring site

- Include any clarifications of the sketch
- Include legal description if more than one p.d. is described in the Field Report

RIGHT ANGLE. DRIVE PUMP WITH OPEN DISCHARGE
INTO CEMENT DITCH, RAN BY A JOHN DEER TRACTOR

MEASURED INSIDE PIPE DIAMETER IN INCHES (ID)

CIR = Pipe Circumference in Inches = _____

T = Pipe Thickness in Inches = _____

ID = $2 [(0.1592 \times \text{CIR}) - T] = \dots\dots\dots 6''$

ANNUBAR DESCRIPTION & CONSTANT (C)

Size Used in Test 6"

State ID No. 091403

Select C based on size from Table below.

Nominal Pipe Size	C
4"	4.23
6"	<u>3.75</u>
8"	3.87
10"	3.94
12"	3.99
14"- 16"	4.01
18"- 24"	4.02
30" or larger	4.03

C selected 3.75

DIFFERENTIAL PRESSURE READING IN INCHES OF H₂O (H)

High Reading = 38

Low Reading = 30

High - Low = H = 8


CALCULATION OF DISCHARGE IN CFS (Q)

$$Q = \frac{(ID)^2 \cdot (\sqrt{H}) \cdot (C)}{448.3}$$

$$Q = \frac{(6)^2 (\sqrt{8}) (3.75)}{448.3} = .85 \text{ CFS}$$

SKETCH (If not shown on Field Report)

381.84 G.P.M.
42.54 INCHES



MICROFILMED

DEC 09 1992

67-7311

CEMENT
DITCH



P.D.


P.U.

DISREGARD


MICROFILMED

DEC 09 1992





SCALE 1:24000



CONTOUR INTERVAL 20 FEET

DOTTED LINES REPRESENT 5 FOOT CONTOURS
DATUM IS MEAN SEA LEVEL



OLD FERRY SE, IDAHO-OREG.
SE 1/4 OLD FERRY 15' QUADRANGLE
N4415-W11700/7.5

ROAD CLASSIFICATION
 Heavy-duty ——— 4 LANE 16 LANE Light-duty ———
 Medium-duty ——— 4 LANE 6 LANE Unimproved dirt =====
 U.S. Route State Route

44°15' 117°00'

WEISER 1.5 MI.
PAYETTE 16 MI.

RECEIVED
DEC 09 1992

970 000
FEET (OREG.)

AP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS
 SURVEY, FEDERAL CENTER, DENVER, COLORADO OR WASHINGTON 25, D. C.
 SING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST

U-

67-7311



P.D.
LOOKING EAST



TRACTOR HOOKED
TO THE PUMP

P.U.
LOOKING
SOUTHWEST

MICROFILMED
DEC 09 1992

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 67-07311

Priority: September 15, 1977 Maximum Diversion Rate: 0.85 CFS
Maximum Diversion Volume: 364.5 AF

This is to certify, that RAFTER HL FARMS INC
C/O VERNON E LOLLEY
RT 1 BOX 167
WEISER ID 83672

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated April 19, 1977; and has submitted Proof of Beneficial Use on July 7, 1982. An examination indicates that the works have a diversion capacity of .850 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.85 CFS	364.5 AF

LOCATION OF POINT(S) OF DIVERSION: NWSW , Sec. 25, Township 11N, Range 06W
WASHINGTON County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
11N	06W	25	NWSW 40	SWSW 9		49
		26	NESE 32			32

Total number of acres irrigated: 81

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right limited to the amount that can actually be beneficially use used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 4.5 afa per acre for the lands above.

RECORDED

DEC 09 1992

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE
WATER RIGHT NO. 67-07311

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 24th
day of NOVEMBER, 1992.

Acting for *R. Keith Higginson*
R. Keith Higginson, Director

RECEIVED
DEC 09 1992

**BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE
STATE OF IDAHO**

IN THE MATTER OF PERMIT)
)
NO. 67-7311 IN THE NAME OF)
)
RAFTER HL FARMS INC.)
_____)

**ORDER ADVANCING
DATE OF PRIORITY**

This matter having come before the Department of Water Resources (Department) as a result of preparing Permit No. 67-7311 for issuance of a license, the Department finds, concludes and orders:

FINDINGS OF FACT

1. The Department reinstated Permit No. 67-7311 to appropriate the public waters of the State of Idaho with an advanced priority of MAY 25, 1977.

2. On APRIL 10, 1987 the Department advised the permit holder that a license examination fee was required before an examination could be conducted to confirm the extent of use developed under the permit. The examination fee was due on JUNE 09, 1987.

3. The license examination fee was received on SEPTEMBER 30, 1987, 113 day(s) late.

RECEIVED
DEC 09 1992

CONCLUSIONS OF LAW


1. The Director may advance the priority date of the permit one day for each day the license examination fee is late, pursuant to the provisions of Section 42-217, Idaho Code.

2. The date of priority of Permit No. 67-7311 should be advanced 113 day(s).

ORDER

IT IS HEREBY ORDERED that the date of priority of Permit No. 67-7311 is advanced to SEPTEMBER 15, 1977.

Dated this 29th day of September, 1992.


Chief, Water Allocation Bureau

DEC 09 1992

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE
STATE OF IDAHO

IN THE MATTER OF PERMIT NO. 67-7311 IN THE)
NAME OF RAFTER HL FARMS, INC.) ORDER OF REINSTATEMENT
_____)

WHEREAS, the Department has issued the above-captioned permit with the condition that proof of construction of works and application of water to beneficial use be submitted on or before June 1, 1982; and,

WHEREAS, the Department has notified the permit holder by certified mail that proof was due and instructed the permit holder as to the steps to be taken to make said proof; and,

WHEREAS, the Department has notified the permit holder that the permit has lapsed for failure of the permit holder to submit proof of beneficial use; and,

WHEREAS, Section 42-218a of the Idaho Code provides that a permit may be reinstated upon a showing of reasonable cause within sixty days of the date of the notice of lapsing; and,

WHEREAS, the permit holder has provided a reasonable showing as to why said permit should be reinstated by submitting proof of beneficial use on July 7, 1982;

IT IS, THEREFORE, HEREBY ORDERED that Permit No. 67-7311 be REINSTATED and the priority advanced to May 25, 1977.

Dated this 23rd day of November, 1982.



L. GLEN SAXTON

Chief, Operations Bureau



BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE
STATE OF IDAHO

IN THE MATTER OF CHANGING THE MEASURING
DEVICE REQUIREMENT FOR PERMIT NO. 67-7311

ORDER

WHEREAS, the above numbered permit was approved with the condition that a measuring device of a type approved by the Department be permanently installed and maintained as part of the diverting works; and,

WHEREAS, on July 1, 1978, the Department adopted a new water measurement condition which states: "An access port or other device as specified by the Department shall be installed by the permit holder to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department"; and,

WHEREAS, the former condition required the permit holder to purchase and install a measuring device or hire a professional engineer to certify the rate of diversion; and,

WHEREAS, the measuring device condition effective July 1, 1978, requires less capital expenditure by the permit holder; and,

WHEREAS, to be equitable to holders of permits issued prior to July 1, 1978, the new condition should be retroactive;

NOW THEREFORE, it is hereby ordered that the condition of approval of this permit related to water measurement is hereby changed as follows:

"The permit holder shall either install a measuring device or provide a certified measurement by a professional engineer or install an access port or other device as specified by the Department".

Dated this 1st day of June 1981.

Glen Saxton

GLEN SAXTON
Chief, Operations Bureau

Identification No. _____

Application No. 67-7311

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To Appropriate the Public Waters of the State of Idaho
(TYPE OR PRINT IN INK)

1. Name of applicant Rafter HL Farms, Inc. Phone: 549-0248
post office address Route 1, Box 167, Weiser, ID 83672

2. Source of water supply Groundwater which is a tributary of _____

3. a. Location of point of diversion is NW $\frac{1}{4}$ of SW $\frac{1}{4}$ of Section 25 Township 11N
Range 6W B.M. Washington County; additional points of diversion if any: _____

b. If water is not consumed, it will be discharged into _____ at a point in _____ $\frac{1}{4}$
of _____ $\frac{1}{4}$ of Section _____ Township _____ Range _____ B.M. _____

4. Water will be used for the following purposes:

Amount 1.8 dfa for irrigation purpose from Mar 15 to Nov 15 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 1.8 cubic feet per second and/or

b. _____ acre feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. Well, pump, and ditches

b. Height of storage dam _____ feet, active reservoir capacity _____ acre feet; total reservoir
capacity _____ acre feet, materials used in storage dam: _____

Period of year during which storage will occur _____ to _____ inclusive.
(Mo. Day) (Mo. Day)

c. Proposed well diameter is 12 inches; proposed depth of well is 40 feet.

7. a. Time required for the completion of the works and application of the water to the proposed beneficial use
is 5 years.

b. Estimated construction cost is \$ 1000.00

8. Description of proposed uses:

a. If water is **not** for irrigation:

(1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____
Range _____ B.M. _____

(2) Amount of power to be generated: _____ hp under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be
supplied with domestic water _____

(5) If water is to be used for other purposes describe: _____

MICROFILMED

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

[illegible]

Total number of acres to be irrigated 90

c. Describe any other water rights used for the same purposes as described above. _____

Weiser Irrigation District

9. a. Who owns the property at the point of diversion Applicant


b. Who owns the land to be irrigated or place of use Applicant

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing _____

10. Remarks This is supplemental to Weiser Irrigation district water.

This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

After H. L. Farms Inc
(Applicant)

Harley W. Lolley
Vice President

Proposed Priority 4/19/77

Received by W.H.M. Date 4/19/77 Time 4:30

Preliminary check by W.H.M. \$ 35.00 # 7187

Receipted by W.H.M. Date 4/19/77

Publication prepared by W.H.M. Date 4-21-77

Published in Signal - American

Publication dates Apr 28 + May 5

Publication approved _____ Date _____

Priority reduced to _____ Reason _____

Protests filed by: _____

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by W.H.M.

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 67-7311, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:


a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before June 1, 1982.

c. Other: A measuring device of a type approved by the Director shall be permanently installed and maintained as part of the diverting works.

The rate of diversion of water for irrigation under this permit and all other water rights on the same land shall not exceed 0.02 cubic feet per second for each acre of land.

Witness my hand this 10 day of June 19 77.


Deputy Director

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO, }
County of Washington } ss.

Dorothy A. Barth, being duly sworn,
deposes and says:

That he is the Cleric of
THE WEISER SIGNAL, a weekly newspaper published at
Weiser, in the County of Washington and State of Idaho; that
said paper has been and is in general circulation in the
county aforesaid, and in the vicinity of Weiser; that the ad-
vertisement, a copy of which is attached hereto, was pub-
lished in said newspaper once a week for 2 consecu-
tive weeks in the regular and entire issue of said paper dur-
ing the period and time of publication, and was published in
the newspaper proper and not in a supplement; that said
paper has been established and regularly published for more
than seventy-eight consecutive weeks prior to the date of
first publication of said advertisement.

Such notice was published in the issue beginning with
April 28, 1977, and ending
with the issue of May 5, 1977
Dorothy A. Barth
Fees, \$ 12.24

Subscribed and sworn to before me this 5
day of May, 1977
Paul Lee
Notary Public, Residing at Weiser, Idaho.
My Commission Expires 1-2, 1979



OK
5-17-77
M



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

November 24, 1992

RAFTER HL FARMS INC
C/O VERNON E LOLLEY
RT 1 BOX 167
WEISER ID 83672

RE: WATER RIGHT NO. 67-07311

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

PAMELA SKAGGS
Water Resource Agent

PS:cz

Enclosure

RECEIVED
DEC 09 1992



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720 -(208) 327-7900

CECIL D. ANDRUS

GOVERNOR

R. KEITH HIGGINSON

DIRECTOR

October 27, 1992

RAFTER HL FARMS INC
% VERNON E LOLLEY
RT 1 BOX 167
WEISER ID 83672

RE: WATER RIGHT NO. 67-07311

Dear Water Right Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

Please note that the date of priority of this right has been advanced due to late submittal of the examination fee.

Sincerely,

PAMELA SKAGGS
Water Resource Agent

PS:cz

Enclosure

RECEIVED
DEC 09 1992

LICENSE REVIEW CHECKLIST

Permit # 67-07311

Date 9-28-92
38

	Yes	No	
NAME	☐	☐	Address Change?
PRIORITY DATE	☒	☐	Advance? <u>Fee Notice 4-10-87 / Fee Sheet 10-6-87</u> ⁹⁻²⁶⁻⁸⁷
	☒	☐	Memo to Advance to <u>9-15-77</u>
	☐	☒	Order to Reinstate Needed?
TOTAL CFS	☐	☒	Incorrect Fee for rate recommended?
	☐	☒	Disagree with Actual Measurement?
	☐	☒	<u>81 x .02 = 1.62 / .85 cfs (IRR)</u>
	☐	☒	Disagree with Theoretical?
	☐	☐	Limited by Capacity? <u>.85 cfs</u> (measured)
TOTAL VOLUME			Rate/ac <u>4.5</u> AFA Irr. Season <u>D</u>
			<u>3-15 to 11-15</u> Standard Irr. Season
			<u>Same Per Permit</u> Season Recommended
	☐	☒	Disagree with Examiner's Calculations?
	☐	☒	<u>81 x 4.5 = 364.5 cfs (IRR)</u>
	☐	☒	Limited by Flow? <u>.85 x 245 x 1.9835 = 413.173645</u>
SOURCE	☐	☒	Changes? Clarification of <u>Originally</u>
	☐	☒	<u>Intended</u> source
	☐	☒	Notice of Intent to Void.
P/D	☐	☒	Verify with Map
	☐	☒	Amendment Needed?
	☐	☒	Is Overlap Analysis a Consideration?
P/U	☐	☒	Verify with Map
	☐	☒	Amendment Needed?
	☐	☒	Is Overlap Analysis a Consideration?
USES	☐	☒	Change(s) in Nature of Use?
	☐	☒	Amendment Needed?
REMARKS	☐	☒	Multiple P/Ds in 1/4 1/4?
	☐	☒	Non-Irr. Uses
	☐	☒	Special Overlap Condition
	☐	☒	Other
CONDITIONS	☐	☒	Measuring Device
	☐	☒	W/Master Control
	☒	☐	Overlap
	☐	☒	Water Quality
			DATES/MISC
		☒	Water Dist.
		☒	App Rec'd
		☒	Exam Made
COMMENTS/MEMOS NEEDED:	<u>Reduced Acres, rate</u>		

License ☐ 10-Day ☒ 15-Day ☐ Special Correspondence ☐

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT
(REGIONAL)

DATE: 09/29/92
PAGE: 1

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	RAFTER HL FARMS INC C/O VERNON E LOLLEY RT 1 BOX 167 WEISER ID 83672 (208) 549-0248	09/15/1977	IRRIGATION	03-15 11-15	0.85 CFS	364.5 AFA
TOTAL DIVERSION:					0.85 CFS	364.5 AFA

Water Source: GROUNDWATER

Tributary to:

Stage: LICENSE

Point(s) of Diversion Capacity: 0.85 CFS

Point(s) of Diversion: T11N R06W S25 NW SW

Place of use Legal Description for: IRRIGATION

				NE				NW				SW				SE				
T	R	S	:	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	SUM
11N	06W	25	:									40	09							49.0
11N	06W	26	:													32				32.0
TOTAL ACRES																				81.0

Pou County: WASHINGTON

Other Water Rights with Same Point(s) of Diversion and Source:
67-07311

Other Water Rights Listing Overlapping Place(s) of use:
03-02006 03-07005 67-02169 67-02384A 67-07311 L03-07005

Conditions of Approval:

- R32 - This right when combined with all other rights shall provide no
- more than .02 cfs per acre nor more than 4.5 afa per acre for the
- lands above.

Dates: App. Received: 04/19/1977 Priority Date: 09/15/1977 (Priority Date Advanced.)
Proof Due Date: 06/01/1982 Proof Made Date: 07/07/1982 (Proof Received Late.)
Exam Made Date: 07/21/1988 Exam Sent to S.O.: 03/30/1992
Licensed Date:

Misc: Water District Number: Field Exam Fee: R (Received)

Audit: 09/29/92 SKAGGS

(WATER RIGHT NUMBERS THAT BEGIN WITH AN '1' ARE ADJUDICATION CLAIMS)

WR-NUMBER	SOURCE	NE				NW				SW				SE				SUM			
		Lt		Ac		Lt		Ac		Lt		Ac		Lt		Ac					
		Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac				
L6707311	T11N R06W S25	GROUNDWATER																49			
	:	:																40	09	:	:
	:	:																:	:	:	:
0302006	SNAKE RIVE	:																:	:	:	:
A0302006	SNAKE RIVE	:																:	:	:	:
6702169	WEISER RIV	:																:	:	:	:
6702169	WEISER RIV	:	:	30	40	20	:	40	40	40	40	:	40	40	39	40	40	40	529		
6702322	GROUNDWATE	:	39	05	01	26	:	:	:	:	:	:	:	:	:	:	:	:	71		
A6702322	GROUNDWATE	:	39	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	39		
A6702322	GROUNDWATE	:	:	05	01	26	:	:	:	:	:	:	:	:	:	:	:	:	32		
6702384A	CRANE CREE	:	:	30	40	20	:	40	40	40	40	:	40	40	38	39	40	40	567		
6704214	SPRING	:	:	:	:	:	:	11	:	:	39	:	40	:	:	:	37	40	127		
6704497	SPRINGS	:	:	:	:	05	:	:	:	:	:	:	:	:	:	:	:	:	35		
A6704497	SPRINGS	:	:	:	:	03	:	:	:	:	:	:	:	:	:	:	30	:	23		
6707194	GROUNDWATE	:	40	05	:	30	:	:	:	:	:	:	:	:	:	:	20	:	75		
A6707194	GROUNDWATE	:	40	05	:	30	:	:	:	:	:	:	:	:	:	:	:	:	75		
6707311	GROUNDWATE	:	:	:	:	:	:	:	:	:	:	:	40	15	:	:	:	:	55		
6707857	GROUNDWATE	:	:	:	:	:	:	:	:	:	:	10	:	:	25	:	:	:	35		
6707860	GROUNDWATE	:	:	:	:	:	:	36	:	:	:	:	:	:	:	:	:	:	36		
A6710279	CRANE CREE	:	40	40	40	40	:	40	40	40	40	:	40	40	40	40	40	40	640		
--86 MAP--	C870-U 53	:	43	37	39	42	:	38	35	40	40	:	39	40	39	39	42	41	634		
L6707311	T11N R06W S26	GROUNDWATER																32			
	:	:																32	:	:	
	:	:																:	:	:	:
0302006	SNAKE RIVE	:	:	30	:	:	:	03	:	:	38	40	40	40	:	:	28	40	38	297	
A0302006	SNAKE RIVE	:	:	30	:	:	:	03	:	:	38	40	40	40	:	:	28	40	38	297	
0307005	SNAKE RIVE	:	:	:	:	:	:	10	01	:	34	40	40	40	:	08	12	:	185		
L0307005	SNAKE RIVE	:	:	:	:	:	:	07	:	:	31	36	32	36	:	01	10	34	30	217	
6702169	WEISER RIV	:	40	40	40	40	:	40	40	40	40	40	40	40	:	40	40	40	40	640	
6702384A	CRANE CREE	:	40	40	40	40	:	40	40	26	36	:	02	:	:	35	18	:	357		
6704209	GROUNDWATE	:	:	:	:	:	:	:	:	:	:	:	:	:	:	01	:	:	1		
6704491	GROUNDWATE	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	1		
6707311	GROUNDWATE	:	:	:	:	:	:	:	:	:	:	:	:	:	:	35	:	:	35		
6707314	GROUNDWATE	:	:	29	37	06	:	08	:	06	30	:	04	:	:	:	17	:	137		
A6707314	GROUNDWATE	:	:	29	37	06	:	08	:	06	30	:	04	:	:	:	17	:	137		
6707603	GROUNDWATE	:	:	:	:	:	:	:	:	:	:	:	:	02	:	:	:	:	2		
A6707603	GROUNDWATE	:	:	:	:	:	:	:	:	:	:	:	:	02	:	:	:	:	2		
6707860	GROUNDWATE	:	40	03	:	28	:	:	:	:	:	:	:	:	:	:	:	:	71		
6707863	GROUNDWATE	:	:	:	:	:	:	:	:	20	:	:	:	:	:	:	:	:	20		
A6710279	CRANE CREE	:	40	40	40	40	:	40	40	40	40	:	40	40	40	40	40	40	640		
A6710535	GROUNDWATE	:	:	:	:	:	:	:	:	:	:	:	:	09	:	:	:	:	9		
--86 MAP--	C870-U 52	:	39	35	39	39	:	37	39	38	39	:	39	39	37	37	38	39	608		

DEC 09 1992

NEW MED

BENEFICIAL USE FIELD REPORT REVIEW

TO: FILE 67-7311

FROM: PAM SKAGGS

RE: PRIORITY ADVANCE REVIEW

DATE: 29-SEP-1992

This review memo is prepared to show the process for determining what elements were involved in advancement of the priority.

	<u>DATE</u>	<u>JULIAN</u>
PERMIT		
Permit priority Date:	MAY 25 1977	145
EXAM FEE NOTICE		
Exam Fee Notice Date:	APRIL 10 1987	100
Exam Fee/Info Sheet Received Date:	SEPTEMBER 30 1987	273
Exam Fee or Info Due Date:	JUNE 09 1987	160
Days Late:		113 DAY(S)
NEW PRIORITY DATE		
Original Priority Date:	MAY 25 1977	145
Total Days Late:		113 DAY(S)
New Priority Date:	SEPTEMBER 15 1977	258

UNRECORDED

DEC 09 1992

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION

Permit No. 67-7311

1. Owner: RAFTER HL FARMS INC.

Phone No. 549-0248

Current Address: RT. 1 Box 167 WESG 1D. 83672

2. Accompanied by: VERNON LOLLEY

EXAM. DATE: 7-31-88

Address: SAME

Phone No.Relationship to Permit Holder: OWNER / PRESIDENT

3. Source: GROUNDWATER tributary to

B. OVERLAP REVIEW

1. Other water rights with same place of use: 67-2384A & 67-2169

WEISER IRR. DISTRICT


☐ **Copies Attached**

2. Other water rights with same point of diversion: NONE

☐ **Copies Attached**☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = NO SCALE

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).

☒ Photo of Diversion and System Attached

(required for all but single household domestic groundwater, and stockwater.

☒ Aerial Photo Attached
(required for irrigation of 10 acres or more).

DEC 09 1992

System Description (continued)

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

40 FT DEER WELL WITH 12" CASING WITH
RIGHT ANGLE PTO TURBINE PUMP, PUMPING OPEN
DISCHARGE INTO A CEMENT DITCH. DISCHARGE PIPE IS
6" IN DIAMETER AND 9 FT LONG.

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	JOHN DEER	94	UNKNOWN	AMARILLO	5408
	4010			40	

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			NW	SW	25	11N	6W	WASHINGTON	USGS QUAD + AERIAL PHOTO

6. Place(s) of Use:

Indicate Method of Determination AERIAL PHOTO

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
11N	6W	25									40	9							49
11N	6W	26												32					32
																			81

Do not use this space

UNRECORDED

DEC 09 1992

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
ANNUBAR			ST. 10	091403	6"	
MANOMETER		IDWR			5'	

2. Measurements:

SEE ANNUBAR SUPPLEMENT SHEET

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method: ANNUBAR: .85 cfs

2. Alternate Method for Checking Purposes: THEORETICAL: $\frac{94 \text{ HP} \times 8.8 \times .6}{(0 \times 2.31) + 20 \text{ FT}} = 24.8 \text{ cfs}$ 7.85 cfs

F. PUMP EFFICIENCY DATA (Optional)

N/A

- THE PUMP WOULD SUCK AIR AT HIGH R.P.M. DIESEL

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) DIESEL : Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 81 \text{ ac.} \times 4.5 \text{ ac/ft} = 364.5 \text{ ac-ft}$

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = .85 \text{ cfs} \times 245 \text{ days} \times 1.98 = 413.06 \text{ ac-ft}$

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 364.5 \text{ ac-ft}$

2. Volume Calculations for Other Uses:

MISSOURI MED

DEC 09 1992

H. REMARKS AND OVERLAP REVIEW ANALYSIS

- THIS WELL IS FOR ONLY SUPPLEMENTAL WATER
TO WEISER IRRIGATION DISTRICT WATER (GALLOWAY
DIRT). 67-2384A & 67-2169

I. RECOMMENDATIONS

1. Recommended Amounts


Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
IRRIGATION	3/15	11/15	1.85 cfs	364.5 afa
Totals:			1.85 cfs	364.5 afa

2. Recommended Amendments

- ☐ Change P.D. as reflected above ☐ Add P.D. as reflected above
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above

J. AUTHENTICATION

Field Examiner's Name QUENTIN NESBITT
Signature Quentin Nesbitt
Certification Date _____
Field Report Preparation Date 8-10-88



K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

DEC 09 1992

rm 219-Supp.
7/87

State of Idaho
DEPARTMENT OF WATER RESOURCES
SUPPLEMENTAL FIELD REPORT FOR ANNUBAR MEASUREMENT

Measured by: QUENTIN NESBITT Date 7/21/86
Owner: RATNER HL FARMS Permit No. 67-7311
VERNON LOLLEY

Description of well &/or measuring site

- Include any clarifications of the sketch
- Include legal description if more than one p.d. is described in the Field Report

RIGHT ANGLE. DRIVE PUMP WITH OPEN DISCHARGE
INTO CEMENT DITCH, RAN BY A JOHN DEER TRACTOR

MEASURED INSIDE PIPE DIAMETER IN INCHES (ID)

CIR = Pipe Circumference in Inches = _____

T = Pipe Thickness in Inches = _____

ID = $2 [(0.1592 \times \text{CIR}) - T] = \dots\dots\dots 6''$

ANNUBAR DESCRIPTION & CONSTANT (C)

Size Used in Test 6'

State ID No. 091403

Select C based on size from Table below.

Nominal Pipe Size	C
4"	4.23
6"	<u>3.75</u>
8"	3.87
10"	3.94
12"	3.99
14" - 16"	4.01
18" - 24"	4.02
30" or larger	4.03

C selected 3.75

DIFFERENTIAL PRESSURE READING IN INCHES OF H₂O (H)

High Reading = 38

Low Reading = 30

High - Low = H = 8

CALCULATION OF DISCHARGE IN CFS (Q)


$$Q = \frac{(ID)^2 \cdot (\sqrt{H}) \cdot (C)}{448.8}$$

$$Q = \frac{(6)^2 (\sqrt{8}) (3.75)}{448.8} = .85 \text{ cfs}$$

SKETCH (If not shown on Field Report)


381.84 G.P.M

42.54 INCHES



MICROFILMED

DEC 09 1992



P.D.

DISREGA
A 5.2

15.0

2
13.4

13
20.5

7
12

A 18.0

A 3.8

1502

A 28.0

C 3.3


B 35.4

UNRECORDED


DEC 08 1992

A 26.2

CONTOUR INTERVAL 20 FEET
 DOTTED LINES REPRESENT 5 FOOT CONTOURS
 DATUM IS MEAN SEA LEVEL



SCALE 1:24000



QUADRANGLE LOCATION


ROAD CLASSIFICATION
 Heavy-duty ——— 4 LANE 16 LANE Light-duty ———
 Medium-duty ——— 4 LANE 6 LANE Unimproved dirt ———
 U.S. Route State Route

OLDS FERRY SE, IDAHO-OREG.

SE 1/4 OLDS FERRY 15' QUADRANGLE

N4415-W11700/7.5

1952




117°00' 44°15'

WEISER 1.5 MI.
 PAYETTE 16 MI.


570 000
 FEET (OREG.)

DEC 09 1992

U.S. GEOLOGICAL SURVEY



P.D.
LOOKING EAST



TRACTOR HOOKED
TO THE PUMP

P.U.
LOOKING
SOUTHWEST

MICROFILMED

DEC 09 1992

4/86

RECEIVED
SEP 30 1987

RECEIVED
DEC 17 1987

Department of Water Resources
Western Regional Office

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

Department of Water Resources

EXAMINATION FEE INFORMATION

For Office Use Only
Fee Received \$125
Date 10/6/87
Receipt # 43951
Receipt by [Signature]
Sent to S.O. 10/14/87

KEYPUNCHED

1. Permit No. 67-7311

ONE OF THE FOLLOWING BOXES SHOULD BE MARKED TO DESIGNATE YOUR CHOICE:

☒ I choose to have the department make the field examination of this permit; attached is the examination fee. (If this box is marked, complete items 1 thru 8.)

RAFTER H L FARMS, INC.

2. Permit Holder: VERNON E. LOLLEY, PRES.

3. Post Office Address: RT. 1 BOX 167 WEISER

IDAHO 83672 Telephone No. 208-549-0248

4. Source of Water: WELL

5. Extent of Use:

Domestic _____ (No. of households) Stockwater _____ (No. and type of stock)

Irrigation 90 (acres) Other/Remark _____

6. Total rate &/or volume for which proof is submitted 1.8 cfs 180 acre-feet

7. Show the date water was first diverted and beneficially used under this permit:

JUNE 1977

8. Person to contact to accompany the department representative during the field examination:

VERNON LOLLEY (Name) **MISSTUNED**

RT. 1 BOX 167 WEISER IDAHO (Address) DEC 8 1987 (Telephone Number)

☐ I choose to have the field examination conducted by a certified water right examiner. Attached is a statement from the certified examiner I have selected verifying that he has been retained to conduct the examination. (If this box is marked, complete items 1 thru 1.)

SEPT. 25, 1987 Date Rafter, H L Farms Inc. - by Vernon E. Lolley, Pres. Signature of Permit Holder (and title, if appropriate)

State of Idaho

Department of Water Resources

LICENSE EXAMINATION FEE SCHEDULE

(c.f.s. = cubic feet per second
AF = acre feet)

cfs	AF	Fee
0 - 0.04	0 - 4	\$ 0
.05 - 0.20	5 - 20	50.00
.21 - 1.0	21 - 100	100.00
1.01 - 2.0	101 - 200	125.00
2.01 - 3.0	201 - 300	150.00
3.01 - 4.0	301 - 400	175.00
4.01 - 5.0	401 - 500	200.00
5.01 - 6.0	501 - 600	225.00
6.01 - 7.0	601 - 700	250.00
7.01 - 8.0	701 - 800	275.00
8.01 - 9.0	801 - 900	300.00
9.01 - 10.0	901 - 1000	325.00
10.01 - 11.0	1001 - 1100	350.00
11.01 - 12.0	1101 - 1200	375.00
12.01 - 13.0	1201 - 1300	400.00
13.01 - 14.0	1301 - 1400	425.00
14.01 - 15.0	1401 - 1500	450.00
15.01 - 16.0	1501 - 1600	475.00
16.01 - 17.0	1601 - 1700	500.00
17.01 - 18.0	1701 - 1800	525.00
18.01 - 19.0	1801 - 1900	550.00
19.01 - 20.0	1901 - 2000	575.00
20.01 & over	2001 & over	600.00

Checks should be made payable to the
Department of Water Resources

No fee is required for single family
domestic use or stockwater use.



State of Idaho
DEPARTMENT OF WATER RESOURCES
Western Region

Cecil D. Andrus
Governor

2735 Airport Way
Boise, Idaho 83705
(208) 334-2190

67-7311
RAFTER HL FARMS INC.
C/O VERNON E. LOLLEY, V.P.
RT. 1 BOX 167
WEISER, ID 83672

138224

April 10, 1987

CERTIFIED MAIL

EXAMINATION FEE NOTICE

Dear Permit Holder:

Department records show that proof of beneficial use has been submitted for the above-referenced permit, but that a field examination has not yet been conducted to determine the extent of beneficial use of the water for licensing purposes.

House Bill 671 (effective April 4, 1986) enacted by the 1986 Idaho Legislature requires the payment of a fee before this department can conduct the field examination needed to issue a license confirming use of water under the permit. This letter is notification that the license examination fee is due within sixty (60) days of the date of this letter. The examination fee information sheet (enclosed) must be returned with the fee.

As an alternative to submitting the fee, the department will accept a field examination report completed by a certified water right examiner from the private sector. If you choose to have the examination done by a certified water right examiner, you need not submit the license examination fee to the department, but you must within sixty (60) days of the date of this letter return to the department, the examination fee information sheet showing appropriate information together with a statement from the certified examiner to verify that you have retained a certified examiner to conduct the field examination. If you choose this alternative, a completed field examination report must be submitted within one year of the date of this letter. You cannot later change your decision to use this alternative and submit the fee needed for the department to conduct the field examination, but you may change to another certified examiner.

RECEIVED

DEC 09 1992



State of Idaho
DEPARTMENT OF WATER RESOURCES
WESTERN REGION, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-2190

November 24 1982

Rafter HL Farms, Inc.
c/o Vernon E. Lolley
Route 1, Box 167
Weiser, ID 83672
Re: Permit No. 67-7311

Dear Mr. Lolley:

We acknowledge receipt of your statement submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department.

☐

A field examination of your system has been scheduled for _____.

If this time and date is not convenient for you, please contact this office as soon as possible.

☒

A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office.

Sincerely,

Judy Pense

Judy Pense
Secretary

Enc: Rein. Order

MICROFILMED

CALCULATION OF NEW PRIORITY DATE

FROM: Rita Fleck

TO: File # 67-7311

DATE: Nov. 22, 1982

Date Proof Received

Proof Due

Number of Days Proof Late

188 July 7
152 June 1
36

Priority Date

Number of Days Proof Late

New Priority Date

109 Apr. 19, 1977
36
145 = May 25, 1977

Remarks

REC-11

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this current statement that the permit holder(s) has completed development to the extent shown below on Permit No. 167-7311.

Name(s) of Permit Holder: Rafter HL Farms, INC.

Post Office Address: RL1 Box 167 Weiser, ID 83672

Tel. No. 549-0248

Source of Water: well

Extent of Use:

☐ Domestic	_____	(number of households)
☐ Stockwater	_____	(number and type of stock)
☒ Irrigation	<u>90</u>	(acres)
☐ Other	_____	

Measuring Device: Required? ☐ Yes ☐ No Installed? ☒ Yes ☐ No

Access Port: Required? ☒ Yes ☐ No Installed? ☐ Yes ☐ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

7-1-82

Date

X [Signature]
Signature of Permit Holder

RECEIVED

JUL 7 1982


Department of Water Resources



IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

PLACE
TEN CENT
STAMP
HERE

Vernon E. Lolley
Route 1, Box 167
Weiser, ID 83672



Idaho Department of Water Resources
Statehouse
Boise, ID 83720

JUL 7 1982

Department of Water Resources

Gentlemen

We submitted a card as requested by you on or about May 15, 1982. This is the second card sent as requested in our phone conversation the 1st of July.

RECEIVED

Sincerely,

JUL 7 1982

Vernon E. Lolley

Department of Water Resources

CONVERSATION MEMORANDUM

DATE 7-1-82

FILE 67-7311

NAME OF PARTY 2 VERN LOLLEY

EMPLOYEE Jim Johnson

RE: The above called in reference to
letter received from our office.

He stated that he had sent a
Proof to beneficial use card to the Department
on about 2 weeks prior to June 1 1982.

I advised him ^{again} send the
proof card that he had received
in his last correspondence.

A check should be made to
see if we have received the first
card.

WARNING

CANCELLED OR LAPSED

This permit has been officially CANCELLED or LAPSED.

Ninety days following the date of official action this file will be DESTROYED.

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440

RAFTER HL FARMS INC.
RT. 1 BOX 167
WEISER, ID 83672

JUNE 08, 1982

DEAR PERMIT HOLDER:

YOU ARE HEREBY NOTIFIED THAT UNDER THE PROVISIONS OF SECTION 42-218A OF THE IDAHO CODE, PERMIT NO. 67-7311 HAS LAPSED. THIS OFFICE DID NOT RECEIVE EITHER A NOTICE THAT YOU HAVE COMPLETED THE PROJECT BY THE DATE REQUIRED ON YOUR PERMIT, OR A REQUEST FOR AN EXTENSION OF TIME. YOU WERE PROVIDED THE PROPER FORMS IN OUR NOTICE TO YOU DATED MARCH 31, 1982.

YOUR PERMIT CANNOT BE REINSTATED UNLESS YOU SUBMIT THE STATEMENT OF BENEFICIAL USE POSTCARD OR SUBMIT AN EXTENSION OF TIME REQUEST SHOWING REASONABLE CAUSE FOR DELAY. EITHER THE COMPLETED POSTCARD OR THE EXTENSION REQUEST MUST BE RECEIVED BY THIS OFFICE WITHIN SIXTY DAYS OF THE DATE OF THIS LAPSE NOTICE OR THE PERMIT WILL NO LONGER BE OF ANY FORCE OR EFFECT.

A STATEMENT OF BENEFICIAL USE POSTCARD AND A REQUEST FOR EXTENSION OF TIME FORM ARE ENCLOSED FOR YOUR USE. PLEASE NOTE THAT A FEE OF \$15.00 MUST ACCOMPANY AN EXTENSION OF TIME REQUEST.

L. GLEN SAXTON
CHIEF, OPERATIONS BUREAU

ENCLOSURES

CERTIFICATION OF MAILING

Mailed June 16/30/1982
This document was
sent by first class mail,
registered and returned to the
Post Office at Boise, Idaho
Peter Fleck

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
CERTIFIED MAIL

138685

RAFTER HL FARMS INC.
RT. 1 BOX 167
WEISER, ID 83672

MARCH 31, 1982

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF YOUR WATER PERMIT NO. 67-7311 WAS THAT EVIDENCE OF THE EXTENT OF DEVELOPMENT MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE JUNE 01, 1982. (SEE LAST PAGE OF YOUR APPROVED PERMIT). ENCLOSED IS A POST CARD WHICH MAY BE USED TO SUBMIT THE REQUIRED PROOF OF BENEFICIAL USE.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU HAVE NOT PREVIOUSLY RECEIVED AN EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME PROVIDED THE DELAY IS FOR REASONABLE CAUSE AS INDICATED IN SECTION 42-204, IDAHO CODE, AMENDED. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED.

EITHER THE BENEFICIAL USE POST CARD OR A REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE MENTIONED DATE, OTHERWISE, THE PERMIT WILL LAPSE AND BE OF NO FURTHER FORCE OR EFFECT WITHIN 60 DAYS.

SINCERELY,

RITA FLECK
SR. SECRETARY

ENC: 1



State of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

March 19, 1982

Dear Wateruser:

The enclosed Order changes the measuring device condition of approval on your water right permit.

The changed condition is less restrictive and provides you the option to install an access port or have your system measured and certified by a professional engineer. Instructions for access port installation are also enclosed.

If you have questions regarding this matter, please contact the regional office nearest to you.

Sincerely,

DAVID R. TUTHILL JR., P. E.
Supervisor, Water Allocations Section

DRT:jg

Enclosures

NORTHERN REGION OFFICE
Route #5, Box 203, Government Way
Coeur d'Alene, Idaho 83814
Telephone 667-6484

EASTERN REGION OFFICE
150 Shoup Avenue
Idaho Falls, Idaho 83401
Telephone 525-7161

SOUTHERN REGION OFFICE
1041 Blue Lake Boulevard North
Twin Falls, Idaho 83301
Telephone 734-3578

WESTERN REGION OFFICE
92 South Cole Road
Boise, Idaho 83709
Telephone 334-2190

June 15, 1977

Re: Permit No. 67-7311

Rafter HL Farms, Inc.
Route #1, Box 167
Weiser, ID 83672

Gentlemen:

Enclosed is a copy of your approved Application for Permit No. 67-7311 . We direct your attention to the conditions of approval as listed on the fourth page.

Be sure to note that a special condition requiring you to install and maintain a measuring device at your point of diversion has been placed upon your permit. We are enclosing a letter describing different types of measuring devices accepted by this office.

Sincerely,

BOBBY D. FLEENOR
Chief, Water Rights

Enclosure: Copy of permit

DEPARTMENT OF WATER RESOURCES
- STAFF ANALYSIS -

Item Initial Date

Application No. 67

☒ Source
☒ Point of Diversion
☒ County
☒ Quantity of Water and Period of Use
☒ Description of Diverting Works
☒ Time required for B/U of water
☒ Place of Use or Acres Irrigated
☒ Map
☒ Signature
☒ Fee

(1) JH 4-20-77

In form to receipt

(2) _____

Send Copies to:

☐ Idaho State Health Department
☐ Idaho Fish and Game Department
☐ Bureau of Land Management

(3) _____

☐ Request Special Use Permit from U.S.F.S.
☐ Request Easement from B.L.M.
☐ Request Information from Applicant
☐ Request Dam Safety Information

(4) JH 4-20-77

In form for advertising

(5) _____

Platted on Map No. _____

(6) _____

Located within Water District No. _____

(7) _____

Critical groundwater area: yes _____ no ☒

(8) _____

Groundwater levels:

_____ Declining, _____ Stable, _____ Increasing

(comment) _____

(9) _____

Other rights on the same place of use none platted

(10) _____

Comments: _____

(11) JH OK

Affidavit of Publication received (date) 5-17-77

(12) _____

Final date for protests 5-16-77

Protests received: yes _____ no ☒

(13) _____

All requested information received from agencies or applicant: yes _____ no _____

(14) _____

Action recommended:

☒ Approve _____ Deny

_____ Proposed Priority

_____ Reason for Reduction

☒ Measuring device required

_____ See attached sheet for other conditions of approval

_____ No special conditions for approval

(15) District W

By JH Date 5-17-77

Supplemental



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
WESTERN REGION

Cecil D. Andrus
Governor

R. Keith Higginson
Director

92 South Cole Road
Boise, Idaho 83705
(208) 384-2190

April 25, 1977

Re; Notice of Application for Water Permit No. 67-7311 -- Rafter HL Farnas, Inc.

The Signal American
P. O. Box 709
Weiser, ID 83672

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. In order to receive payment, the following certification must appear on the bill:

" I hereby certify that the foregoing account is just and correct, that the amount claimed is legally due after allowing all just credits and that no part of the same has been paid."

(Signature of Claimant)

Please send the affidavit of publication and publication billing to this office before May 16, 1977.

Sincerely,

Bill submitted
5-17-77
[Signature]

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that RAFTER HL FARMS, INC.

Route 1, Box 167 Weiser, ID
has on April 19, 1977 submitted Application No. 67-7311
for a permit to appropriate 1.8 cubic feet per second acre feet
XXXXXXXXXX
per annum of water from a groundwater source
XXXXXXXXXX
by means of well, pump, and ditches
within the NW 1/4 Sec 25 T11N-R6W B.M., Washington County

to be used from Mar 15 to Nov 15
for irrigation of 90 acres
within the NW 1/4 Sec 25, NE 1/4 Sec 26, T11N-R6W B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Director of the Idaho Department of Water Resources, 92 South Cole Road, Boise, Idaho 83705 on or before May 16, 1977.

C. STEPHEN ALLRED

~~REDACTED~~ Director

Published in the The Signal American - Weiser, ID
April 28, 1977 and May 5, 1977

No. 46

NOTICE OF APPLICATION
FOR WATER PERMIT

Notice is hereby given that
RAFTER HL FARMS, INC.
Route 1, Box 167 Weiser, ID
has on April 19, 1977 sub-
mitted Application No. 67-
7311 for a permit to ap-
propriate 1.8 cubic feet per
second of water from a
groundwater source by
means of well, pump, and
ditches, within the
NW $\frac{1}{4}$ SW $\frac{1}{4}$ Sec 25 T11N-
R6W B.M. Washington
County to be used from Mar
15 to Nov 15 for irrigation of
90 acres within the
W $\frac{1}{4}$ SW $\frac{1}{4}$ Sec 25; NE $\frac{1}{4}$ SE $\frac{1}{4}$
Sec 26; T11N-R6W B.M.
If ~~is~~ this permit will
be subject to all prior water
rights. Protests against the
granting of the permit must
be filed with the Director of
the Idaho Department of
Water Resources, 92 South
Cole Road, Boise, Idaho
83705 on or before May 16,
1977.

C. STEPHEN ALLRED
Director

Published in the Signal-
American, Weiser, ID April
28, 1977 and May 5, 1977.