


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

H-T-H Company
(Applicant)
by Carl O. Jennings, Pres.

No. 1105

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO, } ss.
County of Washington }

Dorothy A. Bath, being duly sworn,
deposes and says:

That he is the Clerk of
THE WEISER SIGNAL, a weekly newspaper published at
Weiser, in the County of Washington and State of Idaho; that
said paper has been and is in general circulation in the
county aforesaid, and in the vicinity of Weiser; that the ad-
vertisement, a copy of which is attached hereto, was pub-

lished in said newspaper once a week for 2 consecu-
tive weeks in the regular and entire issue of said paper dur-
ing the period and time of publication, and was published in
the newspaper proper and not in a supplement; that said
paper has been established and regularly published for more
than seventy-eight consecutive weeks prior to the date of
first publication of said advertisement.

Such notice was published in the issue beginning with

Nov. 25, 1976, and ending
with the issue of Dec. 2, 1976.

Dorothy A. Bath
Fees, \$ 11.90

Subscribed and sworn to before me this 2

day of Nov, 1976

Notary Public, Residing at Weiser, Idaho.

My Commission Expires 1-2, 1979.

No. 1105
NOTICE OF APPLICATION
FOR WATER PERMIT

Notice is hereby given that
H-J-H Company Weiser, ID
has on November 10, 1976
submitted Application No.
67-7293 for a permit to ap-
propriate 90 acre feet per
annum of water from Scott
Creek trib of Snake River
within the SE $\frac{1}{4}$ SW $\frac{1}{4}$ Sec 11
T11N-R6W B.M., Washing-
ton County to be used from
Jan 1 to June 15 for storage
of irrigation and Mar 15 to
Nov 15 for irrigation of 300
acres within the S $\frac{1}{2}$ Sec 11
T11N-R6W B.M.

If issued, this permit will
be subject to all prior water
rights. Protests against the
granting of the permit must
be filed with the Idaho De-
partment of Water
Resources, Statehouse,
Boise, Idaho, 83720, on or
before December 13, 1976.


R. KEITH HIGGINSON
Director

Published in the Signal
American, Weiser, ID on
November 25, 1976 and Dec-
ember 2, 1976.

74-2s

MICROFILMED

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. See also reservoir diagram on dam inspection for



Scale: 1" = NTS.

Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

Aerial Photo Attached (required for irrigation of 10+ acres)

Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
67-2338	Century	10		Berkeley	5"
pump div. in Sec 14					

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.


Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: NONE. For storage capacity, see dam inspection form. Scot Creek not flowing @ exam. See theoretical rate for Sec 14 pump station and outlet discharge. No irrigation ~~exam~~ @ time of exam - fields being prepared for cutting.

GENERAL CONDITION AND DESCRIPTION OF DAM: Good, the spillway channel has several willow-bush clumps that need to be removed. The gopher burrows previously leaking (4/3/96 inspection) appears owner has plugged upstream side. The emergency spillway area appears to be stabilized. Rock placed previously below the spillway apron has eliminated bank erosion at channel turn. Some undermining below spillway concrete apron - ongoing problem.

INSTRUMENTATION READINGS (Piezometer, Seepage measurement, Alignment, Elevation, etc.) None

SKETCH OF DAM SHOWING LOCATION OF SPILLWAY AND OUTLET WORKS AND ANY MAINTENANCE PROBLEMS:



RECOMMENDATIONS: Issue a storage certificate for a 2 year period.

Maintenance:

1. Control woody growth in the spillway channel and on the embankment.
2. Control rodent activity on the embankment.
3. Monitor closely the spillway channel during and after use. Repair eroded areas as required for stabilization

Date: 5/21, 1996

Inspected by: J. Westra, Western Reg.

INTER-DEPARTMENT MEMO — 1

DATE 1-3-79

FROM Glen S

TO File 67-7293

~~subject~~ at time of licensing Stor. for
firing (when water can be held in
pond) should probably be shown
as 1-1 to 12-31

148
MICROFILMED

SIGNATURE

RECEIVED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

FEB 27 1978

APPLICATION FOR EXTENSION OF TIME

Department of Water Resources

State of Idaho
County of Washington

Permit No. 67-7293

H-J-H Co of Box 269 Weiser
(name) (address)

State of Idaho, being first duly sworn, upon his oath deposes and says:

That he is the holder, or the duly authorized agent, of the holder *, of Permit to Appropriate the Public Waters of the State of Idaho No. 67-7293.

That under the terms and conditions of said permit, work thereunder was required to be completed on or before March 1, 19 78.

That he has heretofore performed the following work described under said permit:
The dam is finished and is full of water

Costing \$ 50,000

That he is unable to complete the remainder of the work within the required time for the following reasons, to-wit: Will not use the water for
irrigation until April or May. Therefore,
we cannot say we used the water by March 1 1978

Wherefore, he asks that the Department of Water Resources extend the time for the completion of obligations under said permit to July 1, 19 78.

H-J-H Co
by Carl Munnings
(signature) *

Subscribed and sworn before me this 23 day of February, 19 78.

seal

Donald
Notary Public residing at
Weiser, Idaho

My commission expires 5-1-81

ACTION OF THE DIRECTOR OF THE DEPARTMENT OF WATER RESOURCES

IT IS HEREBY ORDERED that the above application for extension of time be APPROVED and the time within which to submit proof of beneficial use of water is extended to March 1, 1979.

Witness my hand this 6th day of March, 1978.

A. Glen Saxton
Chief, Operations Bureau

* IF OTHER THAN HOLDER, Power of Attorney must be supplied. Forms are available through the Department of Water Resources, Statehouse, Boise, Idaho 83720.

MICROFILMED

ok
1 year

Identification No. _____

Application No. 67-7293

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To Appropriate the Public Waters of the State of Idaho
(TYPE OR PRINT IN INK)

1. Name of applicant H-J-H Company, Phone: 549-0442
post office address 35 E Commercial Box 269 Weiser, Idaho

2. Source of water supply Scott Creek which is a tributary of Snake River

3. a. Location of point of diversion is SE $\frac{1}{4}$ of SW $\frac{1}{4}$ of Section 11 Township 11N
Range 6W B.M. Washington County; additional points of diversion if any: _____

b. If water is not consumed, it will be discharged into Scott Cr. at a point in SE $\frac{1}{4}$
of SW $\frac{1}{4}$ of Section 11 Township 11N Range 6W B.M. _____

4. Water will be used for the following purposes:

Amount 90 AF for Irrigation purpose from May Jan. 1 to June 15 (both dates inclusive)
(cfs or acre-feet per annum)

Amount 90 AF for Irrigation purpose from March 15 to Nov. 15 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. _____ cubic feet per second and/or

b. 90 acre feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. None

b. Height of storage dam 19 feet, active reservoir capacity 90 acre feet; total reservoir
capacity 90 acre feet, materials used in storage dam: Earth Fill

Period of year during which storage will occur Jan. 1 to June 15 inclusive.
(Mo. Day) (Mo. Day)

c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.

7. a. Time required for the completion of the works and application of the water to the proposed beneficial use
is 6 Mo. years --- **ALLOW 1 YEAR**

b. Estimated construction cost is \$ _____.

8. Description of proposed uses:

a. If water is **not** for irrigation:

(1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____
Range _____ B.M. _____

(2) Amount of power to be generated: None hp under _____ feet of head.

(3) List number of each kind of livestock to be watered: _____

(4) Name of municipality to be served _____, or number of families to be
supplied with domestic water _____.

(5) If water is to be used for other purposes describe: _____

MICROFILMED

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP.	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
11N	6W	11									20	40	40	40	40	40	40	40	300


Total number of acres to be irrigated 300

c. Describe any other water rights used for the same purposes as described above.
Permit No. 67- 2338 (right for direct diversion from stream)

9. a. Who owns the property at the point of diversion H-J-H Company
- b. Who owns the land to be irrigated or place of use H-J-H Company
- c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing _____

10. Remarks This dam will be very helpful in flood control during the spring runoff.

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

H. J. H. Company
(Applicant)
by Carl O. Jennings, Pres.

Proposed Priority 11-10-76

Received by de Date 11-10-76 Time 10:00 am
Preliminary check by de Fee \$ 25.00
Receipted by Yur Date 11/10/76 # 5949
Publication prepared by mf Date 11-16-76
Published in The Signal American
Publication dates 11-25-76 & 12-2-76
Publication approved mf Date 1-4-77
Priority reduced to _____ Reason _____

Protests filed by: Richard Waldrop, Carroll
Seeliger, Glen Hill

*Protests
Withdrawn*

Copies of protests forwarded by rf 12-14-1976
Hearing held by 1644 B9F Date Feb. 2, 1977
Recommended for approval denial by 224 jg

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES


This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 67-7293, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before March 1, 1978.
- c. Other: _____

2. Denial of said application is for the following reasons: _____

Witness my hand this 21 day of February, 19 77.


Director

No. 1105

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO, }
County of Washington } ss.

Dorothy A. Barth, being duly sworn,
deposes and says:

That he is the Clerk of
THE WEISER SIGNAL, a weekly newspaper published at
Weiser, in the County of Washington and State of Idaho; that
said paper has been and is in general circulation in the
county aforesaid, and in the vicinity of Weiser; that the ad-
vertisement, a copy of which is attached hereto, was pub-
lished in said newspaper once a week for 2 consecu-
tive weeks in the regular and entire issue of said paper dur-
ing the period and time of publication, and was published in
the newspaper proper and not in a supplement; that said
paper has been established and regularly published for more
than seventy-eight consecutive weeks prior to the date of
first publication of said advertisement.

Such notice was published in the issue beginning with
Nov. 25, 1976, and ending
with the issue of Dec. 2, 1976
Dorothy A. Barth
Fees, \$ 11.90

Subscribed and sworn to before me this 2
day of Nov, 1976
Mary Lee
Notary Public, Residing at Weiser, Idaho.
My Commission Expires 1-2, 1979

No. 1105
NOTICE OF APPLICATION
FOR WATER PERMIT

Notice is hereby given that
H-J-H Company Weiser, ID
has on November 10, 1976
submitted Application No.
67-7293 for a permit to ap-
propriate 90 acre feet per
annum of water from Scott
Creek trib of Snake River
within the SE 1/4 SW 1/4 Sec 11
T11N-R6W B.M., Washing-
ton County to be used from
Jan 1 to June 15 for storage
of irrigation and Mar 15 to
Nov 15 for irrigation of 300
acres within the S 1/2 Sec 11
T11N-R6W B.M.

If issued, this permit will
be subject to all prior water
rights. Protests against the
granting of the permit must
be filed with the Idaho De-
partment of Water
Resources, Statehouse,
Boise, Idaho, 83720, on or
before December 13, 1976.

R. KEITH HIGGINSON
Director

Published in the Signal
American, Weiser, ID on
November 25, 1976 and Dec-
ember 2, 1976.

74-2s

MICROFILMED

FEB 04 1997

~~Department of Water Resources~~

Permit No. 67-~~2358~~/7293

Current Address: PO Box 269 Weiser ID 83672

Address: _____ Phone No. 336 5322

Relationship to Permit Holder: OWNER

3. Source: SCOTT CREEK tributary to SNAKE RIVER

OVERLAP REVIEW

1. Other water rights with the same place of use: 67-2213, 7856, 7540 } Ground water
67-2246, 2285, 7784 } A67-10279, 10280
Crane Ck Waiser R.

2. Other water rights with the same point of diversion: 67-2285

1. Point(s) of Diversion:


Ident No.	Gov't Lot	¼	¼	¼	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			SE SW	11	N	6W	Wash.	67-2338 & 67-7293	Dow Site
			SE NW	14	11N	6W	Wash.	67-2338 only	"Relift" site in lower Scott Creek Channel

2. Place(s) of Use: (Both nights)

Indicate Method of Determination **AACS**

[illegible]

3. Delivery System Diagram: Indicate all major components and distances between components. Indicate weir size/ditch size/pipe I.d. as applicable.
 ↑ Delivery N. of ditch. See also reservoir diagram on dam inspection for



Scale: 1" = NTS

Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

Aerial Photo Attached (required for irrigation of 10+ acres)

Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
67-2338	Century	10		Berkeley	5"
pump div. in Sec 14					

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: NONE. For storage capacity, see dam inspection form. Scot Creek not flowing @ exam. See theoretical rate for Sec 14 pump station and outlet discharge. No irrigation @ time of exam - fields being prepared for cutting.

E. NARRATIVE/REMARKS/COMMENTS

90 AF Reservoir System serves 176 acres with water from Scott Creek. This exam is for the 2 permits used to construct the system. 67.2338 is for live flow from Scott Creek.

67.7293 is for reservoir constructed in about 1976. ~~Atres~~ Dam outlet on east embankment is connected to a 6" line which discharges to cement & earth ditches east and south of the reservoir. A pump station on Galloway Ditch uses a water lifter to deliver water to field N & W of reservoir. This pump may operate from a reservoir inlet or from a sump fed by Galloway Ditch (See overlap comments). The dam & outlet are considered a common P/D for both rights. The galloway pump station is a relief site which should not be considered a unique P/D. Approx 1/3 mile south in the Scott CK channel, a second pump site was established which can either return tailwater flows to the reservoir or directly to the south end fields. Although this pump does not operate during natural flow periods, it is located in the channel and therefore needs to be treated as a P/D rather than a relief, for 67.2338 only.

Acres under this project are part of a larger farm which may also be irrigated w/ Weiser River/Chanel Creek water via Galloway Ditch. Acres W. of Scott Creek not irrigated under these permits have groundwater licenses also. A well developed under 67.2285 is located just east of the res. & may be discharge to the res. or mainline for a few acres east of it. S 1/2 S 11.

Scott Creek was not flowing @ exam but dam inspection in 4/96 noted Spillway flowing @ 15 cfs. A fee limitation @ proof filing (see 9/18/87 file correspondence) will limit licensed natural flows under 67.2338 to 2 cfs unless greater fees pd.

Have conditions of permit approval been met? ☒ yes ☐ no

No stockwater (67.2338) found.

Historical diversion for 67.2338 no longer used, washed out many years ago.

will S.O. solicit additional fee?

F. FLOW CALCULATIONS

Measured Method:

For Sec 14 Scott Creek pump: $\frac{10 \times 8.8 \times .7}{15 + (10 \times 2.31)} = 1.62 \text{ cfs}$

Rated discharge from Res. outlet (6" mainline @ ditch) = 3.0 cfs
" " " " w/ no mainline hookup = 9-10 cfs est (from dam file)

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

(67.2338)
 $V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 176 \times 4.5 = 792$
 $V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 2.0 \times 246 \times 1.9835 = 975.8$
 $V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 792$

2. Volume Calculations for Other Uses:

(67.7293)
RESERVOIR STORAGE = 90 AF
CAPACITY

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
(67.2338): IRRIGATION	3/15	11/15	2.0	792.0
67.7293: IRRIGATION STORAGE	1/1	12/31		90
IRR FR. STORAGE	3/15	11/15		90
Totals:				

2. Recommended Amendments

(67.2338) (67.2338)
☒ Change P.D. as reflected above ☒ Add P.D. as reflected above ☐ None
☐ Change P.U. as reflected above ☒ Add P.U. as reflected above ☐ Other
(both)

I. AUTHENTICATION

Field Examiner's Name Cindy J. Hodges Date 1/8/97

Reviewer _____ Date _____

SEAL

Pipeflow Computation Spreadsheet (DRT 12/31/1992)

Data Entered By: Cindy Hodges
1/8/97

Project: Flow Computation for Permit No. 67-02338

H J H Reservoir Outlet (6" mainline attached)

Given: See Data Table

Compute head losses with the Williams and Hazen Formula:

$$f = 0.2083 * (100 / \text{roughness})^{1.85} * ((\text{cfs} * 448.8)^{1.852} / \text{ID}^4.8655 * \text{Length} / 100)$$

To Find: Compute Rate of Flow

Data Table

Total Head: 20.00 feet — 17 ft hydraulic head @ full pool + 3' drop to mainline discharge.

Pressure Req'd: 0.00 psi

Available Head: 20.00 feet

Pipe Roughness: 150.00 Note: pvc = 150, smooth and straight pipe = 140
aluminum - joint length 20' = 125, joint length 30' = 130, joint length 40' = 132, joint length 50' = 134, new riveted steel = 100
old riveted steel = 100, old cast iron = 95, old pipes in poor condition = 60 to 80

Inside Diameter in Inches	Equivalent Length in Feet	Unit Head Loss	Total Head Loss from Pipe Friction
6.00	200.00	20.09	
10.00	0.00	0.00	
10.00	0.00	0.00	
10.00	0.00	0.00	20.09

Rate of Flow: 3.000 CFS

Solution is obtained by entering an estimated rate of flow and adjusting until Total Head Loss approximates Available Head.



PERMIT 61-2338/723 INIT *of*
T. R. S. Q/Q
P/D *IN* *6W* *1514*
SCALE *1:24K*
PHOTO ID. *1152* 1974

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
RECORD OF INSPECTION OF DAMName of dam: Scott Creek Stream: Scott Creek ☐ OffstreamName of owner: Richard Johnson 549 2253 Location: 11-111-6.4Individuals accompanying inspector: Met Richard Johnson on 4/3/96 at the siteReservoir characteristics: Dam height 17.3 Ft Surface area 14 ac Storage capacity 90 Ac-FtHazard class: Significant Photographs: YesCONDITION OF EMBANKMENT OR STRUCTURE: ☐ Poor ☐ Fair ☒ Good ☐ ExcellentType: ☒ Earth ☐ Rockfill ☐ Conc. arch ☐ Conc. gravity ☐ Timber crib ☐ Other _____

	UPSTREAM SLOPE	CREST	DOWNSTREAM SLOPE	TOE AREA
Surface cover material	Rock riprap	gravel	Earth - rock	Earth
Growth	Weeds - native grasses		A few Buckwheat - willows	Spillway
Settlement or cracks	None	None	None	
Surface erosion	OK	None	Some cutting from spillway on West embankment	
Debris	None	None	Some brush / debris in spillway	
Animal burrows	None noted	None	A few squirrel burrows	None
Crest width and slope measurements	3:1	± 18 Ft	2:1	

CONDITION OF OUTLET WORKS: ☐ Poor ☐ Fair ☒ Good ☐ ExcellentLocation: ☒ Left side ☐ Center ☐ Right side ☐ Other _____Description and condition: 12" dia concrete pipe thru the damGate hoist: ☒ Manual ☐ Electric ☐ Other _____Stem: ☒ Inclined from entrance to crest ☐ Vertical on tower at entrance
☐ Vertical through dam from crest ☐ Downstream valveEntrance: Submerged Outlet: attached to mainlineCONDITION OF SPILLWAY: ☐ Poor ☐ Fair ☒ Good ☐ ExcellentLocation: ☐ Left abutment ☒ Right abutment ☐ Away from dam ☐ Other _____Base width 40.4 Freeboard at crest 3 Ft Sideslope Vert Channel slope Mild Fetch 1/4 mi.Overflow channel: ☐ Well defined ☐ Flow directed away from toe ☒ Flow could reach toe
West - South embankErosion control present: Concrete apron crest w/rock Erosion present: undermining below apronMaintenance condition: Debris some sticks/debris below apron Growth Scattered willows/bushes along spillway channel

SEEPAGE:

Reservoir level during inspection: Full - spilling 2-15 cfs
Heavy rainfall during the inspection


	TOE AREA	DOWNSTREAM SLOPE	ABUTMENTS	OTHER
Piping of material evident (Est. G.P.M.)	None	None	None	
Flowing water @ Culvert (Est. G.P.M.) 3.3 gpm	East - South embankments	None	None	
Marshy or standing water		None	None	
Damp		None	None	
Evident from growth present		Spillway flows	None	

GENERAL CONDITION AND DESCRIPTION OF DAM: Good, the spillway channel has several willow-bush clumps that need to be removed. The gopher burrow previously leaking (4/3/96 inspection) appears owner has plugged upstream side. The emergency spillway area appears to be stabilized. Rock placed previously below the spillway apron has eliminated bank erosion at channel turn. Some undermining below spillway concrete apron - ongoing problem.

INSTRUMENTATION READINGS (Piezometer, Seepage measurement, Alignment, Elevation, etc.) _____

None

SKETCH OF DAM SHOWING LOCATION OF SPILLWAY AND OUTLET WORKS AND ANY MAINTENANCE PROBLEMS:



RECOMMENDATIONS: Issue a storage certificate for a 2 year period.

Maintenance:

1. Control woody growth in the spillway channel and on the embankment.
2. Control rodent activity on the embankment.
3. Monitor closely the spillway channel during and after use. Repair eroded areas as required for stabilization

Date: 5/21, 1994

Inspected by: J. Westa, Western Dig.

PS Form 3811, Apr. 1977

RETURN RECEIPT, REGISTERED, INSURED AND CERTIFIED MAIL

● SENDER: Complete items 1, 2, and 3 Add your address in the "RETURN TO" space on reverse.								
1. The following service is requested (check one). ☐ Show to whom and date delivered \$ ☐ Show to whom, date, and address of delivery \$ ☐ RESTRICTED DELIVERY Show to whom and date delivered \$ ☐ RESTRICTED DELIVERY Show to whom, date, and address of delivery . \$ (CONSULT POSTMASTER FOR FEES)								
2. ARTICLE ADDRESSED TO:								
3. ARTICLE DESCRIPTION: <table border="1"> <tr> <td>REGISTERED NO.</td> <td>CERTIFIED NO.</td> <td>INSURED NO.</td> </tr> <tr> <td></td> <td>242456</td> <td></td> </tr> </table> (Always obtain signature of addressee or agent)			REGISTERED NO.	CERTIFIED NO.	INSURED NO.		242456	
REGISTERED NO.	CERTIFIED NO.	INSURED NO.						
	242456							
I have received the article described above. SIGNATURE ☐ Addressee ☐ Authorized agent								
4.	DATE OF DELIVERY	POSTMARK						
5. ADDRESS (Complete only if requested)								
6. UNABLE TO DELIVER BECAUSE:		CLERK'S INITIALS						

UNITED STATES POSTAL SERVICE
OFFICIAL BUSINESS

SENDER INSTRUCTIONS

Print your name, address, and ZIP CODE in the space below.

- Complete items 1, 2, and 3 on the reverse.
- Moisten gummed ends and attach to front of article if space permits. Otherwise affix to back of article.
- Endorse article "Return Receipt Requested" adjacent to number.

PENALTY FOR PRIVATE
USE TO AVOID PAYMENT
OF POSTAGE, \$300



**RETURN
TO**



H. G. Company
(Name of Sender)

P.O. Box 269

(Street or P.O. Box)

Wesley, Mo. 83672

(City, State, and ZIP Code)

INTER-DEPARTMENT MEMO — 1

FROM

Ralph M

DATE

4-3-85

TO

File

SUBJECT

Evidently Use designation "Irrigation" is intended to be "Irrigation from Storage"

It is noted no natural flow use is requested such as Diversion to Storage or irrigation. Perhaps there was an intent to file for these however.

Am

SIGNATURE

4/86

RECEIVED
APR 20 1987RECEIVED
DEC 17 1987

For Office Use Only
 Fee Received \$100
 Date 4-27-87
 Receipt # 42371
 Receipt by AS
 Sent to S.O. 12/14/87

Department of Water Resources
 Western District Office

STATE OF IDAHO

Department of Water Resources

DEPARTMENT OF WATER RESOURCES

EXAMINATION FEE INFORMATION

KEYPUNCHED

1. Permit No. 67-7293

ONE OF THE FOLLOWING BOXES SHOULD BE MARKED TO DESIGNATE YOUR CHOICE:

☒ I choose to have the department make the field examination of this permit; attached is the examination fee. (If this box is marked, complete items 1 thru 8.)

2. Permit Holder: H-J-H CO3. Post Office Address: 1005 W 2nd StWeiser Idaho Telephone No. 549-08884. Source of Water: Scotts Creek

5. Extent of Use:

Domestic _____ (No. of households) Stockwater _____ (No. and type of stock)

Irrigation 90 A F 190 (acres) Other/Remark _____6. Total rate &/or volume for which proof is submitted _____ cfs 90 acre-feet

7. Show the date water was first diverted and beneficially used under this permit:

Spring of 1979

8. Person to contact to accompany the department representative during the field examination:

Carl O Henning
(Name)1005 W 2nd St Weiser Idaho
(Address)549-0888
(Telephone Number)

☐ I choose to have the field examination conducted by a certified water right examiner. Attached is a statement from the certified examiner I have selected verifying that he has been retained to conduct the examination. (If this box is marked, complete items 1 thru 7.)

Date 4/16/87Signature of Permit Holder (and title, if appropriate)
Carl O Henning Pres

State of Idaho

Department of Water Resources

LICENSE EXAMINATION FEE SCHEDULE

(c.f.s. = cubic feet per second
AF = acre feet)

cfs	AF	Fee
0 - 0.04	0 - 4	\$ 0
.05 - 0.20	5 - 20	50.00
.21 - 1.0	21 - 100	100.00
1.01 - 2.0	101 - 200	125.00
2.01 - 3.0	201 - 300	150.00
3.01 - 4.0	301 - 400	175.00
4.01 - 5.0	401 - 500	200.00
5.01 - 6.0	501 - 600	225.00
6.01 - 7.0	601 - 700	250.00
7.01 - 8.0	701 - 800	275.00
8.01 - 9.0	801 - 900	300.00
9.01 - 10.0	901 - 1000	325.00
10.01 - 11.0	1001 - 1100	350.00
11.01 - 12.0	1101 - 1200	375.00
12.01 - 13.0	1201 - 1300	400.00
13.01 - 14.0	1301 - 1400	425.00
14.01 - 15.0	1401 - 1500	450.00
15.01 - 16.0	1501 - 1600	475.00
16.01 - 17.0	1601 - 1700	500.00
17.01 - 18.0	1701 - 1800	525.00
18.01 - 19.0	1801 - 1900	550.00
19.01 - 20.0	1901 - 2000	575.00
20.01 & over	2001 & over	600.00

Checks should be made payable to the
Department of Water Resources

No fee is required for single family
domestic use or stockwater use.



State of Idaho
DEPARTMENT OF WATER RESOURCES
Western Region

Cecil D. Andrus
Governor

2735 Airport Way
Boise, Idaho 83705
(208) 334-2190

67-7293
H-J-H COMPANY
P.O. BOX 269
WEISER, ID 83672

138222

April 10, 1987

CERTIFIED MAIL

EXAMINATION FEE NOTICE

Dear Permit Holder:

Department records show that proof of beneficial use has been submitted for the above-referenced permit, but that a field examination has not yet been conducted to determine the extent of beneficial use of the water for licensing purposes.

House Bill 671 (effective April 4, 1986) enacted by the 1986 Idaho Legislature requires the payment of a fee before this department can conduct the field examination needed to issue a license confirming use of water under the permit. This letter is notification that the license examination fee is due within sixty (60) days of the date of this letter. The examination fee information sheet (enclosed) must be returned with the fee.

As an alternative to submitting the fee, the department will accept a field examination report completed by a certified water right examiner from the private sector. If you choose to have the examination done by a certified water right examiner, you need not submit the license examination fee to the department, but you must within sixty (60) days of the date of this letter return to the department, the examination fee information sheet showing appropriate information together with a statement from the certified examiner to verify that you have retained a certified examiner to conduct the field examination. If you choose this alternative, a completed field examination report must be submitted within one year of the date of this letter. You cannot later change your decision to use this alternative and submit the fee needed for the department to conduct the field examination, but you may change to another certified examiner.



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 373 W. Franklin Street, Boise, Idaho

JOHN V. EVANS

Governor

C. STEPHEN ALLRED

Director

Mailing address:

Statehouse

Boise, Idaho 83720

(208) 384-2215

January 22, 1979

H-J-H Company
P. O. Box 269
Weiser, ID 83672

Gentlemen:

Re: Permit No. 67-7293

We acknowledge receipt of the affidavit submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department. We cannot tell just when this examination will be made, but our examiner will try to contact you at the time he makes the examination so that you may show him the system.

If you have any questions regarding the field examination, please contact our regional office in **Boise (384-2190)**.

Sincerely,

RITA FLECK
Water Rights

RECEIVED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

PROOF OF APPLICATION
OF WATER TO BENEFICIAL USE

RECEIVED
JAN 5 1979
Department of Water Resources

1. a) Name of permit holder H-J-H Company
- b) Post office address 35 E. Commercial P.O. Box 269 Weiser, Idaho 83672
2. Permit number 67-7293
3. Date of priority that you are prepared to establish November 10, 1976
4. a) Source from which water was appropriated Scott Creek
- b) Location of the point of diversion: SE $\frac{1}{4}$ SW $\frac{1}{4}$, Section 11
Township 11N, Range 6W Boise Meridian. Other points of diversion: _____
5. a) The amount of water and use to which the water has been applied:
- | | | | | |
|--|---|--|----------------------------------|-------|
| Amount <u>90AF</u>
(cfs &/or acre-feet per annum) | for <u>Storage for</u>
<u>irrigation</u> | purposes from <u>Jan 1</u>
(month-day) | to <u>June 15</u>
(month-day) | incl. |
| Amount <u>90AF</u>
(cfs &/or acre-feet per annum) | for <u>irrigation</u> | purposes from <u>March 15</u>
(month-day) | to <u>Nov. 15</u>
(month-day) | incl. |
| Amount _____
(cfs &/or acre-feet per annum) | for _____ | purposes from _____
(month-day) | to _____
(month-day) | incl. |
- b) Total amount appropriated 90AF cfs and/or acre-feet per annum.
- c) Describe how and by whom measurement of rate of flow or amount of storage was made and the qualifications of the person making the measurement:
Amount of storage calculated area of water impounded. Made by Wayne Cheney,
Engineer, builder of Dam.
6. If the means of diversion and conveyance are owned by someone other than the permit holder:
- a) Give the name or description of the canal, ditch or other works by which the water is conducted to the place of use:
None
- b) Describe the agreement of understanding by which you take water from the works: _____
7. a) Briefly describe the works for diverting and conveying the water to the place of use, (if from a subterranean source, give the pump size, motor size, size of well casing, depth of well; if from surface water, give brief description of diversion structure and/or canal or ditch):
Water will be pumped from reservoir and will also be released through east side
of reservoir by a valve and pipe installation.
- b) Describe the provision for making a measurement which you have at your point of diversion (i.e., installed measuring device, access port, other):
None

RECORDED

H-J-H Company
P.O. Box 269
Weiser, Idaho 83672

UNDELIVERED

RETURN RECEIPT
REQUESTED

C

No. 242456

MAIL

State Of Idaho
Department of Water Resources
Statehouse
Boise, Idaho 83720



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 373 W. Franklin Street, Boise, Idaho

JOHN V. EVANS

Governor

C. STEPHEN ALLRED

Director

Mailing address:

Statehouse

Boise, Idaho 83720

(208) 384-2215

CERTIFIED MAIL

December 20, 1978

Re: Permit No. 67-7293

101580

H-J-H Co.

Box 265

Moiser, ID 83672

Gentlemen:

One of the conditions of approval of your water Permit No. 67-7293 (see last page of your approved permit) was that evidence of the extent of development be submitted as proof of application of water to beneficial use to this office on or before March 1, 1978. Enclosed is an affidavit form which must be used to submit the required proof of beneficial use.

If you have not fully completed your project, and you have not previously received an extension of time, you may request an extension of time provided the delay is for reasonable cause as indicated in Section 42-204, Idaho Code, amended. If you have been prevented from proceeding by a governmental agency or by litigation, more than one extension of time can be granted.

Either the beneficial use affidavit or a request for an extension of time must be received by this Department on or before the above mentioned date, otherwise, the permit will lapse and be of no further force or effect.

RITA FLECK

Water Rights

Encl: Proof affidavit

March 8, 1978

Re: Permit No. 67-7293

H-J-H Company
Box 269
Weiser, Idaho 83672

Gentlemen:

Enclosed is a copy of the approved application for extension of time in connection with the above referenced permit.

The time within which to submit proof of beneficial use of water has been extended to March 1, 1979.

Sincerely,

Jan Grover
Water Rights Supervisor

MICROFILMED

December 30, 1977

CERTIFIED MAIL

138202

Re: Permit No. 67-7293

H-J-H Company
35 E. Commercial, Box 269
Weiser, Idaho 83672

Gentlemen:

One of the conditions of approval of your water Permit No. 67-7293 (see last page of your approved permit) was that evidence of the extent of development be submitted as proof of application of water to beneficial use to this office on or before March 1, 1978. Enclosed is an affidavit form which must be used to submit the required proof of beneficial use.

If you have not fully completed your project, and you have not previously received an extension of time, you may request an extension of time provided the delay is for reasonable cause as indicated in Section 42-204, Idaho Code, amended. If you have been prevented from proceeding by a governmental agency or by litigation, more than one extension of time can be granted.

Either the beneficial use affidavit or a request for an extension of time must be received by this Department on or before the above mentioned date, otherwise the permit will lapse and be of no further force or effect.



C. STEPHEN ALLRED
Director

CSA:jfr

Enc: Proof affidavit

MICROFILMED

February 22, 1977

Re: Permit No. 67-7293

H-J-II Company
35 E. Commercial, Box 269
Weiser, ID 83672

Gentlemen:

Enclosed is a copy of your approved Application for Permit No. 67-7293. We direct your attention to the conditions of approval as listed on the fourth page.

Sincerely,

BOBBY D. FLEENOR
Chief, Water Rights

BDF:mef

Enclosure

MICROFILMED

In the Matter of Application)
for Permit No 67-7293 in)
the name of H.J.H. Co.)

Withdrawal of Protest

We the undersigned hereby withdraw our protest against the approval of application for permit no. 67-7293 with the understanding that it is issued as being subject to all prior existing water rights.

Signed at Weiser, Idaho this 2nd day of February, 1977.

Richard Waldrop

Carroll Seeliger

Glenn Hill



December 13, 1976

Department of Water Resources
Western Regional Office

I wish to protest application for permit no. 67-7293
since the proposed diversion may interfere with my right
as evidenced by license no. 12864/67-2111.

Respectfully,

Richard Waldrop

RICHARD WALDROP
748 E. 8 St.
Weiser, ID 83672

MICROFILMED

RECEIVED
DEC 7 1976

December 7, 1976

Department of Water Resources
Western Regional Office

I wish to protest application for permit no. 67-7293.
Water has been used from Scott Creek for irrigation and stock-
water since 1963. My right was established by diversion and
applying water to beneficial use.

Glen Hill
GLEN HILL
Rt. 1
Weiser, ID 83672
Ph. 549-1559

MICROFILMED

December 7, 1976

RECEIVED
DEC 7 1976

Department of Water Resources
Western Regional Office

I wish to protest application for permit no. 67-7293.
I am a water user and obtain my water from Scott Creek for
the irrigation of 60 acres of land. My right to the use of
this water is a use right dating back to around 1900.

Respectfully,

Carroll Seeliger

CARROLL SEELIGER

Rt. #1

Weiser, ID 83672

Ph. - 549-2456

MICROFILMED

67-7293 - H-J-H Company

Courtroom, Washington County Courthouse, Weiser, Idaho

Wednesday, February 2, 1977 - 10:00 a.m.

ROSTER OF ATTENDANCE

Name	Address	Representing
Richard Waldrop	748 E 9th Weiser	Protect
Carroll Seeliger	Rt. 1, B. 284, Weiser	Protect
Glen Hise	Rt. 1 Box 276 Weiser	"
Carl O Henniger	1005 W 2nd Weiser.	Applicant
A. L. R. 4277	Box 557 Weiser	Applicant
Richard E. Johnson (Johnson)	1444 W 2nd Weiser	Applicant

MICROFILMED

MICROFILMED



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
WESTERN REGION

Cecil D. Andrus
Governor

R. Keith Higginson
Director

92 South Cole Road
Boise, Idaho 83705
(208) 384-2190

Re: Application for Permit
No. 67-7293
(H-J-H Company)

January 28, 1977

Mr. Harold Ryan, Attorney
Box 587
Weiser, ID 83672

Dear Mr. Ryan:

Pursuant to your telephone call of January 27, 1977, enclosed please find the requested information.

If this office can be of further assistance, please contact us.

Sincerely,

RITA FLECK
Secretary

RF

Enc. Practice & Procedure
Application for Permit
Permit No. 67-2338

MICROFILMED

DEPARTMENT OF WATER RESOURCES
- STAFF ANALYSIS -

Item Initial Date

Application No. 67-7293

☒ Source
☒ Point of Diversion
☒ County
☒ Quantity of Water and Period of Use
☒ Description of Diverting Works
☒ Time required for B/U of water
☒ Place of Use or Acres Irrigated
☒ Map
☒ Signature
☒ Fee

☐ Pre-permit exam
☐ Adjudication Claim
☐ Dam Construction
☐ Papers Sent

(1) 665 11/12/76

In form to receipt

(2) _____

Send Copies to:

_____ Idaho State Health Department
_____ Idaho Fish and Game Department
_____ Bureau of Land Management

(3) _____

_____ Request Special Use Permit from U.S.F.S.
_____ Request Easement from B.L.M.
_____ Request Information from Applicant

(4) 665 11/12/76

In form for advertising

(5) _____

Platted on Map No. _____

(6) _____

Located within Water District No. _____

(7) _____

Critical groundwater area: yes _____ no _____

(8) _____

Groundwater levels: N/A

_____ Declining, _____ Stable, _____ Increasing

(comment) _____

(9) _____

Other rights on the same place of use flow rt. 67-233

(10) _____

Comments: _____

(11) af OK

Affidavit of Publication received(date) 1-4-77

(12) _____

Final date for protests Dec 13, 1976

Protests received: yes ☒ no ☐

Protest withdrawn Feb 2, 1977

(13) _____

All requested information received from agencies or applicant: yes _____ no _____

(14) _____

Action recommended:

☒ Approve _____ Deny

_____ Proposed Priority

_____ Reason for Reduction _____

NO Measuring device required

_____ See attached sheet for other conditions of approval

_____ No special conditions for approval

(15) District W

By LL Date Feb 2, 1977

MICROFILMED

PS Form 3877 - Feb. 1975
ACCEPTANCE OF REGISTERED, INSURED, C.O.D., AND CERTIFIED MAILNAME AND
ADDRESS
OF SENDERDEPARTMENT OF WATER RESOURCES
WESTERN REGION

Indicate type of mail

☐ REGISTERED ☐ COD
☐ INSURED ☒ CERTIFIEDAffix stamp here if issued as
certificate of mailing or for
additional copies of this bill.

POSTMARK AND DATE OF RECEIPT

	NUMBER OF ARTICLE	NAME OF ADDRESSEE, STREET, AND POST-OFFICE ADDRESS	POSTAGE	FEE	Handling Charge	Actual Value (If Registered)	DUE SENDER IF C. O. D.	R. R. FEE	S. D. FEE	S. H. FEE	REST. DEL. FEE REMARKS
1	139200	H-J-H Co., 35 E. Commerical, Box 269, Weiser, ID	13	60				—			67-7293
2	139201	Richard Waldrop, 748 E. 8 St. Weiser, ID 83672	{	{				—			
3	139202	Glen Hill, Route 1, Weiser, ID 83672	{	{				—			
4	139203	Carroll Seelinger, Route 1, Weiser, ID 83672	{	{				—			
5											
6											
7	139204	Ronald K. Vaughn, P. O. Box 401, Emmett, ID 83617	{	{				—			77-7056
8	139205	John Coffin, Route 1, Homedale, ID 83628	{	{				—			
9	139206	Scott Neal, Route 1, Brookside Lane, Boise, ID 83702	{	{				—			
10	139207	A. J. Bohner, Attorney, P. O. Box 1397, Boise, ID 83701	{	{				—			
11	139208	Nancy Kozlowski, Eagle, ID 83616	{	{				—			
12											
13		Sent by <i>rf</i>									
14		1-12-77									
15											
TOTAL NUMBER OF PIECES LISTED BY SENDER		TOTAL NUMBER OF PIECES RECEIVED AT POST OFFICE	POSTMASTER, PER (Name of receiving employee)		Declaration of value is required on international registered mail. Special-handling charges apply only to third- and fourth-class parcels. Special-delivery service also includes special-handling service.						
9											

FORM MUST BE COMPLETED BY TYPEWRITER, INK OR BALL POINT PEN

★ U. S. GOVERNMENT PRINTING OFFICE

MICROFILMED

BEFORE THE DIRECTOR OF THE DEPARTMENT OF WATER RESOURCES
OF THE
STATE OF IDAHO

IN THE MATTER OF PROTESTS AGAINST APPROVAL
OF THE APPLICATION FOR PERMIT NO. 67-7293
IN THE NAME OF H-J-H COMPANY

NOTICE OF CONFERENCE
AND/OR HEARING


On November 10, 1976, H-J-H Company filed with the Department of Water Resources an application to appropriate the public waters of the State of Idaho. On December 7, 1976, the Department received protests against approval of said application from Carroll Seeliger and Glen Hill. An additional protest was received from Richard Waldrop on December 13, 1976.

The Department has set the matter of protests for conference and/or hearing for Wednesday, February 2, 1977 at 10:00 a.m. in the courtroom of the Washington County Courthouse, Weiser, Idaho. Any hearing will be held in accordance with the Rules and Regulations of the Idaho Code and adopted Rules of Practice and Procedure of the Department of Water Resources. Opportunity shall be afforded all parties to respond and present evidence and argument on all issues involved.

Any party may request in writing five (5) days before any hearing that the oral proceedings thereof be taken in the form of stenographic notes. Any party may have such stenographic notes of the oral proceedings, or part thereof, transcribed at his own expense. A taped record of the proceedings will be maintained for the appeal period.

Failure to appear at the time and place set for hearing by the applicant or protestants may allow the Department without prejudice to dismiss the protests or the application. Any and all cost incurred by reason of such non-appearance may be assessed against such non-appearing parties.

Dated this 12th day of January, 1977.


L. GLEN SAXTON, P.E.

Western Regional Supervisor

MICROFILMED

January 12, 1977

C
County Clerk
Washington County Courthouse
Weiser, ID 83672

O
Dear clerk:

This is to confirm the use of the courtroom for conference and/or hearing to be held by this office on Wednesday, February 2, 1977 at 10:00 a.m.

Thank you for your cooperation in this matter.

P
Sincerely,

RITA FLECK
Secretary

Y
MICROFILMED

December 14, 1976

RE: Application for Permit No. 7293
H-J-H Company

Carroll Seeliger
Rt. #1
Weiser, ID 83672

Dear Mr. Seeliger:

This office acknowledges receipt of your protest to issuance of a permit pursuant to the above referenced application. The following are the principle items we can consider at a conference and/or hearing in either approving or denying an application for permit (Section 42-203, Idaho Code):

1. Will the proposed use reduce the quantity of water under existing water rights?
2. Is the proposed water supply insufficient for purposes intended?
3. Is the application made in good faith or for delay or speculative purposes?
4. Has the applicant sufficient financial resources with which to complete the project?

The Department may reject an application and refuse issuance of a permit, partially approve the permit, approve the permit for a quantity of water less than applied for, or approve the permit subject to special conditions.

A permit issued by this office is subject to all prior water rights and does not in any way convey or establish a right-of-way over private or governmental lands. Any right-of-way or easement must be obtained by the individuals concerned through action outside of the water right proceedings.

You will be notified at a later date as to the time and place set for conference and/or hearing to discuss the matters of protest. If we may be of further assistance, please contact us.

Sincerely,

L. GLEN SAXTON, P.E.
Western Regional Supervisor

LGS:cs

bc: State Office

MICROFILMED

December 14, 1976

Re: Application for Permit No. 67-7293
H-J-H Company

Richard Waldrop
748 E. 8th St.
Weiser, ID 83672

Dear Mr. Waldrop:

This office acknowledges receipt of your protest to issuance of a permit pursuant to the above referenced application. The following are the principle items we can consider at a conference and/or hearing in either approving or denying an application for permit (Section 42-203, Idaho Code):

1. Will the proposed use reduce the quantity of water under existing water rights?
2. Is the proposed water supply insufficient for purposes intended?
3. Is the application made in good faith or for delay or speculative purposes?
4. Has the applicant sufficient financial resources with which to complete the project?

The Department may reject an application and refuse issuance of a permit, partially approve the permit, approve the permit for a quantity of water less than applied for, or approve the permit subject to special conditions.

A permit issued by this office is subject to all prior water rights and does not in any way convey or establish a right-of-way over private or governmental lands. Any right-of-way or easement must be obtained by the individuals concerned through action outside of the water right proceedings.

You will be notified at a later date as to the time and place set for conference and/or hearing to discuss the matters of protest. If we may be of further assistance, please contact us.

Sincerely,

L. GLEN SAXTON, P.E.
Western Regional Supervisor

LGS:rf

bc: State Office

MICROFILMED

December 14, 1976

Re: Application for Permit No. 67-7293
H-J-H Company

Glen Hill
Route 1
Weiser, ID 83672

Dear Mr. Hill:

This office acknowledges receipt of your protest to issuance of a permit pursuant to the above referenced application. The following are the principle items we can consider at a conference and/or hearing in either approving or denying an application for permit (Section 42-203, Idaho Code):

1. Will the proposed use reduce the quantity of water under existing water rights?
2. Is the proposed water supply insufficient for the purposes intended?
3. Is the application made in good faith or for delay or speculative purposes?
4. Has the applicant sufficient financial resources with which to complete the project?

The Department may reject an application and refuse issuance of a permit, partially approve the permit, approve the permit for a quantity of water less than applied for, or approve the permit subject to special conditions.

A permit issued by this office is subject to all prior water rights and does not in any way convey or establish a right-of-way over private or governmental lands. Any right-of-way or easement must be obtained by the individuals concerned through action outside of the water right proceedings.

You will be notified at a later date as to the time and place set for conference and/or hearing to discuss the matters of protest. If we may be of further assistance, please contact us.

Sincerely,

L. GLEN SAXTON, P.E.
Western Regional Supervisor

LGS:rf

cc: State Office

MICROFILMED

December 14, 1976

Re: Application for Permit No. 67-7293

H-J-H Company
Box 259
Weiser, ID 83672

Gentlemen:

Enclosed are copies of protests filed against the issuance of a permit pursuant to your Application No. 67-7293. You should be aware that the following are the principle items we can consider at a conference and/or hearing in either approving or denying an application for permit (Section 42-203, Idaho Code):

1. Will the proposed use reduce the quantity of water under existing water rights?
2. Is the proposed water supply insufficient for the purposes intended?
3. Is the application made in good faith or for delay or speculative purposes?
4. Has the applicant sufficient financial resources with which to complete the project?

A permit issued by this office is subject to all prior water rights and does not in any way convey or establish a right-of-way over private or governmental lands. Any right-of-way or easement must be obtained by the applicant through action outside of the water right proceedings.

You will be notified at a later date as to the time and place set for a conference and/or hearing to discuss the matters of protest.

If we may be of any assistance, please contact us.

Sincerely,

L. GLEN SAXTON, P.E.
Western Regional Supervisor

LGS:rf

Enc.

bc: State Office

MICROFILMED



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
WESTERN DISTRICT — ANNEX 3

Cecil D. Andrus
Governor

R. Keith Higginson
Director

Statehouse
Boise, Idaho 83720
(208) 384-2190

November 17, 1976

RE: Notice of Application for Water Permit No. 67-7293 - H-J-H Company

The Signal American
P. O. Box 709
Weiser, ID 83672

Gentlemen:

Enclosed you will find a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing ample time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted, assuming the notice is correct. If we have any corrections, we will notify you before the first publication. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. In order to receive payment, the following certification must appear in the bill:

"I hereby certify that the foregoing account is just and correct, that the amount claimed is legally due, after allowing all just credits, and that no part of the same has been paid."

MICROFILMED

Sincerely,

(Signature of Claimant)

Bill submitted

1-4-77

7

No. 1105
NOTICE OF APPLICATION
FOR WATER PERMIT

Notice is hereby given that H-J-H Company Weiser, ID has on November 10, 1976 submitted Application No. 67-7293 for a permit to appropriate 90 acre feet per annum of water from Scott Creek trib of Snake River within the SE $\frac{1}{4}$ SW $\frac{1}{4}$ Sec 11 T11N-R6W B.M., Washing- ton County to be used from Jan 1 to June 15 for storage of irrigation and Mar 15 to Nov 15 for irrigation of 300 acres within the S $\frac{1}{2}$ Sec 11 T11N-R6W B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, Statehouse, Boise, Idaho, 83720, on or before December 13, 1976.

R. KEITH HIGGINSON
Director

Published in the Signal American, Weiser, ID on November 25, 1976 and December 2, 1976.

74-2s

MICROFILMED

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that H-I-H Company
Weiser, ID
has on November 10, 1976 submitted Application No. 67-7293
for a permit to appropriate ~~cubic foot per second~~ 90 acre feet
per annum of water from Scott Creek trib of Snake River
by means of _____
within the SE 1/4 Sec 11 T11N-R6W B.M., Washington County

to be used from Jan 1 to June 15 for storage of irrigation and Mar 15 to Nov 15
for irrigation of 300 acres

within the ~~SW 1/4~~ NW 1/4 Sec 11 T11N-R6W B.M.

_____.

If issued, this permit will be subject to all prior water rights. Pro-
tests against the granting of the permit must be filed with the Idaho Depart-
ment of Water Resources, Statehouse, Boise, Idaho, 83720, on or before
December 13, 1976.

R. KEITH HIGGINSON

Director

Published in the Signal American, Weiser, ID
on November 25, 1976 and December 2, 1976.

MICROFILMED

November 15, 1976

H-J-H Company
35 E. Gomol, Box 269
Weiser, ID 83672

Dear Sir:

Please find enclosed the form for New Construction Information for Small Dams. In addition to the permit this form also needs to be filled out and returned at your earliest convenience.

Thank you,

GEORGE L. SISCO
Senior Water Resource Agent

enclosure

MICROFILMED

MICROFILMED