


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Claud Farn
 Evelyn J. Farn
 (Applicant)

No. 1064

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO, } ss.
County of Washington }

Dorothy A. Barth, being duly sworn,
deposes and says:

That he is the Clerk of
THE WEISER SIGNAL, a weekly newspaper published at
Weiser, in the County of Washington and State of Idaho; that
said paper has been and is in general circulation in the
county aforesaid, and in the vicinity of Weiser; that the ad-
vertisement, a copy of which is attached hereto, was pub-
lished in said newspaper once a week for 2 consec-
utive weeks in the regular and entire issue of said paper dur-
ing the period and time of publication, and was published in
the newspaper proper and not in a supplement; that said
paper has been established and regularly published for more
than seventy-eight consecutive weeks prior to the date of
first publication of said advertisement.

Such notice was published in the issue beginning with
June 17, 1976, and ending
with the issue of June 24, 1976.

Fees, \$ 12.24

Subscribed and sworn to before me this 24
day of June, 1976

Tommy Lee
Notary Public, Residing at Weiser, Idaho.

My Commission Expires 1-2, 1979

No. 1064
NOTICE OF APPLICATION
FOR WATER PERMIT

Notice is hereby given that
Claud & Evelyn J. Gann,
Weiser, ID, have on June 3,
1976 submitted Application
No. 67-7277 for a permit to
appropriate 60 acre feet per
annum of water from runoff
& seepage water by means of
a small dam within the
NE $\frac{1}{4}$ SE $\frac{1}{4}$ Sec 34 T12N-R5W
B.M., Washington County to
be used from Apr. 1 to Sept.
30 for the irrigation of 40
acres within the N $\frac{1}{4}$ SE $\frac{1}{4}$
Sec 34; NW $\frac{1}{4}$ SW $\frac{1}{4}$ Sec 35
T12N-R5W. The water will
be diverted to storage from
Nov. 1 to June 1.

If issued, this permit will
be subject to all prior water
rights. Protests against the
granting of the permit must
be filed with the Idaho
Department of Water Re-
sources, Statehouse, Boise,
Idaho, 83720, on or before
July 5, 1976.

R. KEITH HIGGINSON
Director

Published in the The
Weiser Signal, Weiser, ID on
June 17, 1976 and June 24,
1976.

28-25

OK
7-2-76
RB

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
FEB 09 1990

Department of Water Resources

A. GENERAL INFORMATION


1. Owner: CLAUDE AND/OR EVELYN GANN Permit No. 67-7277
Current Address: 1240 U.S. Hwy 95 WEISER, ID. 83672 Phone No. 549-1582
2. Accompanied by: EVELYN GANN EXAM. DATE: 8-4-88
Address: SAME Phone No. _____
Relationship to Permit Holder: WIFE OF CLAUDE GANN
3. Source: RUNOFF + SEEPAGE tributary to MONROE CREEK

B. OVERLAP REVIEW

1. Other water rights with same place of use: 67-0722, 67-7368, 67-7367
ALL SAME 1/4 ☐ Copies Attached
2. Other water rights with same point of diversion: NONE
☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



MICROFILMED
DEC 18 1990

Scale: 1" = NO SCALE

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).
☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).
☒ Aerial Photo Attached
(required for irrigation of 10 acres or more).


67-7277

67-7277 #34
T12N-R5W

(MOORE HOLLOW)
2572 II

Topography from aerial photographs by multiplex methods
Aerial photographs taken 1951. Field check 1953
Polyconic projection. 1927 North American datum
10,000-foot grid based on Idaho coordinate system. West zone
Red tint indicates areas in which only standard buildings are shown

Control by USGS and USC&GS
Mapped, edited and published by the Geological Survey



MICROFILMED

DEC 18 1953

SCALE 1:62,500



67-7277



POND
+
PUMP
FROM POND
(PUMP STATION)



RESERVOIR
+
P. U.
LOOKING
EAST FROM
DAM

DEC 18 1990

MEADOWS

67-7277



P.O.
LOOKING
NORTHEAST
FROM DRIVE
WAY INTO
PROPERTY

MICROFILMED

DEC 18 1990


GENERAL CONDITION AND DESCRIPTION OF DAM: GOOD - DAM IS WELL MAINTAINED.

MR GANN INDICATED HE HAS TRIED TO SPRAY AND KILL CATTAILS BUT THEY JUST KEEP GROWING BACK. AN AREA $\pm$ 5 FT IN DIAMETER HAS BEEN CLEARED AROUND DROP INLET SPILLWAY. MR GANN INDICATED HE MAY LOWER SPILLWAY CREST OF DROP INLET $\pm$ 1 FOOT BECAUSE OF SUB WATER AROUND HIS HOUSE WHICH IS LOCATED ON THE UPPER END OF THE RESERVOIR.

INSTRUMENTATION READINGS (Piezometer, Seepage measurement, Alignment, Elevation, etc.)

NONE.

SKETCH OF DAM SHOWING LOCATION OF SPILLWAY AND OUTLET WORKS AND ANY MAINTENANCE PROBLEMS:



RECOMMENDATIONS: ISSUE STORAGE CERTIFICATE FOR TWO-YEAR PERIOD.

MAINTENANCE: 1) CONTINUE TO SPRAY, KILL & REMOVE LARGE GROWTH FROM

UPSTREAM SLOPE AS NEEDED, ESPECIALLY AROUND DROP INLET SPILLWAY

(CATTAILS, WILLOWS, ETC) 2) KEEP DROP INLET SPILLWAY CLEAR OF DEBRIS.

3) WATCH SEEPAGE AT TOE OF DAM. 4) CLEAR AUXILIARY SPILLWAY ENTRANCE

Date: 18 MAY, 19 87

Inspected by: A. M. S. S. S.

MICROFILMED
DEC 18 1990

DAM SAFETY HAZARD CLASSIFICATION WORKSHEET

Dam No. 67-7277

Total Points

0 to 24

Class

Low Hazard

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 67-07277

Priority: June 3, 1976

Maximum Diversion Rate: 0.32 CFS
Maximum Diversion Volume:¹ 72.0 AF

This is to certify, that FLOYD HINTON
JACKALIN HINTON

1240 U.S. HWY. 95 N.
WEISER, ID 83672

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated June 3, 1976; and has submitted Proof of Beneficial Use on May 28, 1981. An examination indicates that the works have a diversion capacity of .390 cfs of water from:

UNNAMED STREAM tributary to MONROE CREEK

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.32 CFS	72.0 AF
IRRIGATION STORAGE	01/01 to 12/31		20.0 AF
IRRIGATION FROM STORAGE	03/15 to 11/15		20.0 AF
	Totals	0.32 CFS	72.0 AF

LOCATION OF POINT(S) OF DIVERSION:

NESE , Sec. 34, Township 12N, Range 05W
WASHINGTON County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
12N	05W	34	NESE 10	NWSE 1.5		11.5
		35	NWSW 4.5			4.5

Total number of acres irrigated: 16

PLACE OF USE: IRRIGATION STORAGE, same as IRRIGATION use

PLACE OF USE: IRRIGATION FROM STORAGE, same as IRRIGATION use

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.

MICROFILMED

DEC 18 1990

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 67-07277

CONDITIONS/REMARKS:

2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 4.5 afa per acre for the lands above.
6. Use of water under this water right is subject to control by the watermaster of State Water District No. 67

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 7th day of DECEMBER, 1990.

Acting for


Norman C Young
R. Keith Higginson, Director

RECORDED

DEC 18 1990

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 67-07277



Date of Priority: June 3, 1976

Maximum Diversion Rate:

0.32 CFS

Maximum Diversion Volume:¹

72.0 AF

Comes now

~~CLAUDE GANN~~ *FLOYD HINTON*
~~EVELYN J. GANN~~ *JACKALIN HINTON*

1240 U.S. HWY. 95 No.
WEISER, ID 83672

and represents to the Director of the

Idaho Department of Water Resources:

That he is the owner and holder of Permit to appropriate the Public Waters of the State of Idaho No. 67-07277, and requests that the permit be changed as follows:

Source: **UNNAMED STREAM**

tributary to **MONROE CREEK**

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.32 CFS	72.0 AF
IRRIGATION STORAGE	01/01 to 12/31		20.0 AF
IRRIGATION FROM STORAGE	03/15 to 11/15	0.32 CFS	20.0 AF
	Totals	0.32 CFS	72.0 AF

LOCATION OF POINT(S) OF DIVERSION:

NESE , Sec. 34, Township 12N, Range 05W
WASHINGTON County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
12N	05W	34	NESE 10	NWSE 1.5		11.5
		35	NWSW 4.5			4.5

Total number of acres irrigated: 16

PLACE OF USE: IRRIGATION STORAGE, same as IRRIGATION use

PLACE OF USE: IRRIGATION FROM STORAGE, same as IRRIGATION use

Permit holder asserts that no one will be injured by such change and that such change will be made at permit holder's own risk.

Signed at Weiser, Idaho 83672, this 13th day of September, 1990.

MICROFILMED

DEC 18 1990

Floyd Hinton
(Signature)
Jackalin Hinton

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 67-07277

FOR DEPARTMENT USE ONLY

#C018744

Preliminary check by SD Fee = \$20.00 Received by C Wong Date 60-30-90

ACTION OF THE DEPARTMENT OF WATER RESOURCES

I, R. Keith Higginson, of the Department of Water Resources hereby approve the above Application for Amendment for Permit No. 67-07277 with the following;

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 4.5 afa per acre for the lands above.
6. Use of water under this water right is subject to control by the watermaster of State Water District No. 67

Witness my hand this 7TH day of DECEMBER, 19 90.

Acting for

R. Keith Higginson

R. Keith Higginson, Director

MICROFILMED

DEC 18 1990

WATER RIGHT SUMMARY

ACTION	RIGHT NO.	NAME	AMOUNT CFS
Original Permit	67-7277	Gann, Claud Gann, Evelyn J.	0.32
Full Assignment	67-7277	Hinton, Floyd Hinton, Jackalin	0.32

MICROFILMED

DEC 18 1990

State of Idaho

Department of Water Resources

ASSIGNMENT OF PERMIT

Department of Water Resources

I, Claud &/or Evelyn Gann, hereby assign to Floyd &/or ~~Jacklin~~ JACKALIN Hinton
of 1240 U.S. Hwy. 95 ~~W~~, Weiser, ID 83672
Address

All my right, title, and interest in and to Permit No. 67-7277
to appropriate the public waters of the State of Idaho.

The following described portion of my right, title, and interest in and
to Permit No. 67-7277 to appropriate the public waters of the
State of Idaho.

(Describe that portion of the permit being assigned by listing the acreage
within each 40 acre subdivision, the point of diversion and the amount of
water in cubic feet per second for direct diversion, or acre feet for storage)

I assign to Floyd &/or Jackalin Hinton all the water rights Claud
&/or Evelyn Gann have in Idaho. Identification numbers, A67-07277, A67-00722,
A67-07369, A67-10870, A67-07368, A67-10868, A67-10869, A67-07367


Made this 31 day of August, 19 90.

Claud Gann
Permit Holder

Evelyn Gann
IS DECEASED
Spouse of Permit Holder

State of ~~Idaho~~ Washington)
County of Okanogan) ss

On this 31 day of August, 19 90, personally
appeared before me the signer(s) of the above instrument, who duly acknowledged
to me that he (she) (they) executed the same.



s e a l

Laerlier

Notary Public, residing at
Oake, WA

MICROFILMED

My commission expires:

8/31/90

DEC 16 1990

Identification No. _____

Application No. 67-7277

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To Appropriate the Public Waters of the State of Idaho
(TYPE OR PRINT IN INK)

1. Name of applicant Claud and Evelyn J. Gann Phone: 549-1582
post office address Route 2, Box 148, Weiser, Idaho 83672

2. Source of water supply ~~ground-water~~ ^{runoff} and seepage which is a tributary of Monroe Creek

3. a. Location of point of diversion is NE $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 34 Township 12N
Range 5W B.M. Washington County; additional points of diversion if any: _____

b. If water is not consumed, it will be discharged into Unnamed creek at a point in NE $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 34 Township 12N Range 5W B.M. _____

4. Water will be used for the following purposes:

Amount 60 AF ^(cfs or acre-feet per annum) for irrigation purpose from April 1 to Sept. 30 (both dates inclusive)

Amount 30 AF ^(cfs or acre-feet per annum) for Storage for irrigation purpose from Jan 1 to Dec 31 (both dates inclusive)

Amount _____ ^(cfs or acre-feet per annum) for _____ purpose from _____ to _____ (both dates inclusive)

5. Total quantity to be appropriated:

a. _____ cubic feet per second and/or _____ as per telephone call 6-4-76

b. 30-60 acre feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. shall be pumped through sprinkler

b. Height of storage dam 15 feet, active reservoir capacity 30 acre feet; total reservoir capacity 30 acre feet, materials used in storage dam: clay

Period of year during which storage will occur Nov. 1 to June 1 inclusive.
(Mo. Day) (Mo. Day)

c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.

7. a. Time required for the completion of the works and application of the water to the proposed beneficial use is 5 years.

b. Estimated construction cost is \$ 6,000.00.

8. Description of proposed uses:

a. If water is **not** for irrigation:

(1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____
Range _____ B.M. _____

(2) Amount of power to be generated: _____ hp under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water _____

(5) If water is to be used for other purposes describe: _____

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP.	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
12N	5W	34													8A	22A			30
12N	5W	35										10							10

Total number of acres to be irrigated ~~30~~ 40

c. Describe any other water rights used for the same purposes as described above. None


9. a. Who owns the property at the point of diversion Claud P. and Evelyn J. Gann

b. Who owns the land to be irrigated or place of use Claud P. and Evelyn J. Gann

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing _____

10. Remarks This storage of water shall be made during the late fall, winter and spring when irrigation is not being done. It is proposed to fill the pond twice each season. (per telephone conversation 6-5-76)

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Claud Farn
Evelyn J. Farn
(Applicant)

Proposed Priority 6-3-76

Received by RB Date 6-3-76 Time 2:20 p.m.

Preliminary check by 125 Fee \$ 25.00

Receipted by RB Date 6-3-76 # 5019

Publication prepared by CS Date 6-10-76

Published in The Weiser Signal

Publication dates June 17 & 24

Publication approved _____ Date _____

Priority reduced to _____ Reason _____

Protests filed by: _____

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by 125 DRT

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 67-7277, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:


a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before July 1, 19 81.

c. Other: _____

2. Denial of said application is for the following reasons: _____

Witness my hand this 14 day of July, 19 76.


Director

No 1064

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO, } ss.
County of Washington

Dorothy A. Bath, being duly sworn,
deposes and says:

That he is the Clerk of
THE WEISER SIGNAL, a weekly newspaper published at
Weiser, in the County of Washington and State of Idaho; that
said paper has been and is in general circulation in the
county aforesaid, and in the vicinity of Weiser; that the ad-
vertisement, a copy of which is attached hereto, was pub-
lished in said newspaper once a week for 2 consecu-
tive weeks in the regular and entire issue of said paper dur-
ing the period and time of publication, and was published in
the newspaper proper and not in a supplement; that said
paper has been established and regularly published for more
than seventy-eight consecutive weeks prior to the date of
first publication of said advertisement.

Such notice was published in the issue beginning with
June 17, 1976, and ending
with the issue of June 24, 1976.
Dorothy A. Bath
Fees, \$ 12.24

Subscribed and sworn to before me this 24
day of June, 1976

Henry Lee
Notary Public, Residing at Weiser, Idaho.

My Commission Expires 1-2, 1979

No. 1064
NOTICE OF APPLICATION
FOR WATER PERMIT

Notice is hereby given that
Claude & Evelyn J. Gann,
Weiser, ID, have on June 3,
1976 submitted Application
No. 67-7277 for a permit to
appropriate 60 acre feet per
annum of water from runoff
& seepage water by means of
a small dam within the
NE $\frac{1}{4}$ SE $\frac{1}{4}$ Sec 34, T12N-R5W
B.M., Washington County to
be used from Apr. 1 to Sept.
30 for the irrigation of 40
acres within the N $\frac{1}{4}$ SE $\frac{1}{4}$
Sec 34; NW $\frac{1}{4}$ SW $\frac{1}{4}$ Sec 35
T12N-R5W. The water will
be diverted to storage from
Nov. 1 to June 1.

If issued, this permit will
be subject to all prior water
rights. Protests against the
granting of the permit must
be filed with the Idaho
Department of Water Re-
sources, Statehouse, Boise,
Idaho, 83720, on or before
July 5, 1976.

R. KEITH HIGGINSON
Director
Published in the The
Weiser Signal, Weiser, ID on
June 17, 1976 and June 24,
1976.

28-25

OK
7-2-76
RB

December 10, 1990

FLOYD HINTON
JACKALIN HINTON
1240 U.S. HWY. 95 N.
WEISER, ID 83672

RE: WATER RIGHT NO. 67-07277

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit along with a copy of your approved application for amendment.

Should you have any questions regarding these documents, please feel free to contact our office.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:blm

Enclosure

RECEIVED
DEC 10 1990

October 23, 1990

RE: Permit No. 67-7277

Floyd &/or Jackalin Hinton
1240 U.S. Hwy. 95 N.
Weiser, ID 83672

Dear Mr. and Mrs. Hinton:

We acknowledge receipt of the assignment form which changes the ownership of all of the water rights formerly in the name of Claud and Evelyn Gann to you. Our computer records have been changed accordingly.

We also acknowledge receipt of the amendment form needed for licensing the above referenced water right. However, we have no record of receiving the \$20.00 filing fee with it. Therefore, we will hold the amendment for 20 days to allow you to submit the fee. Once we have received the fee, we can issue a license for this right.

If you have any questions, let us know.

Sincerely,

SHARLA CURTIS
Technical Records Specialist

MICROFILMED

DEC 18 1990

July 19, 1990

CLAUD GANN
EVELYN J. GANN
1240 U.S. HWY. 95
WEISER, ID 83672

RE: PERMIT NO. 67-07277

Dear Permit Holder(s):

The above referenced water right is in the process of being licensed. However, before a license can be issued, your permit must be amended to correspond with the findings of the Department's field examiner.

The enclosed application for amendment contains information that will be included on the license when it is issued. Please review carefully and if you concur, sign the amendment and return with the \$20.00 filing fee within 30 days.

If you do not concur with these findings or if you have any questions, please contact us within the 30-day period.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MICROFILMED

DEC 18 1990

MEMORANDUM

TO: FILE

FROM: ROXANNE MCCARTHY

RE: IRRIGATION FROM STORAGE

DATE: 2-MAR-1990

=====

The Permit was originally written for IRRIGATION at the rate of 0.4 cfs with STORAGE FOR IRRIGATION at 30 af. The rate of diversion was changed to 60 af(?) per a phone conversation.

The examiner found a 20 af pond, constructed in a draw, irrigating 16.0 acres at the rate of 0.39 cfs.

The applicants intentions appear clear on the original Permit and a recommendation for an IRRIGATION component of 0.32 cfs along with his STORAGE right is made. STORAGE is limited to the capacity of the pond: 20 af.

MICROFILMED

DEC 18 1990

4/86

RECEIVED

JAN 22 1990

Department of Water Resources
STATE OF IDAHO Western Regional Office

DEPARTMENT OF WATER RESOURCES

EXAMINATION FEE INFORMATION

For Office Use Only
Fee Received \$100.00
Date 1-23-90
Receipt # W001840
Receipt by JLN
Sent to S.O.

copy kept at Regis,
original to S.O. with
field exam. 1/24/90

1. Permit No. 67-07277

ONE OF THE FOLLOWING BOXES SHOULD BE MARKED TO DESIGNATE YOUR CHOICE:

☒ I choose to have the department make the field examination of this permit; attached is the examination fee. (If this box is marked, complete items 1 thru 8.)

2. Permit Holder: Claude Gann EVERY Gann is dead

3. Post Office Address: P.O. Box 1068, Cranford, OR 98844 1240 U.S. Hwy 95, Weiser, ID 83672

Telephone No. 549-1582 509-826-3401

4. Source of Water: unrained stream (= runoff and seepage)

5. Extent of Use:

Domestic _____ (No. of households) Stockwater _____ (No. and type of stock)

Irrigation 16 (acres) Other/Remark _____

6. Total rate &/or volume for which proof is submitted .32 cfs 20 acre-feet of storage (16")

7. Show the date water was first diverted to be used under this permit:

5/27/81

DEC 18 1990

8. Person to contact to accompany the department representative during the field examination:

N/A

Field exam conducted 8/4/88 but
(Name)

no record of Exam Fee Ints. sheet & fee paid found.
(Address) (Telephone Number)

☐ I choose to have the field examination conducted by a certified water right examiner. Attached is a statement from the certified examiner I have selected verifying that he has been retained to conduct the examination. (If this box is marked, complete items 1 thru 7.)

1-18-90
Date

Claude Gann - owner
Signature of Permit Holder (and title, if appropriate)

State of Idaho

Department of Water Resources

LICENSE EXAMINATION FEE SCHEDULE

(c.f.s. = cubic feet per second
AF = acre feet)

cfs	AF	Fee
0 - 0.04	0 - 4	\$ 0
.05 - 0.20	5 - 20	50.00
.21 - 1.0	21 - 100	100.00
1.01 - 2.0	101 - 200	125.00
2.01 - 3.0	201 - 300	150.00
3.01 - 4.0	301 - 400	175.00
4.01 - 5.0	401 - 500	200.00
5.01 - 6.0	501 - 600	225.00
6.01 - 7.0	601 - 700	250.00
7.01 - 8.0	701 - 800	275.00
8.01 - 9.0	801 - 900	300.00
9.01 - 10.0	901 - 1000	325.00
10.01 - 11.0	1001 - 1100	350.00
11.01 - 12.0	1101 - 1200	375.00
12.01 - 13.0	1201 - 1300	400.00
13.01 - 14.0	1301 - 1400	425.00
14.01 - 15.0	1401 - 1500	450.00
15.01 - 16.0	1501 - 1600	475.00
16.01 - 17.0	1601 - 1700	500.00
17.01 - 18.0	1701 - 1800	525.00
18.01 - 19.0	1801 - 1900	550.00
19.01 - 20.0	1901 - 2000	575.00
20.01 & over	2001 & over	600.00

Checks should be made payable to the
Department of Water Resources

No fee is required for single family
domestic use or stockwater use.

for
16" (= .32 cfs)
and
20 ac-ft storage,
fee = \$100



State of Idaho
DEPARTMENT OF WATER RESOURCES

Western Region, 2735 Airport Way, Boise, Idaho 83705 - (208) 334-2190

CECIL D. ANDRUS

GOVERNOR

R. KEITH HIGGINSON

DIRECTOR

Jan. 11, 1989

Claud and Evelyn Gann
1240 U.S. Highway 95
Weiser, ID. 83672

Re: Permit 67-07277

Dear Claud and Evelyn:

The above water right permit to store and use water via the Gann Reservoir to irrigate 16 acres was examined for licensing on 8/4/88. The examiner documented a 20 acre-foot reservoir and 16 miner's inches pumped from the reservoir for 16 acres. The license recommendation will include a right for storage and irrigation from storage, including the 16 inches of water.

However, before the department can issue a license, the enclosed Examination Fee Information sheet should be completed and submitted with payment of \$100. This is required under Idaho statute for licensing to proceed. The form and payment should have been submitted prior to a field exam. No record has been found in the department files that you completed this step and paid the license exam fee. An analysis of receipts in your name shows receipt number W006289 from 10/16/89, but that was for adjudication claims only.

It appears that payment was not made and that the department conducted the field exam in error. The field exam information is valid and useful and will be acted upon once the Exam Fee Information step is completed. Please complete the attached form and return it to me with a \$100 payment. If you believe that this was previously completed, please provide any documentation that may be helpful in clarifying the situation. I will be glad to provide additional help if needed. A response within 30 days would be appreciated.

Sincerely,

A handwritten signature in cursive script that reads "Steve Lester".

Steve Lester
Sr. Water Resource Agent

Enclosure: Exam Fee Information form

MICROFILMED

DEC 18 1990

MEMORANDUM

RECEIVED
FEB 21 1990

TO: FILE 67-07277

Department of Water Resources

FROM: STEVE LESTER

DATE: JAN. 10, 1990

SUBJECT: LICENSING

Source is redescribed as unnamed stream per IDWR standards for runoff related source. ✓

Volume Calculations and License Recommendations

No exam fee sheet and payment is found in Western file or in State file (telecon with Rebecca 1/10/90). The appropriate exam fee must be paid before licensing may continue. No receipt for Gann was found in ARQ2 except for a 1989 adjudication filing, receipt W006289. ✓

The permit specifies 60 af irrigation and 30 af irrigation storage with the total right not to exceed 60 af. Note that the permit states a total reservoir size of 30 af. Permit item 4 shows irrigation storage 1/1-12/31, although item 6b lists 11/1-6/1 and item 10 includes fall through spring. The remarks also indicate an intent to fill the reservoir twice per season. The most liberal interpretation of the permit includes irrigation from 4/1-9/30 and storage from 1/1-12/31.

The dam safety file D67-07277 indicates the Gann Reservoir as 20 af. Based on this, 20 af Irrigation Storage from 1/1-12/31 and 20 af Irrigation from Storage 4/1-9/30 may be allowed. The second filling of and use from the reservoir should be covered by a direct flow component. Sixteen acres provides a maximum 0.32 cfs direct flow, which is less than the 0.39 cfs sprinkler measurement. The inch per acre rate is the limiting factor (assumes exam fee payment of \$100 - for 20 af storage and 0.32 cfs - will be made).

What volume should be recommended with the direct flow? Two cases are presented.

RECORDED
FILMED

Case 1

DEC 18 1990

Note that the exam outlines volume required as 72 afa and volume diverted @ 0.32 cfs as 116.2 afa. The 72 afa is the lesser amount and normally would be recommended with 0.32 cfs. However, the permit limit of 60 af should not be exceeded. Limit the direct flow volume to 60 afa. Include the storage volume and use from storage volume at 20 af each, but the volumes are not additive. The direct flow season is the same as the irrigation from storage season.

Case 2

*

However, if 60 afa are not a limiting factor in licensing, one could allow 72 afa as the volume component for the direct flow portion. In this case, Irrigation would include 72 afa, and the total volume would also be 72 afa. This may be acceptable based on interpreting the intended development implied in the permit. In this scenario, one assumes that the storage and use from

* note Permit was approved for 60 afa Irrigation. This appears to be a dept. error. Should have been approved for 100 afa from storage & a direct flow portion included for 2nd filling of reservoir. With this assumption, could allow 72 AFA.
SL 1/14/90

storage were intended, both being limited by the verified reservoir size. One also assumes that direct flow and its normal volume were intended; this is based on Irrigation shown in permit item 4 (instead of Irrigation from Storage) and on the remarks (filling reservoir more than once per season). Perhaps the addition of 0.32 cfs and 72 afa is the most reasonable interpretation that does not imply an expansion. I favor the latter recommendation.

In either case, a \$100 exam fee is required. See copy of letter sent 1/11/90.

attached


response received 1/22/90, attached

FL 1/24/90

MICROFILMED

DEC 18 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT



A. GENERAL INFORMATION


1. Owner: CLAUDE AND/OR EVELYN GANN Permit No. 67-7277
Current Address: 1240 U.S. Hwy 95 WEISER, ID. 83672 Phone No. 549-1582
2. Accompanied by: EVELYN GANN EXAM. DATE: 8-4-88
Address: SAME Phone No. _____
Relationship to Permit Holder: WIFE OF CLAUDE GANN
3. Source: RUNOFF + SEEPAGE tributary to MONROE CREEK

B. OVERLAP REVIEW

1. Other water rights with same place of use: 67-0722, 67-7368, 67-7367
ALL SAME 1/4 ☐ Copies Attached
2. Other water rights with same point of diversion: NONE
☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = NO SCALE

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required). ☒ Aerial Photo Attached
(required for irrigation of 10 acres or more).
☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).

System Description (continued)

3. **Narrative:** Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

System consists of 20.00 ft Reservoir put in a natural draw where it collects runoff water and seepage water. A 10 HP centrifugal pump is used to pump water out of the reservoir into a handline sprinkler system.

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	MARATHON	10	21520	CORNELL	4"

*Code to correspond with No. on map and aerial photo

5. **Point(s) of Diversion:**

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			NE	SE	34	12N	5W	WASHINGTON	USGS QUAD & AERIAL PHOTO

6. **Place(s) of Use:**

Indicate Method of Determination AERIAL PHOTO

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
12N	5W	34													10	1.5			11.5
12N	5W	35									4.5								4.5
																			516 gal.

Do not use this space

MICROFILMED

DEC 18 1990

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
SPRINKLER						
GAUGE MEASUREMENT						

2. Measurements: DAM SAFETY FILE SHOWS CAPACITY OF RESERVOIR = 20 ac-ft
 SPRINKLER → 29 HEADS @ 33 PSI, 3/16" NOZZLE

CHART RAINBIRD 3D SERIES → ≈ 57 G.P.M. X 29 HEADS = 165.3
 ≈ .37 cfs PLUS HOLE IN
 PIPE ≈ 10 G.P.M. ≈ .39 cfs

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method: SPRINKLER: .39 cfs $16 ac \times .02 cfs/ac = .32 cfs$

2. Alternate Method for Checking Purposes: THEORETICAL;
 $\frac{10 HP \times 8.8 \times .8}{(2.31 \times 35) + 5} = .82 cfs$

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: 35 psi x 2.31 = _____ ft (1); Dynamic pumping level: 5 ft (2)
 Total Head: (1) + (2) = _____ (3); Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)
 Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x 1 N/ 12 ac T = _____ (6)
 Meter Input HP: (6) x 1.34 = _____ (7)
 Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)
 Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

* G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation: N/A SEE REMARKS

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 16 ac \times 4.5 ac/ac = 72 afa$
 $V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = .32 cfs \times 183 days \times 1.98 = 116.15 afa$
 $V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 72 afa LIMITED TO 60 ac PERMIT.$

2. Volume Calculations for Other Uses:

MICROFILMED

DEC 18 1990

* See attached memo SE 1/16/90

System Description (continued)

3. **Narrative:** Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

System consists of 20-cu-ft Reservoir put in a natural draw where it collects runoff water and seepage water. A 10-hp centrifugal pump is used to pump water out of the reservoir into a handline sprinkler system.

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	MARATHON	10	21520	CORNELL	4"

*Code to correspond with No. on map and aerial photo

5. **Point(s) of Diversion:**

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			NE	SE	34	12N	5W	WASHINGTON	USGS QUAD & AERIAL PHOTO

6. **Place(s) of Use:**

Indicate Method of Determination AERIAL PHOTO

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
12N	5W	34													10	1.5			11.5
12N	5W	35										4.5							4.5
																			<u>516a.</u>

Do not use this space


MICROFILMED

DEC 18 1990

67-7277

67-7277 #34
T12N-R5W

MOORE'S HOLLOW
2572 II



Control by USGS and USC&GS

Topography from aerial photographs by multiplex methods
Aerial photographs taken 1951 Field check 1953

Polyconic projection, 1927 North American datum
10,000-foot grid based on Idaho coordinate system, west zone


Mapped, edited and published by the Geological Survey

SCALE 1:62,500

MICROFILMED

DEC 1 1967

67-727



CRP '87-67
MICROFILMED
DEC 18 1991



POND
 +
 PUMP
 FROM POND
 (POND WATCH)



RE. ET. 1002
 P. 10.
 L. 1000
 C. 1000
 L.

DEC 18 1950

RECEIVED

67-7277



PO,
L. H. H. H.
NORTH EAST
F. D. H. H.
H. H. H. H.
H. H. H. H.

MICROFILMED

DEC 18 1990

J DEPARTMENT OF WATER RESOURCES
INVENTORY WORKSHEET - DAMS

FORM NO. 1

DAM SAFETY
FILE

Identification No. D 67 - 7277

Name of Dam GANN

County WASHINGTON

River or Stream TR-MONROE CREEK

Purpose I (Specify if other)

Location Sec 34 Township 12N Range 05W NE 1/4 SE 1/4 - MAP U3 - MANN CREEK

FORM NO. 2

Name of Owner CLAUD GANN

Owner's Phone No. 549 - 1582 (Alternate phone no.)

Address Line 1

FORM NO. 3

Address Line 2 ROUTE 2 BOX 148

Address Line 3 City WEISER State ID Zip Code 83672

FORM NO. 4

Type of Dam EARTH (Other dam types)

Storage Capacity (ac-ft) , , 20

Height of Dam (ft) 16.0

Drain. Area (sq. mi.) 1.9 ②

Res. Surface Area (ac) , 3

Year Completed 1977 (Date enlarged, reconstructed, etc.)

Crest Elev. (M.S.L.) 2, 475

Crest Length (ft) , 270 (Dike lengths)

Spillway Type GLHOLE ALSO ECHAN (Auxiliary spillways)

Spillway Depth (ft) 3.5 3.0 (Aux. spillway depths)

Spillway Capacity (cfs) , 60 ① W/2 FT. FREEBOARD - TOTAL

Hazard Classification 2

Region 2

FORM NO. 5

Last Inspection Month 5 Year 87

Approval Expiration Month 11 Year 89

General Condition GD

Q 100 (cfs) , 169 ② ESTIMATE

Outlet Type RNFCNP 12" DIA. APE

Outlet Capacity (cfs) , 10 ESTIMATE

Problems/Remarks ① SPILLWAY WILL HANDLE Q₁₀₀ WITH APPROX. .5 FT FREEBOARD.
② 65% OF DRAINAGE AREA IS INTERCEPTED BY CANALS TO BARTON RESERVOIR WHICH REDUCES INFLOW TO RESERVOIR DURING Q₁₀₀ TO APPROX. 60 CFS

WATER RIGHTS: 67-7277 - PERMIT FOR 60 AF

DEPARTMENT OF WATER RESOURCES
INVENTORY WORKSHEET - DAMS

FORM NO. 1

DAM SAFETY
FILE

Identification No. D 67-7277

Name of Dam GANN

County WASHINGTON

River or Stream TR-MONROE CREEK

Purpose I (Specify if other)

Location Sec 34 Twnshp 12N Range 05W NE 1/4 SE 1/4 - MAP U3 - MANN CREEK

FORM NO. 2

Name of Owner CLAUD GANN

Owner's Phone No. 549-1582 (Alternate phone no.)

Address Line 1

FORM NO. 3

Address Line 2 ROUTE 2 BOX 148

City WEISER State ID Zip Code 83472

Address Line 3

FORM NO. 4

Type of Dam EARTH (Other dam types)

Storage Capacity (ac-ft) 20

Height of Dam (ft) 16.0

Drain. Area (sq. mi.) 1.9 ②

Res. Surface Area (ac) 3

Year Completed 1977 (Date enlarged, reconstructed, etc.)

Crest Elev. (M.S.L.) 2,475

Crest Length (ft) 270 (Dike lengths)

Spillway Type GLHOLE ALSO ERCHAN (Auxiliary spillways)

Spillway Depth (ft) 3.5 3.0 (Aux. spillway depths)

Spillway Capacity (cfs) 60 ① W/2 FT. FREEBOARD - TOTAL

Hazard Classification 2

Region 2

FORM NO. 5

Last Inspection Month 5 Year 87

Approval Expiration Month 11 Year 89

General Condition GD

Q 100 (cfs) 169 ② ESTIMATE

Outlet Type RNFCNP 12" DIA. APP

Outlet Capacity (cfs) 10 ESTIMATE


Problems/Remarks ① SPILLWAY WILL HANDLE Q100 WITH APPROX. 5 FT FREEBOARD.
② 65% OF DRAINAGE AREA IS INTERCEPTED BY CANALS TO BARTON RESERVOIR
WHICH REDUCES INFLOW TO RESERVOIR DURING Q100 TO APPROX. 60 CFS

GENERAL CONDITION AND DESCRIPTION OF DAM: GOOD - DAM IS WELL MAINTAINED.

MR GANN INDICATED HE HAS TRIED TO SPRAY AND KILL CATTAILS BUT
THEY JUST KEEP GROWING BACK. AN AREA $\pm$ 5 FT IN DIAMETER HAS BEEN
CLEARED AROUND DROP INLET SPILLWAY. MR GANN INDICATED HE MAY LOWER
SPILLWAY CREST OF DROP INLET $\pm$ 1 FOOT BECAUSE OF SUB WATER AROUND HIS
HOUSE WHICH IS LOCATED ON THE UPPER END OF THE RESERVOIR.

INSTRUMENTATION READINGS (Piezometer, Seepage measurement, Alignment, Elevation, etc.)
NONE.

SKETCH OF DAM SHOWING LOCATION OF SPILLWAY AND OUTLET WORKS AND ANY MAINTENANCE PROBLEMS:



RECOMMENDATIONS: ISSUE STORAGE CERTIFICATE FOR TWO-YEAR PERIOD.
MAINTENANCE: 1) CONTINUE TO SPRAY, KILL & REMOVE LARGE GROWTH FROM
UPSTREAM SLOPE AS NEEDED, ESPECIALLY AROUND DROP INLET SPILLWAY
(CATTAILS, WILLOWS, ETC) 2) KEEP DROP INLET SPILLWAY CLEAR OF DEBRIS.
3) WATCH SEEPAGE AT TOE OF DAM. 4) CLEAR AUXILIARY SPILLWAY ENTRANCE

Date: 18 MAY, 19 87

Inspected by: A. J. [Signature]

MICROFILMED
DEC 18 1990

DAM SAFETY HAZARD CLASSIFICATION WORKSHEET

Dam No. 67-7277

Total Points

0 to 24

Class

Low Hazard

INTER-DEPARTMENT MEMO — I

FROM

Ralph Mellin

DATE

4-4-85

TO

File 67-7277

SUBJECT

*no irrigation from storage as
Diversion to Storage shown on permit.*

MICROFILMED

DEC 18 1988

SIGNATURE



State of Idaho

DEPARTMENT OF WATER RESOURCES

WESTERN REGION, 92 South Cole Road, Boise, Idaho 83709

JOHN V. EVANS

Governor

(Office at the corner of
Franklin and Cole Roads)

C. STEPHEN ALLRED

Director

(208) 384-2190

July 24, 1981

Claud and Evelyn J. Gann
Rt. 2 Box 148
Weiser, ID 83672

RE: 67-7277

Dear Mr. and Mrs. Gann:

We acknowledge receipt of your statement submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department.

☐ A field examination of your system has been scheduled for


_____.

If this time and date is not convenient for you, please contact this office as soon as possible.

☒ A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office.

Sincerely,


Kay Walker
Secretary

jp

MICROFILMED

DEC 18 1990

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit No. 67-7277.

Name(s) of Permit Holder: Claude Evelyn J. Gann

Post Office Address: Rt. 2, Box 148

Weiser, Id. ⁸³⁶⁷ Idaho ²⁰⁸⁻⁵⁴⁹⁻¹⁵⁸² Idaho

Source of Water: Unnamed Creek

Extent of Use: ☐ Domestic (number of households)
☐ Stockwater (number and type of stock)
☒ Irrigation 40 (acres)
☐ Other

Measuring Device: Required? ☐ Yes ☒ No Installed? ☐ Yes ☐ No
 Access Port: Required? ☐ Yes ☒ No Installed? ☐ Yes ☐ No

The above information is a true statement of the extent to which the above numbered permit has developed.

5/27/81
 Date

Claude Evelyn J. Gann
 Signature of Permit Holder

PLACE
TEN CENT
STAMP
HERE

MICROFILMED

DEC 18 1981



IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

RECEIVED

MAY 28 1981

Department of Water Resources

Claud Gann

~~Gann Construction, Inc.~~

ROUTE 2, BOX 148
WEISER, IDAHO 83672

RETURN RECEIPT
REQUESTED

CERTIFIED

P23 2659044


MAIL

RECEIVED

MAY 28 1981

Department of Water Resources

Idaho Department of Water Resources
Statehouse
Boise, Idaho 83720



MICROFILMED

DEC 18 1990

S T / E O F I D A H O
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
CERTIFIED MAIL

GANN, CLAUD & EVELYN J.
RT. 2 BOX 148
WEISER, ID 83672

138154

APRIL 30, 1981

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF YOUR WATER PERMIT NO. 67-7277 WAS THAT EVIDENCE OF THE EXTENT OF DEVELOPMENT MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE JULY 01, 1981. (SEE LAST PAGE OF YOUR APPROVED PERMIT). ENCLOSED IS A POST CARD WHICH MAY BE USED TO SUBMIT THE REQUIRED PROOF OF BENEFICIAL USE.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU HAVE NOT PREVIOUSLY RECEIVED AN EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME PROVIDED THE DELAY IS FOR REASONABLE CAUSE AS INDICATED IN SECTION 42-204, IDAHO CODE, AMENDED. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED. A REQUEST FOR EXTENSION OF TIME FORM IS ENCLOSED FOR YOUR CONVENIENCE. PLEASE NOTE THAT A FEE OF \$15.00 MUST BE SUBMITTED WITH THIS FORM.

EITHER THE BENEFICIAL USE POST CARD OR A REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE MENTIONED DATE, OTHERWISE, THE PERMIT WILL LAPSE AND BE OF NO FURTHER FORCE OR EFFECT WITHIN 60 DAYS.

SINCERELY,

RITA FLECK
SR. SECRETARY

ENCLOSURES

MICROFILMED

DEC 18 1980

July 15, 1976

Re: Permit No. 67-7277

Claud and Evelyn J. Gann
Route 2, Box 148
Weiser, ID 83672

Dear Mr. and Mrs. Gann:

Enclosed is a copy of your approved Application for Permit No. 67-7277. We direct your attention to the conditions of approval as listed on the fourth page.

Please note that for dams greater than ten feet in height the enclosed dam form needs to be filled out.

Sincerely,

DAVID R. TUTHILL JR.
Water Resource Analyst

DRT:mef

Enclosures

Field Checked by _____

Date _____

Comments The Dept has a
photo of a ^{Morgan Cr.} dry maps
showing the source
of land to be irrigated.

HH
7-6-76

DEPARTMENT OF WATER RESOURCES
- STAFF ANALYSIS -

Item Initial Date

Application No. 67-7277

☒ Source
☒ Point of Diversion
☒ County
☒ Quantity of Water and Period of Use
☒ Description of Diverting Works
☒ Time required for B/U of water
☒ Place of Use or Acres Irrigated
☒ Map
☒ Signature
☒ Fee

(1) JH 6-3-76

In form to receipt

(2) _____

Send Copies to:

☐ Idaho State Health Department
☐ Idaho Fish and Game Department
☐ Bureau of Land Management

(3) _____

☐ Request Special Use Permit from U.S.F.S.
☐ Request Easement from B.L.M.
☐ Request Information from Applicant

(4) JH 6-3-76

In form for advertising

(5) _____

Platted on Map No. _____

(6) _____

Located within Water District No. _____

(7) _____

Critical groundwater area: yes _____ no ☒

(8) _____

Groundwater levels: N/A

_____ Declining, _____ Stable, _____ Increasing

(comment) _____

(9) _____

Other rights on the same place of use None

(10) _____

Comments: not included in Monroe Co. Adj.

(11) JH

Affidavit of Publication received(date) 7-2-76

(12) _____

Final date for protests 7-5-76

Protests received: yes _____ no ☒

(13) _____

All requested information received from agencies or applicant: yes _____ no _____

(14) _____

Action recommended:

☒ Approve _____ Deny

_____ Proposed Priority

_____ Reason for Reduction

No Measuring device required

_____ See attached sheet for other conditions of approval

_____ No special conditions for approval

(15) District W

By JH

Date 7-6-76



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
WESTERN DISTRICT — ANNEX 3

Cecil D. Andrus
Governor

R. Keith Higginson
Director

Statehouse
Boise, Idaho 83720
(208) 384-2190

June 10, 1976

RE: Notice of Application for Water Permit No. 67-7277, Claud & Evelyn J. Gann

The Weiser Signal
P.O. Box 709
Weiser, ID 83672

Gentlemen:

Enclosed you will find a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing ample time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted, assuming the notice is correct. If we have any corrections, we will notify you before the first publication. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. In order to receive payment, the following certification must appear in the bill:

"I hereby certify that the foregoing account is just and correct, that the amount claimed is legally due, after allowing all just credits, and that no part of the same has been paid."

(Signature of Claimant)

Bill submitted

7-2-76
RB

Sincerely,

No. 1064
NOTICE OF APPLICATION
FOR WATER PERMIT

Notice is hereby given that
Claud & Evelyn J. Gann,
Weiser, ID, have on June 3,
1976 submitted Application
No. 67-7277 for a permit to
appropriate ~~0 cubic feet per~~
~~second~~ 60 acres feet per
annum of water from runoff
& seepage water by means of
a small dam within the
NE $\frac{1}{4}$ SE $\frac{1}{4}$ Sec 34 T12N-R5W
B.M., Washington County to
be used from Apr. 1 to Sept.
30 for the irrigation of 40
acres within the N $\frac{1}{2}$ SE $\frac{1}{4}$
Sec 34; NW $\frac{1}{4}$ SW $\frac{1}{4}$ Sec 35
T12N-R5W. The water will
be diverted to storage from
Nov. 1 to June 1.

If issued, this permit will
be subject to all prior water
rights. Protests against the
granting of the permit must
be filed with the Idaho
Department of Water Re-
sources, Statehouse, Boise,
Idaho, 83720, on or before
July 5, 1976.

R. KEITH HIGGINSON
Director

Published in the The
Weiser Signal, Weiser, ID on
June 17, 1976 and June 24,
1976.

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that Claud & Evelyn J. Gann
Weiser, ID
has on June 3, 1976 submitted Application No. 67-7277
for a permit to appropriate ~~cubic feet per second~~ 60 acre feet
per annum of water from runoff & seepage water
by means of a small dam
within the N~~4~~SE~~4~~ Sec 34 T12N-R5W B.M., Washington County

to be used from Apr 1 to Sept 30
for the irrigation of 40 acres

within the N~~4~~SE~~4~~ Sec 34; N~~4~~SE~~4~~ Sec 35 T12N-R5W. The water will be
~~diverted~~ diverted to storage from Nov 1 to June 1.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, Statehouse, Boise, Idaho, 83720, on or before July 5, 1976.

R. KEITH HIGGINSON

Director

Published in the The Weiser Signal, Weiser, ID
on June 17, 1976 and June 24, 1976