No. 957

AFFIDAVIT OF PUBLICATION

RECEIVED
MAY 1 1975
Department of Water Resources
MAY 1 1975

STATE OF IDAHO, }
County of Washington } ss.

Dorothy A. Bath, being duly sworn, deposes and says:

That he is the Clerk of THE WEISER SIGNAL, a weekly newspaper published at Weiser, in the County of Washington and State of Idaho; that said paper has been and is in general circulation in the county aforesaid, and in the vicinity of Weiser; that the advertisement, a copy of which is attached hereto, was published in said newspaper once a week for 2 consecutive weeks in the regular and entire issue of said paper during the period and time of publication, and was published in the newspaper proper and not in a supplement; that said paper has been established and regularly published for more than seventy-eight consecutive weeks prior to the date of first publication of said advertisement.

Such notice was published in the issue beginning with Ap. 10, 1975, and ending with the issue of Ap. 17, 1975.

Dorothy A. Bath

Fees, $ 10.88

Subscribed and sworn to before me this 17 day of April, 1975

Notary Public, Residing at Weiser, Idaho.

My Commission Expires 5-1, 1977

No. 957
NOTICE OF APPLICATION
FOR WATER PERMIT

Notice is hereby given that Lawrence E. Denney, Midvale, Id. has on March 31, 1975 submitted Application No. 67-7244 for a permit to appropriate 0.12 cubic feet per second of water from a groundwater source by means of well and pump within the NE1/4SE1/4, Sec. 9, T. 13 N, R. 3 W, B.M. Washington County to be used from Jan. 1 to Dec. 31 for domestic and stockwater purposes within the NE1/4 SE1/4, Sec. 9, T. 13 N, R. 3 W, B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, Statehouse, Boise, Idaho, 83720, on or before April 28, 1975.

R. KEITH HIGGINSON
Director

Published in the Weiser Signal, Weiser, Id. on April 10, 1975 and April 17, 1975.
8-2S.

ok - dg
5-2-75

MICROFILMED

MAP (Attach Aerial Photo)



SCHEMATIC DIAGRAM OF SYSTEM

(Include distance from pump to measuring device, if applicable.)

Point(s) of diversion: NE¼NE¼SE¼, Sec. 9, TWP. 13N, RGE. 3W, B.M.

Place(s) of Use

TWP.	RGE.	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
13N	3W	9													X				(Domestic + STOCKWATER)

Recommended Amendments:

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None

☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

Examiner's Signature Jan Grover Date 10/2/80

Checked by DBS Date 1/14/80

Approved by Robyn Date 1/14/81

State of Idaho

Department of Water Resources

WATER RIGHT LICENSE

License of Water Right No. 67-7244 Priority March 31, 1975 Amount .06 cfs

THIS IS TO CERTIFY, that LAWRENCE E. DENNEY

of Midvale, Idaho, has complied with the terms and conditions of Permit No. 67-7244 issued pursuant to Application for Permit dated March 31, 1975, and has submitted proof to the Department of Water Resources on March 4, 1980, that he has applied water to a beneficial use; an examination by the Department indicates that the works have a capacity for the diversion of .06 cfs of water from a groundwater source, tributary to _____, and that the permit holder has applied to a beneficial use and established a right to use water as follows:

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
Stockwater	from January 1 to December 31	at .04 cfs and	2.2 acre feet
Domestic	from January 1 to December 31	at .06 cfs and	2.4 acre feet
_____	from _____ to _____ (both dates inclusive)	at _____ cfs and	_____

Subject, however, to the condition that no more than .06 cfs of water be diverted at any one time, and that the amount of water so diverted and to which such right is entitled and confirmed for the purpose aforementioned and is limited to the amount which can actually be beneficially used and shall not exceed 4.6 acre feet per year, said waters to be diverted within the NE¼SE¼, Sec. 9, Twp. 13N, Rge. 3W, B.M. in the County of Washington

Description and location of place of use:

Twp.	Range	Sec.	NE¼				NW¼				SW¼				SE¼				Totals
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
13N	3W	9																	

Total number of acres irrigated _____

NOTE: Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho Law. This right may be forfeited by five years of non-use.

The right to the use of the water hereby confirmed is restricted and appurtenant to the lands or place of use herein described, as provided by the laws of Idaho.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 30 day of January, 19 81.

Director

DEPARTMENT OF WATER RESOURCES

Dep

MICROFILMED

Identification No. _____

Application No. 67-7244

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To Appropriate the Public Waters of the State of Idaho

(TYPE OR PRINT IN INK)

1. Name of applicant Lawerence E. Denney Phone: 355-2374
   post office address Midvale, 83645
2. Source of water supply Well which is a tributary of _____
3. a. Location of point of diversion is NE ¼ of SE ¼ of Section 9 Township 13 N
   Range 3 W B.M. Washington County; additional points of diversion if any: _____

   b. If water is not consumed, it will be discharged into N.A at a point in _____ ¼
   of _____ ¼ of Section _____ Township _____ Range _____ B.M. _____
4. Water will be used for the following purposes:
   Amount 0.08 (cfs or acre-feet per annum) for domestic purpose from JAN. 1 to Dec. 31 (both dates inclusive)
   Amount 0.04 (cfs or acre-feet per annum) for stock water purpose from ~~Nov 30~~ JAN 1 to ~~May~~ Dec 31 (both dates inclusive)
   Amount _____ (cfs or acre-feet per annum) for _____ purpose from _____ to _____ (both dates inclusive)
5. Total quantity to be appropriated:
   a. 0.12 cubic feet per second and/or
   b. _____ acre feet per annum.
6. Proposed diverting works:
   a. Description of ditches, flumes, pumps, headgates, etc. N.A
   b. Height of storage dam N.A feet, active reservoir capacity _____ acre feet; total reservoir capacity _____ acre feet, materials used in storage dam: _____
   Period of year during which storage will occur N.A (Mo. Day) to _____ (Mo. Day) inclusive.
   c. Proposed well diameter is 6 inches; proposed depth of well is 60 feet.
7. a. Time required for the completion of the works and application of the water to the proposed beneficial use is 5 years.
   b. Estimated construction cost is $ 720.00.
8. Description of proposed uses:
   a. If water is **not** for irrigation:
      (1) Give the place of use of water: NE ¼ of SE ¼ of Section 9 Township 13 N
      Range 3 W B.M.
      (2) Amount of power to be generated: _____ hp under _____ feet of head.
      (3) List number of each kind of livestock to be watered 30 milk Cows - 30 calves (winter) 100 hogs
      (4) Name of municipality to be served _____, or number of families to be supplied with domestic water 2.
      (5) If water is to be used for other purposes describe: _____

RECEIVED

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP.	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	

Total number of acres to be irrigated_____

c. Describe any other water rights used for the same purposes as described above._____

9. a. Who owns the property at the point of diversion Applicant

b. Who owns the land to be irrigated or place of use Applicant

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing_____

10. Remarks

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Lawerence E Denney
(Applicant)

Proposed Priority 3-31-1975

Received by [illegible] Date 3/31/75 Time 8:00 A

Preliminary check by RWH Fee $ 10.00

Receipted by Ca Date 3/31/75 # 470

Publication prepared by Ca Date 4/3/75

Published in Weiser Signal

Publication dates April 10, 17

Publication approved JG Date 5-2-75

Priority reduced to _____ Reason _____

Protests filed by: _____

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for (approval) denial by JJS

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 67-7244, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

   a. SUBJECT TO ALL PRIOR WATER RIGHTS.

   b. Proof of construction of works and application of water to beneficial use shall be submitted on or before May 1, 1980.

   c. Other: _____

2. Denial of said application is for the following reasons: _____

Witness my hand this 12th day of May 19 75.

A. Kenneth Dunn
for the Director by

A. KENNETH DUNN, Administrator
Operations Division

No. - 957

AFFIDAVIT OF PUBLICATION

RECEIVED
MAY 1 1975
Department of Water Resources

STATE OF IDAHO,
County of Washington } ss.

Dorothy A. Barth, being duly sworn, deposes and says:

That he is the Clerk of THE WEISER SIGNAL, a weekly newspaper published at Weiser, in the County of Washington and State of Idaho; that said paper has been and is in general circulation in the county aforesaid, and in the vicinity of Weiser; that the advertisement, a copy of which is attached hereto, was published in said newspaper once a week for 2 consecutive weeks in the regular and entire issue of said paper during the period and time of publication, and was published in the newspaper proper and not in a supplement; that said paper has been established and regularly published for more than seventy-eight consecutive weeks prior to the date of first publication of said advertisement.

Such notice was published in the issue beginning with Apr. 10, 19 75, and ending with the issue of Apr. 17, 19 75

Dorothy A. Barth

Fees, $ 10.88

Subscribed and sworn to before me this 17 day of April, 19 75

Notary Public, Residing at Weiser, Idaho.

My Commission Expires 5-1, 19 77

No. 957
NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that Lawrence E. Denney, Midvale, Id. has on March 31, 1975 submitted Application No. 67-7244 for a permit to appropriate 0.12 cubic feet per second of water from a groundwater source by means of well and pump within the NE1/4SE1/4, Sec. 9, T. 13 N, R. 3 W, B.M. Washington County to be used from Jan. 1 to Dec. 31 for domestic and stockwater purposes within the NE1/4 SE1/4, Sec. 9, T. 13 N, R. 3 W, B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, Statehouse, Boise, Idaho, 83720, on or before April 28, 1975.

R. KEITH HIGGINSON
Director

Published in the Weiser Signal, Weiser, Id. on April 10, 1975 and April 17, 1975.
8-2S.

ok dg
5-2-75

VERIFIED DJ 5-20-85

WATER RIGHT NUMBER 67-7244

OWNER LAST NAME - DENNEY, FIRST NAME - LAWRENCE E. ORIG OWNER -
ADDRESS LINE 1 - ADDRESS LINE 2 -
ADDRESS LINE 3 - CITY - MIDVALE STATE - ID ZIP CODE - 83645
SOURCE - GROUNDWATER TRIBUTARY OF -
STAGE - LICENSE STATUS - PRIORITY - 03-31-1975 COUNTY - WASHINGTON TOTAL DIV. RATE - .0600 -CFS
TOTAL DIV. VOLUME - 4.60 AFA TRFR/AMEND - WATER DIST. - DLE/CAREY ACT - RIGHT BASIS -
DIVERSION POINT - NESE 09 13N 03W LOT REDIV - 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0
FROM - 01-01 TO - 12-31 USE - DOMESTIC USE DIV. RATE - .0600 CFS USE DIV. VOLUME - 2.40 AFA
FROM - 01-01 TO - 12-31 USE - STOCKWATER USE DIV. RATE - .0400 CFS USE DIV. VOLUME - 2.20 AFA
USE - DOMESTIC PLACE OF USE - TWN 13N RNG 03W SEC 09 TRACT NESE LOT AC
DECREE NAME - DATE - TOTAL ACRES 0
REMARKS -
NON IRRIG USE - S/160 RANGE.
OTHER RIGHTS FOR SAME USE -
PROOF DUE - 05-01-1980 PERMIT/DENIED - 05-12-1975 PROTESTED - HEARING - OLD NO. -
PROOF MADE - P FLD EXAM - COND. OF APPROVAL -
DIVERSION MEANS -

9/78

IDENT. 67-7244

IDAHO DEPARTMENT OF WATER RESOURCES

WATER RIGHT
DATA ENTRY LOG

Initials	Date	Item
		Original form entered
		Edit Report Correct
		Date Protested
		Date of Hearing
		Date Approved/Denied (Proof due date, stage and/or status, conditions of approval, water district)
		Record Verified
		Amendment Approved
		Extension Approved
		Partial Proof
		Proof Complete
		Field Exam Received
		Field Exam Accepted and changes entered
		License Signed
		Transfer Approved
JP	12-28-84	K.P.
D.W.	7/15/82	License update entered

State of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

C. STEPHEN ALLRED
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

February 4, 1981

Lawerence E. Denney
Midvale,
Idaho 83645

Dear Mr. Denney,

RE: License No. 67-7244

Enclosed is a copy of the Water Right License issued on the above referenced Permit.

Sincerely,

JIM JOHNSON
Water Distribution Supervisor

JJ:mr

Enclosure

MICROFILMED

State of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

C. STEPHEN ALLRED
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

January 15, 1981

Lawerence E. Denney
Midvale,
Idaho 83645

Dear Mr. Denney,
A representative of this Department has made an examination of the works covered by your Permit No. 67-7244, and has found the following:

Amount of water that can be recognized as beneficially used under Idaho law: 0.06 cfs Source: groundwater

The maximum quantity diverted shall not exceed 4.6 acre feet per year.

Point(s) of diversion: NE¼SE¼, Sec. 9, Twp. 13N, Rge. 3W, B.M.

Beneficial use: Stockwater and domestic use within the NE¼SE¼, Sec. 9, Twp. 13N, Rge. 3W.

Priority date established: March 31, 1975

Conditions (if any):

If you do not concur with these findings please contact us within 10 days, otherwise a water license will be issued as set forth above.

Sincerely,

JAN GROVER
JIM JOHNSON
Water Rights Supervisor

MICROFILMED

Form 219
12/79

Denney, Lawerence E

P/D NE SE S. 9

T. 13N R. 3W

67-7244
Permit No.

State of Idaho
DEPARTMENT OF WATER RESOURCES
FIELD REPORT

CONTACT WITH PERMIT HOLDER

	DATE	INITIALS	REMARKS
☑ NO Appointment letter mailed:			
☐ Telephone call made: (List Telephone No. used)	9/28/80 855-2334	jc	
☐ Appointment scheduled for: (Date, time, location)	10/2/80 11:30 Midvale	jc	

EXAMINATION

Date 10/2/80 Accompanied by Mrs. Denney Total Q measured Calc.- 0.06

If source is surface water, estimate total flow of source _____

Methods of measurement CALCULATED Meets Permit requirements? _____

Measurement calculations:

$\frac{1 \text{ HP} \times .8 \times 8.8}{50' + (30 \div .43)} = 0.06 \text{ cfs}$ ✓ $\frac{1 (8.8) (.8)}{50' + 30(2.3)} = \frac{7.04}{119} = 0.06$ ✓

STOCKWATER - 160 hd - 0.04 cfs + 2.2 acre feet (see "Annual Use of Water for Stock Purposes")

DOMESTIC - 2 homes - 0.06 cfs + 2.4 acre feet.

WELL/DIVERSION* NO.	HP	MOTOR MAKE	MOTOR SERIAL NO.	PUMP MAKE	PUMP SERIAL NO.	MEASURING DEVICE TYPE	CONDITION OF MEAS. DEV.	REMARKS
	1	Submersed						

System Description 1 hp. submersible pump, 30 psi, pressure tank w/ 2" mainline to home & troughs. Well 60' deep, pump set at approx. 50' (Statement from permitholder).

*Code with map on reverse side. Disregard code if only one.

RECOMMENDED AMOUNTS

Irrigation requirement = _____ AFA/Acre

USE	Q (cfs)	V (afa)	FROM	TO
Stockwater - 160 cattle	0.04 ✓	2.2 ✓	1/1	12/31
Domestic - 2	0.06 ✓	2.4 ✓	1/1	12/31
Total	0.06 ✓	4.6 ✓		

Remarks

MICROFILMED

MAP (Attach Aerial Photo)



SCHEMATIC DIAGRAM OF SYSTEM

(Include distance from pump to measuring device, if applicable.)

Point(s) of diversion: NE¼NE¼SE¼, Sec. 9, TWP. 13N, RGE. 3W, B.M.

Place(s) of Use

TWP.	RGE.	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
13N	3W	9													X (Domestic & STOCKWATER)				

Recommended Amendments:

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None

☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

Examiner's Signature Jan Grover Date 10/2/80

Checked by DBS Date 11/14/80

Approved by Robyn Date 1/14/81

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit No. 67-7244

Name(s) of Permit Holder: Lawerence E. Denney

Post Office Address: Box 114 Midvale, Ida. 83645

Tel. No. 355-2374

Source of Water: Well

Extent of Use:
- ☒ Domestic 2 (number of households)
- ☒ Stockwater 60 Milk Cows+Calves (number and type of stock)
- ☐ Irrigation _____ (acres)
- ☐ Other _____

Measuring Device: Required? ☐ Yes ☒ No Installed? ☐ Yes ☐ No

Access Port: Required? ☐ Yes ☒ No Installed? ☐ Yes ☐ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

5-3-1980
Date

Lawerence E Denney
Signature of Permit Holder

UNCLAIMED

L.E. Denney
Box 114
Hidvale, Idaho 83645



RECEIVED
MAR 4 1980
Department of Water Resources

IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440

DENNEY, LAWRENCE E.
MIDVALE, ID 83645

101835

FEBRUARY 28, 1980

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF YOUR WATER PERMIT NO. 67-7244 WAS THAT EVIDENCE OF THE EXTENT OF DEVELOPMENT MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE MAY 01, 1980. (SEE LAST PAGE OF YOUR APPROVED PERMIT). ENCLOSED IS A POST CARD WHICH MAY BE USED TO SUBMIT THE REQUIRED PROOF OF BENEFICIAL USE.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU HAVE NOT PREVIOUSLY RECEIVED AN EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME PROVIDED THE DELAY IS FOR REASONABLE CAUSE AS INDICATED IN SECTION 42-204, IDAHO CODE, AMENDED. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED.

EITHER THE BENEFICIAL USE POST CARD OR A REQUEST FOR AN EXTENSION OF TIME MUST BE RECIEVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE MENTIONED DATE, OTHERWISE, THE PERMIT WILL LAPSE AND BE OF NO FURTHER FORCE OR EFFECT WITHIN 60 DAYS.

SINCERELY,

RITA FLECK
SR. SECRETARY

ENC: 1

MICROFILMED

May 12, 1975

R&L Permit No. 67-7244

Mr. Lawrence Denney
Midvale,
Idaho 83645

Dear Mr. Denney:

Enclosed is a copy of your approved Application for Permit No. 67-7244. We direct your attention to the conditions of approval as listed on the fourth page.

Sincerely,

BOBBY D. FLEENOR
Chief, Water Rights

BDF:jfr

Enclosure

DEPARTMENT OF WATER RESOURCES
- STAFF ANALYSIS -

Item	Initial	Date	
			Application No. 67-7244
			✓ Source
			✓ Point of Diversion
			✓ County
			✓ Quantity of Water and Period of Use
			✓ Description of Diverting Works
			✓ Time required for B/U of water
			✓ Place of Use or Acres Irrigated
			✓ Map
			✓ Signature
			✓ Fee
(1)	CS	4-1-75	In form to receipt
(2)	CS	4-1-75	Send Copies to:
			✓ Idaho State Health Department
			Idaho Fish and Game Department
			Bureau of Land Management
(3)	NA		Request Special Use Permit from U.S.F.S.
			Request Easement from B.L.M.
			Request Information from Applicant
(4)	CG	4-1-75	In form for advertising
(5)			Platted on Map No.
(6)		NA	Located within Water District No.
(7)	R.W.H	5-5-75	Critical groundwater area: yes no
(8)	R.W.H	5-5-75	Groundwater levels:
			Declining, ✓ Stable, Increasing
			(comment)
(9)			Other rights on the same place of use
(10)			Comments:
(11)		ok.	Affidavit of Publication received(date) 5-2-75
(12)	R.W.H.	5-5-75	Final date for protests 4-28-75
			Protests received: yes no ✓
(13)	R.W.H.	5-5-75	All requested information received from agencies or applicant: yes ✓ no
(14)	R.W.H.	5-5-75	Action recommended:
			✓ Approve Deny
			Proposed Priority
			Reason for Reduction
			NO Measuring device required
			See attached sheet for other conditions of approval
			✓ No special conditions for approval

RECEIVED
MAY
Department of Water Resources

(15) District Western By R. Hamilton Date 5-5-75

STATE OF IDAHO
Cecil D. Andrus, governor

department of health and welfare

STATEHOUSE, BOISE, 83720 [redacted] James A. Bax, director

Department of Water Resources

APR 18 1975

ENVIRONMENTAL SERVICES DIVISION
April 17, 1975

Mr. Kenneth H. Foit, P.E.
Western District Engineer
Dept. of Water Resources
Statehouse
Boise, Idaho 83720

RE: Application for Permit No. 67-7244

Dear Mr. Foit:

We have reviewed the above referenced application for permit, and we have no comment at this time.

Sincerely,

DEPARTMENT OF HEALTH AND WELFARE

David Sanders

H. David Sanders
Environmental Engineering Spec. II

HDS/dj

April 4, 1975

David Sanders, E.I.T.
Environmental Engineering Spec. II
Environmental Services
Department of Health & Welfare
Statehouse

RE: Application for Permit No. 67-7244 - Lawrence E. Denney

Dear Mr. Sanders:

We are enclosing a copy of the above referenced application for permit which may be of interest to your agency. Please review the application and if you have any comments, please submit them to our department as soon as possible.

We normally complete the processing of an application within a six week period and we are required to take final action shortly thereafter.

If we may be of any assistance to you in the meantime, please do not hesitate to contact this department.

Sincerely,

KENNETH H. FOIT, P.E.
Western District Engineer

KHF:cla

Enclosure

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
WESTERN DISTRICT — ANNEX 3

Cecil D. Andrus
Governor

R. Keith Higginson
Director

Statehouse
Boise, Idaho 83720
(208) 384-2190

April 4, 1975

The Weiser Signal
P.O. Box 709
Weiser, ID 83672

Re: Application for Permit No. 67-7244 - Lawrence E. Denney

Gentlemen:

Enclosed you will find a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing ample time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted, assuming the notice is correct. If we have any corrections, we will notify you before the first publication. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. In order to receive payment, the following certification must appear in the bill:

> "I hereby certify that the foregoing account is just and correct, that the amount claimed is legally due, after allowing all just credits, and that no part of the same has been paid."

_____
(Signature of Claimant)

Bill Submitted
5-2-75, ok, gg

Sincerely,

No. 987

NOTICE OF APPLICATION

FOR WATER PERMIT

Notice is hereby given that Lawrence E. Denney, Midvale, Id. has on March 31, 1975 submitted Application No. 67-7244 for a permit to appropriate 0.12 cubic feet per second of water from a groundwater source by means of well and pump within the NE1/4SE1/4, Sec. 9, T. 13 N, R. 3 W, B.M. Washington County to be used from Jan. 1 to Dec. 31 for domestic and stockwater purposes within the NE1/4 SE1/4, Sec. 9, T. 13 N, R. 3 W, B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, Statehouse, Boise, Idaho, 83720, on or before April 28, 1975.

R. KEITH HIGGINSON
Director

Published in the Weiser Signal, Weiser, Id. on April 10, 1975 and April 17, 1975.

8-2S.

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that LAWRENCE E. DENNEY

Midvale, ID

has on March 31, 1975 submitted Application No. 67-7244

for a permit to appropriate 0.12 cubic feet per second XXXXXXXXXX

XXXXXXXXX per annum of water from a groundwater source

by means of well and pump

within the NE¼SE¼, Sec. 9, T. 13 N, R. 3 W, B.M. Washington County

to be used from Jan. 1 to Dec. 31 for domestic and stockwater purposes

for XXXX

within the NE¼SE¼, SEc. 9, T. 13 N, R. 3 W, B.M.

.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, Statehouse, Boise, Idaho, 83720, on or before April 28, 1975.

R. KEITH HIGGINSON

Director

Published in the Weiser Signal, Weiser, ID

on April 10, 1975 and April 17, 1975.

Please complete the application with the following information. Thank you.

RECEIVED
MAR 31 1975
Department of Water Resources

(4.) The well will serve two families one of which is gone summer months.

The lawn will be sprinkled from the well

30 milk cows + appx. 100 hogs year around + 30 calves winter months.

(5.)

(6) Im not sure on this c. well is 60 ft. + 6 in.

7. Work on the well started 12-26-74 - completed 1-11-75 - cost $720.00.

Mrs. Lawrence Denney

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
WESTERN DISTRICT — ANNEX 3

Cecil D. Andrus
Governor

R. Keith Higginson
Director

Statehouse
Boise, Idaho 83720
(208) 384-2190

April 1, 1975

Lawerence E. Denney
Midvale, ID 83645

Re: Application for Permit

Dear Mr. Denney:

Enclosed is your Receipt No. ~~470~~ in the amount of $ ~~10.00~~ for ~~1 application for permit~~ which was received in this office on ~~March 31, 1975~~.

Sincerely,

Jane Gridley

JANE GRIDLEY
Stenographer

JG:jg

Enclosure

MICROFILMED