


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

X Robert F. Wiley
(Applicant)

67 7182

**NOTICE OF APPLICATION
FOR WATER PERMIT**

Notice is hereby given that ROBERT F. WILEY, Indian Valley, ID., has on Nov. 13, 1973 submitted Application No. 67-7188 for a permit to appropriate 5.0 cubic feet per second of water from a groundwater source by means of well & pump within the NE $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 18, T. 13N., R. 1W., B.M., Washington County to be used from April 1 to Oct. 15 for irrigation of 474.74 acres within the SW $\frac{1}{4}$ NW $\frac{1}{4}$, N $\frac{1}{2}$ SW $\frac{1}{4}$, SE $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 17; SE $\frac{1}{4}$, Sec. 18; NW $\frac{1}{4}$, Sec. 19; all in T. 13 N., R. 1 W., B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Administration, Statehouse, Boise, Idaho, 83707, on or before Dec. 10, 1973.

R. KEITH HIGGINSON
Director

Published in the Upper Country News-Reporter, Cambridge, ID., on Nov. 22, 1973 and Nov. 29, 1973.

OK of
12-10-73

AFFIDAVIT OF PUBLICATION

State of Idaho }
County of Washington } ss.

Stuart Dopf, being first duly sworn, deposes and says that he is the publisher, foreman, principal clerk, of THE NEWS-REPORTER, a weekly newspaper published at Cambridge, Washington County, Idaho, and that said paper has been published continuously for more than 78 weeks immediately preceding the first publication of the attached notice; that said paper is in general circulation in the county aforesaid and in the vicinity of Cambridge, Idaho; that the notice, a copy of which is attached hereto, was published in said newspaper once a week for two consecutive weeks in the regular and entire issue of every number thereof during the period and time of publication, and was published in the newspaper proper and not in a supplement thereto; that the publication of said notice began with the issue of NOV. 22, 1973, and ended with the issue of NOV. 29, 1973.

Stuart Dopf

Subscribed and sworn to before me this

29th day of November 1973.

May Collins


Notary Public for Idaho, residing at
Cambridge, Idaho

67 7188

Sections 17-18-19

Township 13 North Range 1 WBM

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Robert F. Wiley
(Applicant)

67 7183

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION


Permit No. 67-7188
1. Owner: Robert F. Wiley Phone No. 355-2364
Current Address: Indian Valley, ID 83632
2. Accompanied by: Bob Wiley EXAM. DATE: 9-30-87
Address: same as above Phone No. 355-2364
Relationship to Permit Holder: Owner
3. Source: Groundwater tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: 67-2241 - NO OVERLAP I.S. 9-19-89
☒ Copies Attached
2. Other water rights with same point of diversion: none
☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = 2'

2. ☒ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).
☒ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater).
☒ Aerial Photo Attached (required for irrigation of 10 acres or more).

MICROFILMED

SEP 22 1989

State of Idaho
DEPARTMENT OF WATER RESOURCES
SUPPLEMENTAL FIELD REPORT FOR ANNUBAR MEASUREMENT

Measured by: Carter Fritschle Date 9-30-87
Owner: Robert F Wiley Permit No. 67-7188

Description of well &/or measuring site

- Include any clarifications of the sketch
- Include legal description if more than one p.d. is described in the Field Report

An 1 1/4" flow measurement port was located in a 50' section of 7" aluminum pipe.

MEASURED INSIDE PIPE DIAMETER IN INCHES (ID)

CIR = Pipe Circumference in Inches = 22.375
T = Pipe Thickness in Inches = 0.0625
ID = 2 [(0.1592 X CIR) - T] = ... 7.0

ANNUBAR DESCRIPTION & CONSTANT (C)

Size Used in Test 8"
State ID No. 091414

Select C based on size from Table below.

Nominal Pipe Size	C
4"	4.23
6"	3.75
8"	3.87
10"	3.94
12"	3.99
14"- 16"	4.01
18"- 24"	4.02
30" or larger	4.03

C selected 3.87

DIFFERENTIAL PRESSURE READING IN INCHES OF H2O (H)

High Reading = 38.9
Low Reading = 32.5
High - Low = H = ... 6.4

CALCULATION OF DISCHARGE IN CFS (Q)


$$Q = \frac{(ID)^2 \cdot (\sqrt{H}) \cdot (C)}{448.8}$$

$$Q = \frac{(7.0)^2 \cdot (\sqrt{6.4}) \cdot (3.87)}{448.8} = 1.07 \text{ CFS}$$

MICROFILMED

SEP 22 1989

SKETCH (If not shown on Field Report)



Pipe was located in the SESE Sec 18 T 13N R 1W

67-7188



P.D. Looking
West P.U. is
in background



P.U. and
measurement
site looking
East.

SEP 22 1989
MICROFILMED

SEP 22 1989

UNCLASSIFIED

19 20
18 17

25
22.3
26

23
14.9

21
8.7

16.6
17

15
5.4


22
37.8

20
6.7

12
10.8
13
14
6.4

1386

18 17
7 8




SEP 22 1989

Borrow

MICROFILMED
SEP 22 1989

T 13N R 1W



(80)

35.96

28621.80

28640

28640

28640

28621.80

35.96

20

40

28621.80

28640

20

28640

20

28640

(80)

36.50

28626.54

28640

28640

28640

28626.54

36.50

20

40

28626.54

28640

20

28640

20

28640

(80)

37.48

28630.36

28640

28640

28640

28630.36

37.48

20

40

28630.36

28640

20

28640

20

28640

(80)

37.96

28634.88

28640

28640

28640

MICROFILMED

SEP 22 1989

**NOTICE OF APPLICATION
FOR WATER PERMIT**

Notice is hereby given that ROBERT F. WILEY, Indian Valley, ID., has on Nov. 13, 1973 submitted Application No. 67-7188 for a permit to appropriate 5.0 cubic feet per second of water from a groundwater source by means of well & pump within the NE $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 18, T. 13N., R.1W., B.M., Washington County to be used from April 1 to Oct. 15 for irrigation of 474.74 acres within the SW $\frac{1}{4}$ NW $\frac{1}{4}$, N $\frac{1}{2}$ SW $\frac{1}{4}$, SE $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 17; SE $\frac{1}{4}$, Sec. 18; NW $\frac{1}{4}$, Sec. 19; all in T. 13 N., R. 1 W., B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Administration, Statehouse, Boise, Idaho, 83707, on or before Dec. 10, 1973.

R. KEITH HIGGINSON
Director

Published in the Upper Country News-Reporter, Cambridge, ID., on Nov. 22, 1973 and Nov. 29, 1973.

OK
11-50-73

8812 29

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 67-07188

Priority: November 14, 1973

Maximum Diversion Rate: 1.07 CFS
Maximum Diversion Volume:¹ 520.0 AF

This is to certify, that ROBERT F. WILEY
INDIAN VALLEY, ID 83632 has complied with the terms and conditions
of the permit, issued pursuant to Application for Permit dated November 13, 1973; and
has submitted Proof of Beneficial Use on November 1, 1983. An examination indicates
that the works have a diversion capacity of 1.070 cfs of water from a **GROUNDWATER**
source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	1.07 CFS	520.0 AF

LOCATION OF POINT(S) OF DIVERSION: NESE , Sec. 18, Township 13N, Range 01W
WASHINGTON County

PLACE OF USE: IRRIGATION

<u>TWN RGE SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
13N 01W 17	SWNW 29	NESW 33	NWSW 34	
	SESW 9			105
18	NESE 20	NWSE 22	SWSE 38	
	SESE 32			112
Total number of acres irrigated:				217


CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to reflect cropping patterns or acceptable standards of water delivery efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 19TH
day of SEPTEMBER, 1989.

MICROFILMED

SEP 22 1989

Acting for  R. Keith Higginson, Director

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE
STATE OF IDAHO

IN THE MATTER OF PERMIT	)	
	)	
NO. 67-7188 IN THE NAME OF	)	ORDER ADVANCING
	)	DATE OF PRIORITY
ROBERT F. WILEY	)	

This matter having come before the Department of Water Resources (Department) as a result of preparing Permit No. 67-7188 for issuance of a license, the Department finds, concludes and orders:

FINDINGS OF FACT

1. The Department approved Application for Permit No. 67-7188 to appropriate the public waters of the State of Idaho with a proposed priority of November 13, 1973.
2. On April 10, 1987 the Department advised the permit holder that a license examination fee was required before an examination could be conducted to confirm the extent of use developed under the permit. The examination fee was due on June 9, 1987.
3. The license examination fee was received on June 10, 1987, 1 day(s) late.

MICROFILMED

SEP 22 1989

CONCLUSIONS OF LAW

1. The Director may advance the priority date of the permit one day for each day the license examination fee is late, pursuant to the provisions of Section 42-217, Idaho Code.

2. The date of priority of Permit No. 67-7188 should be advanced 1 day(s).

ORDER

IT IS HEREBY ORDERED that the date of priority of Permit No. 67-7188 is advanced to November 14, 1973.

Dated this 16th day of August, 1989.

J. Glen Saylor
Chief, Water Allocation Bureau

RECEIVED
SEP 22 1989

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE
STATE OF IDAHO

IN THE MATTER OF EXTENDING THE PROOF DUE)
DATE IN CONNECTION WITH PERMIT NO. 67-7188)
IN THE NAME OF ROBERT F. WILEY)

ORDER

WHEREAS, on November 13, 1973, Robert F. Wiley applied to the Department of Water Resources for a permit to appropriate 5.00 cubic feet per second of water from a groundwater source from a point within the NE $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 18, Twp. 13N, Rge. 1W B.M., Washington County, to be used for irrigation purposes; and,


WHEREAS, on December 13, 1973, the Department approved said application and issued Permit No. 67-7188 with the condition that proof of construction of works and application of water to beneficial use be submitted to the Department on or before December 1, 1978; and,

WHEREAS, on October 17, 1978, the permit holder submitted a request for an extension of time; and,

WHEREAS, it appears that under the circumstances, the permit holder has been proceeding with reasonable diligence and has given good cause for delay;

IT IS, THEREFORE, hereby ordered that the time within which to submit proof of beneficial use of water under Permit No. 67-7188 be extended to December 1, 1983.

Dated this 20th day of October, 1978.



L. GLEN SAXTON

Chief, Operations Bureau

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE
STATE OF IDAHO

IN THE MATTER OF CHANGING THE MEASURING
DEVICE REQUIREMENT FOR PERMIT NO. **67-7188**

ORDER

WHEREAS, the above numbered permit was approved with the condition that a measuring device of a type approved by the Department be permanently installed and maintained as part of the diverting works; and,

WHEREAS, on July 1, 1978, the Department adopted a new water measurement condition which states: "An access port or other device as specified by the Department shall be installed by the permit holder to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department"; and,

WHEREAS, the former condition required the permit holder to purchase and install a measuring device or hire a professional engineer to certify the rate of diversion; and,

WHEREAS, the measuring device condition effective July 1, 1978, requires less capital expenditure by the permit holder; and,

WHEREAS, to be equitable to holders of permits issued prior to July 1, 1978, the new condition should be retroactive;

NOW THEREFORE, it is hereby ordered that the condition of approval of this permit related to water measurement is hereby changed as follows: "The permit holder shall either install a measuring device or provide a certified measurement by a professional engineer or install an access port or other device as specified by the Department".

Dated this 18th day of August, 1978.


C. STEPHEN ALLRED
Director

MICROFILMED

Identification No. _____

Application No. 67-7188

STATE OF IDAHO
DEPARTMENT OF WATER ADMINISTRATION

APPLICATION FOR PERMIT APPROVED

To Appropriate the Public Waters of the State of Idaho
(TYPE OR PRINT IN INK)


1. Name of applicant ROBERT F. WILEY
post office address Indian Valley, Idaho
2. Source of water supply Groundwater which is a tributary of _____
3. a. Location of point of diversion is NE $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 18 Township 13 N
Range 1 W B.M. Washington County; additional points of diversion if any: _____

b. If water is not consumed, it will be discharged into Trib. of Hog Creek at a point in NE $\frac{1}{4}$
of SE $\frac{1}{4}$ of Section 18 Township 13 N Range 1 W B.M. _____
4. Water will be used for the following purposes:
Amount 5.0 for Irrigation purpose from April 1 to Oct. 15 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated:
a. 5.0 cubic feet per second and/or
b. _____ acre feet per annum.
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. None

b. Height of storage dam _____ feet, active reservoir capacity _____ acre feet; total reservoir
capacity _____ acre feet, materials used in storage dam: _____
Period of year during which storage will occur _____ to _____ inclusive.
(Mo. Day) (Mo. Day)
c. Proposed well diameter is 16 inches; proposed depth of well is 300 feet.
7. a. Time required for the completion of the works and application of the water to the proposed beneficial use
is 5 years.
b. Estimated construction cost is \$ 7,000.00.
8. Description of proposed uses:
a. If water is **not** for irrigation:
(1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____
Range _____ B.M. _____
(2) Amount of power to be generated: _____ hp under _____ feet of head.
(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be
supplied with domestic water _____
(5) If water is to be used for other purposes describe: _____

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Robert E. Wiley
(Applicant)

67 7130

7

Proposed Priority 11-13-1973

67 7188

Received by ej Date 11-5-73 Time 10:30 a.m.

Preliminary check by QPB Fee \$ 65.00

Received by ej Date 11-13-73 Recit # 13291

Publication prepared by df Date 11-15-73

Published in Upper Country News Reporter

Publication dates 11-22 & 11-29-73

Publication approved df Date 12-10-73

Priority reduced to _____ Reason _____

Protests filed by: _____

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for (approval) denial by W JDF

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER ADMINISTRATION

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 67-7188, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before December 1, 19 78.
- c. Other: A measuring device of a type approved by this department shall be permanently installed and maintained as part of the diverting works.

2. Denial of said application is for the following reasons: _____

Witness my hand this 13 day of December 19 73.

L. Karl Higley
Director

DEPARTMENT OF WATER ADMINISTRATION
- STAFF ANALYSIS -

Item	Initial	Date	
(1)	<u>CEB</u>	<u>13 Nov 1973</u>	Application No. <u>67-7188</u>
(2)			☒ Source ☒ Point of Diversion ☒ County ☒ Quantity of Water and Period of Use ☒ Description of Diverting Works ☒ Time required for B/U of water ☒ Place of Use or Acres Irrigated ☒ Map ☒ Signature ☒ Fee
(3)	<u>CEB</u>	<u>13 Nov 73</u>	In form to receipt
		<u>N/A</u>	Send Copies to: ☐ Idaho State Health Department ☐ Idaho Fish and Game Department ☐ Bureau of Land Management
(4)		<u>N/A</u>	☐ Request Special Use Permit from U.S.F.S. ☐ Request Easement from B.L.M. ☐ Request Information from Applicant
(5)	<u>CEB</u>	<u>13 Nov 73</u>	In form for advertising
(6)			Located within Water District No. _____
(7)	<u>CEB</u>	<u>12/10/73</u>	Critical groundwater area: yes _____ no ☒
(8)	<u>N</u>		Groundwater levels: _____ Decline (comment) _____ _____ Stable (comment) _____ _____ Increasing (comment) _____
(9)			Comments: _____
(10)	<u>df</u>	<u>12-10-73</u>	Affidavit of Publication received (date) <u>OK</u>
(11)	<u>CEB</u>	<u>12/10/73</u>	Final date for protests <u>12/10/73</u> Protests received: yes _____ no ☒
(12)	<u>VA</u>		Date and Place of hearing _____ Decision reached at hearing _____
(13)	<u>CEB</u>	<u>12/10/73</u>	All requested information received from agencies or applicant yes ☒ no _____
(14)	<u>CEB</u>	<u>12/11/73</u>	Action recommended: ☒ Approve Priority <u>11/13/73</u> ☐ Deny Reason for Reduction _____ ☒ Measuring device required ☐ See attached sheet for additional conditions of approval ☐ No additional conditions for approval
(15)	District <u>West</u>	By <u>J. Baker</u>	Date <u>67-7188</u>

67 7133

RECEIVED
 12/15/73
 Department of Water Administration

NOTICE OF APPLICATION
FOR WATER PERMIT

Notice is hereby given that ROBERT F. WILEY, Indian Valley, ID., has on Nov. 13, 1973 submitted Application No. 67-199 for a permit to appropriate 3.0 cubic feet per second of water from a groundwater source by means of well & pump within the NE 1/4 SE 1/4, Sec. 19, T. 13N., R. 1W., B.M., Washington County to be used from April 1 to Oct. 15 for irrigation of 474.74 acres within the SW 1/4 NW 1/4, N 1/4 SW 1/4, SE 1/4 SW 1/4, Sec. 17; SE 1/4, Sec. 18; NW 1/4, Sec. 19; all in T. 13 N., R. 1 W., B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Administration, Statehouse, Boise, Idaho, 83707, on or before Dec. 10, 1973.

R. KENNETH MCGINSON
Director

Published in the Upper Country News-Reporter, Cambridge, ID., on Nov. 22, 1973 and Nov. 29, 1973.

OK'd
12-10-73

AFFIDAVIT OF PUBLICATION

State of Idaho }
County of Washington } ss.

Stuart Dopf, being first duly sworn, deposes and says that he is the publisher, foreman, principal clerk, of THE NEWS-REPORTER, a weekly newspaper published at Cambridge, Washington County, Idaho, and that said paper has been published continuously for more than 78 weeks immediately preceding the first publication of the attached notice; that said paper is in general circulation in the county aforesaid and in the vicinity of Cambridge, Idaho; that the notice, a copy of which is attached hereto, was published in said newspaper once a week for two consecutive weeks in the regular and entire issue of every number thereof during the period and time of publication, and was published in the newspaper proper and not in a supplement thereto; that the publication of said notice began with the issue of NOV. 22, 1973, and ended with the issue of NOV. 29, 1973.

Stuart Dopf

Subscribed and sworn to before me this
29th day of November 1973.
May Collins
Notary Public for Idaho, residing at
Cambridge, Idaho

Identification No. _____

Application No. _____

STATE OF IDAHO
DEPARTMENT OF WATER ADMINISTRATION

APPLICATION FOR PERMIT

To Appropriate the Public Waters of the State of Idaho

(TYPE OR PRINT IN INK)

1. Name of applicant Robert F. Wiley
post office address Indian Valley, Idaho
2. Source of water supply Well (Under Ground) which is a tributary of none
3. a. Location of point of diversion is NE $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 18 Township 13
Range 1 B.M. Washington County; additional points of diversion if any: None

- b. If water is not consumed, it will be discharged into Tributary of
Hog Creek at a point in NE $\frac{1}{4}$
of SE $\frac{1}{4}$ of Section 18 Township 13 Range 1 B.M. _____

4. Water will be used for the following purposes:

Amount 5 cfs for irrigation purpose from April 1 to Oct 15 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

- a. 5 cubic feet per second and/or
b. _____ acre feet per annum.

6. Proposed diverting works:

- a. Description of ditches, flumes, pumps, headgates, etc. none

- b. Height of storage dam _____ feet, active reservoir capacity _____ acre feet; total reservoir capacity _____ acre feet, materials used in storage dam: _____

Period of year during which storage will occur _____ to _____ inclusive.
(Mo. Day) (Mo. Day)

- c. Proposed well diameter is 16 inches; proposed depth of well is 300 feet.

7. a. Time required for the completion of the works and application of the water to the proposed beneficial use is 2 years.

- b. Estimated construction cost is \$ 7000⁰⁰.

8. Description of proposed uses:

- a. If water is **not** for irrigation:

(1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____
Range _____ B.M. _____

(2) Amount of power to be generated: _____ hp under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water _____.

(5) If water is to be used for other purposes describe: _____

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP.	RANGE	SEC.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
13N	1W	17							40		40	40		40					160
13N	1W	18													40	40	40	40	160
13N	1W	19					40	37.26	37.48	40									154.74

Total number of acres to be irrigated 474.74

c. Describe any other water rights used for the same purposes as described above.

9. a. Who owns the property at the point of diversion Robert F. Wiley

b. Who owns the land to be irrigated or place of use Robert F. Wiley

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing


10. Remarks Well Driller

Russell Coye
Boise, Idaho

Sections 17-18-19

Township 13 North Range 1 WBM

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Robert F. Wiley
(Applicant)

67 7188

Received by WJ Date 11-25-73 Time 10:36 ⁶²₇₁₈₃
Preliminary check by _____ Fee \$ _____
Receipted by _____ Date _____
Publication prepared by _____ Date _____
Published in _____
Publication dates _____
Publication approved _____ Date _____
Priority reduced to _____ Reason _____

Protests filed by: _____

Copies of protests forwarded by _____
Hearing held by _____ Date _____
Recommended for approval denial by _____

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER ADMINISTRATION

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19____.
- c. Other: _____

2. Denial of said application is for the following reasons: _____

Witness my hand this _____ day of _____ 19____.

Director

September 20, 1989

ROBERT F. WILEY
INDIAN VALLEY, ID 83632

RE: PERMIT NO. 67-07188

Dear Permit Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

INDEXED

SEP 22 1989

PLACE OF USE 1/4 1/4 OVERLAP REPORT

09/19/89

WR-NUMBER	NAME	STG	SOURCE	T	R	S	NE				NW				SW				SE				SUM
							NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
6707188																							
6707188	WILEY	P	GROUNDWATER	13N	01W	17							40		40	40	40				160		
L6707188	WILEY	L	GROUNDWATER	13N	01W	17							29		33	34	9				105		
6707188																							
6702241	WILEY	L	GROUNDWATER	13N	01W	18												2	3		5		
6707188	WILEY	P	GROUNDWATER	13N	01W	18												40	40	40	160		
L6707188	WILEY	L	GROUNDWATER	13N	01W	18												20	22	38	112		
6707188																							
6707188	WILEY	P	GROUNDWATER	13N	01W	19							40	37	37	40					154		

NO OVERLAP, SEE REMARKS
ON FIELD REPORT.
SS. 9-18-89

INDEXED

SEP 26 1989

PLACE OF USE LOTS OVERLAP REPORT

09/19/89

WR-NUMBER	NE	NW	NE	SW	SE	NE	NW	NW	SW	SE	NE	NW	SW	SE	NE	NW	SE	SW	SE	LOT	+	SUM
6707188	T13N	R01W	S17																			
6707188	T13N	R01W	S18																			
6707188	T13N	R01W	S19																			

SEP 22 1989

August 22, 1989

ROBERT F. WILEY
INDIAN VALLEY, ID 83632

RE: PERMIT NO. 67-07188

Dear Permit Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

Also enclosed is an order advancing the date of priority of this right due to late submittal of the examination fee.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MICROFILMED
SEP 22 1989

BENEFICIAL USE FIELD REPORT REVIEW

TO: FILE 67-7188

FROM: ROXANNE MCCARTHY

RE: PRIORITY ADVANCE REVIEW

DATE: 20-JAN-1989

This review memo is prepared to show the process for determining what elements were involved in advancement of the priority.

	<u>DATE</u>	<u>JULIAN</u>
PERMIT		
Permit priority Date:	NOVEMBER 13 1973	317
EXAM FEE NOTICE		
Exam Fee Notice Date:	APRIL 10 1987	100
Exam Fee/Info Sheet Received Date:	JUNE 10 1987	161
Exam Fee or Info Due Date:	JUNE 09 1987	160
Days Late:		1 DAY(S)

NEW PRIORITY DATE		
Orginal Priority Date:	NOVEMBER 13 1973	317
Total Days Late:		1 DAY(S)
New Priority Date:	NOVEMBER 14 1973	318

Microfilm
SEP 22 1989

MEMORANDUM

TO:FILE #67-7188

FROM:ROXANNE MCCARTHY

RE: CHANGE TO FIELD EXAM RECOMMENDATION

DATE: 20-JAN-1989

When calculating volume under this right the wrong irrigation season was used. The correct calculation is:

1.07 cfs x 1.9835 x 245 days = 520.0 afa
Allow this volume.

MICROFILMED

SEP 24 1989

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

Staff Analysis Sheet
for
Beneficial Use Field Report

67-7188
Permit No.

P.D. NESE 18 13N 1W

SWNW } 17 NESE
NESW } 18 NWSE
NWSW } SWSE
SESW } SESE

NENW } 19
NWNW }
SWNW }
SENW }

A. Prior to Conducting the Exam, the File Contains:

- ☒ Blank Field Report Form
☒ Copy of Permit
☒ Copies of any Amendments/Orders with conditions of approval
☒ Computer Data Proof Report
☒ Copy of U.S.G.S. Quad

NO Govt Lots Not Irrigated
☒ Check for Government Lots. If so, make a copy of Government
Check of P/D index C4 9-28-87 (Initial and date)
Overlap? ☐ yes ☒ no If yes: ☐ copy of exam(s) attached
Type of Overlap? ☐ Add acres or uses to existing system
☐ Increase rate of flow or volume
☐ Other: _____

RECEIVED
MAR 26 1988
Department of Water Resources

Check of P/U index C4 9-28-87 (Initial and date)

Overlap? ☒ yes ☐ no If yes: ☐ copy of water right(s) attached?
Type of Overlap? ☐ Increase rate of flow or volume
☐ Add P/D's
☐ Increase number of acres within tracts
☐ Other: _____

Aerial Photo

Required? ☒ yes ☐ no If yes: ☒ copy attached?

Scheduling Letter sent? C4 9-21-87 (Initial and date)

☒ Appointment made and telephone conversation memo attached

B. After Conducting the Exam, the File Contains:

- ☒ Fully completed and signed Field Report Form
☒ Photographs of Point of Diversion and Place of Use
☒ Corrected Computer Data Proof Report with recommended license information, and date and signature of examiner.

C. Review and Processing:

Exam Completed Ante Intschke 9-30-87 (Signature of examiner and date)
Exam Reviewed by Senior Water Resource Agent Qu 2/1/88 (Initial and date)
Exam Reviewed by Manager of Regional Office Qu 2/29/88 (Initial and date)
Exam Date Entered in Computer _____ (Initial and date)
Exam sent to State Office SA 5/5/88 (Initial and date)
Copy of Staff Analysis Sheet sent to Manager of Regional Office and Original
Refiled in White File _____ (Initial and date)

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION


Permit No. 67-7188
1. Owner: Robert F. Wiley Phone No. 355-2364
Current Address: Indian Valley, ID 83632
2. Accompanied by: Bob Wiley EXAM. DATE: 9-30-87
Address: same as above Phone No. 355-2364
Relationship to Permit Holder: Owner
3. Source: Groundwater tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: 67-2241 - NO OVERLAP J.S. 9-19-89
_____ ☒ Copies Attached
2. Other water rights with same point of diversion: none
_____ ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = 2'

2. ☒ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).
☒ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater).
☒ Aerial Photo Attached (required for irrigation of 10 acres or more).

MICROFILMED

SEP 22 1989

System Description (continued)

3. **Narrative:** Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

The system has a 16" well 935' deep with a 150 H.P. turbine pump. The water is distributed through approximately 2600' of underground 8" PVC mainline with risers for a Nelson P 200 Big Gun Sprinkler. an additional 1500' of portable 7" aluminum mainline with risers can be connected to the underground mainlines to allow all the crop-

☑ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	US Motors	150	HJ1415367	Layne Bowler	45463

*Code to correspond with No. on map and aerial photo

5. **Point(s) of Diversion:**

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			NE	SE	18	13N	1W	Washington	Aerial Photo

6. **Place(s) of Use:**

Indicate Method of Determination Aerial Photo

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
13N	1W	17							29		33	34		9					105
13N	1W	18													20	22	38	32	112
																			217

MICROFILMED

Do not use this space

SEP 22 1989

Do not use this space

D. FLOW MEASUREMENTS

☒ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
Annubar				091414	8"	
Manometer				#1	48"	

2. Measurements:

1 Nelson P200 Big Gun with 1.3" nozzle at 90 psi
= 475 gpm
Foxes had punctured the hose running to the Big Gun,
resulting in leakage of approximately 4-5 gpm.

E. FLOW CALCULATIONS

☒ Additional Computation Sheets Attached

1. Measured Method: $\frac{475}{448.8} = 1.06$ cfs From annubar measurement 1.07 cfs

2. Alternate Method for Checking Purposes:

$$\frac{150 \times 8.8 \times 0.8}{160 + 120(2.3)} = 2.42 \text{ cfs}$$

F. PUMP EFFICIENCY DATA (Optional)

Est. drawdown

Discharge Pressure: $\frac{120}{\text{psi}} \times 2.31 = 277.2$ ft (1); Dynamic pumping level: $\frac{160}{\text{ft}}$ (2)

Total Head: (1) + (2) = 437.2 (3)

; Flow rate: 1.07 cfs (4)

Water HP: (3) x (4) ÷ 8.8 = 53.2 (5)

Meter Input KW: 3.6×4.8 KH x _____ CTR or 40 MULT x _____ PTR x 10 N/ 67 T = 103.2 (6)

Meter Input HP: (6) x $1.34 = 138.2$ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Ampsx .001732 = _____ (6)

Panel Input HP: (6) x $1.34 =$ _____ (7) Efficiency: (5)/(7) x 100 = 38.5 %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 217 \times 4.0 = 868 \text{ afa}$

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 1.07 \times 198 \times 1.9835 = 420.2$

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 420.2$

2. Volume Calculations for Other Uses:

INDEXED

SEP 22 1989

H. REMARKS AND OVERLAP REVIEW ANALYSIS

to be irrigated. However, only about 50 to 90 acres are irrigated in any single year. The land in the NW¹/₄ of sec 19 T13 N R1W did not appear to have been irrigated. 67-2241 is now used for domestic purposes and stockwater.

I. RECOMMENDATIONS

1. Recommended Amounts


Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Irrigation	4-1	10-15	1.07	420.2
Totals:			1.07	420.2

2. Recommended Amendments

- ☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

J. AUTHENTICATION

Field Examiner's Name Carter Fritschle
Signature Carter Fritschle
Certification Date _____
Field Report Preparation Date 9-30-87



K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

Royanne McElrath 1/20/89

MICROFILMED

SEP 22 1989

State of Idaho
DEPARTMENT OF WATER RESOURCES
SUPPLEMENTAL FIELD REPORT FOR ANNUBAR MEASUREMENT

Measured by: Carter Fritschle

Date 9-30-87

Owner: Robert F Wiley

Permit No. 67-7188

Description of well &/or measuring site

- Include any clarifications of the sketch
- Include legal description if more than one p.d. is described in the Field Report

An 1 1/4" flow measurement port was located in a 50' section of 7" aluminum pipe.

MEASURED INSIDE PIPE DIAMETER IN INCHES (ID)

CIR = Pipe Circumference in Inches = 22.375

T = Pipe Thickness in Inches = 0.0425

ID = $2 [(0.1592 \times \text{CIR}) - T] = \dots\dots\dots$ 7.0

ANNUBAR DESCRIPTION & CONSTANT (C)

Size Used in Test 8"

State ID No. 091414

Select C based on size from Table below.

Nominal Pipe Size	C
4"	4.23
6"	3.75
8"	3.87
10"	3.94
12"	3.99
14"- 16"	4.01
18"- 24"	4.02
30" or larger	4.03

C selected 3.87

DIFFERENTIAL PRESSURE READING IN INCHES OF H₂O (H)

High Reading = 38.9

Low Reading = 32.5

High - Low = H = 6.4

CALCULATION OF DISCHARGE IN CFS (Q)


$$Q = \frac{(ID)^2 \cdot (\sqrt{H}) \cdot (C)}{448.8}$$

$$Q = \frac{(7.0)^2 (\sqrt{6.4}) (3.87)}{448.8} = 1.07 \text{ CFS}$$

MICROFILMED


SEP 22 1989

SKETCH (If not shown on Field Report)




Pipe was located in
the SESE Sec 18
T 13N R 1W

67-7188



P.D. Looking
West P.U. is
in background



P.U. and
measurement
site looking
East.

MICROFILMED

SEP 22 1989

SECT 1003
CHLMD

18.17
19.20

22.9
23.0

23
14.9

21
8.7

17
16.6

54
15


37.8
7.2

20
6.7

12
10.8
13
14
6.4


7386

T13N R1W



SEP 22 1989

T 13N R 1W



(80)

35.26

35.26

35.26

35.26

35.26

35.26

35.26

35.26

35.26

35.26

35.26

35.26

35.26

35.26

35.26

35.26

35.26

35.26

35.26

35.26

35.26

35.26

35.26

35.26

35.26

35.26

(80)

35.26

35.26

35.26

35.26

35.26

35.26

35.26

35.26

35.26

35.26

35.26

35.26

35.26

35.26

35.26

35.26

35.26

35.26

35.26

35.26

(80)

35.26

35.26

35.26

35.26

35.26

35.26

35.26

35.26

35.26

35.26

35.26

35.26

35.26

35.26

35.26

35.26

35.26

35.26

35.26

35.26

35.26

35.26

35.26

35.26

35.26

35.26

35.26

35.26

35.26

35.26

35.26

MICROFILMED

SEP 22 1989

13N	DTW	01	SENE	06	01	67-0411	RICHARDSON	C	D	06-01-1885	LITTLE WEISER RIVER
			NESE	06	02.03	67-2385	SNOW	C	L	12-31-1934	LITTLE WEISER RIVER
							LITTLE WEISER IRRIG	C			
			NWSE		01	67-0411	RICHARDSON	C	D	06-01-1885	LITTLE WEISER RIVER
08			NWSH		04	67-7088	WAITE	C	L	04-13-1972	GROUNDWATER
			NWSH		43	67-7088	WAITE	C	L	04-13-1972	GROUNDWATER
16			NESE	40	01	67-7108	MEYER	C	P	09-29-1972	GROUNDWATER
			SWSE	40	01	67-7108	MEYER	C	P	09-29-1972	GROUNDWATER
			SESE	40	01	67-7108	MEYER	C	P	09-29-1972	GROUNDWATER
17			SWSH	40	01	67-7108	WILEY	C	P	11-13-1973	GROUNDWATER
			NWSH	40	01	67-7108	WILEY	C	P	11-13-1973	GROUNDWATER
			NWSH	40	01	67-7108	WILEY	C	P	11-13-1973	GROUNDWATER
			SESH	40	01	67-7108	WILEY	C	P	11-13-1973	GROUNDWATER
18			NESE	02	01,43,49	67-2241	WILEY	C	L	04-20-1954	GROUNDWATER
			NESE	40	01	67-7108	WILEY	C	P	11-13-1973	GROUNDWATER
			NWSE	03	01,43,49	67-2241	WILEY	C	L	04-20-1954	GROUNDWATER
			NWSE	40	01	67-7108	WILEY	C	P	11-13-1973	GROUNDWATER
			SWSE	40	01	67-7108	WILEY	C	P	11-13-1973	GROUNDWATER
			SESE	40	01	67-7108	WILEY	C	P	11-13-1973	GROUNDWATER
19			NENH	40	01	67-7108	WILEY	C	P	11-13-1973	GROUNDWATER
			NENH	37	01	67-7108	WILEY	C	P	11-13-1973	GROUNDWATER
			SWSH	37	01	67-7108	WILEY	C	P	11-13-1973	GROUNDWATER
20			SESH	40	01	67-7108	WILEY	C	P	11-13-1973	GROUNDWATER
			SESH	10	01	67-7108	MEYER	C	P	09-29-1972	GROUNDWATER
			SWSE	30	01	67-7108	MEYER	C	P	09-29-1972	GROUNDWATER
			SESE	40	01	67-7108	MEYER	C	P	09-29-1972	GROUNDWATER
21			NENE	40	01	67-7108	MEYER	C	P	09-29-1972	GROUNDWATER
			NENE	40	01	67-7108	MEYER	C	P	09-29-1972	GROUNDWATER
			SWNE	40	01	67-7108	MEYER	C	P	09-29-1972	GROUNDWATER
			SWNE	40	01	67-7108	MEYER	C	P	09-29-1972	GROUNDWATER
			NENH	40	01	67-7108	MEYER	C	P	09-29-1972	GROUNDWATER
			SENH	40	01	67-7108	MEYER	C	P	09-29-1972	GROUNDWATER
			SENH	40	01	67-7108	MEYER	C	P	09-29-1972	GROUNDWATER
			NESH	40	01	67-7108	MEYER	C	P	09-29-1972	GROUNDWATER
			NWSH	40	01	67-7108	MEYER	C	P	09-29-1972	GROUNDWATER
			SWSH	40	01	67-7108	MEYER	C	P	09-29-1972	GROUNDWATER
			SESH	40	01	67-7108	MEYER	C	P	09-29-1972	GROUNDWATER
			NWSE	40	01	67-7108	MEYER	C	P	09-29-1972	GROUNDWATER

6861 7/27/89

K 3

KEYPUNCHED

4/86 RECEIVED
JUN 10 1987

Department of Water Resources
Western Regional Office

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
EXAMINATION FEE INFORMATION

For Office Use Only
Fee Received One /25
Date 6/10/87
Receipt # 44957
Receipt by HL
Sent S.O. 472/87

RECEIVED

JUL 09 1987

1. Permit No. 67-7188

Department of Water Resources
ONE OF THE FOLLOWING BOXES SHOULD BE MARKED TO DESIGNATE YOUR CHOICE:

☒ I choose to have the department make the field examination of this permit; attached is the examination fee. (If this box is marked, complete items 1 thru 8.)

2. Permit Holder: Robert E. Wiley

3. Post Office Address: Indian Valley, Idaho

Telephone No. (208) 355-2364

4. Source of Water: Well

5. Extent of Use:

Domestic _____ (No. of households) Stockwater _____ (No. and type of stock)

Irrigation 90 (acres) Other/Remark _____

6. Total rate &/or volume for which proof is submitted 1.34 cfs _____ acre-feet

7. Show the date water was first diverted and beneficially used under this permit:

July 1975

8. Person to contact to accompany the department representative during the field examination:

(Name)

(Address)

(Telephone Number)

☐ I choose to have the field examination conducted by a certified water right examiner. Attached is a statement from the certified examiner Robert E. Wiley verifying that he has been retained to conduct the examination. (If this box is marked, complete items 1 thru 7.)

SEP 22 1989

Date _____

Robert E. Wiley
Signature of Permit Holder (and title, if appropriate)

State of Idaho

Department of Water Resources

LICENSE EXAMINATION FEE SCHEDULE

(c.f.s. = cubic feet per second
AF = acre feet)

cfs	AF	Fee
0 - 0.04	0 - 4	\$ 0
.05 - 0.20	5 - 20	50.00
.21 - 1.0	21 - 100	100.00
1.01 - 2.0	101 - 200	<u>125.00</u>
2.01 - 3.0	201 - 300	150.00
3.01 - 4.0	301 - 400	175.00
4.01 - 5.0	401 - 500	200.00
5.01 - 6.0	501 - 600	225.00
6.01 - 7.0	601 - 700	250.00
7.01 - 8.0	701 - 800	275.00
8.01 - 9.0	801 - 900	300.00
9.01 - 10.0	901 - 1000	325.00
10.01 - 11.0	1001 - 1100	350.00
11.01 - 12.0	1101 - 1200	375.00
12.01 - 13.0	1201 - 1300	400.00
13.01 - 14.0	1301 - 1400	425.00
14.01 - 15.0	1401 - 1500	450.00
15.01 - 16.0	1501 - 1600	475.00
16.01 - 17.0	1601 - 1700	500.00
17.01 - 18.0	1701 - 1800	525.00
18.01 - 19.0	1801 - 1900	550.00
19.01 - 20.0	1901 - 2000	575.00
20.01 & over	2001 & over	600.00

Checks should be made payable to the
Department of Water Resources

No fee is required for single family
domestic use or stockwater use.



State of Idaho
DEPARTMENT OF WATER RESOURCES
Western Region

Cecil D. Andrus
Governor

2735 Airport Way
Boise, Idaho 83705
(208) 334-2190

67-7188
WILEY, ROBERT F.
INDIAN VALLEY, ID 83632

138209

April 10, 1987

CERTIFIED MAIL

EXAMINATION FEE NOTICE

Dear Permit Holder:

Department records show that proof of beneficial use has been submitted for the above-referenced permit, but that a field examination has not yet been conducted to determine the extent of beneficial use of the water for licensing purposes.

House Bill 671 (effective April 4, 1986) enacted by the 1986 Idaho Legislature requires the payment of a fee before this department can conduct the field examination needed to issue a license confirming use of water under the permit. This letter is notification that the license examination fee is due within sixty (60) days of the date of this letter. The examination fee information sheet (enclosed) must be returned with the fee.

As an alternative to submitting the fee, the department will accept a field examination report completed by a certified water right examiner from the private sector. If you choose to have the examination done by a certified water right examiner, you need not submit the license examination fee to the department, but you must within sixty (60) days of the date of this letter return to the department, the examination fee information sheet showing appropriate information together with a statement from the certified examiner to verify that you have retained a certified examiner to conduct the field examination. If you choose this alternative, a completed field examination report must be submitted within one year of the date of this letter. You cannot later change your decision to use this alternative and submit the fee needed for the department to conduct the field examination, but you may change to another certified examiner.

MICROFILMED

SEP 22 1989

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Western Region

Statehouse
Boise, Idaho 83720
(208) 334-2190

APRIL 25, 1984

ROBERT F. WILEY

INDIAN VALLEY ID 83632

RE: Permit No. 67-7188

Dear Permit Holder:

We acknowledge receipt of your statement submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this department.

A condition of approval of your original permit required the installation of an access port which, according to the proof card submitted by you, has not been installed. An access port must be installed prior to the time a field examination is made.

A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office by phone at 334-2190 or in person in the third floor State Towers Building, 450 West State Street, Boise.

Sincerely,
s/Judy Pense
Secretary

Microfilmed

SEP 22 1989

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit No. 67-7188.

Name(s) of Permit Holder:

Robert F. Wiley

Post Office Address:

Indian Valley, ID 83632

Tel. No. 355-2364

Source of Water:

Extent of Use:

☐ Domestic

(number of households)

☐ Stockwater

(number and type of stock)

☒ Irrigation

100

(acres)

☐ Other

Measuring Device:

Required?

☐ Yes ☐ No

Installed?

☐ Yes ☐ No

Access Port:

Required?

☒ Yes ☐ No

Installed?

☐ Yes ☒ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

Nov 1, 1983

Date

Robert F. Wiley

Signature of Permit Holder

PLACE
13 CENT
STAMP
HERE

RECEIVED

NOV 1 1983



Department of Water Resources **IDAHO DEPARTMENT OF WATER RESOURCES**
STATEHOUSE
BOISE, IDAHO 83720

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
CERTIFIED MAIL

138037

WILEY, ROBERT F.
INDIAN VALLEY, ID 83632

PROOF DUE NOTICE

SEPTEMBER 30, 1983

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF YOUR WATER PERMIT NO. 67-7188 WAS THAT PROOF OF THE EXTENT OF YOUR BENEFICIAL USE MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE DECEMBER 01, 1983. (SEE LAST PAGE OF YOUR APPROVED PERMIT OR YOUR LAST APPROVED EXTENSION REQUEST). ENCLOSED IS A POSTCARD WHICH MAY BE USED TO SUBMIT THE REQUIRED PROOF.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU OR A PREVIOUS OWNER OF THIS PERMIT HAVE NOT RECEIVED A PRIOR EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME IF THE DELAY IS FOR REASONABLE CAUSE AS PROVIDED IN SECTION 42-204, IDAHO CODE. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED. AN EXTENSION OF TIME REQUEST FORM IS ENCLOSED FOR YOUR CONVENIENCE.

EITHER THE BENEFICIAL USE POSTCARD OR A REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE DESCRIBED PROOF DUE DATE. IF NEITHER IS RECEIVED, THE DEPARTMENT WILL SEND YOU A LAPSE NOTICE. WITHIN SIXTY (60) DAYS OF THE MAILING OF THE LAPSE NOTICE, THE PERMIT WILL NO LONGER BE OF ANY FORCE NOR EFFECT.

SINCERELY,

RITA FLECK
SECRETARY/RECORDS MANAGER

ENCLOSURES

RECEIVED

October 24, 1978

Mr. Robert F. Wiley
Indian Valley,
Idaho 83632

Dear Mr. Wiley:

Re: Permit No. 67-7188

Enclosed is a copy of the Order extending the time within which to submit proof of beneficial use to December 1, 1983.

Sincerely,

JAN GROVER
Water Rights Supervisor

JG:rf

Enc: 1

RECEIVED
OCT 26 1978
WATER RIGHTS
DIVISION
BOISE, IDAHO

67-7188

October 16, 1978

Indian Valley, ID
83632

Re: Permit No. 67-7188

State of Idaho
Department of Water Resources
Statehouse
Boise, Idaho 83720

RECEIVED

OCT 17 1978

Department of Water Resources

ok to
extend
5 yrs
jc


Dear Sir:

Should I submit proof of application of water to beneficial use now, or request extension? The well tested about 1100 gal per min, but in actual use discharged about 400 gal plus per min. I have engaged a well driller to drill deeper, but he can't commence operation until he finishes a current well. I'm hoping this will come about by the first of next year.

Sincerely,
Robert F. Wiley

MICROFILMED

Robert F. Wiley
Indian Valley, ID
83632



State of Idaho
Department of Water Resources
Statehouse
Boise
Idaho

83720



State of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 373 W. Franklin Street, Boise, Idaho

JOHN V. EVANS
Governor

C. STEPHEN ALLRED
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 384-2215

CERTIFIED MAIL

September 30, 1978

Re: Permit No. 67-7188

~~100-718~~
100282

Robert F. Wiley
Indian Valley,
Idaho 83632

Dear Mr. Wiley:

One of the conditions of approval of your water Permit No. 67-7188 (see last page of your approved permit) was that evidence of the extent of development be submitted as proof of application of water to beneficial use to this office on or before December 1, 1978. Enclosed is an affidavit form which must be used to submit the required proof of beneficial use.

If you have not fully completed your project, and you have not previously received an extension of time, you may request an extension of time provided the delay is for reasonable cause as indicated in Section 42-204, Idaho Code, amended. If you have been prevented from proceeding by a governmental agency or by litigation, more than one extension of time can be granted.

Either the beneficial use affidavit or a request for an extension of time must be received by this Department on or before the above mentioned date, otherwise, the permit will lapse and be of no further force or effect.


RITA FLECK
Water Rights

Encl: Proof affidavit



State of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 373 W. Franklin Street, Boise, Idaho

JOHN V. EVANS
Governor

C. STEPHEN ALLRED
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 384-2215

9/6/78

Dear Wateruser:

The enclosed Order changes the measuring device condition of approval on your water right permit.

The changed condition should be less restrictive and provide more flexibility to you in the development of your water right system. The specifications related to the size and location of the access port will be available upon request from the Department, as soon as the Department's measuring equipment is obtained.

If you have questions regarding this matter, please contact this office or our regional offices.

Sincerely,

L. Glen Saxton

L. GLEN SAXTON
Chief, Operations Bureau

LGS:JG:kw

Enclosure



USE TYPEWRITER OR
BALL POINT PEN

State of Idaho
Department of Water Administration
WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Administration within 30 days after the completion or abandonment of the well.

*Received
12-4-74
D W B*

1. WELL OWNER

Name Bob Wyle
Address Indian Valley
Owner's Permit No. 67-7188

2. NATURE OF WORK

☒ New well ☐ Deepened ☐ Replacement
☐ Abandoned (describe method of abandoning)

3. PROPOSED USE

☐ Domestic ☒ Irrigation ☐ Test ☐ Other (specify type)
☐ Municipal ☐ Industrial ☐ Stock ☐ Waste Disposal or Injection

4. METHOD DRILLED

☒ Cable ☐ Rotary ☐ Dug ☐ Other

5. WELL CONSTRUCTION

Diameter of hole _____ inches Total depth 535 feet
Casing schedule: ☐ Steel ☐ Concrete

Thickness	Diameter	From	To
<u>1/4</u> inches	<u>20</u> inches	<u>0</u> feet	<u>10</u> feet
<u>1/4</u> inches	<u>16</u> inches	<u>1</u> feet	<u>206</u> feet
<u>1/4</u> inches	<u>12</u> inches	<u>206</u> feet	<u>282</u> feet
<u>1/4</u> inches	<u>10</u> inches	<u>282</u> feet	<u>376</u> feet

Was a packer or seal used? ☐ Yes ☒ No
Perforated? ☐ Yes ☐ No
How perforated? ☒ Factory ☐ Knife ☐ Torch
Size of perforation _____ inches by _____ inches

Number	From	To
<u>20</u> perforations	<u>90</u> feet	<u>88</u> feet
<u>100</u> perforations	<u>280</u> feet	<u>240</u> feet
<u>100</u> perforations	<u>430</u> feet	<u>365</u> feet

Well screen installed? ☐ Yes ☒ No
Manufacturer's name _____

Type _____ Model No. _____
Diameter _____ Slot size _____ Set from _____ feet to _____ feet
Diameter _____ Slot size _____ Set from _____ feet to _____ feet

Gravel packed? ☒ Yes ☐ No Size of gravel _____
Placed from 376 feet to 18 feet

Surface seal depth 18 Material used in seal ☐ Cement grout
☒ Pudding clay ☐ Well cuttings
Sealing procedure used ☐ Slurry pit ☒ Temporary surface casing
☐ Overbore to seal depth

6. LOCATION OF WELL

Sketch map location must agree with written location.

Subdivision Name _____
Lot No. _____ Block No. _____
County Wash.
N E 1/4 Sec. 18, T. 13 N, R. 1 E/W

7. WATER LEVEL

Static water level 75 feet below land surface
Flowing? ☐ Yes ☒ No G.P.M. flow _____
Temperature _____ ° F. Quality _____
Artesian closed-in pressure _____ p.s.i.
Controlled by ☐ Valve ☐ Cap ☐ Plug

8. WELL TEST DATA

☐ Pump ☐ Bailer ☐ Other

Discharge G.P.M.	Draw Down	Hours Pumped

9. LITHOLOGIC LOG

Hole Diam.	Depth		Material	Water	
	From	To		Yes	No
24	0	15	SAND DIRT	✓	
24	15	93	SANDY CLAY BRAUN		✓
16	93	103	BLOCK SAND COURSE	✓	
16	103	240	BLUE CLAY		✓
16	240	280	LARGE GRAVEL AND SAND	✓	
12	280	376	ROCK AND CREVISES		✓
10	376	430	BLUE CLAY		✓
10	430	460	YELLOW CLAY		✓
10	460	465	ROCK		✓
10	465	469	RED AND BLACK		✓
10	469	507	CYNDERS		✓
10	507	509	ROCK HARD		✓
10	509	530	SAND BLACK	✓	
10	530	535	VERY HARD ROCK		✓
10	535	535	BLACK SAND	✓	

10. Work started Aug 74 finished Sept 74

11. DRILLERS CERTIFICATION

Firm Name Russell Cove Drilling Firm No. 65
Address Boise Date _____
Signed by (Firm Official) Russell Cove
and Dore Nailon
(Operator)

USE ADDITIONAL SHEETS IF NECESSARY

FORWARD THE WHITE COPY TO THE DEPARTMENT

67-7188

September 17, 1973

Robert F. Wiley
Indian Valley
Idaho 83632

Dear Mr. Wiley:

Pursuant to your letter request of September 13, 1973, please find enclosed six (6) copies of this Department's Application for Permit forms with instructions for filing.

If you should have any further questions, or if we may be of any assistance to you in the completion of this form, please do not hesitate to contact this Department.

Sincerely,

DEANNA E. FELDT
Secretary

DEF:d

Enclosure

67-7188

September 13, 1973

RECEIVED

SEP 17 1973

Indian Valley, Idaho
83632

Idaho Department of Water Administration
State House
Boise, Idaho 83707

Dear Sir:

Please forward to me about a half-dozen forms
for making application for a water right. Thank you.

Very truly yours,
Robert F. Wiley

67-7188

December 19, 1973

Re: Permit No. 67-7188'

Robert F. Wiley
Indian Valley,
Idaho 83632

Dear Mr. Wiley:

Enclosed is a copy of your approved Application for Permit No. 67-7188 . We direct your attention to the conditions of approval as listed on the fourth page.

Be sure to note that a special condition requiring you to install and maintain a measuring device at your point of diversion has been placed upon your permit. We are enclosing a letter describing different types of measuring devices accepted by this office.

Sincerely,

BOBBY D. FLEENOR
Assistant Director

BDF:cd

Enclosures

67 7188

STATE OF IDAHO
DEPARTMENT OF WATER ADMINISTRATION

Cecil D. Andrus
Governor
R. Keith Higginson
Director

Statehouse - Annex 2
Boise, Idaho 83707
(208) 384-2215
Western District Office



Water Rights Administration
Water Resource Investigation
Dam and Reservoir Safety
Water Well Drilling
Waste Disposal Wells
Stream Channel Protection

November 16, 1973

Upper Country News Reporter
Box 98
Cambridge, ID 83610

Re: Application for Permit No. 67-7188 - Robert F. Wiley

Gentlemen:

Enclosed you will find a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing ample time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted, assuming the notice is correct. If we have any corrections, we will notify you before the first publication. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. In order to receive payment, the following certification must appear on the bill:

"I hereby certify that the foregoing account is just and correct, that the amount claimed is legally due, after allowing all just credits, and that no part of the same has been paid."

(signature of claimant)

67 7188

Sincerely,

Bill submitted 12-10-73 by d

**NOTICE OF APPLICATION
FOR WATER PERMIT**

Notice is hereby given that **ROBERT F. WILEY**, Indian Valley, ID., has on Nov. 13, 1973 submitted Application No. 67-7188 for a permit to appropriate 5.0 cubic feet per second of water from a groundwater source by means of well & pump within the NE $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 18, T. 18N., R. 1W., B.M., Washington County to be used from April 1 to Oct. 15 for irrigation of 474.74 acres within the SW $\frac{1}{4}$ NW $\frac{1}{4}$, N $\frac{1}{4}$ SW $\frac{1}{4}$, SE $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 17; SE $\frac{1}{4}$, Sec. 18; NW $\frac{1}{4}$, Sec. 19; all in T. 18 N., R. 1 W., B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Administration, Statehouse, Boise, Idaho, 83707, on or before Dec. 10, 1973.

R. KEITH HIGGINSON
Director

Published in the Upper Country News-Reporter, Cambridge, ID., on Nov. 22, 1973 and Nov. 29, 1973.

67-7188-71

67 7188 29

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that ROBERT F. WILEY, Indian Valley, ID

has on Nov. 13, 1973 submitted Application No. 67-7188

for a permit to appropriate 5.0 cubic feet per second ~~10000 feet~~

~~per second~~ of water from a groundwater source

by means of well & pump

within the NE $\frac{1}{4}$, SE $\frac{1}{4}$, Sec. 18, T. 13 N., R. 1 W., B.M., Washington County

to be used from April 1 to Oct. 15

for irrigation of 474.74 acres

within the SW $\frac{1}{4}$, NW $\frac{1}{4}$, NE $\frac{1}{4}$, SE $\frac{1}{4}$, Sec. 17; SE $\frac{1}{4}$, Sec. 18; NW $\frac{1}{4}$, Sec. 19;

all in T. 13 N., R. 1 W., B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Administration, Statehouse, Boise, Idaho, 83707, on or before Dec. 10, 1973.

67 7188

R. KEITH HIGGINSON

Director

Published in the Upper Country News Reporter, Cambridge, ID

on Nov. 22, 1973 and Nov. 29, 1973

STATE OF IDAHO
DEPARTMENT OF WATER ADMINISTRATION
WESTERN DISTRICT OFFICE



Cecil D. Andrus
Governor
R. Keith Higginson
Director

614 State Street
Statehouse - Annex 2
Boise, Idaho 83707
(208) 384-2190

Water Rights Administration
Water Resource Investigations
Dam and Reservoir Safety
Water Well Drilling
Waste Disposal Wells
Stream Channel Protection
Geothermal Resources

November 15, 1973

Robert F. Wiley
Indian Valley
Idaho 83632

Re: Application for Permit No. 67-7188

Dear Mr. Wiley:

Enclosed is your Receipt No. 13291 in the amount of \$ 65.00 for
Application for Permit No. 67-7188 which was received in this office
on November 13, 1973.

Sincerely,

DEANNA E. FELDT
Secretary

DEF:d

Enclosure

67 7188

November 5, 1973

Mr. Robert F. Wiley
Indian Valley
Idaho 83632

Dear Mr. Wiley:

Enclosed is your application for permit and check no. 92-285 in the amount of \$75.00.

The application meets the minimum requirement of the department, but the fee for 5 c.f.s. of water is \$65.00 and we have no provisions for returning the additional money. Any amount greater than 5.0 c.f.s. up to 6.0 c.f.s. would require a \$75.00 fee.

We have also typed your application and changed item 7.a. to five years. This will give you the maximum amount of time to complete the system. You may, however, submit proof of beneficial use any time you wish.

If you wish to increase the amount applied for, you may do so.

If you have any questions, please do not hesitate to contact this department.

Very truly yours,

ERVIN E. BALLOU
W. R. Technician II

Enclosures

EEB:sw

67 7188