

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

30

Place of Use

Point of Diversion

Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Delbert B. Williams
(Applicant)

67 7066

**NOTICE OF APPLICATION
FOR WATER PERMIT**

Notice is hereby given that Delbert B. Williams, 2203 Airport Avenue, Caldwell, Idaho, has on October 13, 1971, submitted Application No. 67-7066 for a permit to appropriate 0.80 cubic feet per second of water from a ground water source by means of well and pump within the SE $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 30, T. 14N, R. 3W, B. M., Washington County to be used from March 15 to Nov. 15 for the irrigation of 40 acres within the NE $\frac{1}{4}$ NE $\frac{1}{4}$, S $\frac{1}{2}$ NE $\frac{1}{4}$, NE $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 30, T. 14N, R. 3W, B. M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Administration, Statehouse, at Boise, Idaho, 83707, on or before November 22, 1971.

R. KEITH HIGGINSON
Director

Published in the Upper Country News-Reporter, Cambridge, Idaho on Nov. 4 and Nov. 11, 1971.

AFFIDAVIT OF PUBLICATION

State of Idaho }
County of Washington } ss.

Stuart Dopf, being first duly sworn, deposes and says that he is the publisher, foreman, principal clerk, of THE NEWS-REPORTER, a weekly newspaper published at Cambridge, Washington County, Idaho, and that said paper has been published continuously for more than 78 weeks immediately preceding the first publication of the attached notice; that said paper is in general circulation in the county aforesaid and in the vicinity of Cambridge, Idaho; that the notice, a copy of which is attached hereto, was published in said newspaper once a week for two consecutive weeks in the regular and entire issue of every number thereof during the period and time of publication, and was published in the newspaper proper and not in a supplement thereto; that the publication of said notice began with the issue of Nov. 4, 1971, and ended with the issue of Nov. 11, 1971.

Stuart Dopf

Subscribed and sworn to before me this

16th day of Nov., 1971.

May Collins

Notary Public for Idaho, residing at
Cambridge, Idaho


T
14
N

Diagram of System

**NOTICE OF APPLICATION
FOR WATER PERMIT**

Notice is hereby given that Delbert B. Williams, 2203 Airport Avenue, Caldwell, Idaho, has on October 13, 1971, submitted Application No. 67-7066 for a permit to appropriate 0.80 cubic feet per second of water from a ground water source by means of well and pump within the SE $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 30, T. 14N, R. 3W, B. M., Washington County to be used from March 15 to Nov. 15 for the irrigation of 40 acres within the NE $\frac{1}{4}$ NE $\frac{1}{4}$, S $\frac{1}{2}$ NE $\frac{1}{4}$, NE $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 30, T. 14N, R. 3W, B. M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Administration, Statehouse, at Boise, Idaho, 83707, on or before November 22, 1971.

R. KEITH HIGGINSON
Director

Published in the Upper Country News-Reporter, Cambridge, Idaho on Nov. 4 and Nov. 11, 1971.

67 7066

O.K. 11-5-71
B.B.

State of Idaho

Department of Water Administration

WATER RIGHT LICENSE

License of Water Right No. 67-7066 Priority Oct. 13, 1971 Amount 0.28 cfs

THIS IS TO CERTIFY, that DELBERT B. WILLIAMS
of Caldwell, Idaho, has complied with the terms and conditions of Permit
No. 67-7066 issued pursuant to Application for Permit dated October 13, 1971,
and has submitted proof to the Department of Water Administration on May 1, 1973,
that he has applied water to a beneficial use; an examination by the Department indicates that the works have a
capacity for the diversion of 0.28 cfs of water from a ground water source,
tributary to _____, and that the permit holder has applied to a beneficial use &
established a right to use water as follows:

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
<u>Irrigation</u>	from <u>March 15</u> to <u>Nov. 15</u>	at <u>0.28</u> cfs and	<u>136 acre feet -or-</u>
	from _____ to _____	at _____ cfs and	<u>4.0 af per acre</u>
	from _____ to _____	at _____ cfs and	_____

(both dates inclusive)

Subject, however, to the condition that no more than 0.28 cfs of water be diverted at any one time, and
that the amount of water so diverted and to which such right is entitled and confirmed is for the purpose
aforementioned and is limited to the amount which can actually be beneficially used and shall not exceed
136 acre feet per year, said waters to be diverted within the SE $\frac{1}{4}$ NE $\frac{1}{4}$ of Sec. 30,
Twp. 14 N, Rge. 3 W, B.M. in the County of Washington

Description and location of place of use:

Twp.	Range	Sec.	NE $\frac{1}{4}$				NW $\frac{1}{4}$				SW $\frac{1}{4}$				SE $\frac{1}{4}$				Totals
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	
14 N	3 W	30	14.6		3.4	22.													40

Total number of acres irrigated 40

67 7066

NOTE: Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho Law. This right may be forfeited by five years of non-use.

The right to the use of the water hereby confirmed is restricted and appurtenant to the lands or place of use herein described, as provided by the laws of Idaho.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 28 day of
December, 19 73.

Director

BEFORE THE DEPARTMENT OF WATER ADMINISTRATION
OF THE
STATE OF IDAHO

IN THE MATTER OF Removal of the Measuring)
Device Requirement Under Permit No. 67-7066)
in the name of DELBERT B. WILLIAMS)

ORDER

WHEREAS, on October 13, 1971, Delbert B. Williams filed with the Department of Water Administration an application for permit to appropriate 0.80 cfs of water from a ground water source within the SE $\frac{1}{4}$ NE $\frac{1}{4}$ of Sec. 30, Twp. 14N, Rge. 3W, B.M., Washington County, to be used for irrigation purposes; and,

WHEREAS, on December 22, 1971, the Department approved said application and issued Permit No. 67-7066 with the condition that proof of construction of works and application of water to beneficial use be submitted to the Department on or before December 1, 1976, and that a measuring device of a type approved by the Department be permanently installed and maintained as part of the diverting works; and,


WHEREAS, on April 24, 1973, the Department received a request for the removal of the measuring device requirement under said permit from the permit holder; and,

WHEREAS, it has been determined by the Department that a measuring device is not required at this time for a determination of the quantity of water diverted under the above numbered permit;

IT IS, THEREFORE, HEREBY ORDERED that the condition of approval that a measuring device of a type approved by the Department be permanently installed and maintained as part of the diverting works under Permit No. 67-7066 be REMOVED; and,

IT IS FURTHER ORDERED that the maximum rate of diversion under Permit No. 67-7066 be reduced to, and shall not exceed, 0.28 cubic feet per second.

Dated this 25th day of April, 1973.


C. STEPHEN ALLRED
Deputy Director

Identification No.

Application No.

LICENSE ISSUED FOR
LICENSE PAGE NO. _____

STATE OF IDAHO

APPROVED

To Appropriate the Public Waters of the State of Idaho

(TYPE OR PRINT IN INK)

1. Name of applicant Delbert B. Williams
post office address 2203 Airport Avenue, Caldwell, Idaho, 83605 Phone: 459-2207
2. Source of water supply ground water which is a tributary of _____
3. a. Location of point of diversion is SE $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 30 Township 14 N
Range 3 W B.M. Washington County; additional points of diversion if any: _____
- b. If water is not consumed, it will be discharged into _____ at a point in _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____ Range _____ B.M. _____
4. Water will be used for the following purposes:
Amount 0.80 for irrigation purpose from March 15 to Nov. 15 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated: $\rightarrow$ 0.28 cfs (pursuant to Order dated 4/25/73)
a. 0.80 cubic feet per second and/or
b. _____ acre feet per annum.
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. well, pump, pipeline & sprinklers

- b. Height of storage dam _____ feet, active reservoir capacity _____ acre feet; total reservoir capacity _____ acre feet, materials used in storage dam: _____
Period of year during which storage will occur _____ to _____ inclusive.
(Mo. Day) (Mo. Day)
- c. Proposed well diameter is 12 inches; proposed depth of well is 370 feet.
7. a. Time required for the completion of the works and application of the water to the proposed beneficial use is 5 years.
b. Estimated construction cost is \$ 2500.00.
8. Description of proposed uses:
a. If water is **not** for irrigation:
(1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____ Range _____ B.M. _____
(2) Amount of power to be generated: _____ hp under _____ feet of head.
(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water _____
(5) If water is to be used for other purposes describe: _____

67 7066

7066

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP.	RANGE	SEC.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
14N	3W	30	5		5	22									8				40


Total number of acres to be irrigated 40

c. Describe any other water rights used for the same purposes as described above.
Use right from a spring for irrigation of a portion of the place of use.

9. a. Who owns the property at the point of diversion Self
- b. Who owns the land to be irrigated or place of use Self
- c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing

10. Remarks

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Delbert B. Williams
(Applicant)

67 7066

Received by reg Date 10/13/71 Time 4:45pm
Preliminary check by BDF Fee \$ 25.00
Receipted by eg Date 10-13-71
Publication prepared by cr Date 10-27-71
Published in Upper Country News Reporter
Publication dates 11-4 & 11-11-71
Publication approved CR Date 11-17-71
Priority reduced to 10-13-71 Reason _____

Protests filed by: _____

Copies of protests forwarded by _____
Hearing held by _____ Date _____
Recommended for approval denial by DEB DDF CMT

Permit #8379
67-7066

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER ADMINISTRATION

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 67-7066, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before December 1, 19 76.
- c. Other: A measuring device of a type approved by this Department shall be permanently installed and maintained as part of the diverting works.
(Measuring device requirement removed pursuant to Order of 4/25/73)

2. Denial of said application is for the following reasons: _____

Witness my hand this 22 day of December, 19 71.

R. Kirk Hiji
Director

DEPARTMENT OF WATER ADMINISTRATION

STAFF ANALYSIS

Application No. 67-7066 Name Delbert B. Williams

Source Groundwater

Point of Diversion SE¹/₄NE¹/₄, Sec. 30, T. 14N, R. 3W, B.M., Washington County

Quantity .80 Use Irrigation Period March 15 - Nov. 15

Quantity Use Period

Quantity Use Period

Well Size Diameter 12 Proposed Depth 370 Feet

Use 40 acres

Date Forwarded 10-28-71 Date Returned 11-2-71 Received by J.S.

COMMENTS: Water levels show some fluctuation, but no net decline.
at 370' depth, should be in artesian system. Primary
aquifers may be gravel, sand & cinders. Well development is
light, aquifer should be capable of supporting additional
development.

RECOMMENDED:

Applied: Qty. Use Period AF/A AF

Qty. Use Period AF/A AF

Qty. Use Period AF/A AF

Maximum: Qty. Use Period AF/A AF

Qty. Use Period AF/A AF

Qty. Use Period AF/A AF

ACTION: Approved ✓ Denied

Conditions of approval or reason for denial:

INVESTIGATION By Paul M. Casteln Title W.R.I. - I

Date Nov. 2, 1971

**NOTICE OF APPLICATION
FOR WATER PERMIT**

Notice is hereby given that Delbert B. Williams, 2203 Airport Avenue, Caldwell, Idaho, has on October 13, 1971, submitted Application No. 67-7066 for a permit to appropriate 0.80 cubic feet per second of water from a ground water source by means of well and pump within the SE $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 30, T. 14N, R. 3W, B. M., Washington County to be used from March 15 to Nov. 15 for the irrigation of 40 acres within the NE $\frac{1}{4}$ NE $\frac{1}{4}$, S $\frac{1}{2}$ NE $\frac{1}{4}$, NE $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 30, T. 14N, R. 3W, B. M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Administration, Statehouse, at Boise, Idaho, 83707, on or before November 22, 1971.

R. KEITH HIGGINSON
Director

Published in the Upper County News-Reporter, Cambridge, Idaho on Nov. 4 and Nov. 11, 1971.

RECEIVED

NOV 17 1971

AFFIDAVIT OF PUBLICATION

Idaho Department of Water Administration

State of Idaho }
County of Washington } ss.

Stuart Dopf, being first duly sworn, deposes and says that he is the publisher, foreman, principal clerk, of THE NEWS-REPORTER, a weekly newspaper published at Cambridge, Washington County, Idaho, and that said paper has been published continuously for more than 78 weeks immediately preceding the first publication of the attached notice; that said paper is in general circulation in the county aforesaid and in the vicinity of Cambridge, Idaho; that the notice, a copy of which is attached hereto, was published in said newspaper once a week for two consecutive weeks in the regular and entire issue of every number thereof during the period and time of publication, and was published in the newspaper proper and not in a supplement thereto; that the publication of said notice began with the issue of Nov. 4, 1971, and ended with the issue of Nov. 11, 1971.

Stuart Dopf

Subscribed and sworn to before me this

16th day of Nov, 1971.

May Collins

Notary Public for Idaho, residing at
Cambridge, Idaho

WATER RIGHT NUMBER 67-7066

OWNER LAST NAME - WILLIAMS

FIRST NAME - DELBERT B.

ORIG OWNER -

ADDRESS LINE 1 -

ADDRESS LINE 2 -

ADDRESS LINE 3 -

CITY - CALDWELL

STATE - ID ZIP CODE - 83605

SOURCE - GROUNDWATER

TRIBUTARY OF -

STAGE - LICENSE

STATUS -

PRIORITY - 10-13-1971 COUNTY - WASHINGTON TOTAL DIV. RATE - .2800 -CFS

TOTAL DIV. VOLUME - 136.00 AFA TRFR/AMEND -

WATER DIST. - DLE/CAREY ACT - RIGHT BASIS -

DIVERSION POINT - SENE 30 14N 03W LOT REDIV -

0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0

FROM - 03-15 TO - 11-15 USE - IRRIGATION

USE DIV. RATE - .2800 CFS USE DIV. VOLUME - 136.00 AFA

USE - IRRIGATION

PLACE OF USE - TWN 14N RNG 03W SEC 30 TRACT NENE LOT AC 15 TRACT SWNE LOT AC 03

TRACT SENE LOT AC 22

DECREE NAME -

DATE -

TOTAL ACRES 40

REMARKS -

NON IRRIG USE -

OTHER RIGHTS FOR SAME USE -

PROOF DUE - PERMIT/DENIED -

PROTESTED -

HEARING -

OLD NO. -

PROOF MADE - FLD EXAM - COND. OF APPROVAL -

DIVERSION MEANS -

IDENT. NO. 67-7066

WATER RIGHT
DATA ENTRY LOG

[illegible]

STATE OF IDAHO

DEPARTMENT OF WATER ADMINISTRATION

Cecil D. Andrus
Governor

R. Keith Higginson
Director

614 State Street
Statehouse - Annex 2
Boise, Idaho 83720
(208) 384-2190



Water Rights Administration
Water Resource Investigations
Dam and Reservoir Safety
Water Well Drilling
Waste Disposal Wells
Stream Channel Protection

December 18, 1973

Re: Permit No. 67-7066 & 67-7070

Delbert B. Williams
2203 Airport Avenue
Caldwell, Idaho 83605

Dear Mr. Williams:

A representative of this Department has made an examination of the works covered by your Permit Nos. 67-7066 & 67-7070 and has found the following:

Permit No. 67-7066

Quantity of water diverted: 0.28 cfs

Amount of water that can be recognized as beneficially used under Idaho law: 0.28 cfs

The maximum quantity diverted shall not exceed 136 acre feet per year.

Beneficial use: For irrigation of 40 acres within the E $\frac{1}{2}$ NE $\frac{1}{4}$, SW $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 30, Twp. 14 N, Rge. 3 W

Point of diversion: SE $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 30, Twp. 14 N, Rge. 3 W, B.M.

Priority date established: October 13, 1971

Permit No. 67-7070

Quantity of water diverted: 0.04 cfs Source: Hot Creek

Amount of water that can be recognized as beneficially used under Idaho law: 0.04 cfs

The maximum quantity diverted shall not exceed 15.9 acre feet per year.

Beneficial use: For stockwater purposes and irrigation of 41 acres within the E $\frac{1}{2}$ NE $\frac{1}{4}$, SW $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 30, Twp. 14 N, Rge. 3 W

Point of diversion: SE $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 30, Twp. 14 N, Rge. 3 W, B.M.

Priority date established: February 9, 1972

67 7066

Page 2

Re: Permit Nos. 67-7066 & 67-7070

Delbert B. Williams

December 18, 1973

The land found being irrigated by our examiner differs from that listed under your permit, therefore, it will be necessary for you to amend the permit before a water license can be issued. We are enclosing a partially completed application for amendment for your use. Please sign the application and return it to this office with a \$10.00 filing fee within 20 days of the date of this letter in order that we may issue a water license as set forth above.

If you do not concur with these findings or have any questions, please contact this office within the 20 day period.

Sincerely,

BOBBY D. FLEENOR
Assistant Director

jfr

Enclosure

67 7066

DEPARTMENT OF WATER ADMINISTRATION
FIELD REPORT

1. Name of permit holder Delbert B. Williams
Postoffice address 2203 Airport Avenue, Caldwell, Idaho 83605 Phone 459-2207
Person to contact _____ Phone _____

2. Source of water supply: Groundwater ☒ Surface water ☐ _____
(name spring, stream, etc.)
Tributary to _____

3. Water will be used for the following purposes:

Amount 0.28 c.f.s. for irrigation
_____ AF/Annum (nature of use)

Period of Use: from March 15 to Nov. 15
(mo.-day) inclusive (mo.-day)

Amount _____ c.f.s. for _____
_____ AF/Annum (nature of use)

Period of Use: from _____ to _____
(mo.-day) inclusive (mo.-day)

Amount _____ c.f.s. for _____
_____ AF/Annum (nature of use)

Period of Use: from _____ to _____
(mo.-day) inclusive (mo.-day)

Other uses: _____

Permit No. 67-7066
Examination for b/u

4. Total amount to be appropriated:

Max Rate of Diversion 0.28 cubic feet per second and annual volume _____ AF/Annum.

5. Location of Point(s) of Diversion:

Township 14N N/S, Range 3W E/W, B.M., Section 30, Subdivision SE $\frac{1}{4}$ NE $\frac{1}{4}$ Washington
County

Township _____ N/S, Range _____ E/W, B.M., Section _____, Subdivision _____ $\frac{1}{4}$ _____ $\frac{1}{4}$ _____
County

Township _____ N/S, Range _____ E/W, B.M., Section _____, Subdivision _____ $\frac{1}{4}$ _____ $\frac{1}{4}$ _____
County

Other Points of Diversion: _____

Description of diverting works: Well, pump, pipeline & sprinklers. b/u affiant indicates
only 14 acres in the S1/2 NE of Sec. 30

Measuring device required: yes ☐ no ☒

6. Lands to be irrigated or place of use.

TWP.	RANGE	SEC.	NE $\frac{1}{4}$				NW $\frac{1}{4}$				SW $\frac{1}{4}$				SE $\frac{1}{4}$				TOTALS
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	
14N	3W	30	5		5	22									8				40
		30	14.6		3.4	22									—				40.0
															67	7066			40



*

Diagram of System

DATE OF EXAM Aug 22, 1973

ACREAGE
Found 40.0
Recommended 40.0

Irrigation Requirement 4.0 Ac Ft/Ac

USE
Irrigation Q = 0.28 c.f.s. V = 135.83 AF/Ann. from 3/15 to 11/15
Domestic Q = _____ c.f.s. V = _____ AF/Ann. from _____ to _____
Livestock Q = _____ c.f.s. V = _____ AF/Ann. from _____ to _____

Is water co-mingled? yes _____ no ☒

Name source: _____
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Exchange? yes _____ no ☒

Name source exchanged with: _____
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Point of injection:
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Point of exchange:
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Total Q measured _____ Method of measurement P. Gauge

Total Q recommended 0.28 cfs Meter No. _____ Type _____ Condition _____

Total V recommended 135.83 A.F./Ann.

Recommended Amendments:

P.D. _____
Place of Use (14.6 Ac) NENE Sec 30, T14N R34W M-1
Other _____
None _____

MEASUREMENT CALCULATION:

$$V = (1.28)(1.98)(245) = 135.83 \text{ A.F./Ann.}$$
$$Q = (5.98)(12)(450) = 0.28 \text{ cfs}$$

SYSTEM DESCRIPTION:

370' well w/ 12" casing 22" hole w/ gravel pack
7 1/2 HP Submersible pump w/ sprinkler system.
17 R/B 30 heads w/ 1 1/4 hoses

REMARKS:

This permit supplemented by Permit # 67-7070

Examiner's Signature M. Clayton Barron Date Aug. 22, 1973

Checked by _____ Date _____

Approved by _____ Date _____

May 10, 1973

Re: Permit No. 67-7066

Delbert B. Williams
2203 Airport Avenue
Caldwell, Idaho 83605

Dear Mr. Williams:

We acknowledge receipt of the affidavit submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department. We cannot tell just when this examination will be made, but our examiner will try to contact you at the time he makes the examination so that you may show him the system.

Sincerely,

D. Darlene Reich
Water Rights Supervisor

DDR:jc

67 7066

Identification No. _____

Permit No. 67-7066

STATE OF IDAHO
DEPARTMENT OF RECLAMATION

PROOF OF APPLICATION OF WATER TO BENEFICIAL USE

RECEIVED

Department of Water Reclamation

1. a) Name of Permit Holder DELBERT B. WILLIAMS
b) Post-Office Address 2203 Airport Avenue, Caldwell, Idaho 83605
2. Permit Number 67-7066
3. Date of Priority that you are prepared to establish October 13, 1971
4. a) Source from which water was appropriated Groundwater
b) Location of the point of diversion: SE 1/4 NE 1/4, Section 30
Township 14 N., Range 3 W. Boise Meridian, Other points of diversion:

5. a) The amount of water and use to which the water has been applied:
amount 0.28 for Irrigation purposes from March 15 to Nov. 15 incl.
(cfs and/or acre feet per annum) (Month-Day) (Month-Day)
amount _____ for _____ purposes from _____ to _____ incl.
(cfs and/or acre feet per annum) (Month-Day) (Month-Day)
amount _____ for _____ purposes from _____ to _____ incl.
(cfs and/or acre feet per annum) (Month-Day) (Month-Day)
b) Total amount appropriated 0.28 cfs and/or acre feet per annum
c) Describe how and by whom measurement of rate of flow or amount of storage was made and the qualifications of the person making the measurement: Perma Water Lifter Test Pumped 100 gpm.

6. If the means of diversion and conveyance are owned by someone other than the Permit Holder:
a) Give the name or description of the canal, ditch or other works by which the water is conducted to the place of use: pump & sprinkler system. Owned by Applicant.
b) Describe the agreement or understanding by which you take water from the works: _____

7. a) Briefly describe the works for diverting and conveying the water to the place of use, (if from a subterranean source, give the pump size, motor size, size of well casing, depth of well; if from surface water, give brief description of diversion structure and/or canal or ditch) well, pump, pipeline & sprinklers

- b) Describe the type and size of measuring device which you have installed at your point of diversion: NONE

- c) Give well drillers name and address and date the well was completed
B. and M. Equipment Co (Drillers) Caldwell Idaho
Was Completed 1966

Exam typed 5/10/72 by je

8. If for other than irrigation, describe the beneficial use to which you have applied the water and the place of use Stock Water Irrigation

9. Irrigation uses: Describe the lands irrigated by giving the acreages irrigated within each 40 acre subdivision:

TWP.	RANGE	SEC.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
14N	3W	30			2.0	12.0													14.0

Total number of acres irrigated 14.0

10. Remarks:

The above information is a true statement of the extent to which the above numbered permit has been developed.

4-30-73 (Date) Delbert B. Williams (Signature)

State of IDAHO)
County of Canyon)

On this 30th day of April, 1973, personally appeared before me the signer(s) of the above instrument, who duly acknowledged to me that he (she) (they) executed the same.



Earl H. Brockman
Notary Public residing at Caldwell, Idaho

My commission expires 11/1/74

April 26, 1973

Re: Permit No. 67-7066

Mr. Delbert B. Williams
2203 Airport Avenue,
Caldwell, Idaho 83605

Dear Mr. Williams:

Enclosed please find an Order which removes the measuring device requirement from your permit 67-7066

We direct your attention to the last paragraph of the Order which reduces the maximum rate of diversion under your permit to 0.28 cfs. If you have any questions regarding this matter, please feel free to contact us.

Sincerely,

D. Darlene Reich
Water Rights Supervisor

DDR: jc
Enclosure

67 7066

To: R. Keith Higginson
Department of Water Administration

Date: April 24, 1973
Re: 67-7066

In response to your letter of June 13, 1972, I would like to renew my petition to have the measuring device removed as I am unable to divert 0.30 c.f.s. of water for my irrigation project. The well will not produce more than 0.28 c.f.s. The total amount of acres I will irrigate will not exceed 14 acres.

Delbert B. Williams
DELBERT B. WILLIAMS

Parma water lifters has tested the well to produce 100 gpm.

Recommended measuring device removed.

Larry.

67 7066

June 13, 1972

Re: Permit No. 67-7066

Mr. Delbert B. Williams
2203 Airport Ave.
Caldwell, Idaho 83605

Dear Mr. Williams:

We are in receipt of your affidavit submitted as proof of beneficial use for the above referenced permit. We have also received your petition for removal of the measuring device requirement under this permit.

The Department has reviewed the petition and finds that the measuring device requirement should not be removed at this time. It is the Department's policy to require a measuring device on irrigation projects diverting 0.30 c.f.s. or more of water.

We cannot accept your proof affidavit unless a measuring device has been installed; therefore, we are herewith returning the affidavit to you. Enclosed please find a list of the types of measuring devices accepted by this office.

Very truly yours,

C. STEPHEN ALLRED
Deputy Director

CSA:DR

Enc: Proof affidavit
Information ltr.

67 7066

RECEIVED

JUN 1 1972

Department of Water Administration

TO: R. Keith Higginson
Department of Water Administration

Re: 67-7066

Due to the small quantity of water applied for under this permit, I would like to petition the Department to relieve the measuring devise requirement.

Delbert B. Williams
DELBERT B. WILLIAMS

67 7066



R. Keith Higginson
Director

Water Rights Administration
Water Resource Investigations
Dam and Reservoir Safety
Water Well Drilling
Flood Plain Management
Irrigation and
Flood Control Districts

STATE OF IDAHO

DEPARTMENT OF WATER ADMINISTRATION

Statehouse — Annex 2
Boise, Idaho 83707
(208) 384-2215

December 29, 1971.

Re: Permit No. 67-7066 - Delbert B. Williams

Delbert B. Williams
2203 Airport Avenue
Caldwell, Idaho 83605

Dear Mr. Williams:

Enclosed is a copy of your approved Application for Permit No. 67-7066. We direct your attention to the conditions of approval as listed on the fourth page.

Be sure to note that a special condition requiring you to install and maintain a measuring device at your point of diversion has been placed upon your permit. We are enclosing a letter describing different types of measuring devices accepted by this office.

Very truly yours,

BOBBY D. FLEENOR
Assistant Director

BDF:cr

Enclosures

67 7066

December 6, 1971

Re: Application for Permit No. 67-7066

Mr. Delbert B. Williams
2203 Airport Avenue
Caldwell, Idaho 83605

Dear Mr. Williams:

We are returning your application for a clarification.

Your name appears as Delbert B. Williams under item #1 and as Delbert Williams in the signature block on page three. Would you please correct the signature on item #1, and return your application as soon as possible.

If we can be of any further assistance in this matter, please advise.

Very truly yours,

James Booker,
Appropriation Examiner

JB:cs

Enc: application for permit

67 7066

October 27, 1971

Re: Application No. 67-7066 - Delbert B. Williams

Upper Country News Reporter
Box 98
Cambridge, Idaho 83610

Gentlemen:

Enclosed you will find a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing ample time for you to submit us a galley proof for our review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted assuming the notice is correct. If we have any corrections, we will notify you before the first publication date. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. In order to receive payment, the following certification must appear on the bill:

"I hereby certify that the foregoing account is just and correct, that the amount claimed is legally due, after allowing all just credits, and that no part of the same has been paid."

(signature of claimant)

Very truly yours,

Bill submitted 11-17-71 By CR

Donald W. McEldowney
Appropriation Supervisor

DWM:cr

Enc: Legal Notice

67 7066

**NOTICE OF APPLICATION
FOR WATER PERMIT**

Notice is hereby given that Delbert B. Williams, 2203 Airport Avenue, Caldwell, Idaho, has on October 13, 1971, submitted Application No. 67-7066 for a permit to appropriate 0.80 cubic feet per second of water from a ground water source by means of well and pump within the SE $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 30, T. 14N, R. 3W, B. M., Washington County to be used from March 15 to Nov. 15 for the irrigation of 40 acres within the NE $\frac{1}{4}$ NE $\frac{1}{4}$, S $\frac{1}{2}$ NE $\frac{1}{4}$, NE $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 30, T. 14N, R. 3W, B. M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Administration, Statehouse, at Boise, Idaho, 83707, on or before November 22, 1971.

R. KEITH HIGGINSON
Director

Published in the Upper County News-Reporter, Cambridge, Idaho on Nov. 4 and Nov. 11, 1971.

67 7066

O.K.
11-5-71
B.B.

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that Delbert B. Williams, 2203 Airport Avenue,
Caldwell, Idaho
has on October 13, 1971 submitted Application No. 67-7066
for a permit to appropriate 0.80 cubic feet per second ~~2000 feet per second~~
of water from a ground water source
by means of well and pump
within the SE $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 30, T. 14N, R. 3W, B.M., Washington County

to be used from March 15 to Nov. 15
for the irrigation of 40 acres

within the NE $\frac{1}{4}$ NE $\frac{1}{4}$, S $\frac{1}{2}$ NE $\frac{1}{4}$, NE $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 30, T. 14N, R. 3W, B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Administration, Statehouse, Boise, Idaho, 83707, on or before November 22, 1971.

R. KEITH HIGGINSON

Director

Published in the Upper Country News Reporter, Cambridge, Idaho
on Nov. 4 and Nov. 11, 1971.

67 7066