


11. Map of proposed project:



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Paul E. Jackson
(Applicant)

67-7017

NOTICE OF APPLICATION FOR WATER

Notice is hereby given that Paul Jacks & Sons, Midvale, Idaho has on August 20, 1968 applied for permit to divert 1.0 cubic feet per second of water from an unnamed stream, tributary of Beaver Creek under application No. 67-7017. Water will be diverted by a pump, pipe, ditch and/or sprinkler irrigation within the NW 1/4 SE 1/4, sec. 9, T. 13 N, R. 3 W, B.M., Washington County and is to be used from April 1 to November 1 for irrigation in the NW 1/4 SE 1/4, SW 1/4 SE 1/4, SE 1/4 SE 1/4, sec. 9, T. 13 N, R. 3 W, B.M.

Any protest against this application must be filed with the Department of Reclamation within ten days from the last date of publication of this notice.

R. KEITH HIGGINSON
State Reclamation Engineer
Published in the Upper Country News-Reporter, Cambridge, Idaho, on September 5 and September 12.



Reclamation

AFFIDAVIT OF PUBLICATION

Sate of Idaho
County of Washington } ss.

Stuart Dopf, being first duly sworn, deposes and says that he is the publisher, foreman, principal clerk, of THE NEWS-REPORTER, a weekly newspaper published at Cambridge, Washington County, Idaho, and that said paper has been published continuously for more than 78 weeks immediately preceding the first publication of the attached notice; that said paper is in general circulation in the county aforesaid and in the vicinity of Cambridge, Idaho; that the notice, a copy of which is attached hereto, was published in said newspaper once a week for ~~two~~ consecutive weeks in the regular and entire issue of every number thereof during the period and time of publication, and was published in the newspaper proper and not in a supplement thereto; that the publication of said notice began with the issue of Sept. 5, 1968, and ended with the issue of Sept. 12, 1968.

Stuart Dopf

Subscribed and sworn to before me this

15th day of Oct., 1968.

L. H. Hawman
Notary Public for Idaho, residing at
Cambridge, Idaho

will sub. 11-12-61

67-7017




Diagram of System

T.
13
N




Diagram of System

Gal x100 ≈ 225 GPM - 250
3137.0
3113.0

240 GPM

This is an aerial photograph of a land survey, likely for a water project. The map shows several parcels of land, many of which are outlined in red. The parcels are labeled with numbers and codes, such as B169, B171, B167, B50, B232, B48, B233, B243, B242, B241, B240, B239, B238, B237, B236, B235, B234, B233, B232, B231, B230, B229, B228, B227, B226, B225, B224, B223, B222, B221, B220, B219, B218, B217, B216, B215, B214, B213, B212, B211, B210, B209, B208, B207, B206, B205, B204, B203, B202, B201, B200, B199, B198, B197, B196, B195, B194, B193, B192, B191, B190, B189, B188, B187, B186, B185, B184, B183, B182, B181, B180, B179, B178, B177, B176, B175, B174, B173, B172, B171, B170, B169, B168, B167, B166, B165, B164, B163, B162, B161, B160, B159, B158, B157, B156, B155, B154, B153, B152, B151, B150, B149, B148, B147, B146, B145, B144, B143, B142, B141, B140, B139, B138, B137, B136, B135, B134, B133, B132, B131, B130, B129, B128, B127, B126, B125, B124, B123, B122, B121, B120, B119, B118, B117, B116, B115, B114, B113, B112, B111, B110, B109, B108, B107, B106, B105, B104, B103, B102, B101, B100, B99, B98, B97, B96, B95, B94, B93, B92, B91, B90, B89, B88, B87, B86, B85, B84, B83, B82, B81, B80, B79, B78, B77, B76, B75, B74, B73, B72, B71, B70, B69, B68, B67, B66, B65, B64, B63, B62, B61, B60, B59, B58, B57, B56, B55, B54, B53, B52, B51, B50, B49, B48, B47, B46, B45, B44, B43, B42, B41, B40, B39, B38, B37, B36, B35, B34, B33, B32, B31, B30, B29, B28, B27, B26, B25, B24, B23, B22, B21, B20, B19, B18, B17, B16, B15, B14, B13, B12, B11, B10, B9, B8, B7, B6, B5, B4, B3, B2, B1, B0, B-1, B-2, B-3, B-4, B-5, B-6, B-7, B-8, B-9, B-10, B-11, B-12, B-13, B-14, B-15, B-16, B-17, B-18, B-19, B-20, B-21, B-22, B-23, B-24, B-25, B-26, B-27, B-28, B-29, B-30, B-31, B-32, B-33, B-34, B-35, B-36, B-37, B-38, B-39, B-40, B-41, B-42, B-43, B-44, B-45, B-46, B-47, B-48, B-49, B-50, B-51, B-52, B-53, B-54, B-55, B-56, B-57, B-58, B-59, B-60, B-61, B-62, B-63, B-64, B-65, B-66, B-67, B-68, B-69, B-70, B-71, B-72, B-73, B-74, B-75, B-76, B-77, B-78, B-79, B-80, B-81, B-82, B-83, B-84, B-85, B-86, B-87, B-88, B-89, B-90, B-91, B-92, B-93, B-94, B-95, B-96, B-97, B-98, B-99, B-100, B-101, B-102, B-103, B-104, B-105, B-106, B-107, B-108, B-109, B-110, B-111, B-112, B-113, B-114, B-115, B-116, B-117, B-118, B-119, B-120, B-121, B-122, B-123, B-124, B-125, B-126, B-127, B-128, B-129, B-130, B-131, B-132, B-133, B-134, B-135, B-136, B-137, B-138, B-139, B-140, B-141, B-142, B-143, B-144, B-145, B-146, B-147, B-148, B-149, B-150, B-151, B-152, B-153, B-154, B-155, B-156, B-157, B-158, B-159, B-160, B-161, B-162, B-163, B-164, B-165, B-166, B-167, B-168, B-169, B-170, B-171, B-172, B-173, B-174, B-175, B-176, B-177, B-178, B-179, B-180, B-181, B-182, B-183, B-184, B-185, B-186, B-187, B-188, B-189, B-190, B-191, B-192, B-193, B-194, B-195, B-196, B-197, B-198, B-199, B-200, B-201, B-202, B-203, B-204, B-205, B-206, B-207, B-208, B-209, B-210, B-211, B-212, B-213, B-214, B-215, B-216, B-217, B-218, B-219, B-220, B-221, B-222, B-223, B-224, B-225, B-226, B-227, B-228, B-229, B-230, B-231, B-232, B-233, B-234, B-235, B-236, B-237, B-238, B-239, B-240, B-241, B-242, B-243, B-244, B-245, B-246, B-247, B-248, B-249, B-250, B-251, B-252, B-253, B-254, B-255, B-256, B-257, B-258, B-259, B-260, B-261, B-262, B-263, B-264, B-265, B-266, B-267, B-268, B-269, B-270, B-271, B-272, B-273, B-274, B-275, B-276, B-277, B-278, B-279, B-280, B-281, B-282, B-283, B-284, B-285, B-286, B-287, B-288, B-289, B-290, B-291, B-292, B-293, B-294, B-295, B-296, B-297, B-298, B-299, B-300, B-301, B-302, B-303, B-304, B-305, B-306, B-307, B-308, B-309, B-310, B-311, B-312, B-313, B-314, B-315, B-316, B-317, B-318, B-319, B-320, B-321, B-322, B-323, B-324, B-325, B-326, B-327, B-328, B-329, B-330, B-331, B-332, B-333, B-334, B-335, B-336, B-337, B-338, B-339, B-340, B-341, B-342, B-343, B-344, B-345, B-346, B-347, B-348, B-349, B-350, B-351, B-352, B-353, B-354, B-355, B-356, B-357, B-358, B-359, B-360, B-361, B-362, B-363, B-364, B-365, B-366, B-367, B-368, B-369, B-370, B-371, B-372, B-373, B-374, B-375, B-376, B-377, B-378, B-379, B-380, B-381, B-382, B-383, B-384, B-385, B-386, B-387, B-388, B-389, B-390, B-391, B-392, B-393, B-394, B-395, B-396, B-397, B-398, B-399, B-400, B-401, B-402, B-403, B-404, B-405, B-406, B-407, B-408, B-409, B-410, B-411, B-412, B-413, B-414, B-415, B-416, B-417, B-418, B-419, B-420, B-421, B-422, B-423, B-424, B-425, B-426, B-427, B-428, B-429, B-430, B-431, B-432, B-433, B-434, B-435, B-436, B-437, B-438, B-439, B-440, B-441, B-442, B-443, B-444, B-445, B-446, B-447, B-448, B-449, B-450, B-451, B-452, B-453, B-454, B-455, B-456, B-457, B-458, B-459, B-460, B-461, B-462, B-463, B-464, B-465, B-466, B-467, B-468, B-469, B-470, B-471, B-472, B-473, B-474, B-475, B-476, B-477, B-478, B-479, B-480, B-481, B-482, B-483, B-484, B-485, B-486, B-487, B-488, B-489, B-490, B-491, B-492, B-493, B-494, B-495, B-496, B-497, B-498, B-49

**NOTICE OF APPLICATION FOR
WATER**

Notice is hereby given that Paul
Jacks & Sons, Midvale, Idaho has
on August 20, 1968 applied for
permit to divert 1.0 cubic feet per
second of water from an unnamed
stream, tributary of Beaver Creek
under application No. 67-7077.
Water will be diverted by a pump,
pipe, ditch and/or sprinkler irri-
gation within the NW $\frac{1}{4}$ SE $\frac{1}{4}$, sec.
9, T. 13 N., R. 3 W., B.M., Washing-
ton County and is to be used from
April 1 to November 1 for irri-
gation in the NW $\frac{1}{4}$ SE $\frac{1}{4}$, SW $\frac{1}{4}$ SE $\frac{1}{4}$,
SE $\frac{1}{4}$ SE $\frac{1}{4}$, sec. 9, T. 13 N., R. 3 W.,
B.M.

Any protest against this applica-
tion must be filed with the De-
partment of Reclamation within
ten days from the last date of
publication of this notice.

R. KEITH HIGGINSON

State Reclamation Engineer

Published in the Upper Country
News-Reporter, Cambridge, Idaho
on September 5, and September 12.

State of Idaho
Department of Water Administration

WATER RIGHT LICENSE

License of Water Right No. 67-7017 Priority August 20, 1968 Amount 0.31 cfs

THIS IS TO CERTIFY, that PAUL JACKS & SONS
of Midvale, Idaho, has complied with the terms and conditions of Permit
No. 67-7017 issued pursuant to Application for Permit dated August 20, 1968,
and has submitted proof to the Department of Water Administration on September 14, 1972,
that he has applied water to a beneficial use; an examination by the Department indicates that the works have a
capacity for the diversion of 0.53 cfs of water from an unnamed stream,
tributary to Beaver Creek, and that the permit holder has applied to a beneficial use &
established a right to use water as follows:

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
<u>Irrigation</u> from <u>April 1</u> to <u>Nov. 1</u> at <u>0.31</u> cfs and			<u>63 acre feet or</u>
			<u>4.0 af per acre</u>
from to at cfs and			
from to at cfs and			

(both dates inclusive)

Subject, however, to the condition that no more than 0.31 cfs of water be diverted at any one time, and
that the amount of water so diverted and to which such right is entitled and confirmed is for the purpose
aforementioned and is limited to the amount which can actually be beneficially used and shall not exceed
63 acre feet per year, said waters to be diverted within the NW $\frac{1}{4}$ SE $\frac{1}{4}$ of Sec. 9,
Twp. 13 N, Rge. 3 W, B.M. in the County of Washington

Description and location of place of use:

Twp.	Range	Sec.	NE $\frac{1}{4}$				NW $\frac{1}{4}$				SW $\frac{1}{4}$				SE $\frac{1}{4}$				Totals
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	
13 N	3 W	9															15.7		15.7

Total number of acres irrigated 15.7

A measuring device of a type approved by this Department shall be permanently
maintained as part of the diverting works.

NOTE: Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho
Code, or the applicable Idaho Law. This right may be forfeited by five years of non-use.

The right to the use of the water hereby confirmed is restricted and appurtenant to the lands or place of use
herein described, as provided by the laws of Idaho.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 21 day of
January, 19 74.

Director

67-7017

Identification No. 67-7017
Application No. 42771

STATE OF IDAHO
DEPARTMENT OF RECLAMATION

APPROVED

LICENSE ISSUED FOR 31 SEC. FT.
LICENSE PASSED

APPLICATION FOR PERMIT

To Appropriate the Public Waters of the State of Idaho
(TYPE OR PRINT IN INK)

1. Name of applicant Paul Jacks & Sons
post office address Midvale, Idaho
2. Source of water supply Unnamed stream which is a tributary of Beaver Creek
3. a. Location of point of diversion is NW $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 9 Township 13 N
Range 3 W B.M. Washington County; additional points of diversion if any: _____

b. If water is not consumed, it will be discharged into _____ at a point in _____ $\frac{1}{4}$
of _____ $\frac{1}{4}$ of Section _____ Township _____ Range _____ B.M. _____
4. Water will be used for the following purposes:
Amount 1.0 for Irrigation purpose from April 1 to November 1 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated:
a. 1.0 cubic feet per second and/or
b. _____ acre feet per annum.
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. pump, pipe, ditch and/or sprinkler
irrigation

b. Height of storage dam _____ feet, active reservoir capacity _____ acre feet; total reservoir
capacity _____ acre feet, materials used in storage dam: _____
Period of year during which storage will occur _____ to _____ inclusive.
(Mo. Day) (Mo. Day)
c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.
7. a. Time required for the completion of the works and application of the water to the proposed beneficial use
is 5 years.
b. Estimated construction cost is \$ 500.00.
8. Description of proposed uses:
a. If water is **not** for irrigation:
(1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____
Range _____ B.M. _____
(2) Amount of power to be generated: _____ hp under _____ feet of head.
(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be
supplied with domestic water _____.
(5) If water is to be used for other purposes describe: _____

67-7017

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP.	RANGE	SEC.	NE1/4				NW1/4				SW1/4				SE1/4				TOTALS
			NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	
13 N	3 W	9														40	40	40	120

Total number of acres to be irrigated 120

c. Describe any other water rights used for the same purposes Middle Valley Ditch Company


9. a. Who owns the property at the point of diversion Kenneth Williams

b. Who owns the land to be irrigated or place of use Self

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing Long term lease

10. Remarks May wish to exchange this water with that of Beaver Creek at a point in the SW1/4SE1/4, Section 9 for the diversion of Beaver Creek.

11. Map of proposed project:



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Paul E. Jackson
(Applicant)

67-7017

Received by Dele Date 8-20-68 Time 4:00 PM

Preliminary check by Dele Fee \$20.00

Receipted by ef Date 8-20-68

Publication prepared by BS Date 10-1-68

Published in Upper City News Sep.

Publication dates 9-5 & 12-68

Publication approved BS Date 9-7-68

Priority reduced to _____ Reason _____

Protests filed by: none

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by CSA R.H. J.M. Dele

APPROVED

ACTION OF STATE RECLAMATION ENGINEER

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 67-7017, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before October 1, 19 73.
- c. Other: Subject to regulation by the watermaster. The applicant shall permanently install a measuring device of a type approved by the department as part of the diverting works.

2. Denial of said application is for the following reasons: _____

Witness my hand this 31st day of October, 19 68.

Jack A. Bennett
Deputy State Reclamation Engineer

TOP SECRET

R. KEITH HIGGINSON
State Reclamation Engineer
Published in the Upper Country
Newspapers, Chippewa, Lake
on September 1 and September 2

Stuart Dopf, being first duly sworn, deposes and says that he is the publisher, foreman, principal clerk, of THE NEWS-REPORTER, a weekly newspaper published at Cambridge, Washington County, Idaho, and that said paper has been published continuously for more than 78 weeks immediately preceding the first publication of the attached notice; that said paper is in general circulation in the county aforesaid and in the vicinity of Cambridge, Idaho; that the notice, a copy of which is attached hereto, was published in said newspaper once a week for two consecutive weeks in the regular and entire issue of every number thereof during the period and time of publication, and was published in the newspaper proper and not in a supplement thereto; that the publication of said notice began with the issue of Sept. 5, 1968, and ended with the issue of Sept. 12, 1968.

Notary Public for Idaho, residing at
Cambridge, Idaho

bill sent 11-12-61

67-7017

WATER RIGHT NUMBER 67-7017

OWNER LAST NAME - PAUL JACKS & SONS

FIRST NAME - ORIG OWNER -

ADDRESS LINE 1 -

ADDRESS LINE 2 -

ADDRESS LINE 3 -

CITY - MIDVALE

STATE - ID ZIP CODE -

SOURCE - UNNAMED STREAM

TRIBUTARY OF - BEAVER CREEK

STAGE - LICENSE

STATUS -

PRIORITY - 08-20-1968

COUNTY - WASHINGTON

TOTAL DIV. RATE -

.3100 -CFS

TOTAL DIV. VOLUME -

63.00 AFA

TRFR/AMEND -

WATER DIST. - 67

DLE/CAREY ACT -

RIGHT BASIS -

DIVERSION POINT - NWSE 09 13N 03W LOT

REDIV -

0.0

0.0

0.0

0.0

0.0

0.0

0.0

0.0

0.0

0.0

0.0

FROM - 04-01 TO - 11-01 USE - IRRIGATION

USE DIV. RATE -

.3100

CFS

USE DIV. VOLUME -

63.00 AFA

USE - IRRIGATION

PLACE OF USE - TWN 13N RNC 03W SEC 09

TRACT SWSE LOT

AC 16

DECREE NAME -

DATE -

TOTAL ACRES

16

REMARKS - AC. IRR. = 15.7.

NON IRRIG USE -

OTHER RIGHTS FOR SAME USE -

PROOF DUE -

PERMIT/DENIED -

PROTESTED -

HEARING -

OLD NO. -

PROOF MADE -

FLD EXAM -

COND. OF APPROVAL - 01

DIVERSION MEANS -

IDENT. No. 67-7017

WATER RIGHT
DATA ENTRY LOG

[illegible]

January 23, 1974

Re: Permit No. 67-7017

Paul Jacks & Sons
Midvale, Idaho 83645

Gentlemen:

Enclosed herewith is a copy of the Water License issued on the above referenced permit.

Sincerely,

BOBBY D. FLEENOR
Assistant Director

jfr

Enclosure

67-7017

STATE OF IDAHO
DEPARTMENT OF WATER ADMINISTRATION



Cecil D. Andrus
Governor
R. Keith Higginson
Director

614 State Street
Statehouse - Annex 2
Boise, Idaho 83720
(208) 384-2190

Water Rights Administration
Water Resource Investigations
Dam and Reservoir Safety
Water Well Drilling
Waste Disposal Wells
Stream Channel Protection

January 3, 1974

Re: Permit No. 67-7017

Paul Jacks & Sons
Attn: Vernon Jacks
Midvale, Idaho 83645

Dear Mr. Jacks:

In answer to your letter of November 26, 1973, I have talked with our field examiner and he indicates that the point of diversion under your Permit No. 67-7017 is in the NW $\frac{1}{4}$ SE $\frac{1}{4}$, Section 9, Township 13 N, Range 3 W, therefore, an amendment will not be necessary before licensing. He also advises that only 15.7 acres have actually been irrigated.

Unless we hear from you within 10 days of the date of this letter, a license will be issued for 0.31 cfs from an unnamed stream in the NW $\frac{1}{4}$ SE $\frac{1}{4}$, Section 9, Township 13 N, Range 3 W for the irrigation of 15.7 acres in the SW $\frac{1}{4}$ SE $\frac{1}{4}$, Section 9, Township 13 N, Range 3 W.

Sincerely,

D. DARLENE REICH
Water Rights Supervisor

DDR/jfr

67-7017

~~Jack~~ CB

Mr. Jacks was in
and wants this licence
to show only his own
hand. 15.7 acres in the
SW⁴SE⁴ of S. 9. Licence can be for
0.32 C.F.S. P.D. is O.K.
not exchange or ^{permit} R.W. H.

also show that total diversion
from any source not to
exceed 0.32 C.F.S.

complete,
CB

67-7017

STATE OF IDAHO
DEPARTMENT OF WATER ADMINISTRATION



Cecil D. Andrus
Governor
R. Keith Higginson
Director

614 State Street
Statehouse - Annex 2
Boise, Idaho 83720
(208) 384-2190

Water Rights Administration
Water Resource Investigations
Dam and Reservoir Safety
Water Well Drilling
Waste Disposal Wells
Stream Channel Protection

September 19, 1973

Paul Jacks & Sons
Midvale,
Idaho 83645

Gentlemen:

A representative of this Department has made an examination of the works covered by your Permit No. 67-7017 and has found the following:

Quantity of water diverted: 0.53 cfs

Amount of water that can be recognized as beneficially used under Idaho law: 0.53 cfs

The maximum quantity diverted shall not exceed 225 acre feet per year.

Beneficial use: Irrigation of 120 acres within the NW1/4SE1/4, Sec. 9; SE1/2SW1/4 Sec. 10; Twp. 13 N, Rge. 3 W, B.M.

15.7 acres
in SW4SE4
9, - 13N-3W

Point of diversion: SW1/4SE1/4 Sec. 9, Twp. 13 N, Rge. 3 W, B.M.

Source: Unnamed stream

(0.32 c.f.s.)

Priority date established: August 20, 1968

The place of use and point of diversion found by our field examiner differs from that listed under your permit, therefore, it will be necessary for you to amend the permit before a Water License can be issued. We are enclosing a partially completed application for amendment for your use. Please sign the application and return it to this office with a \$10.00 filing fee within 10 days of the date of this letter in order that we may issue a water license as set forth above.

If you do not concur with these findings or have any questions, please contact this office within the 10 day period.

Sincerely,

BOBBY D. FLEENOR
Assistant Director

BDF/bjg
Enclosure

67-7017

MIDVALE, IDAHO
NOVEMBER 26.1973

STATE OF IDAHO
DEPARTMENT OF WATER ADMINISTRATION
BOISE, IDAHO

ATTN:- MR BOBBY FLEENER

DEAR SIR:*

WHEN I WAS DOWN THERE IN YOUR OFFICE IN OCTOBER. THE HEAD MAN WAS CALLED UP FROM HIS OFFICE DOWNSTAIRS. AND PASSED ON OUR PAPERS AND EVERYTHING THAT WAS LEFT WAS FOR YOU TO MAKE OUT OUR LICENSE AND MAIL TO US THE NEXT DAY.

THAT WAS HIS INSTRUCTIONS AND I HAD A CHECK FOR \$10.00, WHICH HE SAID I DID NOT HAVE TO GIVE ON IT. AND I AM CERTAIN THAT THE WATER PERMIT LICENSE WAS FOR TWENTY ACRES HERE WHICH WE HAVE AND NOT FOR THE 15.7 ACRES.

I HAVE LOOKED FOR THE LICENSE EVERY DAY SINCE I WAS THERE. AND NOW I RECEIVE THIS LETTER FROM YOU.

SINCERELY YOURS

PAUL E JACKS & SONS

BY:- *Vernon Jacks*

MIDVALE, IDAHO.

67-7017

November 21, 1973

Paul Jacks & Sons
Midvale,
Idaho 83645

Re: Permit No. 67-7017

Gentlemen:

Please be advised that the Department is prepared to issue a water license under the above referenced permit as follows:

Quantity: 0.31 cfs

Source: unnamed stream

The maximum quantity diverted shall not exceed 63 acre feet per year.

Beneficial use: Irrigation of 15.7 acres within the SW $\frac{1}{4}$ SE $\frac{1}{4}$ of Sec. 9, Twp. 13 N, Rge. 3 W, B. M.

Point of diversion: SW $\frac{1}{4}$ SE $\frac{1}{4}$ Sec. 9, Twp. 13 N, Rge. 3 W, B. M.

Priority date established: August 20, 1968

As the permit lists the point of diversion as being within the NW $\frac{1}{4}$ SE $\frac{1}{4}$ of Sec. 9, it will be necessary for you to amend your permit before a license can be issued. We have enclosed a partially completed application for amendment for your use in this matter. Please sign the application and return it to this office with a \$10.00 filing fee within 10 days of the date of this letter in order that we may issue the license as set forth above.

If you do not concur with these findings or have any questions, please contact us within the 10-day period.

Sincerely,

BOBBY D. FLEENOR
Assistant Director

BDF:DR
Enclosure

67-7017

DEPARTMENT OF WATER ADMINISTRATION
FIELD REPORT

1. Name of permit holder Paul Jacks & Sons CALL 3 DAYS IN ADVANCE OF EXAM
Post office address Midvale, Idaho Phone _____
Person to contact Paul E. Jacks or Alan Jacks Phone 355-2433

2. Source of water supply: Groundwater ☐ Surface water ☒ unnamed stream
Tributary to Beaver Creek (name spring, stream, etc.)

3. Water will be used for the following purposes:
Amount 1.0 c.f.s. for Irrigation
_____ AF/Annum (nature of use)
Period of Use: from April 1 to Nov. 1
(mo.-day) inclusive (mo.-day)
Amount _____ c.f.s. for _____
_____ AF/Annum (nature of use)
Period of Use: from _____ to _____
(mo.-day) inclusive (mo.-day)
Amount _____ c.f.s. for _____
_____ AF/Annum (nature of use)
Period of Use: from _____ to _____
(mo.-day) inclusive (mo.-day)
Other uses: _____

Permit No. 67-7017
Examination for B/U

4. Total amount to be appropriated:
Max Rate of Diversion 1.0 cubic feet per second and annual volume _____ AF/Annum.

5. Location of Point(s) of Diversion:
Township 13 N N/S, Range 3 W E/W, B.M., Section 9, Subdivision SW 1/4 SE 1/4, Washington County
Township _____ N/S, Range _____ E/W, B.M., Section _____, Subdivision _____ 1/4 _____ 1/4, _____ County
Township _____ N/S, Range _____ E/W, B.M., Section _____, Subdivision _____ 1/4 _____ 1/4, _____ County
Other Points of Diversions: _____

Description of diverting works: 560 International 70 hp Tractor and portable pump with 4" line. Call 3 days in advance of exam so that meter will be installed and operating.

Measuring device required: yes ☒ no ☐

6. Lands to be irrigated or place of use.

TWP.	RANGE	SEC.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
13N	3W	9														40	40	40	120




Diagram of System

DATE OF EXAM 7/2/1973

ACREAGE
Found 15.7
Recommended 15.7

Irrigation Requirement 4.0 Ac Ft/Ac

USE
Irrigation Q= 0.31 c.f.s. V= 62.8 AF/Ann. from 4/1 to 11/1
Domestic Q= _____ c.f.s. V= _____ AF/Ann. from _____ to _____
Livestock Q= _____ c.f.s. V= _____ AF/Ann. from _____ to _____

Is water co-mingled? yes _____ no ☒

Name source: _____
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Exchange? yes _____ no ☒

Name source exchanged with: _____
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Point of injection:
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Point of exchange:
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Total Q measured 0.53 cfs Method of measurement flowmeter

Total Q recommended 0.31 cfs Meter No. 82001 Type _____ Condition _____

Total V recommended 62.8 AF/Ann.

Recommended Amendments:

P.D. SW 1/4 SE 1/4 Sec 9, T13N, R3W
Place of Use _____
Other _____
None _____

MEASUREMENT CALCULATION:

$Q = 240 \text{ GPM} / 449 = 0.53 \text{ cfs}$

$V = (15.7)(4.0) = 62.8 \text{ AF}$

SYSTEM DESCRIPTION:

5" riser inlet to Berkeley Pump 4 1/4" discharge & Mainline w/ 2
lines (22 lines), powered by Farm-All 560 Diesel Tractor.

REMARKS:

This permit supplements Middle Valley Ditch Co. rights
Total Q from both rights should not exceed 0.31 cfs.

Examiner's Signature W. Clayton Brown Date 7/2/1973

Checked by _____ Date _____

Approved by _____ Date _____

67-7017

018

DEPARTMENT OF WATER ADMINISTRATION
FIELD REPORT

1. Name of permit holder Paul Jacks & Sons CALL "3" DAYS IN ADVANCE OF EXAM
Post office address Midvale, Idaho Phone _____
Person to contact Paul E. Jacks or Alan Jacks Phone 355-2433

2. Source of water supply: Groundwater ☐ Surface water ☒ unnamed stream
(name spring, stream, etc.)
Tributary to Beaver Creek

3. Water will be used for the following purposes:

Amount 1.0 c.f.s. for Irrigation
_____ AF/Annum (nature of use)

Period of Use: from April 1 to Nov. 1
(mo.-day) inclusive (mo.-day)

Amount _____ c.f.s. for _____
_____ AF/Annum (nature of use)

Period of Use: from _____ to _____
(mo.-day) inclusive (mo.-day)

Amount _____ c.f.s. for _____
_____ AF/Annum (nature of use)

Period of Use: from _____ to _____
(mo.-day) inclusive (mo.-day)

Other uses: _____

Permit No. 67-7017
Examination for b/u

4. Total amount to be appropriated:

Max Rate of Diversion 1.0 cubic feet per second and annual volume _____ AF/Annum.

5. Location of Point(s) of Diversion:

Township 13N N/S, Range 3W E/W, B.M., Section 9, Subdivision SW ~~NW~~ SE 1/4 1/4, Washington
County
Township _____ N/S, Range _____ E/W, B.M., Section _____, Subdivision _____ 1/4 _____ 1/4, _____
County
Township _____ N/S, Range _____ E/W, B.M., Section _____, Subdivision _____ 1/4 _____ 1/4, _____
County

Other Points of Diversions: _____

Description of diverting works: 560 International 70 hp Tractor and portable pump with 4" line
Call 3 days in advance of exam so that meter will be installed and operating.

Measuring device required: yes ☒ no ☐

6. Lands to be irrigated or place of use.

TWP.	RANGE	SEC.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
13N	3W	9													40	40	40		120

TOTAL ACREAGE 120

67-7017




Diagram of System

Gal x100

2 245 GPM - 250

3137.0

3113.0

240 GPM

DATE OF EXAM 7 / 2 / 1973

ACREAGE
Found 120.0
Recommended 120.0

Irrigation Requirement 4.0 Ac Ft/Ac

USE
Irrigation Q = 0.53 c.f.s. V = 226.2 AF/Ann. from 4/1 to 11/1
Domestic Q = _____ c.f.s. V = _____ AF/Ann. from _____ to _____
Livestock Q = _____ c.f.s. V = _____ AF/Ann. from _____ to _____

Is water co-mingled? yes _____ no ☒

Name source: _____
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____ County _____

Exchange? yes _____ no ☒

Name source exchanged with: _____
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____ County _____

Point of injection:
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____ County _____

Point of exchange:
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____ County _____

Total Q measured 0.53 cfs Method of measurement flow meter

Total Q recommended 0.53 cfs Meter No. 82001 Type Spurling 6" Condition new

Total V recommended 226.2 A.F./Ann.

Recommended Amendments:

P.D. SW 1/4 SE 1/4 Sec 9, T13N R3W
Place of Use 18.3 Ac NWSE, 28.7 Ac SWSE, 33.3 Ac SESE, Sec 9; 35.7 Ac SWSW,
Other 4.0 Ac SESW, Sec 10; T13N R3W.
None _____

MEASUREMENT CALCULATION:

$Q = 240 \text{ GPM} / 449 = 0.53 \text{ cfs}$

$V = (0.53)(1.48)(214) = 226.2 \text{ A.F./Ann.}$

SYSTEM DESCRIPTION:

5" riser inlet to Berkeley Pump w/ 4" discharge & Mainline w/ 2 lines (72 heads)
powered by Farm-All 540 Diesel Tractor.

REMARKS:

(refer to photo) 10.6 Ac in SESE Sec 9, & 26.4 Ac & 13.3 Ac in SW 1/4 Sec 10
has no other water rights.
For the rest of the land listed, this permit supplements
Widdie Valley Ditch Corp. rights.

Examiner's Signature M. Clayne Barton Date 7/2/1973

Checked by _____ Date _____

Approved by _____ Date _____

67-7017

September 19, 1972

Re: Permit No. 67-7017

Paul Jacks & Sons
Midvale,
Idaho 83645

Gentlemen:

We acknowledge receipt of your affidavit submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department. We cannot tell just when this examination will be made, but our examiner will try to contact you at the time he makes the examination so that you may show him the system.

Sincerely,

BOBBY D. FLEENOR
Assistant Director

BDF:DR

bc: Western District Office
Enc: Field exam report

67-7017

Identification No. 67-7017

Permit No. 42771

STATE OF IDAHO
DEPARTMENT OF RECLAMATION

PROOF OF APPLICATION OF WATER TO BENEFICIAL USE

Department of Water

14-1973
Call 3 days in advance
355-2433

1. a) Name of Permit Holder PAUL JACKS & SONS -
b) Post Office Address Midvale Idaho
2. Permit Number 67-7017
3. Date of Priority that you are prepared to establish _____
4. a) Source from which water was appropriated UNNAMED STREAM TRIBUTARY BEAVER CREEK
b) Location of the point of diversion: NW 1/4 SE 1/4 Section 9
Township 13 N, Range 3 W Boise Meridian, Other points of diversion: _____
5. a) The amount of water and use to which the water has been applied:
amount 1.0 for irrigation purposes from April 1 to Nov. 1 incl.
(cfs and/or acre feet per annum) (Month-Day) (Month-Day)
amount _____ for _____ purposes from _____ to _____ incl.
(cfs and/or acre feet per annum) (Month-Day) (Month-Day)
amount _____ for _____ purposes from _____ to _____ incl.
(cfs and/or acre feet per annum) (Month-Day) (Month-Day)
b) Total amount appropriated 1.0 cfs cfs and/or acre feet per annum
c) Describe how and by whom measurement of rate of flow or amount of storage was made and the qualifications of the person making the measurement: 74 sprinklers at 7 gpm each
estimated by Consumers Corp in Midvale
6. If the means of diversion and conveyance are owned by someone other than the Permit Holder:
a) Give the name or description of the canal, ditch or other works by which the water is conducted to the place of use: unnamed stream trip to Beaver Creek
(POD owned by Kenneth Williams)
b) Describe the agreement or understanding by which you take water from the works: Long Term Lease
7. a) Briefly describe the works for diverting and conveying the water to the place of use, (If from a subterranean source, give the pump size, motor size, size of well casing, depth of well; if from surface water, give brief description of diversion structure and/or canal or ditch) 560 International (70 HP)
tractor and portable pump with 4" line.
b) Describe the type and size of measuring device which you have installed at your point of diversion: No measuring device since this is a portable pump. Will install prior to inspection and examination.
c) Give well drillers name and address and date the well was completed _____

Exam typed 9-19-72 by ds

67-7017

607-7017

8. If for other than irrigation, describe the beneficial use to which you have applied the water and the place of use _____

9. Irrigation uses: Describe the lands irrigated by giving the acreages irrigated within each 40 acre subdivision: _____

TWP.	RANGE	SEC.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
13 N	3 W	9														40	40	40	120

10. Remarks: Please contact Paul E. Jacks or Alan Jacks at 355-2433
so that meter will be operating. Call about 2 or 3 days in advance.

The above information is a true statement of the extent to which the above numbered permit has been developed.

9/14/72
(Date)

Paul E. Jacks Partner
(Signature)

State of Idaho)
County of Ada) ss.

On this 14th day of September, 19 72, personally appeared before me the
signer(s) of the above instrument, who duly acknowledged to me that he (~~she~~) (~~they~~) executed the same.

Kenneth P. Frit
Notary Public residing at Boise, Idaho

My commission expires May 26, 1974

Western District Office

September 6, 1972

RE: Application for Permit No. 67-7017

Mr. Paul E. Jacks
Midvale
Idaho 83645

Dear Mr. Jacks:

I have enclosed a "Proof of Application of Water to Beneficial Use" form.

Please complete and return the form to us. Please note that this is an affidavit and your signature must be notarized.

After receipt of your "Proof of Application to Beneficial Use" form, your system will be examined by a member of our staff at our earliest convenience.

Sincerely,

KENNETH H. FOIT, P. E.
Western District Engineer

KHF:def

Enclosure

67-7017

Western District Office

September 6, 1972

RE: Application for Permit No. 67-7017

Mr. Paul E. Jacks
Midvale
Idaho 83645

Dear Mr. Jacks:

I have enclosed a "Proof of Application of Water to Beneficial Use" form.

Please complete and return the form to us. Please note that this is an affidavit and your signature must be notarized.

After receipt of your "Proof of Application to Beneficial Use" form, your system will be examined by a member of our staff at our earliest convenience.

Sincerely,

KENNETH H. FOIT, P. E.
Western District Engineer

KHF:def

Enclosure

67-7017

July 17, 1970

Re: Permit No. 67-7017

Mr. Paul Jacks & Sons
Midvale, Idaho 83645
ATTENTION: Mike Felton

Gentlemen:

We are in receipt of your letter of July 6, 1970, concerning the above referenced permit.

You have inquired as to how a weir can be constructed in connection with your sprinkler system. As far as we can determine, a weir will not be satisfactory where water is diverted by means of a pump, and applied by sprinkler. We must have some method determining the discharge through the sprinkler system. Therefore, we would assume an enclosed measuring device would have to be installed in the system. This type of flow meter is available in Idaho, and can be obtained in either a totalizing flow meter, or a flow meter that reads direct cubic feet per second.

Your application was originally filed, and permit approved in connection with an unnamed stream, tributary of Beaver Creek. You indicated in your application that you may desire under this permit to exchange water from the unnamed stream with Beaver Creek water. If this is the case, and you are exchanging water at this time, then it would be necessary for you to measure the water that you divert at each source.

As to your inquiries concerning additional grounds not covered by the permit; the only way that a water right can be established on the area ground would be for you to file an additional permit on the new ground that you propose to irrigate, even though it is a lease situation. We cannot allow an amendment to expand the original permit to include the additional ground. We are enclosing a new application for permit form and a set of instructions in case you wish to file on this new ground.

67-7017

July 17, 1970

Paul Jacks & Sons

C Should you require the additional time, your permit allows until October 1, 1973, before you are required to submit beneficial use evidence.

Please contact us if we can be of further assistance.

Very truly yours,

O Donald W. McEldowney
Appropriation Supervisor

DWM/cm

P Enclosure: Application for permit form.

Y

67-7017

Mudvale, Idaho
July 6 1970

Department of Reclamation
State House Annex 2 -
Boise Idaho; 83707 -

RECEIVED
JUL 7 1970
U.S. DEPARTMENT OF AGRICULTURE
WASHINGTON

Dear Sirs:-

In regards to:-

Identification No: — 67-7017 Date Oct-31, 1968-
Application No — 42771

We would like to know, where we can get the proper information on the construction of a proper weir. To use in this sprinkler system. We have some dry land adjoining us, which we would like to use this water on at times.

We have rented this for years and will continue to do so.

Would this be satisfactory to do this?

Also we have a chance to rent a sprinkler system from a neighbor. And at this time we can not afford to buy such a system.

Could we do this and make "Final Proof" on this water right, while doing this? Trust that you can give us the information we need here.

Sincerely yours

Paul E. Jacks & Sons -

83645 — Mudvale, Idaho

67-7017

October 29, 1968

Re: Applications Nos. 67-7014, 67-7017, and 67-7019

The Upper County News-Reporter
Cambridge,
Idaho

Gentlemen:

Returned herewith is the bill of publication for the above referenced applications. Please note that we have indicated on the bill that Application 67-7015 has already been paid by a previous billing.

If you would please certify the bill and return it to this department we will submit it for payment. Your prompt attention to this matter is appreciated.

Very truly yours,

Donald W. McEldowney
Appropriation Examiner

DWM:ks
enclosure: Bill of publication

67-7017

November 1, 1968

Re: Permit No. 67-7017 - Paul Jacks & Sons

Paul Jacks & Sons
Midvale,
Idaho 83645

Dear Sirs:

We enclose a copy of your approved application for permit 67-7017
in which we direct your attention to the limitations and conditions as given
on the fourth page under approval of the State Reclamation Engineer.

Very truly yours,

C. Stephen Allred, Assistant
State Reclamation Engineer

CSA:kh

Enclosures: Copy of application
Receipt No. W-467 for \$20.
1 informational letter

67-7017

DON SAMUELSON
GOVERNOR



R. KEITH HIGGINSON
State Reclamation Engineer

STATE OF IDAHO

DEPARTMENT OF RECLAMATION
STATEHOUSE — ANNEX 2
BOISE, IDAHO 83707

October 11, 1968

Re: Application Nos. 67-7017 and 67-7019

Upper County News-Reporter
Cambridge,
Idaho 83610

Gentlemen:

As of this date, we have not received the affidavits or the bill of publication on the above referenced applications. Please forward the certified bill and the affidavits to this department as soon as possible.

Very truly yours,

Donald W. McEldowney
Appropriations Examiner

DWM:kh

67-7017

October 1, 1968

Re: Application nos. 67-7014, 67-7015, 67-7017, and 67-7019

Upper County News-Reporter
Cambridge,
Idaho

Gentlemen:

Returned herewith is the bill and affidavit of publication for the above referenced applications. Please be advised that before the bill may be submitted for payment it must be certified by a representative of your newspaper and signed.

Also, the Department would appreciate very much if you could possibly submit four (4) individual affidavits of publication. The original affidavit of publication must be kept with each individual application file so we will therefore need four (4) individual affidavits.

Your cooperation in this matter is appreciated.

Very truly yours,

Donald W. McEldowney
Appropriation Examiner

DWM:ks

enclosure: bill of publication
Affidavit of publication

67-7017

[illegible]

WILLIAM H. INGRAM

State Reclamation Engineer
Published in the Upper Country
Teton, Idaho, Cambridge, Idaho,
on September 5 and September 12.

DON SAMUELSON
GOVERNOR



R. KEITH HIGGINSON
State Reclamation Engineer

STATE OF IDAHO

DEPARTMENT OF RECLAMATION

107 STATE HOUSE

BOISE, IDAHO 83701

August 30, 1968

Re: Application No. 67-7014 - W. W. Dale
Application No. 67-7015 - August Jaeger
Application No. 67-7017 - Paul Jacks & Sons
~~Application No. 67-7018 - F. Paul Sutton~~
Application No. 67-7019 - Elvin O. Craig

Upper County News Reporter
Cambridge,
Idaho 83610

Gentlemen:

Enclosed you will find a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing ample time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted assuming the notice is correct. If we have any corrections, we will notify you before the first publication date. If you can not publish the notice on the proposed dates please contact us immediately.

An affidavit of publication must be submitted to the Department of Reclamation, along with the publication bill. In order to receive payment, the following certification must appear on the bill:

I hereby certify that the foregoing account is just and correct, that the amount claimed is legally due, after allowing all just credits, and that no part of same has been paid.

Signature of claimant

Very truly yours,

Donald W. McEldowney
Appropriation Examiner

DWM:ks
enclosure; legal notice

NOTICE OF APPLICATION FOR WATER

Notice is hereby given that Paul Jacks & Sons, Midvale, Idaho
has on August 20, 1968
applied for permit to divert ~~store~~ 1.0 cubic feet per second ~~acre feet~~
of water from an unnamed stream, tributary of Elk Beaver Creek
under application No. 67-7017. Water will be diverted by a pump, pipe,
ditch and/or sprinkler irrigation within the NW $\frac{1}{4}$ SE $\frac{1}{4}$, sec. 9, T. 13 N.
R. 3 W, B.M., Washington County
and is to be used from April 1 to November 1 for irrigation
in the NW $\frac{1}{4}$ SE $\frac{1}{4}$, SW $\frac{1}{4}$ SE $\frac{1}{4}$, SE $\frac{1}{4}$ SE $\frac{1}{4}$, sec. 9, T. 13 N, R. 3 W, B.M.

Any protest against this application must be filed with the Department of Reclamation within ten days from the last date of publication of this notice.

R. KEITH HIGGINSON
State Reclamation Engineer

Published in the Upper County News Reporter, Cambridge, Idaho
on September 5 and September 12.

67-7017



THE UNITED STATES OF AMERICA

DEPARTMENT OF JUSTICE

RECEIVED

OFFICE OF THE ATTORNEY GENERAL

WASHINGTON, D. C.

SEPTEMBER 1, 1954

TO THE HONORABLE CHIEF JUSTICE

U. S. SUPREME COURT

WASHINGTON, D. C.

FROM THE ATTORNEY GENERAL

RE: [REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]


[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]



100-100000

100-100000

100-100000

100-100000

100-100000

100-100000

100-100000

100-100000

100-100000

100-100000

100-100000

100-100000

100-100000

100-100000

100-100000

100-100000

100-100000

100-100000

100-100000

100-100000

100-100000

100-100000

100-100000

100-100000

100-100000